Open Source Used In AppDynamics_Python_Agent 24.11.0

Cisco Systems, Inc.
www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2258946123

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this form.

In your requests please include the following reference number 78EE117C99-2258946123

Contents

1.1 annotations 13.0
1.1.1 Available under license
1.2 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava
1.3 failureaccess 1.0.1
1.4 xerces-j 2.12.2
1.4.1 Available under license
1.5 httpcomponents-client 4.5.13
1.5.1 Available under license
1.6 lcms 1.19-r8
1.6.1 Available under license
1.7 httpcomponents-core 4.4.13
1.7.1 Available under license
1.8 httpcore-nio 4.4.13
1.8.1 Available under license
1.9 httpclient-cache 4.5.13
1.9.1 Available under license
1.10 commons-codec 1.14
1.10.1 Available under license
1.11 commons-math 2.1
1.11.1 Available under license
1.12 commons-codec 1.15
1.12.1 Available under license
1.13 zeromq 4.3.4
1.13.1 Available under license
1.14 kotlin 1.3.31
1.14.1 Available under license

1.15 alpine-keys 2.4-r1
1.15.1 Available under license
1.16 log4j-api 2.17.1
1.16.1 Available under license
1.17 apache-log4j 2.17.1
1.17.1 Available under license
1.18 log4j-jcl 2.17.1
1.18.1 Available under license
1.19 dagger 2.4
1.19.1 Available under license
1.20 protobuf-java-format 1.2
1.20.1 Available under license
1.21 annotations 4.1.1.4
1.21.1 Available under license
1.22 error_prone_annotations 2.3.3
1.22.1 Available under license
1.23 jzmq-jni 3.1.1-SNAPSHOT
1.23.1 Available under license
1.24 jzmq-devices 3.1.1-SNAPSHOT
1.24.1 Available under license
1.25 jzmq 3.1.1-SNAPSHOT
1.25.1 Available under license
1.26 jzmq-core 3.1.1-SNAPSHOT
1.26.1 Available under license
1.27 protobuf-java 3.19.6
1.27.1 Available under license
1.28 jctools-core 4.0.1
1.28.1 Available under license
1.29 httpcomponents-mime 4.5.14
1.29.1 Available under license
1.30 gson 2.10.1
1.30.1 Available under license
1.31 commons-fileupload 1.5
1.31.1 Available under license
1.32 error_prone_annotations 2.18.0
1.32.1 Available under license
1.33 opentelemetry-proto 0.11.0
1.33.1 Available under license
1.34 bridgeutils 1.7.1-r2

1.34.1 Available under license
1.35 okhttp 4.11.0
1.35.1 Available under license
1.36 free-type 2.13.0
1.36.1 Available under license
1.37 animal-sniffer-annotation 1.23
1.37.1 Available under license
1.38 j2objc-annotations 2.8
1.38.1 Available under license
1.39 tre 0.8.0-r2
1.39.1 Available under license
1.40 guava 32.0.1-jre
1.40.1 Available under license
1.41 pax-utils 1.3.7-r2
1.41.1 Available under license
1.42 opentelemetry-sdk-extension-autoconfigure-spi 1.29.0
1.42.1 Available under license
1.43 opentelemetry-semconv 1.29.0-alpha
1.43.1 Available under license
1.44 okio 3.6.0
1.44.1 Available under license
1.45 guava 32.1.3-jre
1.45.1 Available under license
1.46 asm 9.6
1.46.1 Available under license
1.47 error_prone_annotations 2.23.0
1.47.1 Available under license
1.48 jline 3.22.0
1.48.1 Available under license
1.49 zt 1.16
1.49.1 Available under license
1.50 musl 1.2.5-r0
1.50.1 Available under license
1.51 zlib 1.3.1-r1
1.51.1 Available under license
1.52 openjdk 11.0.23
1.52.1 Available under license
1.53 alpine-baselayout 3.6.5-r0
1.53.1 Available under license

1.54 jsr305 3.0.2
1.54.1 Available under license
1.55 servlet-api 3.0.1
1.55.1 Available under license
1.56 disruptor 2.11.2.3
1.56.1 Available under license
1.57 perfmark-api 0.17.0
1.57.1 Available under license
1.58 busybox 1.36.1-r29
1.58.1 Available under license
1.59 apk-tools 2.14.4-r1
1.59.1 Available under license
1.60 appdynamics-proxysupport-linux-x64 11.72.3
1.60.1 Available under license
1.61 openjdk 11.0.23u9
1.61.1 Available under license
1.62 appdynamics-proxysupport-alpine-linux-x64 11.72.3
1.62.1 Available under license
1.63 ca-certificates 20240705-r0
1.63.1 Available under license
1.64 openjdk-jre 11.0.23u9
1.64.1 Available under license
1.65 slf4j 2.0.16
1.65.1 Available under license
1.66 opentelemetry-exporter-otlp 1.29.0
1.66.1 Available under license
1.67 openssl 3.3.2-r1
1.67.1 Available under license
1.68 commons-logging 1.3.4
1.68.1 Available under license
1.69 commons-io 2.17.0
1.69.1 Available under license
1.70 appdynamics-bindeps-linux-x64 24.8.0
1.70.1 Available under license
1.71 appdynamics-bindeps-alpine-linux-x64 24.8.0
1.71.1 Available under license
1.72 jackson 2.17.3
1.72.1 Available under license
1.73 jackson-databind 2.17.3

1.73.1 Available under license
1.74 jackson-annotations 2.17.3
1.74.1 Available under license
1.75 jackson-dataformat-yaml 2.17.3
1.75.1 Available under license
1.76 appdynamics-alpine-without-jre 24.11.0.7212
1.76.1 Available under license
1.77 appdynamics-without-jre 24.11.0.7212
1.77.1 Available under license
1.78 appdynamics 24.11.0.7212
1.78.1 Available under license
1.79 appdynamics-alpine 24.11.0.7212
1.79.1 Available under license

1.1 annotations 13.0

1.1.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2006 Sascha Weinreuter
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Language.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/PrintFormat.java

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Subst.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2000-2013 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Contract.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Flow.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2000-2009 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nls.java

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NonNls.java
*
 /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/PropertyKey.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NotNull.java
*
 /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/MagicConstant.java

1.2 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.3 failureaccess 1.0.1

1.4 xerces-j 2.12.2

1.4.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation http://www.apache.org/

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
==  Version 2.0, in this case for the Apache Xerces Java distribution. ==
=========================================================================
```

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.

==
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
==

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software was originally based on the following:
- software copyright (c) 1999-2002, Lotus Development Corporation.,
  http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems.,
  http://www.sun.com.
- software copyright (c) 2003, IBM Corporation.,
  http://www.ibm.com.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.5 httpcomponents-client 4.5.13

1.5.1 Available under license :

Apache HttpClient
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.6 lcms 1.19-r8

1.6.1 Available under license :

Little CMS
Copyright (c) 1998-2011 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs,
please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a
program, you must acknowledge somewhere in your documentation that
you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS", and you,
its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this
software (or portions thereof) for any purpose, without
fee, subject to these
conditions:
(1) If any part of the source code for this software is distributed, then this
README file must be included, with this copyright and no-warranty notice
unaltered; and any additions, deletions, or changes to the original files
must be clearly indicated in accompanying documentation.
(2) If only executable code is distributed, then the accompanying
documentation must state that "this software is based in part on the work of
the Independent JPEG Group".
(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products
derived from
it. This software may be referred to only as "the Independent JPEG Group's
software".

We specifically permit and encourage the use of this software as the basis of

commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltmain.sh). Another support script, install-sh, is copyright by X Consortium
but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support has
been removed altogether, and the GIF writer has been simplified to produce
"uncompressed GIFs". This technique does not use the LZW algorithm; the
resulting GIF files are larger than usual, but are readable by
 all standard
GIF decoders.

We are required to state that
  "The Graphics Interchange Format(c) is the Copyright property of
  CompuServe Incorporated. GIF(sm) is a Service Mark property of
  CompuServe Incorporated."

1.7 httpcomponents-core 4.4.13

1.7.1 Available under license :

Apache HttpCore
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.8 httpcore-nio 4.4.13

1.8.1 Available under license :

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.9 httpclient-cache 4.5.13

1.9.1 Available under license :

Apache HttpClient Cache
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.10 commons-codec 1.14

1.10.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your
sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.

Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.11 commons-math 2.1

1.11.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution
and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT
OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER

SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY),
OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional

copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer listed
 in this license in the documentation and/or other materials
 provided with the distribution.

- Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
 SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math.random:

 Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
 All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions
  are met:

  1. Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==========

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University
of Chicago. All rights reserved
==========

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:

Copyright (c) 2004, Ernst Hairer
==========

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
==========

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source
 copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

1.12 commons-codec 1.15

1.12.1 Available under license :

Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.13 zeromq 4.3.4

1.13.1 Available under license :

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Fox
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gitfoxi", with
commit author "gitfoxi", are copyright of Michael Fox.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Fox
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Google, Inc.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tkoeppe", with
commit author "Thomas Kppe", are copyright of Google, Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Kppe
2017/09/13

Permission to Relicense under MPLv2

This is a statement by Victor Luchits
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "viciious", with
commit author "Victor Luchits", are copyright of Victor Luchits.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Victor Luchits
2019/11/12
Permission to Relicense under MPLv2

This is a statement by Nikita Kozlov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "KLNikita", with
commit author "nikita kozlov <nikita@elyzion.net>", are copyright of Nikita Kozlov .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Nikita Kozlov
6 February 2020
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with
commit author "{{github commit author}}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "chugga_fan"
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuggafan", with
commit author "chugga_fan chuggafans@gmail.com", are copyright of "chugga_fan" .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

"chugga_fan"
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roy Lenferink
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rlenferink", with
commit author "Roy Lenferink <lenferinkroy@gmail.com>" or "Roy Lenferink <rlenferink@apache.org>", are
copyright of Roy Lenferink.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Roy Lenferink
2017/03/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jakub Kaczmarzyk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kaczmarj", with
commit author "Jakub Kaczmarzyk jakub.kaczmarzyk@gmail.com", are copyright of Jakub Kaczmarzyk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jakub Kaczmarzyk
2020/07/29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Serghei Novac
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "carbofos", with
commit author "Serghei Novac <serghei.novac@epydoc.com>", are copyright of Serghei Novac.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Serghei Novac
2019/03/05
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "antonrd", with
commit author "Anton Dimitrov <dimitrov.anton@gmail.com>", are
copyright of Anton Dimitrov. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Anton Dimitrov

2018/10/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Henri Gourvest that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "hgourvest", with
commit author "Henri Gourvest <hgourvest@progdigy.com>", are
copyright of Henri Gourvest. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Henri Gourvest
2018/12/8
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Juniet
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cjuniet", with
commit author "Christophe Juniet <c.juniet@gmail.com>", are copyright of Christophe Juniet.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christophe Juniet
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Connolly
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mattconnolly", with
commit author "Matt Connolly <matt.connolly@me.com>", are copyright of Matthew Connolly.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthew Connolly
2017/06/28
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by xqcool
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "xqcool", with
commit author "xqcool <xuquan316@live.com>", are copyright of xqcool .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

xqcool
2020/01/01
Permission to Relicense under MPLv2

This is a statement by Manuel Segura
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mesegura", with
commit author "Manuel Segura", are copyright of Manuel Segura .
This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Manuel Eduardo Segura
2019/08/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alex Grnholm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "agronholm", with
commit author "Alex Grnholm <alex.gronholm+git@nextday.fi>", are copyright of Alex Grnholm.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alex Grnholm
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Aaron Linville
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "linville", with
commit author "Aaron Linville <aaron@linville.org>", are copyright of Aaron Linville.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Aaron Linville
2017/03/27
Permission to Relicense under MPLv2

This is a statement by Dylan Cali
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "calid", with
commit author "Dylan Cali <calid1984@gmail.com>", are copyright of Dylan Cali.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dylan Cali

2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Attila Mark Sz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ambitslix", with commit author "gougolith@gmail.com", are copyright of Attila Mark. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Attila Mark Sz 2020/11/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mark Jan van Kampen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mjvk", with commit author "Mark Jan van Kampen <markjanvankampen@gmail.com>", are copyright of Mark Jan van Kampen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Jan van Kampen
2020/02/24
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivan Pechorin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipechorin", with commit author "Ivan Pechorin <ivan.pechorin@gmail.com>", are copyright of Ivan Pechorin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivan Pechorin
2019/09/25
Permission to Relicense under MPLv2

This is a statement by Sven Liedtke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "liedtkeInTUM", with
commit author "Sven Liedtke", are copyright of Sven Liedtke.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sven Liedtke
2019/11/27
Permission to Relicense under MPLv2

This is a statement by Ericsson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hugne", with
commit author "Erik Hugne erik.hugne@ericsson.com", are copyright of Ericsson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jon Maloy <jon.maloy@ericsson.com>
2019/03/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Isaac Poulton
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Omegastick", with
commit author "Omegastick", are copyright of Isaac Poulton.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Isaac Poulton
2019/04/14
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by JaeSang Yoo
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JSYoo5B", with
commit author "JaeSang Yoo <jsyoo5b@gmail.com>", are copyright of JaeSang Yoo.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

JaeSang Yoo
2020.02.29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Volodymyr Korniichuk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ezhikus", with
commit author "VolodymyrKorn@gmail.com", are copyright of Volodymyr Korniichuk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Volodymyr Korniichuk
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Davit Kalantaryan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made with commit author
"Davit Kalantaryan <davit.kalantaryan@desy.de>", are copyright of Davit Kalantaryan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Davit Kalantaryan
2020/08/06
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Elliot Saba
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "staticfloat", with
commit author "Elliot Saba <staticfloat@gmail.com>", are copyright of Elliot Saba.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Elliot Saba
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Silverman
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brian-peloton", with
commit author "brian@peloton-tech.com", are copyright of Brian Silverman .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Silverman
2019/08/14
Permission to Relicense under MPLv2

This is a statement by KIU Shueng Chuan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "pijyoi", with
commit author "KIU Shueng Chuan <nixchuan@gmail.com>", are copyright of KIU Shueng Chuan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

KIU Shueng Chuan
2017/03/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Hague that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla
Public License v2 (MPLv2) or any other Open Source Initiative approved
license chosen by the current ZeroMQ BDFL (Benevolent Dictator for
Life).

A portion of the commits made by the Github handle "banburybill", with
commit author "Jim Hague <jim.hague@acm.org>", are copyright of Jim
Hague. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions
of the author listed above.

Jim Hague
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eelis van der Weegen that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the

Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "Eelis", with
commit author "Eelis van der Weegen <eelis@eelis.net>", are
copyright of Eelis van der Weegen. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Eelis van der Weegen
2019/02/22
Permission to Relicense under MPLv2

This is a statement by Chris Staite that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "chrisstaite", with commit
author "Chris <chris@yourdreamnet.co.uk>", are copyright of Chris Staite.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Chris Staite
2017/03/28
Permission to Relicense under MPLv2

This is a statement by Goswin von Brederlow
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mrvn", with
commit author "Goswin von Brederlow <goswin-v-b@web.de>" or "Goswin von Brederlow <brederlo@q-
leap.de>", are copyright of Goswin von Brederlow.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Goswin von Brederlow
2020/12/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William P Strang
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "willstrang", with
commit author "Will Strang <william.p.strang@gmail.com", are copyright of William P Strang.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

William P Strang
2017/03/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Buchanan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bwbuchanan", with
commit author "Brian Buchanan <bwb@holo.org>" or "Brian Buchanan <brian@tiogalake.com>", are
copyright of Brian Buchanan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Buchanan
2017/03/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rik van der Heijden
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rikvdh", with
commit author "Rik van der Heijden <mail@rikvanderheijden.com>" and "Rik van der Heijden
<rik.vanderheijden@dualinventive.com>", are copyright of Rik van der Heijden.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Rik van der Heijden
2017/04/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Axel Nennker that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "AxelNennker", with
commit author "Axel Nennker <axel@nennker.de>", are
copyright of Axel Nennker. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Axel Nennker
2019/08/11
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

I happily grant permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

The portion of the commits made by the Github handle "chymanfx", are
not copyrighted in any way.
Chyman
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Beaty
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbobbeaty", with
commit author "Bob Beaty <drbob@themanfromspud.com>", are copyright of Robert Beaty .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Beaty
2019/08/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthias Kluwe
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkluwe", with
commit author "Matthias Kluwe <mkluwe@gmail.com>", are copyright of Matthias Kluwe.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthias Kluwe
2017/03/24
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Orry
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chickenkiller", with
commit author "Lionel Orry <lionel.orry@gmail.com>", are copyright of Lionel Orry.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Lionel Orry
2017/03/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Hasenack that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "panlinux", with
commit author "Andreas Hasenack <andreas@canonical.com>", are
copyright of Andreas Hasenack. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Andreas Hasenack
2019/03/18
wepoll - epoll for Windows
https://github.com/piscisaureus/wepoll

Copyright 2012-2018, Bert Belder <bertbelder@gmail.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 * Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Permission to Relicense under MPLv2

This is a statement by Hewlett Packard Enterprise
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with
commit author "Brett Cameron <Brett.Cameron@hp.com>", are copyright of Hewlett Packard Enterprise.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Hewlett Packard Enterprise
2019/03/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Denis Collette that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "colletted", with commit author "Denis Collette denisncollette@gmail.com", are copyright of Denis Collette. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Denis Collette 2020/01/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Erik Hugne
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Hugne", with

commit author "erik.hugne@gmail.com", are copyright of Erik Hugne.
Commits made by author "erik.hugne@ericsson.com" are NOT covered by this
statement.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Erik Hugne
2017/03/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Fabrice Fontaine
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ffontaine", with
commit author "Fabrice Fontaine <fontaine.fabrice@gmail.com>", are copyright of Fabrice Fontaine.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Fabrice Fontaine
2018-09-13
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL
This is a statement by Rickard Hallerbck that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Ricardicus", with commit author "Rickard Hallerbck", are copyright of Rickard Hallerbck. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rickard Hallerbck 2020/02/28
Permission to Relicense under MPLV2

This directory collects grants from individuals and firms that hold
copyrights in ZeroMQ to permit licensing the ZeroMQ code under
the [Mozilla Public License, version
2](https://www.mozilla.org/en-US/MPL/2.0/). See [GitHub Pull
Request #1917](https://github.com/zeromq/libzmq/pull/1917),
the [0MQ Licensing Page](http://zeromq.org/area:licensing) and
[original iMatix zeromq-dev license
grant](http://lists.zeromq.org/pipermail/zeromq-dev/2016-April/030288.html)
for some background information.

Please create a separate file in this directory for each individual
or firm holding copyright in ZeroMQ, named after the individual or
firm holding the copyright.

Each patch must be made with a GitHub handle that is clearly
associated with the copyright owner, to guarantee the identity of
the signatory. Please avoid changing the files created by other
individuals or firms granting a copyright license over their
copyrights (if rewording is required contact them
 and ask them to
submit an updated version). This makes it easier to verify that
the license grant was made by an authorized GitHub account.
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Leonardo J. Consoni
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AnCaPepe", with
commit author "Leonardo Jos Consoni <consoni_2519@hotmail.com>", are copyright of Leonardo J. Consoni.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Leonardo Jos Consoni
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Caleb Epstein
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Bklyn", with
commit author "Caleb Epstein <cae@bklyn.org>", are copyright of Caleb Epstein.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Caleb Epstein
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Steven McCoy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "steve-o", with
commit author "Steven McCoy <steven.mccoy@miru.hk>" and "Steve-o
<fnjordy@gmail.com>", are copyright of Steven McCoy.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Steven McCoy
2019/02/24
Permission to Relicense under MPLv2

This is a statement by Maurizio Melato
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mauri-melato", with
commit author "Maurizio Melato", are copyright of Maurizio Melato.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Maurizio Melato
2017-04-04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by G. Evan Burkitt
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eburkitt", with
commit author "Evan Burkitt <evanb@edulinksys.com>", are copyright of G. Evan Burkitt.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

G. Evan Burkitt
2017/04/06
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gavin McNiff
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gavinmcniff", with
commit author "Gavin McNiff <gavin@mcniff.ie>", are copyright of Gavin McNiff .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gavin McNiff
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Ford that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "fanquake", with
commit author "Michael Ford <fanquake@gmail.com>", are
copyright of Michael Ford. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Michael Ford
2019/08/10
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: ZeroMQ
Source: http://zeromq.org

Files: *
Copyright: 2009-2011, 250bpm s.r.o
2007-2013, iMatix Corporation
2007-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: src/xreq.cpp
src/xpub.cpp
src/xsub.cpp
tests/test_reqrep_device.cpp
tests/test_invalid_rep.cpp
Copyright: 2010-2011, 250bpm s.r.o
2011, VMware, Inc
2010-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: src/msg.hpp
src/xrep.*
src/options.*
src/req.*
src/socket_base.*
src/pipe.*
src/encoder.cpp
src/lb.cpp
src/session_base.*
src/fq.cpp
include/zmq.h
Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation
2011, VMware, Inc
2007-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: src/pgm_receiver.*
src/pgm_sender.*
src/pgm_socket.*
Copyright: 2009-2011, 250bpm s.r.o
2007-2013, iMatix Corporation
2010-2011, Miru Limited
2007-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: external/unity/*
Copyright: 2007-2014 Mike Karlesky
2007-2014 Mark VanderVoord
2007-2014 Greg Williams
License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Files: debian/*
Copyright: 2014- , Laszlo Boszormenyi (GCS) <gcs@debian.org>
2012-2014, Alessandro Ghedini <ghedo@debian.org>
2010-2012, Martin Lucina <martin@lucina.net>
2009-2010, Adrian von Bidder <cmot@debian.org>
2009-2010, Peter Busser <peter@mirabilix.nl>
2012, Alessandro Ghedini <ghedo@debian.org>
License: LGPL-2.0+

License: LGPL-2.0+

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty
 of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-3.0+
This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 3 of the License, or (at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this
 program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-3".BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions

of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.
Permission to Relicense under MPLv2

This is a statement by Cameron Smith
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cwsmith", with commit author "Cameron Smith <smithc11@rpi.edu>", are copyright of Cameron Smith. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Cameron Smith
2020/02/05
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Claudio Biagi that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "emtr", with
commit author "Claudio Biagi <retmt@gmx.com>", are copyright
of Claudio Biagi. This document hereby grants the libzmq project
team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Claudio Biagi
2019/03/07
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lutz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "michicc", with
commit author "Michael Lutz <michi@icosahedron.de>", are copyright of Michael Lutz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Lutz
2017/05/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Juha Reunanen, Tomaattinen Ltd, and Outotec (Finland) Oy
that grants permission to relicense their copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "reunanen", with
commit author "Juha Reunanen <juha.reunanen@tomaattinen.com>", are copyright of Juha Reunanen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Juha Reunanen
2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bjrn Tpel that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla
Public License v2 (MPLv2) or any other Open Source Initiative approved
license chosen by the current ZeroMQ BDFL (Benevolent Dictator for
Life).

A portion of the commits made by the Github handle "bjoto", with
commit author "Bjorn Topel <bjorn.topel@gmail.com>", are copyright of
Bjrn Tpel. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions
of the author listed above.

Bjrn Tpel
2017/03/26
Permission to Relicense under MPLv2

This is a statement by Dave Meehan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dmeehan1968", with
commit author "Dave Meehan dave_meehan@replicated.co.uk", are copyright of Dave Meehan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dave Meehan
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Colomiets
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tailhook", with
commit author "Paul Colomiets <paul@colomiets.name>" or "Paul Colomiets
<pc@gafol.net>", are copyright of Paul Colomiets. This document hereby grants
the libzmq project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Paul Colomiets
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Brett Cameron

that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with
commit author "Brett Cameron <brett.r.cameron@gmail.com>" or
"Brett Cameron <brett.cameron@vmssoftware.com>", are copyright of Brett Cameron.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brett Russell Cameron
2019/02/25
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Egomotion Limited
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "robertcastle", with
commit author "Robert Castle <robert@egomotion.co.uk>", are copyright of Egomotion Limited.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Castle,
Director, Egomotion Limited
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Franco Fichtner that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fichtner", with
commit author "Franco Fichtner <franco@lastsummer.de>", are copyright
of Franco Fichtner. This document hereby grants the libzmq project
team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Franco Fichtner
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pawel Kurdybacha
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kurdybacha", with
commit author "Pawel Kurdybacha pawel.kurdybacha@gmail.com", are copyright of Pawel Kurdybacha .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Pawel Kurdybacha
2017/04/13
Permission to Relicense under MPLv2

This is a statement by Brian Knox
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "taotetek", with
commit author "Brian Knox", are copyright of Brian Knox.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Knox
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lloyd
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "CommanderBubble", with
commit author "Michael Lloyd <commander.bubble@gmail.com>", are copyright of Michael Lloyd.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Lloyd
2019/02/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bill Torpey that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "wallstprog", with
commit author "Bill Torpey <wallstprog@gmail.com>", are
copyright of Bill Torpey. This document hereby grants the libzmq

project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Bill Torpey
2018/11/02
Permission to Relicense under MPLv2

This is a statement by Brian Adamson that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2
(MPLv2).

A portion of the commits made by the Github handle "bebopagogo", with commit
author "bebopagogo <bebopagogo@users.noreply.github.com>" and "Brian Adamson
<badamson@gmail.com>", are copyright of Brian Adamson. This document hereby grants
the libzmq project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Brian Adamson 2019/08/11 s
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yuval Langer
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yuvallanger", with
commit author "Yuval Langer <yuval.langer@gmail.com>", are copyright of Yuval Langer.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Yuval Langer
2017-03-19
Permission to Relicense under MPLv2

This is a statement by Laurent Stacul
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stac47", with
commit author "Laurent Stacul <laurent.stacul@gmail.com>", are copyright of
Laurent Stacul .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Laurent Stacul
2020/02/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Min Ragan-Kelley
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "minrk", with
commit author "Min RK benjaminrk@gmail.com", are copyright of Min Ragan-Kelley.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Min Ragan-Kelley
2017/07/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Phillip Mienk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "pmienk", with
commit author "Phillip Mienk <mienkphi@gmail.com>", are copyright of Phillip Mienk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Phillip Mienk
2019/02/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ian Barber
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "ianbarber", with
commit author "Ian Barber <ianbarber@gmail.com>", are copyright of Ian Barber.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ian Barber
2017/03/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest

Division)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license (at least as permissive as the MPLv2) chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hashstat", with
commit author "Brandon Carpenter <brandon.carpenter@pnnl.gov>", are copyright of Pacific Northwest National
Laboratory (Battelle Memorial Institute, Pacific Northwest Division).
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jereme Haack on behalf of Brandon Carpenter
2019/02/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Benjamin HENRION
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoobab", with
commit author "Benjamin HENRION", are copyright of Benjamin HENRION .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Benjamin HENRION (zoobab)
Done in Brussels on the 2020/02/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arthur O'Dwyer
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Quuxplusone", with
commit author "Arthur O'Dwyer <arthur@push.am>", are copyright of Arthur O'Dwyer.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Arthur O'Dwyer
2019/02/17
Permission to Relicense under MPLv2

This is a statement by Bernd Prager
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bprager", with
commit author "Bernd Prager <bernd@prager.ws>", are copyright of Bernd Prager.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Bernd Prager
2017/03/22
Permission to Relicense under MPLv2

This is a statement by Asaf Kahlon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "asafkahlon", with
commit author "Asaf Kahlon asafka7@gmail.com", are copyright of Asaf Kahlon.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Asaf Kahlon
2020/02/05
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Guillon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guillon", with
commit author "Christophe Guillon <christophe.guillon.perso@gmail.com>", are copyright of Christophe Guillon .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christophe Guillon
2019/06/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Reza Ebrahimi
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "reza-ebrahimi", with

commit author "Reza Ebrahimi <reza.ebrahimi.dev@gmail.com>", are copyright of Reza Ebrahimi.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Reza Ebrahimi
2017/03/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Arsenault
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "arsenm", with
commit author "Matt Arsenault <arsenm2@gmail.com>", are copyright of Matthew Arsenault.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthew Arsenault
2017/10/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jon Dyte
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JonDyte", with
commit author "Jon Dyte <jon@totient.co.uk>", are copyright of Jon Dyte.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jon Dyte
2019/10/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jan Kryl
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jkryl", with
commit author "Jan Kryl jan.kryl@nexenta.com", are copyright of Jan Kryl.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jan Kryl
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Dr. Stefan Kaes that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "skaes", with commit author
"Stefan Kaes <stefan.kaes@xing.com>", are copyright of New Work SE. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the author listed above.

Dr. Stefan Kaes
2021/01/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tom Whittock
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "twhittock", with
commit author "Tom Whittock", are copyright of Tom Whittock.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tom Whittock
2017/04/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Luca Boccassi (bluca)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bluca", with
commit author "Luca Boccassi <luca.boccassi@gmail.com>" or
"Luca Boccassi <bluca@debian.org>", are copyright of Luca Boccassi.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Luca Boccassi
2019/02/16

Permission to Relicense under MPLv2

This is a statement by Dhammika Pathirana
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dhammika", with
commit author "Dhammika Pathirana <dhammika@gmail.com>", are copyright of Dhammika Pathirana .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dhammika Pathirana
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams (of MongoDB, Inc.)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with
commit author "Jonathan Reams jbreams@mongodb.com" (specifically the commits merged in pull requests #1451, #1449, #1448, and #1174), are copyright of
MongoDB, Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Jonathan Reams
2019/10/1
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Norman Ovenseri
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "normano", with
commit author "normano", are copyright of Norman Ovenseri.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

This is a statement by Norman Ovenseri
2019/05/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Natano
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "natano", with
commit author "Martin Natano", are copyright of Martin Natano.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Martin Natano
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Murphy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "murphybytes", with
commit author "John Murphy <murphybytes@gmail.com>", are copyright of John Murphy .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

John Murphy
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by skicc
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skicc", with
commit author "skicc <skicc@fastmail.com>", are copyright of skicc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

skicc
2019/06/15
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wang Yunlai
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hnwyllmm", with
commit author "hnwyllmm hnwyllmm@126.com", are copyright of Wang Yunlai .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Wang Yunlai
2019/08/13
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Zoe Faltib
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoedberg", with
commit author "Zoe Faltib zoefaltiba@gmail.com", are copyright of Zoe Faltib.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Zoe Faltib
2020/11/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrij Abyzov
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drolevar", with
commit author "Andrij Abyzov <drolevar@gmail.com>", are copyright of Andrij Abyzov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Andrij Abyzov
2019/11/19
Permission to Relicense under MPLv2

This is a statement by Laszlo Boszormenyi (GCS) that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gcsideal", with

commit author "Laszlo Boszormenyi (GCS) <gcs@debian.org>", are copyright of
Laszlo Boszormenyi (GCS) .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author
listed above.

Laszlo Boszormenyi (GCS)
2020/02/13
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alain Kalker
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ackalker", with
commit author "Alain Kalker <a.c.kalker@gmail.com>", are copyright of Alain Kalker.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alain Kalker
2019/05/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Piotr Trojanek that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ptroja", with
commit author "Piotr Trojanek <piotr.trojanek@gmail.com>", are copyright of Piotr Trojanek.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Piotr Trojanek
2017/03/19
Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the project nor the names of its contributors
    may be used to endorse or promote products derived from this software
    without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.
    IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Dolan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cdolan", with
commit author "Christopher Dolan <chris@codingstream.org>", are copyright of Christopher Dolan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christopher Dolan
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jack Pimbert that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "jackpimbert",
with commit author "jackpimbert <jack.pimbert@gmail.com>", are
copyright of Jack Pimbert. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Jack Pimbert
2019/05/24

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1)
assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as

changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without

permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally

available free
programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is
covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or

similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated

place (gratis or for a charge), and offer equivalent access to the Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source
as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization
keys, or other information required to install
and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the

User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed
in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the
entire Program shall
be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty

or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or
author attributions in that material or in the Appropriate Legal
Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or

modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever

licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means,

then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered
work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that
arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey

the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John T. Conklin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "johntconklin", with
commit author "J.T. Conklin <jtc@acorntoolworks.com>", are copyright of John T. Conklin.
This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

John T. Conklin
2017-03-19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tobias Schlter
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TobiSchluter", with
commit author "TobiSchluter", are copyright of Tobias Schlter .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tobias Schlter
2019/09/13
Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jimenezrick", with
commit author "Ricardo Catalinas Jimenez", are copyright of Ricardo
Catalinas Jimenez.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Ricardo Catalinas Jimenez
2020/02/03
Permission to Relicense under MPLv2

This is a statement by Connamara Systems llc
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cbusbey", with
commit author "chris busbey", are copyright of Connamara Systems, llc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chris Busbey
2019/09/03

Permission to Relicense under MPLv2

This is a statement by Fredrick Paul Eisele
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle phreed, with
commit author "Fred Eisele", are copyright of Fred Eisele .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Fredrick Paul Eisele
2020/01/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with
commit author "Jonathan Reams <jbreams@gmail.com>", are copyright of
Jonathan Reams.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Jonathan Reams
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey KHripchenko
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "shripchenko", with
commit author "Sergey KHripchenko <shripchenko@intermedia.net>", are copyright of Sergey KHripchenko.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sergey KHripchenko
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joe Eli McIlvain
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jemc", with
commit author "Joe Eli McIlvain", are copyright of Joe Eli McIlvain.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joe Eli McIlvain
2017/03/28
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Braun
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "t-b", with
commit author "thomas.braun@virtuell-zuhause.de" and "thomas.braun@byte-physics.de", are copyright of Thomas Braun.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Braun
2017/03/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chuck Remes
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuckremes", with
commit author "Chuck Remes", are copyright of Chuck Remes.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chuck Remes
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jovan Bunjevacki that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "bjovke", with
commit author "Jovan Bunjevacki <bjovan@gmail.com>", are
copyright of Jovan Bunjevacki. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Jovan Bunjevacki
2017/04/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Vilim that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "mvilim", with
commit author "Michael Vilim
<697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8@697a9b924bfa6f06a81e82975ddca4
785b90a7b40d91044ce76f68d3bd65a9b8.com>", are
copyright of Michael Vilim. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Michael Vilim
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andre Caron
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AndreLouisCaron", with
commit author "Andre Caron <andre.l.caron@gmail.com>", are copyright of Andre Caron.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andre Caron
2017/03/19

Permission to Relicense under MPLv2

This is a statement by Matthias Loy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mloy", with
commit author "Matthias Loy", are copyright of Matthias Loy.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthias Loy
2020/01/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Schulz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "schulzch", with
commit author "Christoph Schulz <schulzcbs@gmail.com>", are copyright of Christoph Schulz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christoph Schulz
2018/09/10
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Rottmann that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other share-alike Open Source
Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rotty", with
commit author "Andreas Rottmann <a.rottmann@gmx.at>", are copyright of
Andreas Rottmann. This document hereby grants the libzmq project team
to relicense libzmq, including all past, present and future
contributions of the author listed above.

Andreas Rottmann
2017/05/07
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothy Mossbarger

that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Prarrot", with
commit author "Prarrot", are copyright of Timothy Mossbarger .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Timothy Mossbarger
18 Feb 2019
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Simon Giesecke that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "sigiesec", with
commit author "Simon Giesecke <simon.giesecke@btc-ag.com>", are
copyright of Simon Giesecke. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Simon Giesecke
2017/08/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Labsch on behalf of KST innovations GmbH that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "martin-ksti", with
commit author "Martin Labsch <martin.labsch@ksti.de>", are
copyright of Martin Labsch on behalf of KST innovations GmbH. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Martin Labsch
2020/10/09
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anthony Scemama
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "scemama", with
commit author "Anthony Scemama <scemama@irsamc.ups-tlse.fr>", are copyright of Anthony Scemama.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Anthony Scemama
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Joerg Kreuzberger
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "kreuzberger", with
commit author "Joerg Kreuzberger", are copyright of Joerg Kreuzberger .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joerg Kreuzberger
2019/09/02
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Fons
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dfons", with
commit author "Diego Fons <diego.fons@gmail.com>" or "Diego Fons <diego.fons@intraway.com>", are
copyright of Diego Fons.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Fons

2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Guido Vranken that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "guidovranken", with
commit author "Guido Vranken <guidovranken@gmail.com>", are
copyright of Guido Vranken. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Guido Vranken
2019/01/08
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Byron Mallett
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mystfit", with
commit author "Byron Mallett <byronated@gmail.com>", are copyright of Byron Mallett .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Byron Mallett
2018/9/1
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gudmundur Adalsteinsson that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "gummif", with
commit author "Gudmundur Adalsteinsson <ofpgummi@yahoo.com>", are
copyright of Gudmundur Adalsteinsson. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Gudmundur Adalsteinsson
2020/02/04
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with
commit author "{{github commit author}}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2

This is a statement by Rosen Penev
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with
commit author "Rosen Penev <rosenp@gmail.com>", are copyright of
Rosen Penev .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Rosen Penev
2019/04/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by niXman (github.nixman@pm.me)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "niXman", with
commit author "niXman", are copyright of nixMan .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

niXman (github.nixman@pm.me)
2019/10/03
Permission to Relicense under MPLv2

This is a statement by Pavel Pimenov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle pavel-pimenov, with
commit author Pavel Pimenov pavel.pimenov@gmail.com, are copyright of Pavel Pimenov .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author

listed above.

Pavel Pimenov
2020/02/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Vincent Tellier
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vtellier", with
commit author "Vincent Tellier", are copyright of Vincent Tellier .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Vincent Louis Thophile Tellier
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Spotify AB that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "gimaker", with commit author
"Staffan Gimker", the commits made by the Github handle "danielnorberg", with
commit author "Daniel Norberg", and the commits made by the Github handle
"caipre", with commit author "Nick Platt", are copyright of Spotify AB. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the authors listed above.

Nick Platt <nickplatt@spotify.com>
2019/08/21
Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tommd", with
commit author "Thomas M. DuBuisson", are copyright of Thomas M. DuBuisson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas M. DuBuisson
2019/04/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dmitrii (Dima) Pasechnik
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dimpase", with
commit author "Dima Pasechnik dimpase@gmail.com", are copyright of Dmitrii Pasechnik.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dmitrii Pasechnik 2019/09/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stefan Radomski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sradomski", with
commit author "Stefan Radomski <radomski@tk.informatik.tu-darmstadt.de>", are copyright of Stefan Radomski .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stefan Radomski
2020/12/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jean Airoldie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jean-airoldie", with commit author "jean-airoldie <25088801+jean-airoldie@users.noreply.github.com>", are copyright of Jean Airoldie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jean Airoldie 2019/04/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stephane Vales
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "StephaneVales", with
commit author "Stephane Vales <7755128+stvales@users.noreply.github.com>", are copyright of Stephane Vales.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stephane Vales
2020/08/06
Permission to Relicense under MPLv2

This is a statement by Nokia
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "aheroff1", with
commit author "Andy Heroff", are copyright of Nokia.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andy Heroff
2021/01/05
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Johan Mabille
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JohanMabille", with
commit author "Johan Mabille johan.mabille@gmail.com", are copyright of Johan Mabille.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Johan Mabille
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Maarten Ditzel
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mditzel", with
commit author "Maarten Ditzel <maarten.ditzel@gmail.com>", are copyright of Maarten Ditzel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Maarten Ditzel
2017/03/24
Brocade Communications Systems Inc.

This is a statement by Brocade Communications Systems Inc. (Brocade)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bluca", with
commit author "Luca Boccassi <luca.boccassi@gmail.com>" or
"Luca Boccassi <lboccass@brocade.com>", are copyright of Brocade.
This permission to relicense includes all past, present and future
contributions of Brocade employees.

Luca Boccassi
Software Engineer, Brocade Communications Systems Inc.
2016-05-16
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ming Ji
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "answeroo", with
commit author "answeroo <jiming@yafco.com>", are copyright of Ming Ji.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ming Ji
2018/08/20
Permission to Relicense under MPLv2

This is a statement by Liquid Instruments
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "acsearle", with
commit author "Antony Searle", are copyright of Liquid Instruments .
This document hereby grants the libzmq project team to relicense
libzmq, including all past, present and future contributions of the author
listed above.

Antony Searle
2020/02/03

Permission to Relicense under MPLv2

This is a statement by Olaf Mandel
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "olafmandel", with
commit author "Olaf Mandel <o.mandel@menlosystems.com>", are copyright of Olaf Mandel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Olaf Mandel
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Michal Vyskocil" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vyskocilm", with commit author "Michal Vyskocil michal.vyskocil@gmail.com", are copyright of "Michal Vyskocil". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michal Vyskocil 2017/03/24
Permission to Relicense under MPLv2

This is a statement by Jrmie Courrges-Anglas
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcourreges", with
commit author "Jrmie Courrges-Anglas", are copyright of Jrmie Courrges-Anglas.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jrmie Courrges-Anglas
2018/12/07
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jens Auer
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jens.auer", with
commit author "Jens Auer", are copyright of Jens Auer.
This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Jens Auer
2019/11/08
Permission to Relicense under MPLv2

This is a statement by Benjamin Deroche
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "benjdero", with
commit author "Benjamin Deroche", are copyright of Benjamin Deroche.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Benjamin Deroche
2019/10/26
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diorcet Yann
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "diorcety", with
commit author "yann.diorcet@xenocs.com", are copyright of Diorcet Yann.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diorcet Yann
2019/09/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Justin.Hung
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "loachfish", with
commit author "Justin.Hung fronront@qq.com", are copyright of Justin.Hung .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Justin.Hung
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrew Thompson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thompsa", with
commit author "Andew Thompson <andy@fud.org.nz>", are copyright of Andrew Thompson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andrew Thompson
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mikko Koppanen that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkoppanen", with commit
author "Mikko Koppanen <mikko@kuut.io>", are copyright of Mikko Koppanen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Mikko Koppanen
2018/02/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Grigorov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-g", with
commit author "Martin Grigorov", are copyright of Martin Grigorov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Martin Grigorov
2021/01/11
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Osiris Pedroso"

that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opedroso", with
commit author "Osiris Pedroso <opedroso@gmail.com>", are copyright of "Osiris Pedroso".
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Osiris Pedroso
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Kahl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kanonet", with commit author "Christoph Kahl", are copyright of Christoph Kahl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Kahl
2020/01/09
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Philippe Leite that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "philippeleite", with
commit author "Philippe Leite <philippe.leite@gmail.com>", are
copyright of Philippe Leite. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Philippe Leite
2019/06/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wenbin Hou
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "WenbinHou", with
commit author "Wenbin Hou <houwenbin@pku.edu.cn>", are copyright of Wenbin Hou.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Wenbin Hou
2018/05/16
Permission to Relicense under MPLV2

This document collects grants from firms that hold copyrights in ZeroMQ. Please add new firms at the start. Each patch must be made with a GitHub handle that guarantees identity of the signatory.

iMatix Corporation

This is a statement by iMatix Corporation sprl (iMatix) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

1. The original ZeroMQ codebase was developed from 2007-2009 by FastMQ Inc. (FastMQ) in Slovakia, which held all copyrights in code written by its staff.

2. On 2009-11-01, iMatix exercised an option to acquire FastMQ and its assets,
including ZeroMQ. On or before 2010-01-05 the FastMQ copyrights in ZeroMQ were
transferred to iMatix
([commit](https://github.com/zeromq/libzmq/commit/4f6baf4dde627656b63cc4e2acdb78a8577ba640)). The FastMQ legal entity was subsequently liquidated.

3. Between 2009 and 2016, iMatix has continued to add contributions to
ZeroMQ under the GitHub handle 'hintjens'.

4. This grant therefore covers what remains of the original FastMQ codebase plus all later contributions.

5. iMatix hereby grants an irrevocable, global, and fully paid-up license on all its copyrights that exist in ZeroMQ, under the MPLv2.

-Pieter Hintjens
CEO, iMatix Corporation sprl
23 April 2016
Permission to Relicense under MPLv2

This is a statement by Floris Bruynooghe
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with
commit author "Floris Bruynooghe <flub@devork.be>", are copyright of
Floris Bruynooghe .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Floris Bruynooghe
2017/05/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Conrad Parker that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "kfish", with
commit author "Conrad Parker <conrad@metadecks.org>", are
copyright of Conrad Parker. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Conrad Parker
2018/10/30
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jeff Brubaker that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "brubakerjeff", with
commit author "Jeff Brubaker <brubaker.jeff@gmail.com>", are
copyright of Jeff Brubaker. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Jeff Brubaker
2018/11/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daniel Shih
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danielhtshih", with
commit author "Daniel Shih <hotingwow@gmail.com>", are copyright of Daniel Shih.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Daniel Shih
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bastian Lher that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "bl0x", with
commit author "Bastian Lher <me@l-dot.de>", are
copyright of Bastian Lher. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Bastian Lher
2019/08/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego R.Losada
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drodri", with
commit author "drodri <diego.rlosada@gmail.com>", are copyright of Diego Rodriguez-Losada.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Rodriguez-Losada
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gian Lorenzo Meocci
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "meox", with
commit author "Gian Lorenzo Meocci <glmeocci@gmail.com>", are copyright of Gian Lorenzo Meocci.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gian Lorenzo Meocci
2017/04/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Giuseppe Corbelli
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cowo78" with
commit author "Giuseppe Corbelli <cowo78@gmail.com>", are copyright of Giuseppe Corbelli.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Giuseppe Corbelli
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wouter Overmeire that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "lodagro", with commit
author "lodagro <lodagro@gmail.com>", are copyright of Wouter Overmeire. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the author listed above.

Wouter Overmeire
2017/04/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL
This is a statement by Roberto Santacroce Martins that grants permission to relicense its copyrights in the libzmq
C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved
license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mileschet", with commit author "Roberto Santacroce Martins
miles.chet@gmail.com", are copyright of Roberto Santacroce Martins. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roberto Santacroce Martins 2020/07/06
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ilya Kulakov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kentzo", with

commit author "Ilya Kulakov <kulakov.ilya@gmail.com>", are copyright of Ilya Kulakov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ilya Kulakov
2017/05/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Florian Ebeling that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "febeling", with
commit author "Florian Ebeling <florian.ebeling@gmail.com>", are
copyright of Florian Ebeling. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Florian Ebeling
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Gagnon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rgagnon24", with commit author "Robert Gagnon rgagnon24+zmq@gmail.com", are copyright of Robert Gagnon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gagnon
2017/03/19
Permission to Relicense under MPLv2

This is a statement by Kapp Arnaud
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xaqq", with
commit author "Kapp Arnaud", are copyright of Kapp Arnaud.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Kapp Arnaud
2017/03/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Weidmueller Interface GmbH & Co KG
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "herbrechtsmeier", with
commit author "Stefan Herbrechtsmeier", are copyright of Weidmueller Interface GmbH & Co KG.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stefan Herbrechtsmeier
2019/09/09
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mike Gatny (mgatny) that grants permission to relicense
his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license chosen
by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mgatny", with commit author
"Mike Gatny <mgatny@gmail.com>" or "Mike Gatny <mgatny@connamara.com>", are
copyright of Mike Gatny. This document hereby grants the libzmq project team
to relicense libzmq, including all past, present and future contributions of
the author listed above.

Mike Gatny
2019/02/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement byEvgeny (Jim) Klimov
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jimklimov",
with commit author "Jim Klimov <jim@jimklimov.com>" or
"Jim Klimov <jimklimov@gmail.com>", are copyright of Evgeny (Jim) Klimov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Evgeny (Jim) Klimov
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by C-Sir
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "C-Sir", with
commit author "C-Sir <942510829@qq.com>", are copyright of C-Sir.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

C-Sir
2020/09/28
Permission to Relicense under MPLv2

This is a statement by Antonio Vanegas that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hpsaturn", with commit author "Antonio Vanegas", are copyright of Antonio Vanegas.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Antonio Vanegas
2018/10/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Latchmoor Services, LLC
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbitboy", with
commit author "Brian Carcich <drbitboy@gmail.com>", are copyright of Latchmoor
Services, LLC.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Latchmoor Services, LLC
2019/07/26
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dongmin Yu
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "miniway", with
commit author "Dongmin Yu <miniway@gmail.com>", are copyright of Dongmin Yu.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dongmin Yu
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Kymeta Corporation
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opensource-kymetacorp", with
commit author "opensource-kymetacorp", are copyright of Kymeta Corporation.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Kymeta Corporation
2018/11/21
Permission to Relicense under MPLv2

This is a statement by Hendrik Beskow
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Asmod4n", with
commit author "Asmod4n Asmod4n@users.noreply.github.com", are copyright of Hendrik Beskow.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Hendrik Beskow
2017/04/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stoian Ivanov that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sdrsdr", with commit
author "Stoian Ivanov sdr@mail.bg", are copyright of Stoian Ivanov. This
document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Stoian Ivanov
2017-03-23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dan Riegsecker
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danriegsecker", with
commit author "Dan Riegsecker 1baldgeek@gmail.com", are copyright of
Dan Riegsecker. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions of
the author listed above.

Dan Riegsecker
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Juraj Oruli that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ojura", with commit author "Juraj Oruli", are copyright of Juraj Oruli.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juraj Oruli
2018/10/26
Permission to Relicense under MPLv2

This is a statement by Telford Berkey
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tberkey", with
commit author "Telford Berkey <tberkey@gmail.com>", are copyright of Telford Berkey.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Telford Berkey

03 Feb 2020
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gennady Makovetski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gena-moscow", with
commit author "Gennady Makovetski <makovetski@gmail.com>", are copyright of Gennady Makovetski.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gennady Makovetski
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Samuel Martin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tSed", with
commit author "Samuel Martin <s.martin49@gmail.com>", are copyright of Samuel Martin.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Samuel Martin
2017/03/25
Permission to Relicense under MPLv2

This is a statement by Daniel Krikun
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dkrikun", with
commit author "Daniel Krikun", are copyright of Daniel Krikun .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Daniel Krikun
2019/08/17
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrei Tomashpolskiy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "atomashpolskiy", with
commit author "Andrei Tomashpolskiy <nordmann89@gmail.com>", are copyright of Andrei Tomashpolskiy .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andrei Tomashpolskiy
2019/08/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarmo Tnav that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "tarmo", with
commit author "Tarmo Tnav <tarmo@itech.ee>", are copyright of Tarmo Tnav.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tarmo Tnav
2020/08/29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dries Harnie
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Botje", with
commit author "Dries Harnie <dries@harnie.be>", are copyright of Dries Harnie.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dries Harnie
2019/10/31
Permission to Relicense under MPLv2

This is a statement by Quantum Corporation
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vortechs2000", with
commit author "AJ Lewis aj.lewis@quantum.com", are copyright of Quantum Corporation.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

AJ Lewis
2019/02/21
Permission to Relicense under MPLv2

This is a statement by Frdric Trgon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "FredTreg", with
commit author "Frederic Tregon <frederic.tregon@gmail.com>", are copyright of Frdric Trgon.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Frdric Trgon
2020/02/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mrio Kauba
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "soulik", with
commit author "Mrio Kauba mario.kasuba@it-academy.sk", are copyright of Mrio Kauba.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mrio Kauba
2017/03/20
Permission to Relicense under MPLv2

This is a statement by IVU Traffic Technologies AG
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jruffin", with
commit author "Julien Ruffin <jur@ivu.de>", are copyright of IVU Traffic Technologies AG.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Henrik Benner
Head of Department Ticketing Development, IVU Traffic Technologies AG
2017/05/10
Permission to Relicense under MPLv2

This is a statement by Roal Zanazzi that grants permission to relicense its

copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "roalz", with commit author
"roalz <roal.zanazzi@gmail.com>", are copyright of Roal Zanazzi.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Roal Zanazzi
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Chih-Hsuan Yen
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "yan12125", with
commit author "Chih-Hsuan Yen <yan12125@gmail.com>", are copyright of Chih-Hsuan Yen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chih-Hsuan Yen
2019/10/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adam Seering
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "aseering", with
commit author "Adam Seering <aseering@gmail.com>", are copyright of Adam Seering.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Adam Seering
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Aleksander Melnikov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "malexzx", with
commit author "Aleksander Melnikov", are copyright of Aleksander Melnikov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Aleksander Melnikov
2019/08/11
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by H. Eduardo Montoya Snchez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "montoyaedu", with
commit author "Montoya Edu <montoya.edu@gmail.com>", are copyright of H. Eduardo Montoya Snchez.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

H. Eduardo Montoya Snchez
2017/03/20
Permission to Relicense under MPLv2

This is a statement by trya.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "trya", with
commit author "trya", are copyright of trya.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

trya
2019/09/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arkadiusz Drabczyk (ardrabczyk) that grants
permission to relicense his copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open
Source Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ardrabczyk", with
commit author "Arkadiusz Drabczyk <arkadiusz@drabczyk.org>", are
copyright of Arkadiusz Drabczyk. This document hereby grants the
libzmq project team to relicense libzmq, including all past, present
and future contributions of the author listed above.

Arkadiusz Drabczyk
2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jacques Germishuys that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "jacquesg", with
commit author "Jacques Germishuys <jacquesg@striata.com>", are
copyright of Jacques Germishuys. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Jacques Germishuys
2018/12/14
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Manca George
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mancasg", with
commit author "Manca George <mancas.f.george@gmail.com>", are copyright of Manca George .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Manca George
2019/07/24
Permission to Relicense under MPLV2 or any Open Source Initiative (OSI) approved license chosen by the
current ZeroMQ BDFL

This is a statement by Nick Guiffrida that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

The commits made by the Github handle "goodfella", with commit author
"Nick Guiffrida goodfella005@gmail.com" are copyright of Nick
Guiffrida. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions
of the author listed above.
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by aixxe (aixxe)

that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "aixxe", with commit author
"aixxe <me@aixxe.net>" are copyright of aixxe.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

aixxe
2019/07/25
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lonard Michelet
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "leonarf", with
commit author "Lonard Michelet <leonard.michelet@openwide.fr>", are copyright of Lonard Michelet.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michelet Lonard 2017/03/29
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by crocket
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "crocket", with
commit author "crocket <748856+crocket@users.noreply.github.com>", are copyright of crocket.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

crocket
2018/11/10
Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xantares", with

commit author "Michel Zou <xantares09@hotmail.com>", are copyright of Michel Zou.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Michel Zou
2020/02/03
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Voskuil
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "evoskuil", with
commit author "Eric Voskuil <eric@voskuil.org>", are copyright of Eric Voskuil.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Eric Voskuil
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Trevor Bernard (trevorbernard) that grants
permission to relicense his copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open
Source Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "trevorbernard",
with commit author "Trevor Bernard <trevor.bernard@gmail.com>", are
copyright of Trevor Bernard. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Trevor Bernard
2019/02/25
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dennis Klein
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dennisklein", with

commit author "Dennis Klein <d.klein@gsi.de>", are copyright of Dennis Klein.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dennis Klein
2019/08/11
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Constantin Rack
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "c-rack", with
commit author "Constantin Rack <constantin.rack@gmail.com>", are copyright of Constantin Rack.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Constantin Rack
2017/03/20
Permission to Relicense under MPLv2

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "{{github username}}", with
commit author "{{github commit author}}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by serg06 (serg06)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "serg06", with commit author
"serg06 <serkhas@hotmail.com>" are copyright of serg06.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

serg06

2020/05/25
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marc Su Clos (msune)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "msune", with
commit author "Marc Sune <marcdevel@gmail.com>" or
"Marc Sune <marc@voltanet.io>", are copyright of Marc Su.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Marc Su Clos
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Rodgers
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rodgert", with
commit author "Thomas Rodgers <rodgert@twrodgers.com>", are copyright
of Thomas Rodgers.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas W Rodgers
2017/04/08
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Uli Khler.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

All commits made by the Github handle "ulikoehler", with
commit author "Uli Khler", are copyright of Uli Khler.

This document hereby grants the libzmq project team to relicense libzmq and / or CZMQ,
including all past, present and future contributions of the author listed above.

Uli Khler
2017/03/25
Permission to Relicense under MPLv2

This is a statement by Mark Barbisan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mbarbisan", with
commit author "Mark Barbisan <mark@barbisan.ca>", are copyright of Mark Barbisan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mark Barbisan
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anonymous Maarten
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "madebr", with
commit author "Anonymous Maarten <anonymous.maarten@gmail.com>", are copyright of Anonymous Maarten.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Anonymous Maarten
2017/03/27
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Doron Somech (somdoron)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "somdoron", with
commit author "Doron Somech <somdoron@gmail.com>", are copyright of Doron Somech.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Doron Somech
2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Felipe Goron Farinon (psl-felipefarinon)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "psl-felipefarinon", with
commit author "Felipe Goron Farinon", are copyright of Felipe Goron Farinon.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Felipe Goron Farinon
2019/09/02
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rishi Theivendan (inuik)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "inuik", with
commit author "Rishi Theivendran <29522253+inuik@users.noreply.github.com>" or
"Rishi Theivendran <rishi.theivendran@rohde-schwarz.com>", are copyright of Rishi Theivendran.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Rishi Theivendran
2019/07/18
The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Permission to Relicense under MPLv2

This is a statement by Matthias Gabriel
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gabm", with
commit author "Matthias Gabriel <matthias.gabriel@etit.tu-chemnitz.de>", are copyright of Matthias Gabriel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthias Gabriel
2018/10/8
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alexander Straub
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "straubar", with
commit author "Alexander Straub <alexander.straub@visus.uni-stuttgart.de>", are copyright of Alexander Straub.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alexander Straub
2019/09/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christian Kamm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ckamm", with
commit author "Christian Kamm kamm@incasoftware.de", are copyright of Christian Kamm.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christian Kamm
2017/03/20
Permission to Relicense under MPLv2

This is a statement by grmt.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "grmt", with
commit author "grmt", are copyright of grmt.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

grmt (garmt.noname@gmail.com)
2020/05/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by David Jelenc
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djelenc", with
commit author "David Jelenc <david.jelenc@fri.uni-lj.si>", are copyright of David Jelenc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

David Jelenc
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sbastien Rombauts
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SRombauts", with
commit author "Sbastien Rombauts", are copyright of Sbastien Rombauts.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sbastien Rombauts
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nikolay Amiantov that grants permission to relicense his

copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abbradar", with commit
author "Nikolay Amiantov <ab@fmap.me>", are copyright of Nikolay Amiantov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Nikolay Amiantov
2017/03/24
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Garlick (garlick)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "garlick", with
commit author "Jim Garlick <garlick.jim@gmail.com>", are copyright of
Jim Garlick. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions
of the author listed above.

Jim Garlick
2019/08/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivo Danihelka
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fidlej", with
commit author "Ivo Danihelka <ivo@danihelka.net>", are copyright of Ivo Danihelka.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ivo Danihelka
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gonzalo Diethelm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gonzus", with
commit author "Gonzalo Diethelm <gonzalo.diethelm@diethelm.org>" or "Gonzalo Diethelm
<gdiethelm@dcv.cl>", are copyright of Gonzalo Diethelm .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gonzalo Diethelm
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Robert G. Jakabosky
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Neopallium", with
commit author "Robert G. Jakabosky <bobby@sharedrealm.com>", are copyright of Robert G. Jakabosky.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Gabriel Jakabosky
2019/08/17
Permission to Relicense under MPLv2

This is a statement by Thomas Chiantia
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tomzbench", with
commit author "Thomas<Thomas@Altronix.com>", are copyright of
Thomas Chiantia.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Chiantia
2019/08/10
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William Swanson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "swansontec", with
commit author " William Swanson <swansontec@gmail.com>", are copyright of William Swanson.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

William Swanson
2017/04/10
Permission to Relicense under MPLv2

This is a statement by Kevin Sapper that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "sappo", with commit author
"Kevin Sapper <mail@kevinsapper.de>", are copyright of Kevin Sapper. This document hereby grants the
libzmq project team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Kevin Sapper
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Takeshi Abe
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tabe", with
commit author "Takeshi Abe <tabe@fixedpoint.jp>", are copyright of Takeshi Abe.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Takeshi Abe
2017/03/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Romain Moret that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "moretromain", with
commit author "Romain Moret <moretromain@gmail.com>", are
copyright of Romain Moret. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Romain Moret

2019/05/06
Permission to Relicense under MPLv2

This is a statement by Pierre Yager
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "zedalaye", with
commit author "Pierre Yager <pierre.y@gmail.com>" or
"Pierre Yager <pierre.yager@crisalid.com", are copyright of Pierre Yager.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Pierre Yager
2021/01/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Barrios Romero
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eldruin", with
commit author "Diego Barrios Romero <eldruin@gmail.com>", are copyright of Diego Barrios Romero.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Barrios Romero
2019/11/13
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joel Lauener
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jlauenercern", with
commit author "Joel Lauener <Joel.Lauener@cern.ch>", are copyright of Joel Lauener .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joel Lauener
2019/08/12
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Micromass UK Limited
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ricnewton", with
commit author "Richard Newton" are copyright of Micromass UK Limited.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Steve Smith
Director Micromass UK Limited
2017/04/26
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nathan Toone that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "toonetown", with
commit author "Nathan Toone <nathan@toonetown.com>", are
copyright of Nathan Toone. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Nathan Toone
2018/11/05
Permission to Relicense under MPLv2

This is a statement by Bruno Bodin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bbdb68", with
commit author "Bruno Bodin <brunobodin@gmail.com>", are copyright of Bruno Bodin .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Bruno Bodin
2017/04/04
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by Lourens Naud
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "methodmissing", with
commit author "Lourens Naud <lourens@methodmissing.com>", are copyright of Lourens Naud.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Lourens Naud
2019/07/01
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "glemercier", with
commit author "Gregory Lemercier <greglemercier@free.fr>", are
copyright of Gregory Lmercier. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Gregory Lemercier

2018/10/07
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sylvain Corlay
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SylvainCorlay", with
commit author "Sylvain Corlay sylvain.corlay@gmail.com", are copyright of Sylvain Corlay .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sylvain Corlay
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stanisaw Macia
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "stanpl", with
commit author "Stanisaw Macia", are copyright of Stanisaw Macia.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stanisaw Macia
2020/12/23
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Shubham Lagwankar that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "ssbl", with
commit author "Shubham Lagwankar <shubhu105@gmail.com>", are
copyright of Shubham Lagwankar. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Shubham Lagwankar
2018/10/30
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ghislain PUTOIS
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ghpu", with
commit author "Ghislain PUTOIS", are copyright of Ghislain PUTOIS.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ghislain PUTOIS
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daiyu Hurst that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "daiyuhurst", with
commit author "Daiyu Hurst <daiyu.hurst@gmail.com>", are
copyright of Daiyu Hurst. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Daiyu Hurst
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tore Halvorsen
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "demozon", with
commit author "Tore Halvorsen <tore.halvorsen@gmail.com>", are copyright of Tore Halvorsen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Tore Halvorsen
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Iwan Paolucci that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "ipa", with
commit author "Iwan Paolucci <iwan.paolucci@gmail.com>", are
copyright oIwan Paoluccii. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Iwan Paolucci
2019/04/18
Permission to Relicense under MPLv2

This is a statement by Shannen Saez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "shancat", with
commit author "Shannen Saez <shannenlaptop@gmail.com>", are copyright of Shannen Saez.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Shannen Saez
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothee Besset
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TTimo", with
commit author "Timothee Besset <ttimo@ttimo.net>", are copyright of Timothee Besset.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Timothee Besset
2017/03/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bryan Gillespie (RPGillespie6)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "RPGillespie6", with
commit author "Bryan Gillespie <rpgillespie6@gmail.com>", are copyright of Bryan Gillespie.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Bryan Gillespie
2019/09/06
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Frank R. Dana Jr.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ferdnyc", with
commit author "FeRD (Frank Dana)", are copyright of Frank R. Dana, Jr.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Frank Richard Dana, Jr.
2020-03-16
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Harald Achitz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "a4z", with
commit author "Harald Achitz <harald.achitz@gmail.com>" or
"Harald Achitz <harald.achitz@tritech.se>" or
"Harald Achitz <harald.achitz@getinge.com>", are copyright of Harald Achitz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Harald Achitz
2017/03/21
Permission to Relicense under MPLv2

This is a statement by Douglas Young
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "rcxdude", with
commit author "Douglas Young <rcxdude@gmail.com>", are copyright of Douglas Young .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Douglas Young
2019/08/31
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boxkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boxkey", with commit author "boxkey 289844900@qq.com", are copyright of boxkey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

boxkey 2020/11/30
This is a statement by Peter LaDow that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Suudy", with commit
author "Suudy <pladow@gmail.com>", are copyright of Peter LaDow. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the author listed above.

Peter LaDow
14 August 2019
Permission to Relicense under MPLv2

This is a statement by Jake Cobb
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jakecobb", with
commit author "Jake Cobb <jake.cobb@gmail.com>", are copyright of Jake Cobb.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jake Cobb
2017/04/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Laws
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "claws", with
commit author "Chris Laws <clawsicus@gmail.com>", are copyright of Christopher Laws.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christopher Laws
2019/08/11
Permission to Relicense under MPLv2

This is a statement by Jean-Christophe Fillion-Robin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcfr", with
commit author "Jean-Christophe Fillion-Robin <jchris.fillionr@kitware.com>", are copyright of Kitware Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jean-Christophe Fillion-Robin

2019/09/03
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by the Github user "std-any-emplace"
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "std-any-emplace", with
commit author "std-any-emplace", are copyright of the Github user "std-any-emplace".
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

"std-any-emplace"
2020/01/19
Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mdionisio", with
commit author "Michele Dionisio", are copyright of Michele Dionisio.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michele Dionisio
2019/07/09
Permission to Relicense under MPLv2

This is a statement by Fedor Sheremetyev
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sheremetyev", with
commit author "Fedor Sheremetyev <sheremetyev@gmail.com>", are copyright of Fedor Sheremetyev.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Fedor Sheremetyev
2017/03/20
Permission to Relicense under MPLv2

This is a statement by Jesse Gorzinski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ThePrez", with
commit author "ThePrez <jgorzinski@gmail.com>", are copyright of Jesse Gorzinski.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jesse Gorzinski
2019/10/02
Permission to Relicense under MPLv2

This is a statement by sonoware GmbH that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "sonoware", with commit author
"Stephan Senkbeil" are copyright of sonoware GmbH.
This document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the authors listed above.

Stephan Senkbeil <stephan.senkbeil@sonoware.de>
2019/12/13
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Skallwe
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any
other Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle skaller", with
commit author skaller", are copyright of John Skaller .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

John Skaller
2019/09/01
Naos Ltd (a New Zealand company)

This is a statement by Naos Ltd (Naos) that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under
the Mozilla Public License v2 (MPLv2).

The port of libzmq to run on the z/OS Mainframe ([GitHub Pull
request #1136](https://github.com/zeromq/libzmq/pull/1136), [GitHub Pull
request #1138](https://github.com/zeromq/libzmq/pull/1138), and
[GitHub Pull request #1139](https://github.com/zeromq/libzmq/pull/1139))
was performed as work for hire under contract to iMatix Corporation
sprl, itself under contract to a client. Thus copyright in that

portability work does not belong to Naos Ltd, and Naos Ltd hereby
releases any claim to the copyright in the z/OS Mainframe portability
work identified by the above three GitHub pull requests.

Ewen McNeill
Managing Director, Naos Ltd
2016-04-25
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adrian Muraru
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "amuraru", with
commit author "Adrian Muraru <adi.muraru@gmail.com>", are copyright of Adrian Muraru.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Adrian Muraru
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Hall that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "hxw", with commit
author "Christopher Hall <hsw@ms2.hinet.net>", are copyright of
Christopher Hall. This document hereby grants the libzmq project team
to relicense libzmq, including all past, present and future
contributions of the author listed above.

Christopher Hall
2019/08/07
Permission to Relicense under MPLv2

This is a statement by Patrik Wenger
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "paddor", with
commit author "Patrik Wenger", are copyright of Patrik Wenger .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Patrik Wenger
2019/08/31
Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chia-liang Kao
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "clkao", with
commit author "Chia-liang Kao clkao@clkao.org", are copyright of Chia-liang Kao.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chia-liang Kao
2017/03/20
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Xujing Yang (laplaceyang)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "laplaceyang", with
commit author "laplaceyang <laplace2013@outlook.com>", are copyright of Xujing Yang.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Xujing Yang
2020/04/22
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Szekely Gyorgy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hoditohod", with
commit author "Szekely Gyorgy <hoditohod@gmail.com>", are copyright of Szekely Gyorgy.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Szekely Gyorgy
2018/08/15
Permission to Relicense under MPLv2

This is a statement by Fabien Ninoles that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla
Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ninoles",
with commit author "Fabien Ninoles", are copyright of Fabien Ninoles.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author
listed above.

Fabien Ninoles

2020/02/11
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Hand
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mipaaa", with
commit author "Michael Hand <mipaaa@gmail.com>", are copyright of Michael Hand.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Hand
2017/03/21
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chengye Ke
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "imkcy9", with
commit author "Chengye Ke <imkcy9@icloud.com>" or
"Chengye Ke <imkcy9@gmail.com>", are copyright of Chengye Ke.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chengye Ke

2019/05/18
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Francesco Montorsi that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "f18m", with
commit author "Francesco Montorsi <francesco.montorsi@gmail.com>", are copyright
of Francesco Montorsi. This document hereby grants the libzmq project
team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Francesco Montorsi
2018/09/14
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Camachat
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "camachat", with
commit author "Eric Camachat <eric@camachat.org>", are copyright of Eric Camachat.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Eric L. Camachat
March 20, 2017
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrey Sibiryov that grants permission to relicense its copyrights in the
libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source
Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kobolog", with commit author "Andrey Sibiryov
<me@kobology.ru>",
are copyright of Andrey Sibiryov. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions of the author listed above.

Andrey Sibiryov
2017/04/04
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Flandrin
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "simias", with
commit author "Lionel Flandrin lflandrin@ereca.fr", are copyright of Lionel Flandrin.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Lionel Flandrin
2018/05/02

1.14 kotlin 1.3.31

1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","runtime/primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UInt.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","kotlin/UByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/UShortArray.kt","kotlin/Comparator.kt","coroutines/Continuation.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","dummy.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/string.kt","generated/_UArrays.kt","generated/_UCollections.kt","generated/_UComparisons.kt","generated/_URanges.kt","generated/_USequences.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","generated/_CollectionsJs.kt","generated/_StringsJs.kt","generated/_UArraysJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/char.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/ArraySorting.kt","kotlin/collections/ArraysJs.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/utils.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines/CoroutineImpl.kt","util/Result.kt","kotlin/coroutines/SafeContinuationJs.kt","kotlin/coroutines/intrinsics/IntrinsicsJs.kt","kotlin/coroutines/js/internal/EmptyContinuation.kt","kotlin/date.kt","kotlin/dom/Builders.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils.kt","kotlin/exceptions.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/math.kt","kotlin/numbers.kt","kotlin/numberConversions.kt","kotlin/promise.kt","kotlin/random/PlatformRandom.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regex.kt","kotlin/regexp.kt","kotlin/sequence.kt","kotlin/stringsCode.kt","kotlin/text.kt","org.w3c/org.khronos.webgl.kt","org.w3c/org.w3c.dom.clipboard.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.event

s.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.mediacapture.kt","org.w3c/org.w3c.dom.pointerevents.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notifications.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","annotations/Inference.kt","annotations/Multiplatform.kt","collections/AbstractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collections/AbstractSet.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedViews.kt","collections/SequenceBuilder.kt","collections/SlidingWindow.kt","collections/UArraySorting.kt","contracts/ContractBuilder.kt","coroutines/ContinuationInterceptor.kt","coroutines/CoroutineContext.kt","coroutines/CoroutineContextImpl.kt","coroutines/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","experimental/inferenceMarker.kt","internal/Annotations.kt","properties/Delegates.kt","properties/ObservableProperty.kt","random/Random.kt","random/URandom.kt","random/XorWowRandom.kt","ranges/Ranges.kt","text/Char.kt","text/Indent.kt","text/Typography.kt","text/regex/MatchResult.kt","util/HashCode.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Suspend.kt","util/Tuples.kt","kotlin/UIntRange.kt","kotlin/UIterators.kt","kotlin/ULongRange.kt","kotlin/UMath.kt","kotlin/UProgressionUtil.kt","kotlin/UStrings.kt","kotlin/annotations/Unsigned.kt","kotlin/MathH.kt","Intrinsics.kt","CoroutinesLibrary.kt","coroutines.kt","coroutinesIntrinsics.kt","ContinuationInterceptor.kt","CoroutineContext.kt","CoroutineContextImpl.kt","Coroutines.kt","SequenceBuilder.kt"],"sourcesContent":["(function
(root, factory) {\n if (typeof define === 'function' && define.amd) {\n   define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n   factory(module.exports);\n }\n else {\n   root.kotlin = {};\n   factory(root.kotlin);\n }\n}(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n}));\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array)
 && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return
 \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") +
\"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n   return true;\n }\n if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n   return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n   if (!Kotlin.equals(a[i], b[i])) {\n   return false;\n   }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n   result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort
 = function (array) {\n array.sort(Kotlin.doubleCompareTo)\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n getter.get = getter;\n

getter.set = setter;\n   getter.callableName = name;\n   return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n obj.constructor = obj;\n   return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n   {\n   mutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KMutableProperty0\n   }\n   },\n   immutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KProperty0 }\n   }\n   },\n   {\n   mutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KMutableProperty1 }\n   },\n   immutable: { value: null, implementedInterface: function () {\n   return Kotlin.kotlin.reflect.KProperty1 }\n   }\n   }];\n\nfunction getPropertyRefMetadata(cache) {\n   if (cache.value === null) {\n   cache.value = {\n   interfaces: [cache.implementedInterface()],\n   baseClass: null,\n   functions: {},\n   properties: {},\n   types: {},\n   staticMembers: {}\n   };\n   }\n   return cache.value;\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort
 = function (a) {\n   return (a & 0xFFFF) << 16 >> 16;\n};\n\nKotlin.toByte = function (a) {\n   return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n   return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n   return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n   return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n   return Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n return Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n   return +a;\n};\n\nKotlin.numberToChar = function (a) {\n   return Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n   if (a > 2147483647) return 2147483647;\n   if (a < -2147483648) return -2147483648;\n   return a | 0;\n};\n\nKotlin.toBoxedChar = function (a) {\n   if (a == null)
 return a;\n   if (a instanceof Kotlin.BoxedChar) return a;\n   return new Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n   if (a == null) return a;\n   return Kotlin.toChar(a);\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n   if (obj1 == null) {\n   return obj2 == null;\n   }\n\n   if (obj2 == null) {\n   return false;\n   }\n\n   if (obj1 !== obj1) {\n   return obj2 !== obj2;\n   }\n\n   if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n   return obj1.equals(obj2);\n   }\n\n   if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n   return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n   }\n\n   return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n   if (obj == null) {\n   return 0;\n   }\n   var objType = typeof obj;\n   if (\"object\" === objType) {\n   return \"function\" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n   }\n   if (\"function\" === objType) {\n   return getObjectHashCode(obj);\n   }\n   if (\"number\" === objType) {\n   return Kotlin.numberHashCode(obj);\n   }\n   if (\"boolean\" === objType) {\n   return Number(obj)\n   }\n\n   var str = String(obj);\n   return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n   if (o == null) {\n   return \"null\";\n   }\n   else if (Kotlin.isArrayish(o)) {\n   return \"[...]\";\n   }\n   else {\n   return o.toString();\n   }\n};\n\n/**\n @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n/**\n @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n   if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n   var hash = (Math.random()
 * POW_2_32) | 0; // Make 32-bit singed integer.\n   Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n   }\n   return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n   var hash = 0;\n   for (var i = 0; i < str.length; i++) {\n   var code = str.charCodeAt(i);\n   hash = (hash * 31 + code) | 0; // Keep it 32-bit.\n   }\n   return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n","/*\n * Copyright 2010-

2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n//\n// Licensed under the Apache License, Version 2.0 (the \"License\");\n// you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//\n// http://www.apache.org/licenses/LICENSE-2.0\n//\n// Unless required by
applicable law or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n * Note that we must
ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long = function(low, high) {\n /**\n * @type {number}\n * @private\n */\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n * @type {number}\n * @private\n */\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ = {\n kind: \"class\",\n simpleName: \"Long\",\n interfaces:[]\n};\n\n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n\n/**\n * A cache of the Long representations of small integer values.\n * @type
{!Object}\n * @private\n */\nKotlin.Long.IntCache_ = {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromInt = function(value) {\n if (-128 <= value && value < 128) {\n var cachedObj = Kotlin.Long.IntCache_[value];\n if (cachedObj) {\n return cachedObj;\n }\n }\n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-128 <= value && value < 128) {\n Kotlin.Long.IntCache_[value] = obj;\n }\n return obj;\n};\n\n\n/**\n * Returns a Long representing the given value, provided that it is a finite\n * number. Otherwise, zero is returned.\n * @param {number} value The number in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber = function(value) {\n if (isNaN(value) || !isFinite(value)) {\n return Kotlin.Long.ZERO;\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_)
{\n return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\n return Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n return Kotlin.Long.fromNumber(-value).negate();\n } else {\n return new Kotlin.Long(\n (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n }\n};\n\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long representation of the given string, written using the given\n * radix.\n * @param {string} str The textual representation of the Long.\n * @param {number=} opt_radix The radix
in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str, opt_radix) {\n if (str.length == 0) {\n throw Error('number format error: empty string');\n }\n\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (str.charAt(0) == '-') {\n return Kotlin.Long.fromString(str.substring(1),

radix).negate();\n } else if (str.indexOf('-') >= 0) {\n   throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length; i += 8) {\n   var size = Math.min(8, str.length - i);\n   var value = parseInt(str.substring(i, i + size), radix);\n   if (size < 8) {\n   var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n   result = result.multiply(power).add(Kotlin.Long.fromNumber(value));\n   } else {\n   result = result.multiply(radixToPower);\n   result = result.add(Kotlin.Long.fromNumber(value));\n   }\n }\n return result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations. This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_32_DBL_ =\n   Kotlin.Long.TWO_PWR_16_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_31_DBL_ =\n   Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n   Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_64_DBL_ =\n   Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_63_DBL_ =\n   Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE = Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n   Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n * @private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer.\n */\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n\n/** @return {number} The closest floating-point representation to this value. */\nKotlin.Long.prototype.toNumber = function() {\n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n   this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit hashCode of this value. */\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString =\n   function(opt_radix) {\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n   throw Error('radix out of range: ' + radix);\n }\n\n if (this.isZero()) {\n   return '0';\n }\n\n if (this.isNegative()) {\n   if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n   // We need to change the Long value before it can be negated, so we\n   // remove\n   // the bottom-most digit in this base and then recurse to do the rest.\n   var radixLong = Kotlin.Long.fromNumber(radix);\n   var div = this.div(radixLong);\n   var rem = div.multiply(radixLong).subtract(this);\n   return div.toString(radix) + rem.toInt().toString(radix);\n   } else {\n   return '-' + this.negate().toString(radix);\n   }\n }\n\n // Do several (6) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var result = '';\n while (true) {\n   var remDiv = rem.div(radixToPower);\n   var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n   var digits = intval.toString(radix);\n\n   rem = remDiv;\n   if (rem.isZero()) {\n   return digits + result;\n   } else {\n   while (digits.length < 6) {\n   digits = '0' + digits;\n   }\n   result = '' + digits + result;\n   }\n }\n};\n\n\n/**

@return {number} The high 32-bits as a signed value. */\nKotlin.Long.prototype.getHighBits = function() {\n return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value. */\nKotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value. */\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >= 0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns the number of bits needed to represent the absolute\n * value of this Long.\n */\nKotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_ : this.low_;\n for (var bit = 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n return this.high_ != 0 ? bit + 33 : bit + 1;\n }\n};\n\n\n/** @return {boolean} Whether this value is zero. */\nKotlin.Long.prototype.isZero = function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return {boolean} Whether this value is negative. */\nKotlin.Long.prototype.isNegative = function() {\n return this.high_ < 0;\n};\n\n\n/** @return {boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long does not equal the other.\n */\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n return this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than the other.\n */\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n return this.compare(other) >= 0;\n};\n\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n * if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n }\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n return -1;\n } else {\n return 1;\n }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The

difference
of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n return this.add(other.negate());\n};\n\n\n/**\n * Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 * b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n if (other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if (other.equalsLong(Kotlin.Long.ONE) ||\n other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE == MIN_VALUE\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n } else {\n // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis = this.shiftRight(1);\n
var approx = halfThis.div(other).shiftLeft(1);\n if (approx.equalsLong(Kotlin.Long.ZERO)) {\n return other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n } else {\n var rem = this.subtract(other.multiply(approx));\n var result = approx.add(rem.div(other));\n return result;\n }\n }\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return this.negate().div(other).negate();\n }\n } else if (other.isNegative()) {\n return this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n // floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from the remainder. It is critical that\n // the approximate value is less than
or equal to the real value so that the\n // remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while (rem.greaterThanOrEqual(other)) {\n // Approximate the result of division. This may be a little greater or\n // smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n // We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit, whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 : Math.pow(2, log2 - 48);\n\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n approx -= delta;\n approxRes =

Kotlin.Long.fromNumber(approx);\n
approxRem = approxRes.multiply(other);\n }\n\n // We know the answer can't be zero... and actually, zero would cause\n // infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes = Kotlin.Long.ONE;\n }\n\n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n }\n return res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo = function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n\n/** @return {!Kotlin.Long} The bitwise-NOT of this value. */\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND
of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ | other.low_,\n this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^ other.high_);\n};\n\n\n/**\n * Returns this Long with bits shifted to the left by the given
amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else {\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low =
this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >> (numBits - 32),\n high >= 0 ? 0 : -1);\n }\n }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high,
0);\n } else {\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }\n }\n};\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long &&
this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n return
this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n return
this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n return
this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n return
this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n return new
Kotlin.kotlin.ranges.LongRange(this, other);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache

2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n var f = function() {\n   f = fun();\n   return f.apply(this, arguments);\n };\n return function() {\n   return f.apply(this, arguments);\n };\n};\n\nKotlin.isTypeOf = function(type) {\n return function (object) {\n   return typeof object === type;\n }\n};\n\nKotlin.isInstanceOf = function (klass) {\n return function (object) {\n   return Kotlin.isType(object, klass);\n }\n};\n\nKotlin.orNull = function (fn) {\n return function (object) {\n   return object == null || fn(object);\n }\n};\n\nKotlin.andPredicate = function (a, b) {\n return function (object) {\n   return a(object) && b(object);\n }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n throwMarkerError();\n};\n\nfunction throwMarkerError() {\n throw new Error(\n   \"This marker function should never been called. \" +\n   \"Looks like compiler did not eliminate it properly. \" +\n   \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n return function() {\n   return defaultValue;\n }\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n var typeA = typeof a;\n if (typeA === \"number\") {\n   if (typeof b === \"number\") {\n   return Kotlin.doubleCompareTo(a, b);\n   }\n   return Kotlin.primitiveCompareTo(a, b);\n }\n if (typeA === \"string\" || typeA === \"boolean\") {\n   return Kotlin.primitiveCompareTo(a, b);\n }\n return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n if (a < b) return -1;\n if (a > b) return 1;\n\n if (a === b) {\n   if (a !== 0) return 0;\n\n   var ia = 1 / a;\n   return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n }\n\n return a !== a ? (b !== b ? 0 : 1) : -1\n};\n\nKotlin.charInc = function (value) {\n return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n var buf = new ArrayBuffer(8);\n var bufFloat64 = new Float64Array(buf);\n var bufFloat32 = new Float32Array(buf);\n var bufInt32 = new Int32Array(buf);\n var lowIndex = 0;\n var highIndex = 1;\n\n bufFloat64[0] = -1; // bff00000_00000000\n if (bufInt32[lowIndex] !== 0) {\n   lowIndex = 1;\n   highIndex = 0;\n }\n\n Kotlin.doubleToBits = function(value) {\n   return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.doubleToRawBits = function(value) {\n   bufFloat64[0] = value;\n   return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n };\n\n Kotlin.doubleFromBits = function(value) {\n   bufInt32[lowIndex] = value.low_;\n   bufInt32[highIndex] = value.high_;\n   return bufFloat64[0];\n };\n\n Kotlin.floatToBits = function(value) {\n   return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.floatToRawBits = function(value) {\n   bufFloat32[0] = value;\n   return bufInt32[0];\n };\n\n Kotlin.floatFromBits = function(value) {\n   bufInt32[0] = value;\n   return bufFloat32[0];\n };\n\n // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n Kotlin.doubleSignBit = function(value) {\n   bufFloat64[0] = value;\n   return bufInt32[highIndex] & 0x80000000;\n };\n\n Kotlin.numberHashCode = function(obj) {\n   if ((obj | 0) === obj) {\n   return obj | 0;\n   }\n   else {\n   bufFloat64[0] = obj;\n   return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n   }\n }\n})();\n\nKotlin.ensureNotNull = function(x) {\n return x != null ? x : Kotlin.throwNPE();\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n String.prototype.startsWith =

```
function(searchString, position) {\n        position = position || 0;\n        return this.lastIndexOf(searchString, position) === position;\n    };\n}\nif (typeof String.prototype.endsWith === \"undefined\") {\n    String.prototype.endsWith = function(searchString, position) {\n        var subjectString = this.toString();\n        if (position === undefined || position > subjectString.length) {\n            position = subjectString.length;\n        }\n        position -= searchString.length;\n        var lastIndex = subjectString.indexOf(searchString, position);\n        return lastIndex !== -1 && lastIndex === position;\n    };\n}\n// ES6 Math polyfills\nif (typeof Math.sign === \"undefined\") {\n    Math.sign = function(x) {\n        x = +x; // convert to a number\n        if (x === 0 || isNaN(x)) {\n            return Number(x);\n        }\n        return x > 0 ? 1 : -1;\n    };\n}\nif (typeof Math.trunc === \"undefined\") {\n    Math.trunc = function(x) {\n        if (isNaN(x)) {\n            return NaN;\n        }\n        if (x > 0) {\n            return Math.floor(x);\n        }\n        return Math.ceil(x);\n    };\n}\n\n(function() {\n    var epsilon = 2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound = Math.sqrt(taylor_2_bound);\n    var upper_taylor_2_bound = 1/taylor_2_bound;\n    var upper_taylor_n_bound = 1/taylor_n_bound;\n\n    if (typeof Math.sinh === \"undefined\") {\n        Math.sinh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 6;\n                }\n                return result;\n            } else {\n                var y = Math.exp(x);\n                var y1 = 1 / y;\n                if (!isFinite(y)) return Math.exp(x - Math.LN2);\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n                return (y - y1) / 2;\n            }\n        };\n    }\n    if (typeof Math.cosh === \"undefined\") {\n        Math.cosh = function(x) {\n            var y = Math.exp(x);\n            var y1 = 1 / y;\n            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n            return (y + y1) / 2;\n        };\n    }\n\n    if (typeof Math.tanh === \"undefined\") {\n        Math.tanh = function(x){\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result -= (x * x * x) / 3;\n                }\n                return result;\n            }\n            else {\n                var a = Math.exp(+x), b = Math.exp(-x);\n                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n            }\n        };\n    }\n\n    // Inverse hyperbolic function implementations derived from boost special math functions,\n    // Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh === \"undefined\") {\n        var asinh = function(x) {\n            if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                {\n                    if (x > upper_taylor_2_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                        return Math.log(x * 2 + (1 / (x * 2)));\n                    }\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x + 1));\n                }\n            }\n            else if (x <= -taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n            else\n            {\n                // approximation by taylor series in x at 0 up to order 2\n                var result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                {\n                    var x3 = x * x * x;\n                    // approximation by taylor series in x at 0 up to order 4\n                    result -= x3 / 6;\n                }\n                return result;\n            }\n        };\n        Math.asinh = asinh;\n    }\n    if (typeof Math.acosh === \"undefined\") {\n        Math.acosh = function(x) {\n            if (x < 1)\n            {\n                return NaN;\n            }\n            else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                {\n                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                    return Math.log(x) + Math.LN2;\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x - 1));\n                }\n            }\n            else\n            {\n                var y = Math.sqrt(x - 1);\n                // approximation by taylor series in y at 0 up to order 2\n                var result = y;\n                if (y >= taylor_2_bound)\n                {\n                    var y3 = y * y * y;\n                    // approximation by taylor series in y at 0 up to order 4\n                    result -= y3 / 12;\n                }\n\n                return Math.sqrt(2) * result;\n            }\n        };\n    }\n    if (typeof Math.atanh === \"undefined\") {\n        Math.atanh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 3;\n
```

}\n return result;\n }\n return Math.log((1 + x) / (1 - x)) / 2;\n };\n }\n if (typeof Math.log1p === \"undefined\") {\n Math.log1p = function(x) {\n if (Math.abs(x) < taylor_n_bound) {\n var x2 = x * x;\n var x3 = x2 * x;\n var x4 = x3 * x;\n // approximation by taylor series in x at 0 up to order 4\n return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n }\n return Math.log(x + 1);\n };\n }\n if (typeof Math.expm1 === \"undefined\") {\n Math.expm1 = function(x) {\n if (Math.abs(x) < taylor_n_bound) {\n var x2 = x * x;\n var x3 = x2 * x;\n var x4 = x3 * x;\n // approximation by taylor series in x at 0 up to order 4\n return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n }\n return Math.exp(x) - 1;\n };\n }\n})();\nif (typeof Math.hypot === \"undefined\") {\n Math.hypot = function() {\n var y = 0;\n var length = arguments.length;\n\n for (var i = 0; i < length; i++) {\n if (arguments[i] === Infinity || arguments[i] === -Infinity) {\n return Infinity;\n }\n y += arguments[i] * arguments[i];\n }\n return Math.sqrt(y);\n };\n}\nif (typeof Math.log10 === \"undefined\") {\n Math.log10 = function(x) {\n return Math.log(x) * Math.LOG10E;\n };\n}\nif (typeof Math.log2 === \"undefined\") {\n Math.log2 = function(x) {\n return Math.log(x) * Math.LOG2E;\n };\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof ArrayBuffer.isView === \"undefined\") {\n ArrayBuffer.isView = function(a) {\n return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n };\n}\n\n(function() {\n function normalizeOffset(offset, length) {\n if (offset < 0) return Math.max(0, offset + length);\n return Math.min(offset, length);\n }\n function typedArraySlice(begin, end) {\n if (typeof end === \"undefined\") {\n end = this.length;\n }\n begin = normalizeOffset(begin || 0, this.length);\n end = Math.max(begin, normalizeOffset(end, this.length));\n return new this.constructor(this.subarray(begin, end));\n }\n\n var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.slice === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'slice', {\n value: typedArraySlice\n });\n }\n }\n\n // Patch apply to work with TypedArrays if needed.\n try {\n (function() {}).apply(null, new Int32Array(0))\n } catch (e) {\n var apply = Function.prototype.apply;\n Object.defineProperty(Function.prototype, 'apply', {\n value: function(self, array) {\n return apply.call(this, self, [].slice.call(array));\n }\n });\n }\n\n // Patch map to work with TypedArrays if needed.\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.map === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'map', {\n value: function(callback, self) {\n return [].slice.call(this).map(callback, self);\n }\n });\n }\n }\n\n // Patch sort to work with TypedArrays if needed.\n // TODO: consider to remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n var totalOrderComparator = function (a, b) {\n if (a < b) return -1;\n if (a > b) return 1;\n\n if (a === b) {\n if (a !== 0) return 0;\n\n var ia = 1 / a;\n return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n }\n\n return a !== a ? (b !== b ? 0 : 1) : -1\n };\n\n for (var i = 0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.sort === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'sort', {\n value: function(compareFunction) {\n return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n }\n });\n }\n }\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n CLASS: \"class\",\n INTERFACE: \"interface\",\n OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.get != null) {\n return propertyDescriptor.get.call(thisObject);\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n return thisObject[propertyName];\n }\n\n return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,

value) {\n   var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n   if (propertyDescriptor != null && propertyDescriptor.set != null) {\n   propertyDescriptor.set.call(thisObject, value);\n   return;\n   }\n\n   propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n   if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n thisObject[propertyName] = value;\n   return\n   }\n\n   Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n   if (ctor === iface) return true;\n\n   var metadata = ctor.$metadata$;\n if (metadata != null) {\n   var interfaces = metadata.interfaces;\n   for (var i = 0; i < interfaces.length; i++) {\n   if (isInheritanceFromInterface(interfaces[i], iface)) {\n   return true;\n   }\n   }\n   }\n\n   var superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n   var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n   return superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n *\n * @param {*} object\n * @param {Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n   if (klass === Object) {\n   switch (typeof object) {\n   case \"string\":\n   case \"number\":\n   case \"boolean\":\n   case \"function\":\n   return true;\n   default:\n   return object instanceof Object;\n   }\n   }\n\n   if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\n   return false;\n   }\n\n   if (typeof klass === \"function\" && object instanceof klass) {\n   return true;\n   }\n\n   var proto = Object.getPrototypeOf(klass);\n var constructor = proto != null ? proto.constructor : null;\n   if (constructor != null && \"$metadata$\" in constructor) {\n   var metadata = constructor.$metadata$;\n   if (metadata.kind === Kotlin.Kind.OBJECT) {\n   return object === klass;\n   }\n   }\n\n   var klassMetadata = klass.$metadata$;\n\n   // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n   if (klassMetadata == null) {\n   return object instanceof klass;\n   }\n\n   if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n   return isInheritanceFromInterface(object.constructor, klass);\n   }\n\n   return false;\n};\n\nKotlin.isNumber = function (a) {\n   return typeof a == \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n   return value instanceof Kotlin.BoxedChar\n};\n\nKotlin.isComparable = function (value) {\n   var type = typeof value;\n\n   return type === \"string\" ||\n   type === \"boolean\" ||\n   Kotlin.isNumber(value) ||\n   Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n   return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@PublishedApi\nexternal internal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun <T> newArray(size: Int, initValue: T) = fillArrayVal(Array<T>(size), initValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init: (Int) -> T): Array<T> {\n   for (i in 0..array.size - 1) {\n   array[i] = init(i)\n   }\n   return array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n   val result: dynamic = Array<Boolean>(size)\n   result.`$type$` = \"BooleanArray\"\n   return when (init) {\n   null, true -> fillArrayVal(result, false)\n   false -> result\n   else -> fillArrayFun<Boolean>(result, init)\n   }\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false), init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init: dynamic): Array<Char> {\n   val result = js(\"new Uint16Array(size)\")\n   result.`$type$` = \"CharArray\"\n   return when (init) {\n   null, true, false -> result // For consistency\n   else -> fillArrayFun<Char>(result, init)\n   }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n   val array = charArray(size, null)\n   for (i in 0..array.size - 1) {\n   @Suppress(\"UNUSED_VARIABLE\") // used in js block\n   val value = init(i)\n   js(\"array[i] = value;\")\n

}\n   return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n   val array = Array<Char>(size)\n   for (i in 0..array.size - 1) {\n @Suppress(\"UNUSED_VARIABLE\") // used in
 js block\n   val value = init(i)\n   js(\"array[i] = value;\")\n   }\n   return array\n}\n\n@JsName(\"longArray\")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n   val result: dynamic = Array<Long>(size)\n   result.`$type$` = \"LongArray\"\n   return when (init) {\n   null, true -> fillArrayVal(result, 0L)\n   false -> result\n   else -> fillArrayFun<Long>(result, init)\n   }\n}\n\n@JsName(\"longArrayF\")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initValue: T): Array<T> {\n   for (i in 0..array.size - 1) {\n   array[i] = initValue\n   }\n   return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n   @JsName(\"name$\")
 private var _name: String = \"\"\n   @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n   val name: String\n get() = _name\n\n   val ordinal: Int\n   get() = _ordinal\n\n   override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n   override fun equals(other: Any?) = this === other\n\n   override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\n\n   override fun toString() = name\n\n   companion object\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js.internal\n\n@JsName(\"DoubleCompanionObject\")\nprivate object DoubleCompanionObject {\n @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Double = js(\"Number.MIN_VALUE\")\n\n @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Double = js(\"Number.MAX_VALUE\")\n\n @JsName(\"POSITIVE_INFINITY\")\n   val POSITIVE_INFINITY: Double = js(\"Number.POSITIVE_INFINITY\")\n\n
    @JsName(\"NEGATIVE_INFINITY\")\n   val NEGATIVE_INFINITY: Double = js(\"Number.NEGATIVE_INFINITY\")\n\n   @JsName(\"NaN\")\n   val NaN: Double = js(\"Number.NaN\")\n}\n\n@JsName(\"FloatCompanionObject\")\nprivate object FloatCompanionObject {\n @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Float = js(\"Number.MIN_VALUE\")\n\n @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Float = js(\"Number.MAX_VALUE\")\n\n @JsName(\"POSITIVE_INFINITY\")\n   val POSITIVE_INFINITY: Float = js(\"Number.POSITIVE_INFINITY\")\n\n   @JsName(\"NEGATIVE_INFINITY\")\n   val NEGATIVE_INFINITY: Float = js(\"Number.NEGATIVE_INFINITY\")\n\n   @JsName(\"NaN\")\n   val NaN: Float = js(\"Number.NaN\")\n}\n\n@JsName(\"IntCompanionObject\")\nprivate object IntCompanionObject {\n @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Int = -2147483647 - 1\n\n   @JsName(\"MAX_VALUE\")\n val MAX_VALUE: Int = 2147483647\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 4\n\n @JsName(\"SIZE_BITS\")\n
    const val SIZE_BITS = 32\n}\n\n@JsName(\"LongCompanionObject\")\nprivate object LongCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Long = js(\"Kotlin.Long.MIN_VALUE\")\n\n @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Long = js(\"Kotlin.Long.MAX_VALUE\")\n\n @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 8\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 64\n}\n\n@JsName(\"ShortCompanionObject\")\nprivate object ShortCompanionObject {\n @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Short = -32768\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Short = 32767\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 16\n}\n\n@JsName(\"ByteCompanionObject\")\nprivate object ByteCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Byte = -128\n\n @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Byte = 127\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES

= 1\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS =
8\n}\n\n@JsName(\"CharCompanionObject\")\nprivate object CharCompanionObject {\n
@JsName(\"MIN_VALUE\")\n   public const val MIN_VALUE: Char = '\\u0000'\n\n
@JsName(\"MAX_VALUE\")\n   public const val MAX_VALUE: Char = '\\uFFFF'\n\n
@JsName(\"MIN_HIGH_SURROGATE\")\n   public const val MIN_HIGH_SURROGATE: Char = '\\uD800'\n\n
@JsName(\"MAX_HIGH_SURROGATE\")\n   public const val MAX_HIGH_SURROGATE: Char =
'\\uDBFF'\n\n   @JsName(\"MIN_LOW_SURROGATE\")\n   public const val MIN_LOW_SURROGATE: Char =
'\\uDC00'\n\n   @JsName(\"MAX_LOW_SURROGATE\")\n   public const val MAX_LOW_SURROGATE: Char
= '\\uDFFF'\n\n   @JsName(\"MIN_SURROGATE\")\n   public const val MIN_SURROGATE: Char =
MIN_HIGH_SURROGATE\n\n   @JsName(\"MAX_SURROGATE\")\n   public const val MAX_SURROGATE:
Char = MAX_LOW_SURROGATE\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n
@JsName(\"SIZE_BITS\")\n   const val SIZE_BITS =
16\n}\n\nprivate object StringCcompanionObject {}\n\nprivate object BooleanCompanionObject {}\n\n","/*\n *
Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage
kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns 1st
element from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out
T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n   return
get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator
fun ShortArray.component1(): Short {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n   return
get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component1(): Long {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun DoubleArray.component1(): Double {\n   return get(0)\n}\n\n/**\n * Returns 1st *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1():
Boolean {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic
inline operator fun CharArray.component1(): Char {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from
the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n
return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun ByteArray.component2(): Byte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n
return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntArray.component2(): Int {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n
return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun FloatArray.component2(): Float {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from
the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n
return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun BooleanArray.component2(): Boolean {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char
{\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n

*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun

ByteArray.contains(element: Byte): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found
in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun FloatArray.contains(element: Float): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\npublic expect fun <T> Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ByteArray.elementAt(index: Int): Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns
an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index:
Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun

```
ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
 function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
 * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n    return
```

this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element
was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n
 * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n
 * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n
 * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains
 no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float
 {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n *

Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T)
-> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate],
or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (element in this) if (predicate(element))
return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns

an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n   if (element == null) {\n

for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index
of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array
does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun

CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n for (index in indices.reversed())
{\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array
is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array
is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.last(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is

empty.\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int

{\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element:
Short): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return
index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element:
Boolean): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns
the last element, or `null` if the array is empty.\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun CharArray.lastOrNull(): Char? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ByteArray.lastOrNull(predicate:
(Byte) -> Boolean): Byte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element

was found.\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException
if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException
if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ByteArray.random(random: Random): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n

*/\n@SinceKotlin(\"1.3\")\npublic fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntArray.random(random: Random): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongArray.random(random: Random): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun FloatArray.random(random: Random): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun DoubleArray.random(random: Random): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun BooleanArray.random(random: Random): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharArray.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic

fun BooleanArray.single(): Boolean {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains

more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n

found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns
the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n
* Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing
all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws

IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less

than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n var yielding = false\n val list = ArrayList<Byte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n

return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n var yielding = false\n val list = ArrayList<Short>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n var yielding = false\n val list = ArrayList<Int>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n var yielding = false\n val list = ArrayList<Long>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n var yielding = false\n val list = ArrayList<Float>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n var yielding = false\n val list = ArrayList<Double>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n var yielding = false\n val list = ArrayList<Boolean>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n var yielding = false\n val list = ArrayList<Char>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the

given [predicate].\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *

@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n return

filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) ->

Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n if (indices.isEmpty())
return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the
specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out

```
T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return
 emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic
 fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>): List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return
 list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n    val result = ByteArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n    val result = ShortArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++]
 = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices: Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex
```

in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n val result = DoubleArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n val result = BooleanArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n val result = CharArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n if (indices.isEmpty()) return copyOfRange(0, 0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n if (indices.isEmpty()) return ByteArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n if (indices.isEmpty()) return ShortArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n if (indices.isEmpty()) return IntArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n if (indices.isEmpty()) return LongArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n if (indices.isEmpty()) return FloatArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n if (indices.isEmpty()) return DoubleArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n if (indices.isEmpty()) return BooleanArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n if (indices.isEmpty()) return CharArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<T>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Byte>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count =

0\n   val list = ArrayList<Short>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Int>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Long>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n   require(n >= 0) { \"Requested
 element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Float>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Double>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n
 * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Boolean>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n
   var count = 0\n   val list = ArrayList<Char>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<T>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte>
 {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Byte>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return

```
emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Short>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n
 * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Int>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Long>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Float>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n    require(n >= 0) { \"Requested element count $n
 is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Double>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Boolean>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n
 * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Char>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
 */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n    for (index in lastIndex downTo 0)
```

{\n if (!predicate(this[index]))
{\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n
* \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index
in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list = ArrayList<Short>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long>
{\n val list = ArrayList<Long>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n val list = ArrayList<Float>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list = ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n

```
 * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if
(!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list =
ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n
val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex
 = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\npublic fun ByteArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the
array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]
= this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in
the array in-place.\n */\npublic fun
 IntArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =
lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\npublic fun LongArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the
array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]
= this[reverseIndex]\n        this[reverseIndex]
 = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun
DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =
lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the
array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index
 in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] =
tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T>
Array<out T>.reversed(): List<T> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
ByteArray.reversed(): List<Byte> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
ShortArray.reversed(): List<Short> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
IntArray.reversed(): List<Int> {\n    if (isEmpty()) return emptyList()\n    val list =
 toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*/\npublic fun LongArray.reversed(): List<Long> {\n    if (isEmpty()) return emptyList()\n    val list =
toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
```

*/\npublic fun FloatArray.reversed(): List<Float> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n   if (isEmpty()) return this\n   val result = arrayOfNulls(this, size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n   if (isEmpty()) return this\n   val result = ByteArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n   if (isEmpty()) return this\n   val result = ShortArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n   if (isEmpty()) return this\n   val result = IntArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n   if (isEmpty()) return this\n   val result = LongArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n   if (isEmpty()) return this\n   val result = FloatArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n   if (isEmpty()) return this\n   val result = DoubleArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n   if (isEmpty()) return this\n   val result = BooleanArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n   if (isEmpty()) return this\n   val result = CharArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n   sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts

elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending

according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return

sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline
selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline
selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic
fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted

according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n   return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n   return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps
the original array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For
floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>):

Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun

CharArray.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns
a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun
FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination]
array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param

destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit
into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy
to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n
* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the

subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n
* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic
expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n
* Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of

the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than
the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the
original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n
* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given
[newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *

@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n
* Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic
expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the
array.\n */\npublic val ByteArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the
array.\n */\npublic val CharArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():

Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean
{\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean
{\n   return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n   get() = size - 1\n\n/**
 * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun
LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the

original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements:
Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of
the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements:
Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*/\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun IntArray.sort():
Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its

elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n   return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n   return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n   return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n   return DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of
the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n   return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n   return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n   return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*/\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n
    val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity),

transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associate(transform:
(Int) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original
array.\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned
map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns
a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Short>(capacity),

keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n
 * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned
 from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n
 return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
 the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key

returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided
 by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K,
 valueTransform: (Long) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements
 would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K,
 V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the
 last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   destination.put(keySelector(element), element)\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same

key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *

\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination:
M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied

to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element
of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of
the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of
the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination:
C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>>

IntArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n

*/\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n   return ArrayList(this.asCollection())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n   val list = ArrayList<Byte>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n   val list = ArrayList<Short>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n   val list = ArrayList<Int>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n   val list = ArrayList<Long>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n   val list = ArrayList<Float>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n   val list = ArrayList<Double>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n   val list = ArrayList<Boolean>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n   val list = ArrayList<Char>(size)\n   for (item in this) list.add(item)\n   return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n   return

flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n

* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns
a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n
* Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the

original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n
return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group
key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ShortArray.groupBy(keySelector:
(Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n
}\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Short>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the

[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Int>()
}\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return
The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated
with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out
T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a

list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original
array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return
The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination:
M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key)
{ ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample

samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n

return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original
array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function
to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n *

@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T,

R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list
containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n return

this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ByteArray.distinct(): List<Byte> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun ShortArray.distinct(): List<Short> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun IntArray.distinct(): List<Int> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun LongArray.distinct(): List<Long> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun FloatArray.distinct(): List<Float> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun DoubleArray.distinct(): List<Double> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun CharArray.distinct(): List<Char> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n   val set = HashSet<K>()\n   val list = ArrayList<T>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n   val set = HashSet<K>()\n   val list = ArrayList<Byte>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n   val set = HashSet<K>()\n   val list = ArrayList<Short>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n   val set = HashSet<K>()\n   val list = ArrayList<Int>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n   val set = HashSet<K>()\n   val list = ArrayList<Long>()\n   for (e in this) {\n   val key\n = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n   val set = HashSet<K>()\n   val list = ArrayList<Float>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n

return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n val set = HashSet<K>()\n val list = ArrayList<Double>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n val set = HashSet<K>()\n val list = ArrayList<Boolean>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n val set = HashSet<K>()\n val list = ArrayList<Char>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by

the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing
all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>):
Set<Double> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration
order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n val set = LinkedHashSet<Byte>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n val set = LinkedHashSet<Short>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n val set = LinkedHashSet<Int>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n val set = LinkedHashSet<Long>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n val set = LinkedHashSet<Float>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct
elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n val set =

LinkedHashSet<Double>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n   val set = LinkedHashSet<Boolean>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n   val set = LinkedHashSet<Char>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned
set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
*/\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n   val set
= this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):

Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun

IntArray.any(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic
inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.count(predicate: (T) -> Boolean):
Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean):
Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Returns the number of elements

matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n var index = 0\n var

accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic

inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic
inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n
    while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates
 value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
 value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *

and current accumulator value, and calculates
the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n

--index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n

for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n

*/\npublic fun LongArray.max(): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns
the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem
= this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*/\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n
* Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n
val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue

= v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n

}\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ByteArray.min(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min(): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun LongArray.min(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun CharArray.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the

smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n

return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n *
\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\npublic fun FloatArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n
* @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return

```
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
 */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
CharArray.none(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Array<out
T>.reduce(operation: (acc: S, T) -> S): S {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty
array can't be reduced.\")\n    var accumulator: S = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n */\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte):
Byte {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
}\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n */\npublic inline fun
ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n    if (isEmpty())\n        throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n */\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n
 if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator
= this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun LongArray.reduce(operation: (acc:
Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't
be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) ->
Float): Float {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n
 var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator,
this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun
DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n        throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n */\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean,
Boolean) -> Boolean): Boolean {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array
can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw
```

UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an
 element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty
 array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
 applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next
 accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n

for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current

accumulator value.\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function
that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int):
Int {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index),
accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n   var index =

lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation:
(index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n
while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n
    }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element
in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns

the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n
    var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns
 the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNoNulls(): Array<T> {\n   for (element in this) {\n   if (element == null) {\n   throw IllegalArgumentException(\"null element found in $this.\")\n   }\n   }\n   @Suppress(\"UNCHECKED_CAST\")\n
    return this as Array<T>\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n   val first = ArrayList<T>()\n   val second = ArrayList<T>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n   val first = ArrayList<Byte>()\n
    val second = ArrayList<Byte>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n   val first = ArrayList<Short>()\n   val second = ArrayList<Short>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains

elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second = ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second = ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val first = ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun

<R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i],\n   other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun

<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>>
{\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array
and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic
inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize)
break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of
elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array
with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n
return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray): List<Pair<Float, Float>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n
* @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

*/\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte,
b: Byte) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied
to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values
built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n

*/\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a
non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all
the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform
!= null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given

[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Array<out T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return

joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n

*/\npublic fun BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\",
transform: ((Boolean) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps
the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable
{ this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence(): Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence(): Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps
the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence(): Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence(): Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():

Sequence<Long> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that
 wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence(): Sequence<Float> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence(): Sequence<Double> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun BooleanArray.asSequence(): Sequence<Boolean> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence]
 instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun CharArray.asSequence(): Sequence<Char> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Array<out Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Array<out Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Array<out Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else
 sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Array<out Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ByteArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements
 in the array.\n */\npublic fun IntArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun LongArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun FloatArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun

DoubleArray.average(): Double {\n   var sum: Double = 0.0\n   var count: Int
 = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out Byte>.sum(): Int {\n   var sum: Int = 0\n   for
(element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n   var sum: Int =
0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Array<out Int>.sum(): Int {\n   var
sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long
{\n
    var sum: Long = 0L\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out
Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n   var sum:
Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n
 sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
ShortArray.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return
sum\n}\n\n/**\n
 * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n   var sum: Int = 0\n   for
(element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\npublic fun LongArray.sum(): Long {\n   var sum: Long = 0L\n   for (element in this) {\n   sum +=
element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
FloatArray.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun DoubleArray.sum(): Double {\n
var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n *
Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage
 kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n   return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.random(): Long {\n   return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n   return
 random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\npublic fun IntRange.random(random: Random): Int {\n   try {\n   return
random.nextInt(this)\n   } catch(e: IllegalArgumentException) {\n   throw
NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\npublic fun LongRange.random(random: Random): Long {\n   try {\n   return
random.nextLong(this)\n   } catch(e: IllegalArgumentException) {\n   throw

NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic
fun CharRange.random(random: Random): Char {\n   try {\n   return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n   } catch(e: IllegalArgumentException) {\n   throw NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element: Int?): Boolean {\n   return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n   return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n   return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n   return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n   return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating
point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it)
else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point
arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:

Double): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This
 `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic
 operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic
 operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic
 operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic
 operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics

and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n   return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs
 to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Short): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Returns a progression
 from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression
 is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n   return CharProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to]
 value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression
 {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this`

value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Long): LongProgression {\n   return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n   return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n   return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n   return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n   return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n   checkStepIsPositive(step > 0, step)\n   return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n   checkStepIsPositive(step > 0, step)\n   return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n   checkStepIsPositive(step > 0, step)\n   return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun

Short.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun Double.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int?
{\n   return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort()
else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified
[to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n   if (to <= '\\u0000') return CharRange.EMPTY\n   return this .. (to - 1).toChar()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or
equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then
the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to

but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less
than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than
or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not
less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic
fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue:

Double): Double {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n
 * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue]
 or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n   if (minimumValue !== null && maximumValue !== null) {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   }\n   else {\n   if (minimumValue !== null && this < minimumValue) return minimumValue\n   if (maximumValue !== null && this > maximumValue) return maximumValue\n   }\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n

```
 * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n    return when {\n        // this < start equiv to this <= start && !(this >= start)\n        range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n        // this > end equiv to this >= end && !(this <= end)\n        range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
```

this.coerceIn<T>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n
    return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<Int>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range],
 or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<Long>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 inline class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n\n   companion object {\n   /**\n   * A constant holding the minimum value an instance of UByte can have.\n   */\n   public const val MIN_VALUE: UByte = UByte(0)\n\n   /**\n   * A constant holding the maximum value an instance of UByte can have.\n   */\n   public const val MAX_VALUE: UByte = UByte(-1)\n\n   /**\n   * The number of bytes used to represent an instance of UByte in a binary form.\n   */\n   public const val SIZE_BYTES: Int = 1\n\n   /**\n   * The number of bits used to represent an instance of UByte in a binary form.\n   */\n   public const val SIZE_BITS: Int = 8\n   }\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   *
 or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   @Suppress(\"OVERRIDE_BY_INLINE\")\n   public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n
    /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n

public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n

/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun inc(): UByte = UByte(data.inc())\n /** Decrements this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UByte`. Otherwise the result is negative.\n *\n * The resulting `Byte` value has the same binary representation as this `UByte` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n /**\n * Converts this [UByte] value to [Short].\n *\n * The resulting `Short` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n

*/\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort() and 0xFF\n /**\n * Converts this [UByte] value to [Int].\n *\n * The resulting `Int` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFF\n /**\n * Converts this [UByte] value to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFF\n\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n *\n * The resulting `UShort` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n /**\n * Converts this [UByte] value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt
= UInt(data.toInt() and 0xFF)\n /**\n * Converts this [UByte] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n * Converts this [UByte] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UByte] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n *\n * The resulting `UByte` value has the same binary representation as this `Byte` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to
[UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license

```
 \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n\n    companion object {\n        /**\n * A constant holding the minimum value an instance of UInt can have.\n         */\n        public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n         * A constant holding the maximum value an instance of UInt can have.\n         */\n        public const val MAX_VALUE: UInt = UInt(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 4\n\n        /**\n         * The number of bits used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress(\"OVERRIDE_BY_INLINE\")\n    public override inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = UInt(this.data.minus(other.data))\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n
```

```
    public inline operator fun div(other: UShort): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n    /** Increments this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun inc(): UInt = UInt(data.inc())\n    /** Decrements this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): UInt = UInt(data.dec())\n\n    /** Creates a range from this value to the specified [other] value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n\n    /** Shifts this value left by the [bitCount] number of bits. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n    /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n    @kotlin.internal.InlineOnly\n
    public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n    /** Performs a bitwise AND operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\n    /** Performs a bitwise OR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n    /** Performs a bitwise XOR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n    /** Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun inv(): UInt = UInt(data.inv())\n\n    /**\n     * Converts this [UInt] value to [Byte].\n     *\n     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same numerical value as this `UInt`.\n     *\n     *
     The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.\n     * Note that the resulting `Byte` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [UInt] value to [Short].\n     *\n     * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n     * the same numerical value as this `UInt`.\n     *\n
     * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.\n     * Note that the resulting `Short` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n     * Converts this [UInt] value to [Int].\n     *\n     * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n     * the same numerical value as this `UInt`. Otherwise the result is negative.\n
     *\n     * The resulting `Int` value has the same binary representation as this `UInt` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data\n    /**\n     * Converts this [UInt] value to [Long].\n     *\n     * The resulting `Long` value represents the same numerical value as this `UInt`.\n     *\n     * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\n     * whereas the most significant 32 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\n\n    /**\n     * Converts this [UInt] value to [UByte].\n     *\n     * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `UInt`.\n     *\n     * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\n     */\n    @kotlin.internal.InlineOnly\n
    public inline fun toUByte(): UByte = data.toUByte()\n    /**\n     * Converts this [UInt] value to [UShort].\n     *\n
     * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n     * the
```

same numerical value as this `UInt`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = this\n /**\n * Converts this [UInt] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UInt`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n

public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\n\n /**\n * Converts this [UInt] value to [Float].\n *\n * The resulting value is the closest `Float` to this `UInt` value.\n * In case when this `UInt` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [UInt] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UInt`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = uintToDouble(data)\n\n public override fun toString(): String = toLong().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.\n *\n * The least significant

8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\n * whereas the most significant 24 bits are filled with the sign bit of this value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Short] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n * whereas the most significant 16 bits are filled with the sign bit of this value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\n *\n * The resulting

`UInt` value has the same binary representation as this `Int` value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUInt(): UInt = UInt(this.toInt())\n\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded down.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt():

UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n

/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n","/\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n companion object {\n /**\n * A constant holding the minimum

value an instance of UShort can have.\n */\n public const val MIN_VALUE: UShort = UShort(0)\n\n /**\n * A constant holding the maximum value an instance of UShort can have.\n */\n public const val MAX_VALUE: UShort = UShort(-1)\n\n /**\n * The number of bytes used to represent an instance of UShort in a binary form.\n */\n public const val SIZE_BYTES: Int = 2\n\n /**\n * The number of bits used to represent an instance of UShort in a binary form.\n */\n public const val SIZE_BITS: Int = 16\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n

/**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt =

this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /** Increments this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): UShort = UShort(data.inc())\n   /** Decrements this value.
     */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UShort = UShort(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun and(other: UShort): UShort = UShort(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n   /** Performs a bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun xor(other: UShort): UShort = UShort(this.data xor other.data)\n   /** Inverts the bits in this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun inv(): UShort = UShort(data.inv())\n\n   /**\n   * Converts this [UShort] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort` value.\n   * Note that the resulting `Byte` value may be negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data.toByte()\n   /**\n   * Converts this [UShort] value to [Short].\n   *\n   * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n   * the same numerical value as this `UShort`. Otherwise the result is negative.\n   *\n   * The resulting `Short` value has the same binary representation as this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short = data\n   /**\n   * Converts
     this [UShort] value to [Int].\n   *\n   * The resulting `Int` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFFFF\n   /**\n   * Converts this [UShort] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `Long` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long = data.toLong() and 0xFFFF\n\n   /**\n   * Converts this [UShort] value to [UByte].\n   *\n   * If this value is less than or equals to [UByte.MAX_VALUE],
     the resulting `UByte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUByte(): UByte = data.toUByte()\n   /** Returns this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun toUShort(): UShort = this\n   /**\n   * Converts this [UShort] value to [UInt].\n   *\n   * The resulting `UInt` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n   /**\n   * Converts this [UShort] value to [ULong].\n   *\n   * The resulting `ULong` value represents
     the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)\n\n   /**\n   * Converts this [UShort] value to [Float].\n   *\n   * The resulting `Float` value represents the same

numerical value as this `UShort`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toFloat(): Float = this.toInt().toFloat()\n   /**\n   * Converts this [UShort] value to [Double].\n   *\n   * The resulting `Double` value represents the same numerical value as this `UShort`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toDouble(): Double = this.toInt().toDouble()\n\n   public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value
 to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Short] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\n *\n * The resulting `UShort` value has the same binary representation as this `Short` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUShort(): UShort = UShort(this)\n/**\n * Converts this [Int] value to [UShort].\n *\n * If this value is positive and less than or equals to
 [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Long] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
 */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n   override val start: Char get() = first\n   override val endInclusive: Char get() = last\n\n   override fun contains(value: Char): Boolean = first <= value && value <= last\n\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is CharRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n   override fun toString(): String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type Char. */\n   public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n   }\n}\n\n/**\n * A range of values
 of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n   override val start: Int get() = first\n   override val endInclusive: Int get() = last\n\n   override fun contains(value: Int): Boolean = first <= value && value <= last\n\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is IntRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * first + last)\n\n   override fun toString(): String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type Int. */\n   public val EMPTY: IntRange = IntRange(1, 0)\n   }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n
  override val start: Long get() = first\n   override val endInclusive: Long get() = last\n\n   override fun contains(value: Long): Boolean = first <= value && value <= last\n\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is LongRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n   override fun toString():

String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type Long. */\n   public val EMPTY: LongRange = LongRange(1, 0)\n   }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n   override fun hasNext(): Boolean = false\n   override fun hasPrevious(): Boolean = false\n   override fun nextIndex(): Int = 0\n   override fun previousIndex(): Int = -1\n   override fun next(): Nothing = throw NoSuchElementException()\n   override fun previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n   private const val serialVersionUID: Long = -7390468764508069838L\n\n   override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n   override fun hashCode(): Int = 1\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun get(index: Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n   override fun indexOf(element: Nothing): Int = -1\n   override fun lastIndexOf(element: Nothing): Int = -1\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n   override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n   override fun listIterator(index: Int): ListIterator<Nothing> {\n   if (index != 0) throw IndexOutOfBoundsException(\"Index: $index\")\n   return EmptyIterator\n   }\n\n   override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n   if (fromIndex == 0 && toIndex == 0) return this\n   throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n   }\n\n   private fun readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\n   override val size: Int get() = values.size\n   override fun isEmpty(): Boolean = values.isEmpty()\n   override fun contains(element: T): Boolean = values.contains(element)\n   override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n   override fun iterator(): Iterator<T> = values.iterator()\n   // override hidden toArray implementation to prevent copying of values array\n   public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T> emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The

returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n   val list = ArrayList<T>(size)\n   repeat(size) { index -> list.add(init(index)) }\n   return list\n}\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val Collection<*>.indices: IntRange\n   get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n   get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<*>, C : R =\n   if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n *\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n   0 -> emptyList()\n   1 -> listOf(this[0])\n   else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point -

1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the
list (or the specified subrange of list) still remains sorted according to the specified [comparator].\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparator.compare(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list
is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\n key: K?,\n fromIndex: Int = 0,\n toIndex: Int = size,\n crossinline selector: (T) -> K?\n): Int =\n binarySearch(fromIndex, toIndex)
{ compareValues(selector(it), key) }\n\n// do not introduce this overload --- too rare\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n// binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which [comparison] function returns zero using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the provided [comparison],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that compares an element of the list with the element being searched.\n *\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion
point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid

= (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparison(midVal)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n when {\n fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\n fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\n toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\n }\n}\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkIndexOverflow(index: Int): Int\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkCountOverflow(count: Int): Int\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwIndexOverflow() { throw ArithmeticException(\"Index overflow has happened.\") }\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwCountOverflow() { throw ArithmeticException(\"Count overflow has happened.\") }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n private const val serialVersionUID: Long = 8246714829545688274\n\n override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\n override fun hashCode(): Int = 0\n override fun toString(): String = \"{}\"\n\n override val size: Int get() = 0\n override fun isEmpty(): Boolean = true\n\n override fun containsKey(key: Any?): Boolean = false\n override fun containsValue(value: Nothing): Boolean = false\n override fun get(key: Any?): Nothing? = null\n override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n override val keys: Set<Any?> get() = EmptySet\n override val values: Collection<Nothing> get() = EmptyList\n\n private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\n\n/**\n * Returns an empty read-only map.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n *

where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second
is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Calculate the initial capacity of a map, based on Guava's com.google.common.collect.Maps approach. This is equivalent\n * to the Collection constructor for HashSet, (c.size()/.75f) + 1, but provides further optimisations for very small or\n * very large sizes, allows support non-collection classes, and provides consistency for all map based class construction.\n */\n@PublishedApi\ninternal fun mapCapacity(expectedSize: Int): Int {\n   if (expectedSize < 3) {\n   return expectedSize + 1\n   }\n   if (expectedSize < INT_MAX_POWER_OF_TWO) {\n   return expectedSize
+ expectedSize / 3\n   }\n   return Int.MAX_VALUE // any large value\n}\n\nprivate const val INT_MAX_POWER_OF_TWO: Int = Int.MAX_VALUE / 2 + 1\n\n/** Returns `true` if this map is not empty. */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result
of calling [defaultValue] function if the map is empty.\n *\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n   if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n   @Suppress(\"UNCHECKED_CAST\") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing
values in a mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n   put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n * @sample samples.collections.Maps.Usage.containsValue\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes

V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n\n/**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *   // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the value component of the map entry.\n

*\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *   // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n   val value = get(key)\n   if (value == null &&

!containsKey(key)) {\n   return defaultValue()\n   } else {\n   @Suppress(\"UNCHECKED_CAST\")\n return value as V\n   }\n}\n\n/**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by [withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default value was provided for that map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n/**\n * Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n *\n * @sample samples.collections.Maps.Usage.getOrPut\n

*/\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n   val value = get(key)\n   return if (value == null) {\n   val answer = defaultValue()\n   put(key, answer)\n   answer\n   } else {\n   value\n   }\n}\n\n/**\n * Returns an [Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *\n */\n@kotlin.jvm.JvmName(\"mutableIterator\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry

in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n   return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n   return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into this

[MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.key)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K,

V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n   return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n * If any
of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n   if (this is Collection) {\n   return when (size) {\n   0 -> emptyMap()\n
1 -> mapOf(if (this is List) this[0] else iterator().next())\n   else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n   }\n   }\n   return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K,
V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\n   0 -> emptyMap()\n   1 -> mapOf(this[0])\n   else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K,
V>>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n   0 -> emptyMap()\n   1 -> toSingletonMap()\n   else -> toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Creates
a new read-only map by replacing or adding an entry to this map from a given key-value [pair].\n *\n * The returned map preserves the entry iteration order of the original map.\n * The [pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\n   if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from
a given array of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs]

sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(map) }\n\n\n/**\n * Appends or replaces the given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n put(pair.first, pair.second)\n}\n\n/**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n putAll(map)\n}\n\n/**\n * Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\n this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given
[keys] collection.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out
K, V>.minus(keys: Sequence<K>): Map<K, V> =\n this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\n remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the keys of which are contained in
the given [keys] sequence from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n this.keys.removeAll(keys)\n}\n\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMapOrSelf()\n else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source

code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n   private const val serialVersionUID: Long = 3406603774387020532\n\n   override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n   private fun readResolve(): Any = EmptySet\n}\n\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n *\n * The returned set preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> = HashSet()\n\n/** Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [LinkedHashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n */\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n   0 -> emptySet()\n   1 -> setOf(iterator().next())\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"PLATFORM_CLASS_MAPPED_TO_KOTLIN\")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n   val int = this.toIntOrNull(radix) ?: return null\n   if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n   return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and

returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(radix: Int): Short? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation
of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Int\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Int.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Int.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n val limitBeforeMul = limit / radix\n var result = 0\n for (i in start..(length - 1)) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) return null\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(radix: Int): Long? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n
val isNegative: Boolean\n val limit: Long\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Long.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Long.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Long.MAX_VALUE\n }\n\n val limitBeforeMul = limit / radix\n var result = 0L\n for (i in start..(length - 1)) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) return null\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n\ninternal fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"UnsignedKt\")\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n@PublishedApi\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava Authors\n\n@PublishedApi\ninternal
fun ulongDivide(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) ULong(0) else ULong(1)\n }\n\n // Optimization - use signed division if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend / divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n

val quotient = ((dividend ushr 1) / divisor) shl 1\n   val rem = dividend - quotient * divisor\n   return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n\n}\n\n@PublishedApi\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n   val dividend = v1.toLong()\n   val divisor = v2.toLong()\n   if (divisor < 0) { // i.e., divisor >= 2^63:\n   return if (v1 < v2) {\n   v1 // dividend < divisor\n   } else {\n   v1 - v2 // dividend >= divisor\n   }\n   }\n\n   // Optimization - use signed modulus if both dividend and divisor < 2^63\n   if (dividend >= 0) {\n   return ULong(dividend % divisor)\n   }\n\n   // Otherwise, approximate the quotient, check, and correct if necessary.\n   val quotient = ((dividend ushr 1) / divisor) shl 1\n   val rem = dividend - quotient * divisor\n   return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n   v.isNaN() -> 0u\n   v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n   v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n   v <= Int.MAX_VALUE -> v.toInt().toUInt()\n   else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()   // Int.MAX_VALUE < v < UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n   v.isNaN() -> 0u\n   v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n   v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n   v < Long.MAX_VALUE -> v.toLong().toULong()\n\n   // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n   else -> (v - 9223372036854775808.0).toLong().toULong() + 9223372036854775808uL   // Long.MAX_VALUE + 1 < v < ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n   if (v >= 0) return v.toString(base)\n\n   var quotient = ((v ushr 1) / base) shl 1\n   var rem = v - quotient * base\n   if (rem >= base) {\n   rem -= base\n   quotient += 1\n   }\n   return quotient.toString(base) + rem.toString(base)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n   override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another [Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\ninternal class IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n   override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/** Returns true when it's safe to convert this collection to a set without changing contains method behavior. */\nprivate fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n   when (this) {\n   is Set -> this\n   is Collection ->\n   when {\n   source is Collection && source.size < 2 -> this\n   else -> if (this.safeToConvertToSet()) toHashSet() else this\n   }\n   else -> toHashSet()\n   }\n\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n   when (this) {\n   is Set -> this\n   is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n   else -> toHashSet()\n   }\n\n\n/**\n *

Returns a single list of all elements from all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n   val result = ArrayList<T>()\n   for (element in this) {\n   result.addAll(element)\n   }\n   return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built from the second values of
 each pair from this collection.\n * @sample samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n   val expectedSize = collectionSizeOrDefault(10)\n   val listT = ArrayList<T>(expectedSize)\n   val listR = ArrayList<R>(expectedSize)\n   for (pair in this) {\n   listT.add(pair.first)\n   listR.add(pair.second)\n   }\n   return listT to listR\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n/**\n * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n   override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n   override fun iterator():
 Iterator<Nothing> = EmptyIterator\n   override fun drop(n: Int) = EmptySequence\n   override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\n * @sample samples.collections.Sequences.Usage.sequenceOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()\n\n\n/**\n * Returns a sequence that iterates through the elements either of this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n *\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n   val iterator = this@ifEmpty.iterator()\n   if (iterator.hasNext()) {\n   yieldAll(iterator)\n   } else {\n   yieldAll(defaultValue())\n   }\n}\n\n/**\n * Returns a sequence
 of all elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n   if (this is TransformingSequence<*, *>) {\n   return (this as TransformingSequence<*, T>).flatten(iterator)\n   }\n   return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n
 */\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n   val listT = ArrayList<T>()\n   val listR = ArrayList<R>()\n   for (pair in this) {\n   listT.add(pair.first)\n   listR.add(pair.second)\n   }\n   return listT to listR\n}\n\n/**\n * A sequence that returns the values from the underlying [sequence] that either

```
match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n    private val sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item) == sendWhen) {\n                    nextItem = item\n                    nextState = 1\n                    return\n                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem\n            nextItem = null\n            nextState = -1\n            @Suppress(\"UNCHECKED_CAST\")\n            return result as T\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n\n    internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n        return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private
 val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which combines values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class FlatteningSequence<T,
 R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n            while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n
```

```
val element = iterator.next()\n val nextItemIterator = iterator(transformer(element))\n if (nextItemIterator.hasNext()) {\n itemIterator = nextItemIterator\n return true\n }\n }\n }\n return true\n }\n }\n}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface DropTakeSequence<T> : Sequence<T> {\n fun drop(n: Int): Sequence<T>\n fun take(n: Int): Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n private val sequence: Sequence<T>,\n private val startIndex: Int,\n private val endIndex: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n init {\n require(startIndex >= 0) { \"startIndex should be non-negative, but is $startIndex\" }\n require(endIndex >= 0) { \"endIndex should be non-negative,
 but is $endIndex\" }\n require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\" }\n }\n\n private val count: Int get() = endIndex - startIndex\n\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n override fun iterator() = object : Iterator<T> {\n\n val iterator = sequence.iterator()\n var position = 0\n\n // Shouldn't be called from constructor to avoid premature iteration\n private fun drop() {\n while (position < startIndex && iterator.hasNext()) {\n iterator.next()\n position++\n }\n }\n\n override fun hasNext(): Boolean {\n drop()\n return (position < endIndex) && iterator.hasNext()\n
 }\n\n override fun next(): T {\n drop()\n if (position >= endIndex)\n throw NoSuchElementException()\n position++\n return iterator.next()\n }\n }\n}\n\n/**\n * A sequence that returns at most [count] values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal class TakeSequence<T>(\n private val sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n init {\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n var left = count\n val iterator = sequence.iterator()\n\n
 override fun next(): T {\n if (left == 0)\n throw NoSuchElementException()\n left--\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n return left > 0 && iterator.hasNext()\n }\n }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var nextItem: T? = null\n\n private fun calcNext() {\n if (iterator.hasNext()) {\n
 val item = iterator.next()\n if (predicate(item)) {\n nextState = 1\n nextItem = item\n return\n }\n }\n nextState = 0\n }\n\n override fun next(): T {\n if (nextState == -1)\n calcNext() // will change nextState\n if (nextState == 0)\n throw NoSuchElementException()\n @Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n\n // Clean next to avoid keeping reference on yielded instance\n nextItem = null\n nextState = -1\n return result\n }\n\n override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext() // will change nextState\n return nextState == 1\n }\n }\n}\n\n/**\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n */\ninternal
 class DropSequence<T>(\n private val sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n init {\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else
```

```
DropSequence(sequence, n1) }\n    override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0)
TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n    override fun iterator(): Iterator<T> = object :
Iterator<T> {\n        val iterator = sequence.iterator()\n        var left = count\n\n        // Shouldn't be called from
constructor to avoid premature iteration\n        private fun drop() {\n            while (left > 0 && iterator.hasNext())
{\n                iterator.next()\n                left--\n            }\n        }\n\n        override fun next(): T {\n            drop()\n
    return iterator.next()\n
        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return iterator.hasNext()\n        }\n
}\n}\n\n/**\n * A sequence that skips the values from the underlying [sequence] while the given [predicate] returns
`true` and returns\n * all values after that.\n */\ninternal class DropWhileSequence<T>\nconstructor(\n    private val
sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator():
Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var dropState: Int = -1 // -1 for not
dropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n
while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (!predicate(item)) {\n
nextItem = item\n                    dropState = 1\n                    return\n                }\n            }\n            dropState
 = 0\n        }\n\n        override fun next(): T {\n            if (dropState == -1)\n                drop()\n\n            if (dropState
== 1) {\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextItem as T\n
nextItem = null\n                dropState = 0\n                return result\n            }\n            return iterator.next()\n
}\n\n        override fun hasNext(): Boolean {\n            if (dropState == -1)\n                drop()\n            return
dropState == 1 || iterator.hasNext()\n        }\n    }\n}\n\ninternal class DistinctSequence<T, K>(private val source:
Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n    override fun iterator(): Iterator<T> =
DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source:
Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n    private val observed =
HashSet<K>()\n\n    override fun computeNext()
 {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key = keySelector(next)\n\n
if (observed.add(key)) {\n                setNext(next)\n                return\n            }\n        }\n\n        done()\n
}\n}\n\n\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue:
(T) -> T?) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var nextItem: T?
= null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n\n
private fun calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n
    nextState = if (nextItem == null) 0 else 1\n        }\n\n        override fun next(): T {\n            if (nextState < 0)\n
        calcNext()\n\n            if (nextState == 0)\n                throw NoSuchElementException()\n
          val result = nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance)
-- need to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun
hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n
}\n}\n\n/**\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only
one time.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on
iterating the returned sequence from the second time.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce():
Sequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?:
ConstrainedOnceSequence(this)\n    return if (this is ConstrainedOnceSequence<T>) this else
ConstrainedOnceSequence(this)\n}\n\n\n/**\n * Returns a sequence which invokes the function
 to calculate the next value on each iteration until the function returns `null`.\n *\n * The returned sequence is
constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n *\n *
@sample samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any>
generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, {
nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the
function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each
iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty
sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting with [seed].\n *\n *
```

@see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\n   if (seed == null)\n EmptySequence\n   else\n   GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n GeneratorSequence(seedFunction, nextFunction)\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UByteArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\n\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\n   public constructor(size: Int) : this(ByteArray(size))\n\n   /**\n   * Returns the array element at the given [index]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun get(index: Int): UByte = storage[index].toUByte()\n\n   /**\n   * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun set(index: Int, value: UByte) {\n   storage[index] = value.toByte()\n   }\n\n   /** Returns the number of elements in the array. */\n   public override val size: Int get() = storage.size\n\n   /** Creates an iterator over the elements of the array. */\n   public override operator fun iterator(): UByteIterator = Iterator(storage)\n\n   private class Iterator(private val array: ByteArray) : UByteIterator() {\n   private var index = 0\n   override fun hasNext() = index < array.size\n   override fun nextUByte() = if (index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\n   }\n\n   override fun contains(element: UByte): Boolean {\n   // TODO: Eliminate this check after KT-30016 gets fixed.\n   // Currently JS BE does not generate special bridge method for this method.\n   if ((element as Any?) !is UByte) return false\n\n   return storage.contains(element.toByte())\n   }\n\n   override fun containsAll(elements: Collection<UByte>): Boolean {\n   return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n   }\n\n   override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n   return UByteArray(ByteArray(size) { index -> init(index).toByte() })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UIntArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\n   public constructor(size: Int) : this(IntArray(size))\n\n   /**\n   * Returns the array element at the given [index]. This method can be called using

the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UInt = storage[index].toUInt()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method
can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UInt) {\n storage[index] = value.toInt()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): UIntIterator = Iterator(storage)\n\n private class Iterator(private val array: IntArray) : UIntIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUInt() = if (index < array.size) array[index++].toUInt() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UInt): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n
// Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UInt) return false\n\n return storage.contains(element.toInt())\n }\n\n override fun containsAll(elements: Collection<UInt>): Boolean {\n return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n return UIntArray(IntArray(size) { index -> init(index).toInt()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun uintArrayOf(vararg elements: UInt): UIntArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class ULongArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(LongArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out
of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): ULongIterator = Iterator(storage)\n\n private class Iterator(private val array: LongArray) : ULongIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextULong() = if (index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: ULong): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method
for this method.\n if ((element as Any?) !is ULong) return false\n\n return storage.contains(element.toLong())\n }\n\n override fun containsAll(elements: Collection<ULong>): Boolean {\n return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n   return ULongArray(LongArray(size) { index -> init(index).toLong()\n})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ulongArrayOf(vararg elements: ULong): ULongArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n   companion object {\n   /**\n   * A constant holding the minimum value an instance of ULong can have.\n   */\n   public const val MIN_VALUE: ULong = ULong(0)\n\n   /**\n   * A constant holding the maximum value an instance of ULong can have.\n   */\n   public const val MAX_VALUE: ULong = ULong(-1)\n\n   /**\n   * The number of bytes used to represent an instance of ULong in a binary form.\n   */\n   public const val SIZE_BYTES: Int = 8\n\n   /**\n   * The number of bits used to represent an instance of ULong in a binary form.\n   */\n   public const val SIZE_BITS: Int = 64\n   }\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   @Suppress(\"OVERRIDE_BY_INLINE\")\n   public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): ULong = this.minus(other.toULong())\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n   /** Multiplies this value by the other value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n

```
public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\n\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\n\n    /** Increments this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun inc(): ULong = ULong(data.inc())\n    /** Decrements this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): ULong = ULong(data.dec())\n\n    /** Creates a range from this value to the specified [other] value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n    /** Shifts this value left by the [bitCount] number of bits. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n    /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n    /** Performs a bitwise AND operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n    /** Performs a bitwise OR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n    /** Performs a bitwise XOR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)\n    /** Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun inv(): ULong = ULong(data.inv())\n\n    /**\n     * Converts this [ULong] value to [Byte].\n     *\n     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Byte` value is represented by the least significant 8 bits of this `ULong` value.\n     * Note that the resulting `Byte` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [ULong] value to [Short].\n     *\n     * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Short` value is represented by the least significant 16 bits of this `ULong` value.\n     * Note that the resulting `Short` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n     * Converts this [ULong] value to [Int].\n     *\n     * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Int` value is represented by the least significant 32 bits of this `ULong` value.\n     * Note that the resulting `Int` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data.toInt()\n    /**\n     * Converts this [ULong] value to [Long].\n     *\n     * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n     * the same numerical value as this `ULong`. Otherwise the result is negative.\n     *\n     * The resulting `Long` value has the same binary representation as this `ULong` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data\n\n    /**\n     * Converts this [ULong] value to [UByte].\n     *\n     * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `UByte` value is represented
```

by the least significant 8 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n *\n * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = data.toUInt()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = this\n\n /**\n * Converts this [ULong] value to [Float].\n *\n * The resulting value is the closest `Float` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [ULong] value to [Double].\n *\n * The resulting value is the closest `Double` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Double`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = ulongToDouble(data)\n\n public override fun toString(): String = ulongToString(data)\n\n}\n\n/**\n * Converts this [Byte] value to [ULong].\n *\n * If this value is positive,
the resulting `ULong` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\n * whereas the most significant 56 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Short] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int] value to [ULong].\n *\n *
If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n * whereas the most significant 32 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toULong(): ULong = ULong(this)\n\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part, if any, is rounded down.\n * Returns zero if this `Float` value is negative
or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double] value to [ULong].\n *\n * The fractional part, if any, is rounded down.\n * Returns zero if this `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Double.toULong(): ULong = doubleToULong(this)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage

kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UShortArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal
constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(ShortArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UShort = storage[index].toUShort()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UShort) {\n storage[index]
= value.toShort()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): UShortIterator = Iterator(storage)\n\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUShort() = if (index < array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UShort): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UShort) return false\n\n return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements: Collection<UShort>): Boolean {\n return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index -> init(index).toShort()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual interface Comparator<T> {\n @JsName(\"compare\")\n actual fun compare(a: T, b: T): Int\n}\n\npublic actual inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T>
{\n override fun compare(a: T, b: T): Int = comparison(a, b)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after a suspension point that returns value of type `T`.\n */\n@SinceKotlin(\"1.3\")\npublic interface Continuation<in T> {\n /**\n * Context of the coroutine that corresponds to this continuation.\n */\n public val context: CoroutineContext\n\n /**\n * Resumes the execution of the corresponding coroutine passing successful or failed [result] as the\n * return value of the last suspension point.\n */\n public fun resumeWith(result: Result<T>)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n
* `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver only and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin(\"1.3\")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension

point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T>
Continuation<T>.resumeWithException(exception: Throwable): Unit =\n
resumeWith(Result.failure(exception))\n\n\n/**\n * Creates [Continuation] instance with
a given [context] and a given implementation of [resumeWith] method.\n
*/\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation(\n context: CoroutineContext,\n
crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T> =\n object : Continuation<T> {\n override
val context: CoroutineContext\n get() = context\n\n override fun resumeWith(result: Result<T>) =\n
resumeWith(result)\n }\n\n/**\n * Creates a coroutine without receiver and with result type [T].\n * This function
creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the
created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation
is invoked when coroutine completes with result or exception.\n * Repeated invocation of any resume function on
the resulting continuation produces [IllegalStateException].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic
fun <T> (suspend () -> T).createCoroutine(\n completion: Continuation<T>\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n
* Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when
coroutine completes with result or exception.\n * Repeated invocation of any resume function on the resulting
continuation produces [IllegalStateException].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n
* Starts coroutine without receiver and with result type [T].\n * This function creates and start a new, fresh instance
of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when coroutine
completes with result or exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic
fun <T> (suspend () -> T).startCoroutine(\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts coroutine with receiver
type [R] and result type [T].\n * This function creates and start a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when coroutine completes with result or
exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -
> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(receiver,
completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current continuation instance inside suspend
functions and suspends\n * currently running coroutine.\n *\n * In this function both [Continuation.resume] and
[Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where
suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution.
Repeated invocation of any resume function produces [IllegalStateException].\n
*/\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block:
(Continuation<T>) -> Unit): T =\n suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n val
safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n\n/**\n * Returns
context of the current coroutine.\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"WRONG_MODIFIER_TARGET\")\n@InlineOnly\npublic suspend inline
val coroutineContext:
CoroutineContext\n get() {\n throw NotImplementedError(\"Implemented as intrinsic\")\n }\n","/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n

*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\n\npackage kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) { \"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n *
@sample samples.misc.Preconditions.failWithError\n */\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun <T> Array<out T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns
an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw

IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ShortArray.elementAt(index: Int): Short {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun IntArray.elementAt(index: Int):
Int {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index: Int): Double {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size:
$size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList(): List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n return this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n return this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n
* Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n return object : AbstractList<Char>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element:
Char): Boolean = this@asList.contains(element)\n override fun get(index: Int): Char {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun

indexOf(element: Char): Int {\n if ((element as Any?) !is Char) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: Char): Int {\n if ((element as Any?) !is Char) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun FloatArray.contentEquals(other:

FloatArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared
 for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic
 actual fun <T> Array<out T>.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash
 code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun FloatArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
 */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ByteArray.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ShortArray.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
 */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun IntArray.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is

[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun LongArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun FloatArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun CharArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive)

of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination]
and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun FloatArray.copyInto(destination:

FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\",

\"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n   return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n   return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n   return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n

AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n
* Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is
a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return withType(\"BooleanArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return withType(\"CharArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns an array
containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n   return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n   return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n   return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element:
Int): IntArray {\n   return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline

operator fun LongArray.plus(element: Long): LongArray {\n   return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n   return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n   return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic
 actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n   return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n   return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size),
 this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array
 and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator
 fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements:
 ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n

*/\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n   return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun IntArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\npublic actual fun LongArray.sort(): Unit {\n   if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun FloatArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n   if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n

```
 * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
 after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n    if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a
 *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n    return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n    return Array(size) { index -> this[index] }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
 kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do not\n * compare as equal, the result of that comparison is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n    require(selectors.size > 0)\n    return compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?>): Int {\n    for (fn in selectors) {\n        val v1 = fn(a)\n        val v2 = fn(b)\n        val diff = compareValues(v1, v2)\n        if (diff != 0) return
 diff\n    }\n    return 0\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n    return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\n * compared with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic
```

inline fun <T, K> compareValuesBy(a: T,
 b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n   return comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n// * Compares two values using the specified [comparator].\n// */\n//@Suppress(\"NOTHING_TO_INLINE\")\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\n//\n\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n   if (a === b) return 0\n   if (a == null) return -1\n   if (b == null) return 1\n\n   @Suppress(\"UNCHECKED_CAST\")\n   return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a result
 of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\n   require(selectors.size > 0)\n   return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the
 [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare
 transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenBy.compare(a, b)\n   if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n   }\n\n/**\n * Creates a comparator
 comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenBy.compare(a, b)\n   if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n   }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for

comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenByDescending.compare(a, b)\n   if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n   }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenByDescending.compare(a, b)\n   if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n   }\n\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenComparator.compare(a, b)\n   if (previousCompare != 0) previousCompare else comparison(a, b)\n   }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@then.compare(a, b)\n   if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n   }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n   Comparator<T> { a, b ->\n   val previousCompare = this@thenDescending.compare(a, b)\n   if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n   }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n   Comparator { a, b ->\n   when {\n   a === b -> 0\n   a == null -> -1\n   b == null -> 1\n   else -> comparator.compare(a, b)\n   }\n   }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n   Comparator { a, b ->\n   when {\n   a === b -> 0\n   a == null -> 1\n   b == null -> -1\n   else -> comparator.compare(a, b)\n   }\n   }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> = nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Comparable<T>>

```
reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n\n/**\n *  Returns a comparator that imposes the reverse ordering of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n */\npublic fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n    ReverseOrderComparator
 -> @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<Comparable<Any>> = ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n    @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
 this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StandardKt\")\npackage kotlin\n\nimport kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n */\npublic class NotImplementedError(message: String = \"An operation is not implemented.\") : Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\n\n\n\n/**\n * Calls the specified function
 [block] and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n    contract {\n      callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n */\n@kotlin.internal.InlineOnly\npublic
 inline fun <T> T.apply(block: T.() -> Unit): T {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block()\n    return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block(this)\n    return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeIf(predicate: (T)
```

-> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n *\n * @sample samples.misc.ControlFlow.repeat\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\", \"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Double, b: Double): Double {\n return Math.max(a, b)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n

*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic
 actual inline fun minOf(a: Byte, b: Byte): Byte {\n   return Math.min(a.toInt(),
b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Short, b: Short): Short {\n   return Math.min(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Int, b: Int): Int {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\", \"NOTHING_TO_INLINE\")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun
 minOf(a: Float, b: Float): Float {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Double, b: Double): Double {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n   return Math.min(a.toInt(),
 b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n
/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n   return Math.min(a, b, c)\n}\n\n","/\n * Copyright
 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage
kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns 1st
element from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component2(): T {\n   return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component3(): T {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the

collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n if (this is Collection)\n return contains(element)\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n if (this is List)\n return get(index)\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n if (this is List)\n return this.getOrElse(index, defaultValue)\n if (index < 0)\n return defaultValue(index)\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n if (this is List)\n return this.getOrNull(index)\n if (index < 0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T>

```
Iterable<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this)
 if (predicate(element)) return element\n    throw NoSuchElementException(\"Collection contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n */\npublic
fun <T> Iterable<T>.firstOrNull(): T? {\n    when (this) {\n        is List -> {\n            if (isEmpty())\n
return null\n            else\n                return this[0]\n        }\n        else -> {\n            val iterator = iterator()\n
if (!iterator.hasNext())\n                return null\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns the
first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this)
if (predicate(element))
 return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >=
0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection
does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T):
Int {\n    if (this is List) return this.indexOf(element)\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (element == item)\n
      return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the list
does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning,
extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n
   for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -
1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n
lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching
the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T>
List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while
(iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n
}\n    return -1\n}\n\n/**\n * Returns the last element.\n
 * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n
when (this) {\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if
(!iterator.hasNext())\n                throw NoSuchElementException(\"Collection is empty.\")\n            var last =
iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n
}\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic
fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException(\"List is empty.\")\n    return
this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T)
-> Boolean): T {\n    var last: T? = null\n    var
 found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found =
true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Collection contains no element matching the
```

```
predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List) return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Collection<T>.random(random: Random): T {\n    if (isEmpty())\n        throw NoSuchElementException(\"Collection is empty.\")\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -> return this.single()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException(\"Collection is empty.\")\n            val single = iterator.next()\n            if (iterator.hasNext())\n                throw IllegalArgumentException(\"Collection has more than one element.\")\n            return single\n        }\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"List is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"List has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Collection contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n    when
```

(this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return toList()\n val list: ArrayList<T>\n if (this is Collection<*>) {\n val resultSize = size - n\n if (resultSize <= 0)\n return emptyList()\n if (resultSize == 1)\n return listOf(last())\n list = ArrayList<T>(resultSize)\n if (this is List<T>) {\n if (this is RandomAccess) {\n for (index in n until size)\n list.add(this[index])\n } else {\n for (item in listIterator(n))\n list.add(item)\n }\n return list\n }\n }\n else {\n list = ArrayList<T>()\n }\n var count = 0\n for (item in this) {\n if (count++ >= n) list.add(item)\n }\n return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n return take(iterator.nextIndex() + 1)\n }\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if

(element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n   return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n   return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n   if (indices.isEmpty()) return listOf()\n   return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<T>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (this is Collection<T>) {\n   if (n >= size) return toList()\n   if (n == 1) return listOf(first())\n   }\n   var count = 0\n   val list = ArrayList<T>(n)\n   for (item in this) {\n   if (count++ == n)\n   break\n   list.add(item)\n   }\n   return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(last())\n   val list = ArrayList<T>(n)\n   if (this is RandomAccess)\n   {\n   for (index in size - n until size)\n   list.add(this[index])\n   } else {\n   for (item in listIterator(size - n))\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n   if (isEmpty())\n   return emptyList()\n   val iterator = listIterator(size)\n   while (iterator.hasPrevious()) {\n   if (!predicate(iterator.previous())) {\n   iterator.next()\n   val expectedSize = size - iterator.nextIndex()\n   if (expectedSize == 0) return emptyList()\n   return ArrayList<T>(expectedSize).apply {\n   while (iterator.hasNext())\n   add(iterator.next())\n   }\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n   val list = ArrayList<T>()\n   for (item in this) {\n   if (!predicate(item))\n   break\n   list.add(item)\n   }\n   return list\n}\n\n/**\n * Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n   if (this is Collection && size <= 1) return toList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort

order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress(\"UNCHECKED_CAST\")\n return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n }\n return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress(\"UNCHECKED_CAST\")\n return (toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n }\n return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n val result = BooleanArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n val result = ByteArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n val result = DoubleArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n val result = FloatArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun Collection<Int>.toIntArray(): IntArray {\n val result = IntArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n val result = LongArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n val result = ShortArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs

provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n */\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with\n key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given collection and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that\n key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return

```
destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptyList()\n            1 -> listOf(if (this is List) get(0) else iterator().next())\n            else -> this.toMutableList()\n        }\n    }\n    return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n    if (this is Collection<T>)\n        return this.toMutableList()\n    return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n    return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptySet()\n            1 -> setOf(if (this is List) this[0] else iterator().next())\n            else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n        }\n    }\n    return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector:
 (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by
 the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
```

operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline
keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index:
Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original collection.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable
{ iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n

return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this set and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n return when (this) {\n is Collection<T> -> LinkedHashSet(this)\n else -> toCollection(LinkedHashSet<T>())\n }\n}\n\n/**\n * Returns
a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n if (this is Collection)
return !isEmpty()\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n if (this is Collection) return size\n var count = 0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int
{\n if (this is Collection && isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int,
acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator

value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index:
Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n
if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n var maxValue = selector(maxElem)\n while (iterator.hasNext()) {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue
< v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN())
return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.min(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given
function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minElem = iterator.next()\n var minValue =

```
selector(minElem)\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index, iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
```

IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls():
List<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform]
applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n val result = ArrayList<T>(collectionSizeOrDefault(10))\n var removed = false\n
return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n if (elements.isEmpty()) return this.toList()\n val other = elements.toHashSet()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable
implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original
collection without the first occurrence of the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n

} else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element: T): List<T> {\n if (this is Collection) return this.plus(element)\n val result = ArrayList<T>()\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n val result = ArrayList<T>(size + 1)\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n if (this is Collection) return this.plus(elements)\n val result = ArrayList<T>()\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n val result = ArrayList<T>(this.size + elements.size)\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n if (this is Collection) return this.plus(elements)\n val result = ArrayList<T>()\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n if (elements is Collection) {\n val result = ArrayList<T>(this.size + elements.size)\n result.addAll(this)\n result.addAll(elements)\n return result\n } else {\n val result = ArrayList<T>(this)\n result.addAll(elements)\n return result\n }\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n val result = ArrayList<T>()\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n val result = ArrayList<T>(this.size + 10)\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.plusElement(element: T): List<T> {\n return plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.plusElement(element: T): List<T> {\n return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val result = ArrayList<List<T>>((thisSize + step - 1) / step)\n var index = 0\n while (index < thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (windowSize < size && !partialWindows) break\n result.add(List(windowSize) { this[it + index] })\n index += step\n }\n return result\n }\n val result = ArrayList<List<T>>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n result.add(it)\n }\n return result\n}\n\n/**\n * Returns a list of results of applying the

given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n *
Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val result = ArrayList<R>((thisSize + step - 1) / step)\n val window = MovingSubList(this)\n var index = 0\n while (index < thisSize) {\n window.move(index, (index + size).coerceAtMost(thisSize))\n if (!partialWindows && window.size < size) break\n result.add(transform(window))\n index += step\n }\n return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = other.size\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in this) {\n if (i >= arraySize) break\n list.add(transform(element, other[i++]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val first = iterator()\n val second = other.iterator()\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n while (first.hasNext() && second.hasNext()) {\n list.add(transform(first.next(), second.next()))\n }\n return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent elements
in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n val iterator = iterator()\n if (!iterator.hasNext()) return emptyList()\n val result =

mutableListOf<R>()\n   var current = iterator.next()\n   while (iterator.hasNext()) {\n   val next = iterator.next()\n
        result.add(transform(current, next))\n   current = next\n   }\n   return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   buffer.appendElement(element, transform)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n   return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Iterable<Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int

{\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Iterable<Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/** Returns the array if it's not `null`, or an empty array otherwise. */\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)\n\n@JsName(\"copyToArray\")\n@PublishedApi\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n return if (collection.asDynamic().toArray !== undefined)\n collection.asDynamic().toArray().unsafeCast<Array<T>>()\n else\n copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName(\"copyToArrayImpl\")\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n val array = emptyArray<Any?>()\n val iterator = collection.iterator()\n while (iterator.hasNext())\n array.asDynamic().push(iterator.next())\n return array\n}\n\n@JsName(\"copyToExistingArrayImpl\")\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n if (array.size < collection.size)\n return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n val iterator = collection.iterator()\n var index = 0\n while (iterator.hasNext()) {\n array[index++] = iterator.next().unsafeCast<T>()\n }\n if (index < array.size) {\n array[index] = null.unsafeCast<T>()\n }\n return array\n}\n\n/**\n * Returns an immutable list containing only the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills the list with the provided [value].\n *\n * Each element in the list gets replaced with the [value].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in 0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if (list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until

array.size) {\n   list[i] = array[i]\n   }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n   return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@JsName(\"arrayCopy\")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n   AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n   val rangeSize = endIndex - startIndex\n   AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n   if (js(\"ArrayBuffer\").isView(destination) && js(\"ArrayBuffer\").isView(source)) {\n   val subrange = source.asDynamic().subarray(startIndex, endIndex)\n   destination.asDynamic().set(subrange, destinationOffset)\n   } else {\n   if (source !== destination || destinationOffset <= startIndex) {\n   for (index in 0 until rangeSize) {\n   destination[destinationOffset + index] = source[startIndex + index]\n   }\n   } else {\n   for (index in rangeSize - 1 downTo 0) {\n   destination[destinationOffset + index] = source[startIndex + index]\n   }\n   }\n   }\n}\n\n// no singleton map implementation in js, return map as is\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n   if (isVarargs)\n   // no need to copy vararg array in JS\n   this\n   else\n   this.copyOf()\n\n\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n   if (index < 0) {\n   throwIndexOverflow()\n   }\n   return index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n   if (count < 0) {\n   throwCountOverflow()\n   }\n   return count\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] wrapping each value produced by this [Iterator] with the [IndexedValue],\n * containing value and it's index.\n * @sample samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of this [Iterator].\n *\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n   for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n   private var index = 0\n   final override fun hasNext(): Boolean = iterator.hasNext()\n   final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n

* Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c:

Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) <= 0) a else b\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found
in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns a [List] containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size == 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result = ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n } while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each entry of original map.\n */\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n
* Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic

inline fun <K, V> Map<out K, V>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n   if (isEmpty()) return 0\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return entries.maxBy(selector)\n}\n\n/**\n
 * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n */\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has
 no entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable():
 Iterable<Map.Entry<K, V>> {\n   return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n   return entries.asSequence()\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> =\n this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n//\n//
 NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns `true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T

{\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n
 *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (index < 0)\n return defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Sequence<T>.elementAtOrNull(index: Int): T? {\n   if (index < 0)\n   return null\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n
    }\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   throw NoSuchElementException(\"Sequence is empty.\")\n   return iterator.next()\n}\n\n/**\n * Returns the first element matching the given
 [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   return null\n   return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns first index of [element], or -1
 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n   var index = 0\n   for (item in this) {\n   checkIndexOverflow(index)\n   if (element == item)\n   return index\n   index++\n   }\n   return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n   var index = 0\n   for (item in this) {\n   checkIndexOverflow(index)\n   if (predicate(item))\n   return index\n   index++\n   }\n   return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate:
 (T) -> Boolean): Int {\n   var lastIndex = -1\n   var index = 0\n   for (item in this) {\n   checkIndexOverflow(index)\n   if (predicate(item))\n   lastIndex = index\n   index++\n   }\n   return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   throw NoSuchElementException(\"Sequence is empty.\")\n   var last = iterator.next()\n   while (iterator.hasNext())\n   last = iterator.next()\n   return last\n}\n\n/**\n * Returns the last

element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Sequence has more than one element.\")\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate],
or throws exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> this\n this is DropTakeSequence -> this.drop(n)\n else -> DropSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and

returns the result of predicate evaluation
 on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n   // TODO: Rewrite with generalized MapFilterIndexingSequence\n   return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a sequence containing all elements
 that are instances of specified type parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n   @Suppress(\"UNCHECKED_CAST\")\n   return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n   for (element in this) if (element is R) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n   return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence containing all elements
 that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n   @Suppress(\"UNCHECKED_CAST\")\n   return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the
 given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return when {\n   n == 0 -> emptySequence()\n   this is DropTakeSequence -> this.take(n)\n   else -> TakeSequence(this, n)\n   }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n
 */\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n   return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n   return object : Sequence<T> {\n   override fun iterator(): Iterator<T> {\n   val sortedList = this@sorted.toMutableList()\n   sortedList.sort()\n   return sortedList.iterator()\n   }\n   }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is

stable. It means that equal elements
preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination:
M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the

given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return

groupByTo(LinkedHashMap<K,
MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination]
map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline
keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform:
(index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a

sequence containing
only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in
R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence of [IndexedValue] for each element of the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting sequence are in the same order as they were
in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The
operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n var count = 0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n var count = 0\n for (element
in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) ->

R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n *
The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   if (max.isNaN()) return max\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.max(): Float? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   if (max.isNaN()) return max\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var maxElem = iterator.next()\n   var maxValue = selector(maxElem)\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n
* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   if (min.isNaN()) return min\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (min >
e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   if (min.isNaN()) return min\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (min > e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (min > e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element
yielding the smallest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n   val iterator = iterator()\n   if

(!iterator.hasNext()) return null\n   var minElem = iterator.next()\n   var minValue = selector(minElem)\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   }\n   return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n   return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n   return map {\n   action(it)\n   it\n   }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n   var index = 1\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNoNulls(): Sequence<T> {\n   return map { it ?: throw IllegalArgumentException(\"null element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n   return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is

valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first,

second)\n}\n\n/**\n * Returns a sequence containing all elements of the original
sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only
when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then
the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic
fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls
whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other:

Sequence<R>): Sequence<Pair<T, R>> {\n   return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values
 built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n   return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n
 * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n   return sequence result@ {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return@result\n   var current = iterator.next()\n   while (iterator.hasNext()) {\n   val next = iterator.next()\n   yield(transform(current, next))\n   current = next\n   }\n   }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could
 be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   buffer.appendElement(element, transform)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator]
 and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n   return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence
 as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T> {\n   return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns

an average value of elements in the sequence.\n
*\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element
in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum():
Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Sequence<Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements
in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n",null,"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(size))\n
var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(this)\n result.removeAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned

set preserves the element iteration order of the original set.\n * \n * The
[elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toSet()\n if (other is Set)\n return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n val result = LinkedHashSet<T>(this)\n result.removeAll(other)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of
`hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(this)\n result.removeAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(size + 1))\n result.addAll(this)\n result.add(element)\n return result\n}\n\n/**\n * Returns a set containing all elements
of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n
* which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n return plus(element)\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if

the [index] is out of bounds of this char sequence.\n * \n
 * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Char sequence is empty.\")\n   return this[0]\n}\n\n/**\n
 * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n   if (predicate(this[index])) {\n   return index\n   }\n   }\n   return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate:
 (Char) -> Boolean): Int {\n   for (index in indices.reversed()) {\n   if (predicate(this[index])) {\n   return index\n   }\n   }\n   return -1\n}\n\n/**\n * Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.last(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Char sequence is empty.\")\n   return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n
 */\npublic fun CharSequence.lastOrNull(): Char? {\n   return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n   for (index in this.indices.reversed()) {\n
 val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n   return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharSequence.random(random: Random): Char {\n
  if (isEmpty())\n   throw NoSuchElementException(\"Char sequence is empty.\")\n   return get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence

is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n return when (length) {\n 0 -> throw NoSuchElementException(\"Char sequence is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Char sequence has more than one element.\")\n }\n}\n\n/**\n * Returns the single character matching the given [predicate], or throws exception if there is no or more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char? {\n return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given [predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.drop(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.dropLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return substring(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n return \"\"\n}\n\n/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n */\npublic inline fun String.filter(predicate:

(Char) -> Boolean): String {\n   return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n   return filterIndexedTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n   return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.append(element)\n   }\n   return destination\n}\n\n/**\n
* Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n   return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.append(element)\n   return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n */\npublic inline
fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (index in 0 until length) {\n   val element = get(index)\n   if (predicate(element)) destination.append(element)\n   }\n return destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n   if (indices.isEmpty()) return \"\"\n   return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n   return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n   val size = indices.collectionSizeOrDefault(10)\n
if (size == 0) return \"\"\n   val result = StringBuilder(size)\n   for (i in indices) {\n   result.append(get(i))\n }\n   return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n   return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire
string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return substring(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   val length = length\n   return subSequence(length -

n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException
if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.takeLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return subSequence(index + 1, length)\n }\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index]))
{\n return substring(index + 1)\n }\n }\n return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return subSequence(0, index)\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return substring(0, index)\n }\n return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed():
CharSequence {\n return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any
two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n */\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any

two characters would have the same key returned by [keySelector]
 the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n   destination.put(keySelector(element), valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n   for (element in this) {\n   destination += transform(element)\n   }\n   return destination\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n * produced by the [valueSelector] function applied
 to each character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n   val result = LinkedHashMap<Char, V>(mapCapacity(length).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,\n * where key is the character itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n
  for (element in this) {\n   destination.put(element, valueSelector(element))\n   }\n   return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n   for (item in this) {\n   destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Returns a [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n   return toCollection(HashSet<Char>(mapCapacity(length)))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n   return when (length) {\n   0 -> emptyList()\n   1 -> listOf(this[0])\n   else -> this.toMutableList()\n   }\n}\n\n/**\n * Returns a [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n   return toCollection(ArrayList<Char>(length))\n}\n\n/**\n
 * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n   return when (length) {\n   0 -> emptySet()\n
  1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n   for (element in this) {\n   val list =
 transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with

a list of corresponding values.\n * \n *
The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key)
{ ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with
one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n return object : Grouping<Char, K> {\n override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n override fun keyOf(element: Char): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes
the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform]
function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n

var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n
 * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n
    for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each character of the original char sequence.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic
 inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n   return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value
 and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return
 accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun

CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the desired action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\npublic fun CharSequence.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n
 * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
 */\npublic fun CharSequence.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty char
 sequence can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last character

and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n

```
 * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n    return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward
 by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize = this.length\n    val result = ArrayList<R>((thisSize + step - 1) / step)\n    var index = 0\n    while (index < thisSize) {\n        val end = index + size\n        val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break } else end\n        result.add(transform(subSequence(index, coercedEnd)))\n        index += step\n    }\n    return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given
 [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n    return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a
```

```
 view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowedSequence(size:
 Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n checkWindowSizeStep(size, step)\n    val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n    return windows.asSequence().map { index -> transform(subSequence(index, (index + size).coerceAtMost(length))) }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {\n  return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n
 */\npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n  val length = minOf(this.length, other.length)\n    val list = ArrayList<V>(length)\n    for (i in 0 until length) {\n list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n
 * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n    val size = length - 1\n    if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for (index in 0 until size) {\n        result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n    if (this is String && isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n    if (this is String && isEmpty()) return emptySequence()\n    return Sequence { this.iterator()
 }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\nimport kotlin.contracts.contract\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var startIndex = 0\n    var endIndex = length - 1\n    var startFound = false\n\n    while (startIndex <= endIndex) {\n        val index = if (!startFound) startIndex else endIndex\n        val match = predicate(this[index])\n\n        if (!startFound) {\n            if (!match)\n startFound = true\n            else\n                startIndex += 1\n        } else {\n            if (!match)\n                break\n  else\n
```

endIndex -= 1\n }\n }\n\n return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n\n return \"\"\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters matching
the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices.reversed())\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n\n return \"\"\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array
removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim():
String = (this as CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the beginning\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n *
@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n sb.append(this)\n return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length

less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n sb.append(this)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @sample samples.text.Strings.stringIsNullOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @sample samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\n/**\n * Returns `true` if this
char sequence is not empty and contains some characters except of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank != null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not
`null`, or the empty string otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: \"\"\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling [defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfBlank\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isBlank()) defaultValue() else this\n\n/**\n * Returns the range of valid character indices for

this char sequence.\n */\npublic val CharSequence.indices: IntRange\n   get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n   return index in 0..length - 2\n   && this[index].isHighSurrogate()\n   && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence
 of this char sequence.\n *\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n
 * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = indexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If
 the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last

occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n   val index = lastIndexOf(delimiter)\n   return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\npublic fun CharSequence.replaceRange(startIndex:
Int, endIndex: Int, replacement: CharSequence): CharSequence {\n   if (endIndex < startIndex)\n   throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n   val sb = StringBuilder()\n   sb.append(this, 0, startIndex)\n   sb.append(replacement)\n   sb.append(this, endIndex, length)\n   return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n   (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range]\n * is replaced
with the [replacement] char sequence.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n   replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n   (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\n *\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n   if (endIndex < startIndex)\n   throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n\n   if (endIndex == startIndex)\n   return this.subSequence(0, length)\n\n   val sb = StringBuilder(length - (endIndex - startIndex))\n   sb.append(this, 0, startIndex)\n   sb.append(this, endIndex, length)\n   return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n   (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence
where its part at the given [range] is removed.\n *\n * The end index of the [range] is included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *\n * The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n   (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n   if (startsWith(prefix)) {\n   return subSequence(prefix.length, length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy
of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n   if (startsWith(prefix)) {\n   return substring(prefix.length)\n   }\n   return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns

a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n if (endsWith(suffix)) {\n return subSequence(0, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if (endsWith(suffix)) {\n return substring(0, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence
starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return
this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement:
String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue:
String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String,
missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain

the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the given [replacement].\n *\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n *\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n\n/**\n * Returns `true` if this char sequence matches the given regular expression.\n */\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n return false\n }\n\n for (index in 0 until length) {\n if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n return false\n }\n return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n this.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase && this is String && prefix is String)\n return this.startsWith(prefix)\n else\n return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase && this is String && prefix is String)\n return this.startsWith(prefix, startIndex)\n else\n return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *

```
Returns `true` if this char sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n */\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val shortestLength = minOf(this.length, other.length)\n\n    var i = 0\n    while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n\n    var i = 0\n    while (i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring
 the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return nativeIndexOf(char, startIndex)\n    }\n\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n    return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds
 backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return nativeLastIndexOf(char, startIndex)\n    }\n\n    for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n\n    return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!last)\n        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\n\n    if (this is String && other is String) { // smart cast\n        for (index in indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    } else {\n        for (index in indices) {\n            if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    }\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase && strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n        return if (index < 0) null
```

else index to string\n   }\n\n   val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex)
 downTo 0\n\n   if (this is String) {\n   for (index in indices) {\n   val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n   if (matchingString != null)\n   return index to matchingString\n   }\n   } else {\n   for (index in indices) {\n   val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n   if (matchingString != null)\n   return index to matchingString\n   }\n   }\n\n   return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of
 [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n   findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched
 or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n   findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have
 characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have
 characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n   findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n\n// indexOf\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n   return if (ignoreCase || this !is String)\n   indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n   else\n   nativeIndexOf(char,

```
startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or `-1` if none is found.\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, length, ignoreCase)\n    else\n nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character.
 By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n    else\n nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return
 if (ignoreCase || this !is String)\n        indexOf(string, startIndex, 0, ignoreCase, last = true)\n    else\n nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    if (other is String)\n indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >= 0\n\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean
 = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\n\n\n// rangesDelimitedBy\n\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?\n) : Sequence<IntRange> {\n\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n
 var nextItem: IntRange? = null\n        var counter: Int = 0\n\n        private fun calcNext()
 {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n
 if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                nextItem = currentStartIndex..input.lastIndex\n                nextSearchIndex = -1\n            } else {\n                val match = input.getNextMatch(nextSearchIndex)\n                if (match == null) {\n                    nextItem = currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val (index, length) = match\n                    nextItem = currentStartIndex until index\n                    currentStartIndex = index + length\n                    nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                }\n            }\n            nextState = 1\n        }\n    }\n\n    override
 fun next(): IntRange {\n        if (nextState == -1)\n            calcNext()\n        if (nextState == 0)\n            throw NoSuchElementException()\n        val result = nextItem as IntRange\n        // Clean next to avoid keeping reference on yielded instance\n        nextItem = null\n        nextState = -1\n        return result\n    }\n\n
```

override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext()\n return nextState == 1\n }\n }\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param
ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n })\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is coerced
to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n val delimitersList = delimiters.asList()\n\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let {
it.first to it.second.length } })\n\n}\n\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings
around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n val delimiter = delimiters[0]\n if (!delimiter.isEmpty()) {\n return split(delimiter, ignoreCase, limit)\n }\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit =
limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this

char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.split(vararg
delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n return split(delimiters[0].toString(), ignoreCase, limit)\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n\n var currentOffset = 0\n var nextIndex = indexOf(delimiter,
currentOffset, ignoreCase)\n if (nextIndex == -1 || limit == 1) {\n return listOf(this.toString())\n }\n\n val isLimited = limit > 0\n val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n do {\n result.add(substring(currentOffset, nextIndex))\n currentOffset = nextIndex + delimiter.length\n // Do not search for next occurrence if we're reaching limit\n if (isLimited && result.size == limit - 1) break\n nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n } while (nextIndex != -1)\n\n result.add(substring(currentOffset, length))\n return result\n}\n\n/**\n * Splits this char sequence around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String>
= regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\", \"\\r\")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray): String {\n var result
= \"\"\n for (char in chars) {\n result += char\n }\n return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\n if (offset < 0 || length < 0 || chars.size - offset < length)\n throw IndexOutOfBoundsException(\"size: ${chars.size}; offset: $offset; length: $length\")\n var result = \"\"\n for (index in offset until offset + length) {\n result += chars[index]\n }\n return result\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toUpperCase\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n
* Returns a copy of this string converted to lower case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toLowerCase\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean =

asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex, endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\n\n@SinceKotlin(\"1.2\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n if (ignoreCase) {\n val n1 = this.length\n val n2 = other.length\n val min = minOf(n1, n2)\n if (min == 0) return n1 - n2\n\n var start = 0\n while (true) {\n val end = minOf(start + 16, min)\n var s1 = this.substring(start, end)\n var s2 = other.substring(start, end)\n if (s1 != s2) {\n s1 = s1.toUpperCase()\n s2 = s2.toUpperCase()\n if (s1 != s2) {\n s1 = s1.toLowerCase()\n s2 = s2.toLowerCase()\n if (s1 != s2) {\n return s1.compareTo(s2)\n }\n }\n }\n if (end == min) break\n start = end\n }\n return n1 - n2\n } else {\n return compareTo(other)\n }\n}\n\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin(\"1.2\")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n get() = STRING_CASE_INSENSITIVE_ORDER\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UArraysKt\")\n@file:kotlin.jvm.JvmPackageName(\"kotlin.collections.unsigned\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns 1st *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component3(): UInt {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component3(): UShort {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component4():
UShort {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component5(): UShort {\n   return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index]

or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null`
 if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrNull(index: Int): UShort? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n   return firstOrNull(predicate)\n}\n\n/**\n
 * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
 no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(): UInt {\n   return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(): ULong {\n   return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(): UByte {\n   return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(): UShort {\n   return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains\n no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate],\n or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element

was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index)\n   else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int): ULong? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds\n of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int): UShort? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOf(element: UInt): Int {\n   return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOf(element: ULong): Int {\n   return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOf(element: UByte):

Int {\n   return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOf(element: UShort): Int {\n   return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(): UInt {\n   return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(): ULong {\n   return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(): UByte {\n   return storage.last().toUByte()\n}\n\n/**\n
 * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(): UShort {\n   return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastIndexOf(element: ULong): Int {\n return storage.lastIndexOf(element.toLong())\n}\n\n/**\n * Returns last index of [element], or -1 if the array
does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastIndexOf(element: UByte): Int {\n return storage.lastIndexOf(element.toByte())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastIndexOf(element: UShort): Int {\n return storage.lastIndexOf(element.toShort())\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the
last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n

return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random): UShort {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.single(): UShort {\n   return storage.single().toUShort()\n}\n\n/**\n *
 Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n   var single: UInt? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(predicate:
 (ULong) -> Boolean): ULong {\n   var single: ULong? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as ULong\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n   var single: UByte? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UByte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n   var single: UShort? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n
    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n   return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.singleOrNull(): ULong? {\n   return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n   return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.singleOrNull(): UShort?
 {\n   return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n   var single: UInt? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) return null\n   single = element\n   found = true\n   }\n   }\n   if (!found) return null\n   return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found =
 false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n    var single: UByte? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n    var single: UShort? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n
 * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UShortArray.drop(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n
 is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
```

{\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int): List<UShort> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n   var yielding = false\n   val list = ArrayList<UInt>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n   var yielding = false\n   val list = ArrayList<ULong>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n   var yielding = false\n   val list = ArrayList<UByte>()\n   for (item in this)\n   if (yielding)\n   list.add(item)\n   else if (!predicate(item)) {\n   list.add(item)\n   yielding = true\n   }\n   return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    var yielding = false\n    val list = ArrayList<UShort>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n    return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n    return filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n    return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n    return filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n    return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
```

MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) -> Boolean): C {\n   forEachIndexed { index, element\n   ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n   return filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n   return filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n   return filterNotTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n   return filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>>
ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UByte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UShort>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic

```
 fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n    return
ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at
specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at
specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sliceArray(indices: IntRange): UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n
* Returns an array containing elements at
 indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sliceArray(indices: IntRange): ULongArray {\n    return
ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: IntRange): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UIntArray.take(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
 if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count =
0\n    val list = ArrayList<UInt>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n
list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n
 require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for
(item in this) {\n        if (count++
 == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for
(item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
 UShortArray.take(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var
count = 0\n    val list = ArrayList<UShort>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n
list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
```

samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<UInt>(n)\n for (index in size - n until size)\n
list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<ULong>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte> {\n require(n
>= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<UByte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<UShort>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing
last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying
the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given

[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.reversed(): List<ULong> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed(): List<UShort> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reversedArray(): UIntArray {\n return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reversedArray(): ULongArray {\n return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reversedArray(): UByteArray {\n return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reversedArray(): UShortArray {\n   return UShortArray(storage.reversedArray())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted(): List<ULong> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending(): UByteArray {\n   if (isEmpty())\n   return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It

means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending(): List<ULong> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending(): List<UByte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending(): List<UShort> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of
this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.asByteArray(): ByteArray {\n   return storage\n}\n\n/**\n * Returns an array of type [IntArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.asIntArray(): IntArray {\n   return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList(): List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList(): List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList(): List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList(): List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.asLongArray(): LongArray {\n   return storage\n}\n\n/**\n * Returns an array of type [ShortArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.asShortArray(): ShortArray {\n   return storage\n}\n\n/**\n * Returns an array of type [UByteArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.asUByteArray(): UByteArray {\n   return UByteArray(this)\n}\n\n/**\n * Returns an array of type [UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.asUIntArray(): UIntArray {\n   return UIntArray(this)\n}\n\n/**\n * Returns an array of type [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.asULongArray(): ULongArray {\n   return ULongArray(this)\n}\n\n/**\n * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.asUShortArray(): UShortArray {\n   return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray):
 Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n
 * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n return joinToString(\",
 \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *
\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n
    return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices

range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UIntArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ULongArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(): UIntArray {\n return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(): ULongArray {\n   return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(): UByteArray {\n   return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(): UShortArray {\n   return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to
the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(newSize: Int): UIntArray {\n   return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(newSize: Int): ULongArray {\n   return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the
copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra
elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(newSize: Int): UByteArray {\n   return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements
in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(newSize: Int): UShortArray {\n   return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start
of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in
`fromIndex..array.size`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n   return
UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be
in `fromIndex..array.size`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n   return
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in

`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n return UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n return UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage + element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage + element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage + element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage + element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n return ULongArray(result)\n}\n\n/**\n * Returns an array containing

all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n return UIntArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {\n return ULongArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {\n return UByteArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given
[elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {\n return UShortArray(storage + elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n if (size > 1) sortArray(this)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n   return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n   return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n   return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n   return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n   return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding
element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.toULongArray(): ULongArray {\n   return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray(): UShortArray {\n   return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.toUShortArray(): UShortArray {\n   return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),

transform)\n}\n\n/**\n * Returns a single list of all elements
 yielded from results of [transform] function being invoked on each element of original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n   for
(element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) ->
Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n
}\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n   for
(element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) ->
Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n
}\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given
[keySelector] function\n * applied to each element and returns a map where each group key is associated with a list
of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n   return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n
 * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n *
 @sample samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample

samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K,
List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,
valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n
for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) {
ArrayList<UInt>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :

MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n for (element in this) {\n val key
= keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n *
and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample

samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.map(transform: (UInt) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :

MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in
R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in
R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]

of [IndexedValue] for each element of the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n   for (element in this)
 if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return
false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return
false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n   for (element in this) if
(!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n
* @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
 fun UByteArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n
  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n   for (element in this) if
(predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return
true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return
true\n   return false\n}\n\n/**\n * Returns the number of elements

matching the given [predicate].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.count(predicate: (UInt) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching
the given [predicate].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n   var accumulator =
initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n
* @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

UByteArray.foldIndexed(initial:
R, operation: (index: Int, acc: R, UByte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value
and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

UByteArray.foldRightIndexed(initial: R, operation: (index: Int,
UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs
the given [action] on each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n
* Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or
`null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding
the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n if (isEmpty())
return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var maxElem = this[0]\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having
the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n

```
 return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n    if (isEmpty())
return null\n    var
 min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =
e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =
e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n    if
(isEmpty()) return
 null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var minElem =
this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v =
selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
 */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val
v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
  val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val
v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
```

UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n
if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator

value and each element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates
the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong,
ULong) -> ULong): ULong {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex)
{\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation]
from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0)
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n

while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRight(operation:
(UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original
array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:

Array<out R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other:
Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this`
array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n
* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other:
Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort,
UShort>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V>
{\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Array<out UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.sum(): UInt {\n   var sum: UInt
= 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sum(): UInt {\n   return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sum(): ULong {\n   return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in

the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sum(): UInt {\n   return sumBy { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sum(): UInt {\n   return sumBy { it.toUInt() }\n}\n\n","/*\n * Copyright
 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns an array of UByte containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray(): UByteArray {\n   val result = UByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray {\n   val result
 = UIntArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray(): ULongArray {\n   val result = ULongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray(): UShortArray {\n   val result = UShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UInt>.sum(): UInt
 {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return
 sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, b: UInt): UInt {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, b: ULong): ULong {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n   return

if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UInt, b: UInt, c: UInt): UInt {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three
values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the
greater of three values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UByte, b: UByte, c: UByte): UByte {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater
of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UInt, b: UInt): UInt {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the
smaller of three values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: ULong, b: ULong, c: ULong): ULong {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the
smaller of three values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UByte, b: UByte, c: UByte): UByte {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller
of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n   return minOf(a, minOf(b, c))\n}\n\n","/*\n *
Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"URangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntRange.random(): UInt {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n
* \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongRange.random(): ULong {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is
empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random: Random):
UInt {\n   try {\n   return random.nextUInt(this)\n   } catch(e: IllegalArgumentException) {\n   throw
NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random):

ULong {\n try {\n return random.nextULong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UByte): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UByte): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UInt): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: ULong): Boolean {\n return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UShort): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UShort): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte): UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt): UIntProgression {\n return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong): ULongProgression {\n return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort): UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed(): UIntProgression {\n return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed(): ULongProgression {\n return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int):

UIntProgression {\n   checkStepIsPositive(step > 0, step)\n   return UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step: Long): ULongProgression {\n   checkStepIsPositive(step > 0, step)\n   return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then
 the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.until(to: UByte): UIntRange {\n   if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.until(to: UInt): UIntRange {\n   if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n   return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.until(to: ULong): ULongRange {\n   if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n
    return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to: UShort): UIntRange {\n   if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt): UInt {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
 if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue: ULong): ULong {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue: UByte): UByte {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
 samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue: UShort): UShort {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt): UInt {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample

samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULong.coerceAtMost(maximumValue: ULong): ULong {\n return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return
this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue:
UByte): UByte {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue:
UShort): UShort {\n return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt,
maximumValue: UInt): UInt {\n if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n if (this <
minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue: ULong,
maximumValue: ULong): ULong {\n if (minimumValue > maximumValue) throw
IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.\")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte,
maximumValue:
UByte): UByte {\n if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce
value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n if (this <
minimumValue) return minimumValue\n if (this > maximumValue) return maximumValue\n return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort,
maximumValue: UShort): UShort {\n if (minimumValue > maximumValue) throw
IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.\")\n if (this < minimumValue) return
minimumValue\n if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this
value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less

than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<UInt>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start`
if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<ULong>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"USequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The iterator is covariant on its element type.\n */\npublic interface Iterable<out T> {\n /**\n * Returns an iterator over the elements of this object.\n */\n public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant on its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n /**\n * Returns an iterator over the elements of this sequence

that supports removing elements during iteration.\n */\n override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n /**\n * Returns the size of the collection.\n */\n public val size: Int\n\n /**\n * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n /**\n * Checks
if all elements in the specified collection are contained in this collection.\n */\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n *\n * @param E the type of elements contained in the collection. The mutable collection is invariant on its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n /**\n * Adds the specified element to the collection.\n *\n * @return `true` if the element has been added, `false` if the collection does not support duplicates\n * and the element is already contained in the collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * @return
`true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to this collection.\n *\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified collection.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * @return `true` if any element was removed from the collection,
`false` if the collection was not modified.\n */\n public fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\npublic interface List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n
public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n */\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified
[fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int):

List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant on its element type.\n */\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n *
Adds all of the elements of the specified collection to the end of this list.\n *\n * The elements are appended in the order they appear in the [elements] collection.\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list with the specified element.\n *\n * @return the element previously at the specified position.\n
*/\n public operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n */\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element that has been removed.\n */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\npublic interface Set<out E> :
Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant on its element type.\n */\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the element has been added, `false` if the element is already contained in the set.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n\n override fun addAll(elements: Collection<E>): Boolean\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n}\n\n/**\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param K the type of map keys. The map is invariant on its key type, as it\n * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant on its value type.\n */\npublic interface Map<K, out V> {\n // Query Operations\n /**\n * Returns the number of
key/value pairs in the map.\n */\n public val size: Int\n\n /**\n * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n */\n public fun containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified [value].\n */\n public fun containsValue(value: @UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n public operator fun get(key: K): V?\n\n /**\n * Returns the value

corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n *\n * @since JDK 1.8\n */\n @SinceKotlin(\"1.1\")\n @PlatformDependent\n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See default implementation
in JDK sources\n return null as V\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs in this map.\n */\n public val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n */\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value pair.\n */\n public val key: K\n\n /**\n * Returns the value of this key/value pair.\n */\n public val value: V\n }\n}\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map
keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The mutable map is invariant on its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the specified key only if it is mapped to the specified value.\n *\n * @return true if entry was removed\n */\n @SinceKotlin(\"1.1\")\n
@PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n * Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n // Views\n /**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys: MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n */\n override val values: MutableCollection<V>\n\n /**\n * Returns a [MutableSet] of all key/value pairs in this map.\n */\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair held by a [MutableMap].\n */\n public
interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes the value associated with the key of this entry.\n *\n * @return the previous value corresponding to the key.\n */\n public fun setValue(newValue: V): V\n }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /** Returns the next value in the sequence
without boxing. */\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type `Int`. */\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`. */\npublic abstract class FloatIterator

: Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat(): Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean> {\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextBoolean(): Boolean\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement = last.toInt()\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first.toInt() else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first:
Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else finalElement\n\n

override fun hasNext(): Boolean = hasNext\n\n override fun nextLong(): Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n) : Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE)
throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last: Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is CharProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.toInt()
+ last.toInt()) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates CharProgression within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the

[rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n internal constructor\n (\n start: Int,\n endInclusive: Int,\n step: Int\n) : Iterable<Int> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Int = start\n\n /**\n * The last element in the progression.\n */\n public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is IntProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates IntProgression within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n internal constructor\n (\n start: Long,\n endInclusive: Long,\n step: Long\n) : Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Long = start\n\n /**\n * The last element in the progression.\n */\n public val last: Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n /**\n * The step of the progression.\n */\n public val step: Long = step\n\n override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is LongProgression
&& (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates LongProgression within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd,
step)\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n */\n public val start:

T\n\n   /**\n   * The maximum value in the range (inclusive).\n   */\n   public val endInclusive: T\n\n   /**\n   * Checks whether the specified [value] belongs to the range.\n   */\n   public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n\n   /**\n   * Checks whether the range is empty.\n   */\n   public fun isEmpty(): Boolean = start > endInclusive\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n   override fun toString() = \"kotlin.Unit\"\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n   /** Class, interface or object, annotation class is also included */\n   CLASS,\n   /** Annotation class only */\n   ANNOTATION_CLASS,\n   /** Generic type parameter (unsupported yet) */\n   TYPE_PARAMETER,\n   /** Property */\n   PROPERTY,\n   /** Field, including property's backing field */\n   FIELD,\n   /** Local variable */\n   LOCAL_VARIABLE,\n   /** Value parameter of a function or a constructor */\n   VALUE_PARAMETER,\n   /** Constructor only (primary or secondary) */\n   CONSTRUCTOR,\n   /** Function (constructors are not included) */\n   FUNCTION,\n   /** Property getter only */\n   PROPERTY_GETTER,\n   /** Property setter only */\n   PROPERTY_SETTER,\n   /** Type usage */\n   TYPE,\n   /** Any expression */\n   EXPRESSION,\n   /** File */\n   FILE,\n   /** Type alias */\n   @SinceKotlin(\"1.1\")\n   TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n   /** Annotation isn't stored in binary output */\n   SOURCE,\n   /** Annotation is stored in binary output, but invisible for reflection */\n   BINARY,\n   /** Annotation is stored in binary output and visible for reflection (default retention) */\n   RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n

/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n *
limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n
*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n */\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step >
0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n
*\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under

the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a parameter passed to a function or a property getter/setter,\n * including `this` and extension receiver parameters.\n */\npublic interface KParameter : KAnnotatedElement {\n /**\n * 0-based index of this parameter in the parameter list of its containing callable.\n */\n public val index: Int\n\n /**\n * Name of this parameter as it was declared in the source code,\n * or `null` if the parameter has no name or its name is not available at runtime.\n * Examples of nameless parameters include `this` instance for member functions,\n * extension receiver for extension functions
or properties, parameters of Java methods\n * compiled without the debug information, and others.\n */\n public val name: String?\n\n /**\n * Type of this parameter. For a `vararg` parameter, this is the type of the corresponding array,\n * not the individual element.\n */\n public val type: KType\n\n /**\n * Kind of this parameter.\n */\n public val kind: Kind\n\n /**\n * Kind represents a particular position of the parameter declaration in the source code,\n * such as an instance, an extension receiver parameter or a value parameter.\n */\n public enum class Kind {\n /** Instance required to make a call to the member, or an outer class instance for an inner class constructor. */\n INSTANCE,\n\n /** Extension receiver of an extension function or property. */\n EXTENSION_RECEIVER,\n\n /** Ordinary named value parameter. */\n VALUE,\n }\n\n /**\n * `true` if this parameter
is optional and can be omitted when making a call via [KCallable.callBy], or `false` otherwise.\n *\n * A parameter is optional in any of the two cases:\n * 1. The default value is provided at the declaration of this parameter.\n * 2. The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.\n */\n public val isOptional: Boolean\n\n /**\n * `true` if this parameter is `vararg`.\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n * for more information.\n */\n @SinceKotlin(\"1.1\")\n public val isVararg: Boolean\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a type. Type is usually either a class with optional type arguments,\n
* or a type parameter of some declaration, plus nullability.\n */\npublic interface KType : KAnnotatedElement {\n /**\n * The declaration of the classifier used in this type.\n * For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\n *\n * Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.\n */\n @SinceKotlin(\"1.1\")\n public val classifier: KClassifier?\n\n /**\n * Type arguments passed for the parameters of the classifier in this type.\n * For example, in the type `Array<out Number>` the only type argument is `out Number`.\n *\n * In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first,\n * then its outer class, and so on.\n * For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.\n */\n @SinceKotlin(\"1.1\")\n public
val arguments: List<KTypeProjection>\n\n /**\n * `true` if this type was marked nullable in the source code.\n *\n * For Kotlin types, it means that `null` value is allowed to be represented by this type.\n * In practice it means that the type was declared with a question mark at the end.\n * For non-Kotlin types, it means the type or the symbol which was declared with this type\n * is annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].\n *\n * Note that even if [isMarkedNullable] is false, values of the type can still be `null`.\n * This may happen if it is a type of the type parameter with a nullable upper bound:\n *\n * ```\n * fun <T> foo(t: T) {\n * // isMarkedNullable == false for t's type, but t can be null here when T = \"Any?\"\n * }\n * ```\n */\n public val isMarkedNullable: Boolean\n}\n\n/**\n * Represents a type projection. Type projection is usually the
argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\npublic data class KTypeProjection constructor(\n /**\n * The use-site variance

specified in the projection, or `null` if this is a star projection.\n */\n public val variance: KVariance?,\n /**\n * The type specified in the projection, or `null` if this is a star projection.\n */\n public val type: KType?\n) {\n public companion object {\n /**\n * Star projection, denoted by the `*` character.\n * For example, in the type `KClass<*>`,
`*` is the star projection.\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for more information.\n */\n public val STAR: KTypeProjection = KTypeProjection(null, null)\n\n /**\n * Creates an invariant projection of a given type. Invariant projection is just the type itself,\n * without any use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n */\n public fun invariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n */\n public fun contravariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.IN, type)\n\n /**\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n */\n public fun covariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.OUT, type)\n }\n}\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a projection (*use-site variance*).\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin(\"1.1\")\nenum class KVariance {\n /**\n * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n */\n INVARIANT,\n\n /**\n * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\n */\n IN,\n\n /**\n * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\n */\n OUT,\n}\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Visibility is an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.\n * Visibility can be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.\n *\n * Note that some Java visibilities such as package-private and protected (which also gives access
to items from the same package)\n * cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\nenum class KVisibility {\n /**\n * Visibility of declarations marked with the `public` modifier, or with no modifier at all.\n */\n PUBLIC,\n\n /**\n * Visibility of declarations marked with the `protected` modifier.\n */\n PROTECTED,\n\n /**\n * Visibility of declarations marked with the `internal` modifier.\n */\n INTERNAL,\n\n /**\n * Visibility of declarations marked with the `private`

modifier.\n */\n PRIVATE,\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@JsName(\"arrayIterator\")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n null -> {\n val arr: Array<dynamic> = array\n object : Iterator<dynamic> {\n var index = 0\n override fun hasNext() = index < arr.size\n override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\n }\n }\n \"BooleanArray\" -> booleanArrayIterator(array)\n \"ByteArray\" -> byteArrayIterator(array)\n \"ShortArray\" -> shortArrayIterator(array)\n \"CharArray\" -> charArrayIterator(array)\n \"IntArray\" -> intArrayIterator(array)\n \"LongArray\" -> longArrayIterator(array)\n \"FloatArray\" -> floatArrayIterator(array)\n \"DoubleArray\" -> doubleArrayIterator(array)\n else -> throw IllegalStateException(\"Unsupported type argument for arrayIterator: $type\")\n}\n\n@JsName(\"booleanArrayIterator\")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"byteArrayIterator\")\ninternal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"shortArrayIterator\")\ninternal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextShort() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"charArrayIterator\")\ninternal fun charArrayIterator(array: CharArray) = object : CharIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"intArrayIterator\")\ninternal fun intArrayIterator(array: IntArray) = object : IntIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"floatArrayIterator\")\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"doubleArrayIterator\")\ninternal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"longArrayIterator\")\ninternal fun longArrayIterator(array: LongArray) = object : LongIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"PropertyMetadata\")\ninternal class PropertyMetadata(@JsName(\"callableName\") val name: String)\n\n@JsName(\"noWhenBranchMatched\")\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\n\n@JsName(\"subSequence\")\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\n if (c is String) {\n return c.substring(startIndex, endIndex)\n } else {\n return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n }\n}\n\n@JsName(\"captureStack\")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance: Throwable) {\n if (js(\"Error\").captureStackTrace) {\n js(\"Error\").captureStackTrace(instance, instance::class.js);\n } else {\n instance.asDynamic().stack = js(\"new Error()\").stack;\n }\n}\n\n@JsName(\"newThrowable\")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n val throwable = js(\"new Error()\")\n throwable.message = if (jsTypeOf(message) == \"undefined\") {\n if (cause != null) cause.toString() else null\n } else {\n message\n }\n throwable.cause = cause\n throwable.name = \"Throwable\"\n return

throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n override fun equals(other: Any?): Boolean {\n return other is BoxedChar && c == other.c\n }\n\n override fun hashCode(): Int {\n return c\n }\n\n override fun toString(): String {\n return js(\"this.c\").unsafeCast<Char>().toString()\n }\n\n override fun compareTo(other: Int): Int {\n return js(\"this.c - other\").unsafeCast<Int>()\n }\n\n @JsName(\"valueOf\")\n public fun valueOf(): Int {\n return c\n }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n val typed = js(\"Array\")(args.size)\n for (i in args.indices) {\n val arr = args[i]\n if (arr !is Array<*>) {\n typed[i] = js(\"[]\").slice.call(arr)\n } else {\n typed[i] = arr\n }\n }\n return js(\"[]\").concat.apply(js(\"[]\"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n */\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> arrayConcat(a: T, b: T): T {\n return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n *\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n *\n * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property default to arrayConcat.\n */\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\n val args: Array<T> = js(\"arguments\")\n if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n return concat(args)\n } else {\n var size = 0\n for (i in args.indices) {\n size += args[i].asDynamic().length as Int\n }\n val result = js(\"new a.constructor(size)\")\n kotlin.copyArrayType(a, result)\n size = 0\n for (i in args.indices) {\n val arr = args[i].asDynamic()\n for (j in 0 until arr.length) {\n result[size++] = arr[j]\n }\n }\n return result\n }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() = withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun withType(type: String, array: dynamic): dynamic {\n array.`$type$` = type\n return array\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license

```
\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n    return object : AbstractList<UInt>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UInt): Boolean = this@asList.contains(element)\n        override fun get(index: Int): UInt {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: UInt): Int {\n            if ((element as Any?) !is UInt) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: UInt): Int {\n            if ((element as Any?) !is UInt) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n    return object : AbstractList<ULong>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: ULong): Boolean = this@asList.contains(element)\n        override fun get(index: Int): ULong {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: ULong): Int {\n            if ((element as Any?) !is ULong) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: ULong): Int {\n            if ((element as Any?) !is ULong) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n    return object : AbstractList<UByte>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UByte): Boolean = this@asList.contains(element)\n        override fun get(index: Int): UByte {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: UByte): Int {\n            if ((element as Any?) !is UByte) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: UByte): Int {\n            if ((element as Any?) !is UByte) return -1\n            return this@asList.lastIndexOf(element)\n
```

```
    }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.asList(): List<UShort>
{\n    return object : AbstractList<UShort>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n
    override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UShort):
Boolean = this@asList.contains(element)\n        override fun get(index: Int): UShort {\n
AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun
indexOf(element: UShort): Int {\n            if ((element as Any?) !is UShort) return -1\n            return
this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: UShort): Int {\n            if ((element
as Any?) !is UShort) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n","@file:
 Suppress(\"DEPRECATION\")\npackage jquery.ui\n\n\n//jquery UI\nimport jquery.JQuery\nimport
kotlin.js.Json\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery'
package instead.\")\npublic inline fun JQuery.buttonset(): JQuery = asDynamic().buttonset()\n\n@Deprecated(\"Use
declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun
JQuery.dialog(): JQuery = asDynamic().dialog()\n\n@Deprecated(\"Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(params:
Json): JQuery = asDynamic().dialog(params)\n\n@Deprecated(\"Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(mode:
String, param: String): Any? = asDynamic().dialog(mode, param)\n\n@Deprecated(\"Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery'
 package instead.\")\npublic inline fun JQuery.dialog(mode: String): JQuery =
asDynamic().dialog(mode)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-
js-jquery' package instead.\")\npublic inline fun JQuery.dialog(mode: String, param: String, value: Any?): JQuery =
asDynamic().dialog(mode, param, value)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-
externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.button(): JQuery =
asDynamic().button()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-
jquery' package instead.\")\npublic inline fun JQuery.accordion(): JQuery =
asDynamic().accordion()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-
jquery' package instead.\")\npublic inline fun JQuery.draggable(params: Json): JQuery =
asDynamic().draggable(params)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-
externals/kotlin-js-jquery'
 package instead.\")\npublic inline fun JQuery.selectable(): JQuery = asDynamic().selectable()\n","/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.annotation.AnnotationTarget.*\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,
VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated(\"Use `external` modifier
instead\", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String =
\"\")\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic
annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body
using dynamic\")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline
extension function with body using dynamic\")\npublic annotation class
 nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal annotation class library(public val name:
String = \"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a
property or a class) specific name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n *   * There
are two functions for which the compiler gives same name in JavaScript, you can\n *     mark one with
`@JsName(...)` to prevent the compiler from reporting error.\n *   * You are writing a JavaScript library in Kotlin.
The compiler produces mangled names\n *     for functions with parameters, which is unnatural for usual JavaScript
developer.\n *     You can put `@JsName(...)` on functions you want to be available from JavaScript.\n *   * For
some reason you want to rename declaration, e.g. there's common term in JavaScript\n *     for a concept provided
```

by the declaration, which in uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println(\"Hello $name!\")\n * }\n *\n * @JsName(\"helloWithGreeting\")\n * fun hello(greeting: String) {\n * println(\"$greeting $name!\")\n * }\n * }\n * ```\n *\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript identifier.\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\n * annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ```\n * @file:JsQualifier(\"my.jsPackageName\")\n * package some.kotlinPackage\n *\n * external fun foo(x: Int)\n *\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code.\n * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class JsQualifier(val value: String)","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Synchronized\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the

Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding
 to JavaScript's `typeof` operator\n
/\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?): String = js(\"typeof a\")\n","/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\npublic inline fun <T> emptyArray(): Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\npublic
 fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray = definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n */\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored. */\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is ignored.\n
 */\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n   val srcLen: Int = src.length\n   val dstLen: Int = dst.length\n   var index: Int = 0\n   while (index < srcLen && index < dstLen) dst[index] = src[index++]\n   return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n   val result = source.slice(0, newSize)\n   copyArrayType(source, result)\n   var index: Int = source.length\n   if (newSize > index) {\n   result.length = newSize\n   while (index < newSize) result[index++] = defaultValue\n   }\n   return result\n}\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n   val result = array.slice()\n   result.length += collection.size\n   copyArrayType(array, result)\n   var index: Int = array.length\n   for (element in collection) result[index++]
 = element\n   return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n   var index = startIndex\n   for (element in collection) dst[index++] = element\n   return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n   if (from.`$type$` !== undefined) {\n   to.`$type$` = from.`$type$`\n   }\n}\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js(\"Kotlin\").isType(obj, jsClass)","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\npublic actual fun Char.isWhitespace(): Boolean = toString().matches(\"[\\\\s\\\\xA0]\")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char =
 js(\"String.fromCharCode\")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char = js(\"String.fromCharCode\")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in

Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is invariant on its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n actual abstract override fun add(element: E): Boolean\n\n actual override fun remove(element: E): Boolean {\n val iterator = iterator()\n while (iterator.hasNext()) {\n if (iterator.next() == element) {\n iterator.remove()\n return true\n }\n }\n return false\n }\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n var modified = false\n for (element in elements) {\n if (add(element)) modified = true\n }\n return modified\n }\n\n actual override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\n actual override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\n\n actual override fun clear(): Unit {\n val iterator = this.iterator()\n while (iterator.hasNext()) {\n iterator.next()\n iterator.remove()\n }\n }\n\n open fun toJSON(): Any = this.toArray()\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E the type of elements contained in the list. The list is invariant on its element type.\n */\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n protected var modCount: Int = 0\n\n abstract override fun add(index: Int, element: E): Unit\n abstract override fun removeAt(index: Int): E\n abstract override fun set(index: Int, element: E): E\n\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n actual override fun add(element: E): Boolean {\n add(size, element)\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n var _index = index\n var changed = false\n for (e in elements) {\n add(_index++, e)\n changed = true\n }\n return changed\n }\n\n actual override fun clear() {\n removeRange(0, size)\n }\n\n actual override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\n actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\n\n\n actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n actual override fun indexOf(element: E): Int {\n for (index in 0..lastIndex) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun lastIndexOf(element: E): Int {\n for (index in lastIndex downTo 0) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n /**\n * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n */\n protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n val iterator = listIterator(fromIndex)\n repeat(toIndex - fromIndex) {\n iterator.next()\n iterator.remove()\n }\n }\n\n /**\n * Compares this list with another list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return

```
AbstractList.orderedEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this list.\n     */\n    override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n    private open inner class IteratorImpl : MutableIterator<E> {\n        /** the index of
     the item that will be returned on the next call to [next]`()` */\n        protected var index = 0\n        /** the index of the item that was returned on the previous call to [next]`()`\n         * or [ListIterator.previous]`()` (for `ListIterator`),\n         * -1 if no such item exists\n         */\n        protected var last = -1\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n            last = index++\n            return get(last)\n        }\n\n        override fun remove() {\n            check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n            removeAt(last)\n            index = last\n            last = -1\n        }\n    }\n\n    /**\n     * Implementation of `MutableListIterator` for abstract lists.\n     */\n    private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n        init
     {\n            AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun nextIndex(): Int = index\n\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n\n            last = --index\n            return get(last)\n        }\n\n        override fun previousIndex(): Int = index - 1\n\n        override fun add(element: E) {\n            add(index, element)\n            index++\n            last = -1\n        }\n\n        override fun set(element: E) {\n            check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n            this@AbstractMutableList[last] = element\n        }\n    }\n\n    private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n        private
     var _size: Int = 0\n\n        init {\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex - fromIndex\n        }\n\n        override fun add(index: Int, element: E) {\n            AbstractList.checkPositionIndex(index, _size)\n\n            list.add(fromIndex + index, element)\n            _size++\n        }\n\n        override fun get(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return list[fromIndex + index]\n        }\n\n        override fun removeAt(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            val result = list.removeAt(fromIndex + index)\n            _size--\n            return result\n        }\n\n        override fun set(index: Int, element: E): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return list.set(fromIndex + index, element)\n        }\n\n        override val size: Int get() = _size\n    }\n\n}\n","/*\n
     * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to implement [entries] property, which should return mutable set of map entries, and [put] function.\n *\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The map is invariant on its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by several [Map] implementations.\n     */\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n        constructor(entry: Map.Entry<K,
     V>) : this(entry.key, entry.value)\n\n        private var _value = value\n\n        override val value: V get() = _value\n\n        override fun setValue(newValue: V): V {\n            val oldValue = this._value\n            this._value = newValue\n            return oldValue\n        }\n\n        override fun hashCode(): Int = entryHashCode(this)\n        override fun toString(): String = entryToString(this)\n        override fun equals(other: Any?): Boolean = entryEquals(this, other)\n\n    }\n\n    actual override fun clear() {\n        entries.clear()\n    }\n\n    private var _keys: MutableSet<K>? = null\n    actual override val keys: MutableSet<K>\n        get() {\n            if (_keys == null) {\n                _keys = object : AbstractMutableSet<K>() {\n                    override fun add(element: K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\n                    override fun clear() {\n
```

```
this@AbstractMutableMap.clear()\n
                }\n\n                override operator fun contains(element: K): Boolean = containsKey(element)\n\n
        override operator fun iterator(): MutableIterator<K> {\n                val entryIterator = entries.iterator()\n
                return object : MutableIterator<K> {\n                override fun hasNext(): Boolean =
entryIterator.hasNext()\n                override fun next(): K = entryIterator.next().key\n
override fun remove() = entryIterator.remove()\n                }\n                }\n\n                override fun
remove(element: K): Boolean {\n                if (containsKey(element)) {\n
this@AbstractMutableMap.remove(element)\n                return true\n                }\n                return
false\n                }\n\n                override val size: Int get()
 = this@AbstractMutableMap.size\n                }\n                }\n                return _keys!!\n                }\n\n    actual abstract
override fun put(key: K, value: V): V?\n\n    actual override fun putAll(from: Map<out K, V>) {\n        for ((key,
value) in from) {\n            put(key, value)\n        }\n    }\n\n    private var _values: MutableCollection<V>? = null\n
actual override val values: MutableCollection<V>\n        get() {\n            if (_values == null) {\n                _values =
object : AbstractMutableCollection<V>() {\n                override fun add(element: V): Boolean = throw
UnsupportedOperationException(\"Add is not supported on values\")\n                override fun clear() =
this@AbstractMutableMap.clear()\n\n                override operator fun contains(element: V): Boolean =
containsValue(element)\n\n                override operator fun iterator(): MutableIterator<V> {\n                val
entryIterator = entries.iterator()\n
                return object : MutableIterator<V> {\n                override fun hasNext(): Boolean =
entryIterator.hasNext()\n                override fun next(): V = entryIterator.next().value\n
override fun remove() = entryIterator.remove()\n                }\n                }\n\n                override val size:
Int get() = this@AbstractMutableMap.size\n\n                // TODO: should we implement them this way? Currently
it's unspecified in JVM\n                override fun equals(other: Any?): Boolean {\n                if (this === other)
return true\n                if (other !is Collection<*>) return false\n                return
AbstractList.orderedEquals(this, other)\n                }\n\n                override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n                }\n            }\n            return _values!!\n        }\n\n    actual override
 fun remove(key: K): V? {\n        val iter = entries.iterator()\n        while (iter.hasNext()) {\n            val entry =
iter.next()\n            val k = entry.key\n            if (key == k) {\n                val value = entry.value\n
iter.remove()\n                return value\n            }\n        }\n        return null\n    }\n\n}\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableSet] interface.\n *\n * @param E the type of elements contained in the set. The set is invariant on its
element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n     * Compares this set with another set instance with
the unordered structural equality.\n     *\n     * @return
 `true`, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n     */\n
override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Set<*>) return
false\n        return AbstractSet.setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this set.\n
 */\n    override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n\n}","/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation,
which uses a resizable array as its backing storage.\n *\n * This implementation doesn't provide a way to manage
capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in
JavaScript, so this implementation does not include any of the\n
 * capacity and \"growth increment\" concepts.\n */\npublic actual open class ArrayList<E> internal
constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n\n
/**\n     * Creates an empty [ArrayList].\n     */\n    public actual constructor() : this(emptyArray()) {}\n\n    /**\n
* Creates an empty [ArrayList].\n     * @param initialCapacity initial capacity (ignored)\n     */\n
```

@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual constructor(initialCapacity: Int = 0) : this(emptyArray()) {}\n\n /**\n * Creates an [ArrayList] filled from the [elements] collection.\n */\n public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun trimToSize() {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun ensureCapacity(minCapacity: Int) {}\n\n actual override val size: Int get() = array.size\n @Suppress(\"UNCHECKED_CAST\")\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n actual override fun set(index: Int, element: E): E {\n rangeCheck(index)\n @Suppress(\"UNCHECKED_CAST\")\n return array[index].apply { array[index] = element } as E\n }\n\n actual override fun add(element: E): Boolean {\n array.asDynamic().push(element)\n modCount++\n return true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n insertionRangeCheck(index)\n array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n modCount++\n }\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n if (elements.isEmpty()) return false\n\n array += elements.toTypedArray<Any?>()\n modCount++\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n insertionRangeCheck(index)\n\n if (index == size) return addAll(elements)\n if (elements.isEmpty()) return false\n when (index) {\n size -> return addAll(elements)\n 0 -> array = elements.toTypedArray<Any?>() + array\n else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n }\n\n modCount++\n return true\n }\n\n actual override fun removeAt(index: Int): E {\n rangeCheck(index)\n modCount++\n return if (index == lastIndex)\n array.asDynamic().pop()\n else\n array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n for (index in array.indices) {\n if (array[index] == element) {\n array.asDynamic().splice(index, 1)\n modCount++\n return true\n }\n }\n return false\n }\n\n override fun removeRange(fromIndex: Int, toIndex: Int) {\n modCount++\n array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n }\n\n actual override fun clear() {\n array = emptyArray()\n modCount++\n }\n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n override fun toArray(): Array<Any?> = js(\"[]\").slice.call(array)\n\n\n private fun rangeCheck(index: Int) = index.apply {\n AbstractList.checkElementIndex(index, size)\n }\n\n private fun insertionRangeCheck(index: Int) = index.apply {\n AbstractList.checkPositionIndex(index, size)\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n if (getStableSortingIsSupported()) {\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n }\n}\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\n if (getStableSortingIsSupported()) {\n val comparison = { a: T, b: T -> comparator.compare(a, b) }\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n if (getStableSortingIsSupported()) {\n val comparison = { a: T, b: T -> a.compareTo(b) }\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean {\n _stableSortingIsSupported?.let { return it }\n _stableSortingIsSupported = false\n\n val array = js(\"[]\").unsafeCast<Array<Int>>()\n // known implementations may use stable sort for arrays of up to 512 elements\n // so we create slightly more elements to test stability\n for (index in 0 until 600) array.asDynamic().push(index)\n val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n array.asDynamic().sort(comparison)\n for (index in 1 until array.size) {\n val a = array[index - 1]\n val b

```
= array[index]\n        if ((a and 3) == (b and 3) && a >= b) return false\n    }\n    _stableSortingIsSupported = true\n    return true\n}\n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {\n    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result = mergeSort(array, buffer, start, endInclusive, comparator)\n    if (result !== array) {\n        result.forEachIndexed { i, v -> array[i] = v }\n    }\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end) {\n        return array\n    }\n\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n    val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n    val target = if (left === buffer) array else buffer\n\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in start..end) {\n        when {\n            leftIndex <= median && rightIndex <= end -> {\n                val leftValue = left[leftIndex]\n                val rightValue = right[rightIndex]\n\n                if (comparator.compare(leftValue, rightValue) <= 0) {\n                    target[i] = leftValue\n                    leftIndex++\n                } else {\n                    target[i] = rightValue\n                    rightIndex++\n                }\n            }\n            leftIndex <= median -> {\n                target[i] = left[leftIndex]\n                leftIndex++\n            }\n            else /* rightIndex <= end */ -> {\n                target[i] = right[rightIndex]\n                rightIndex++\n            }\n        }\n    }\n\n    return target\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@kotlin.js.JsName(\"contentDeepHashCodeImpl\")\ninternal fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\n    var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element == null -> 0\n            js(\"Kotlin\").isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n\n            element is UByteArray   -> element.contentHashCode()\n            element is UShortArray  -> element.contentHashCode()\n            element is UIntArray    -> element.contentHashCode()\n            element is ULongArray   -> element.contentHashCode()\n\n            else                    -> element.hashCode()\n        }\n\n        result = 31 * result + elementHash\n    }\n    return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n    /**\n     * Subclasses must override to return a value indicating\n     * whether or not two keys or values are equal.\n     */\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /**\n     * Subclasses must override to return the hash code of a given key.\n     */\n    abstract fun getHashCode(value: Any?): Int\n\n\n\n    object HashCode : EqualityComparator {\n        override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n        override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.\n */\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n    private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n        override fun clear() {\n            this@HashMap.clear()\n        }\n\n        override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun remove(element: MutableEntry<K, V>): Boolean {\n            if (contains(element)) {\n                this@HashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override val size: Int get() = this@HashMap.size\n    }\n\n\n    /**\n     * Internal implementation of the map: either string-based or hashcode-based.\n     */\n    private val internalMap:
```

```
InternalMap<K, V>\n\n    private val equality: EqualityComparator\n\n    internal constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality = internalMap.equality\n    }\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n        // This implementation of HashMap has no need of load factors or capacities.\n        require(initialCapacity >= 0) { \"Negative initial capacity: $initialCapacity\" }\n        require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /**\n     * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original: Map<out K, V>) : this() {\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        internalMap.clear()\n//        structureChanged(this)\n    }\n\n    actual override fun containsKey(key: K): Boolean = internalMap.contains(key)\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if (_entries == null) {\n                _entries = createEntrySet()\n            }\n            return _entries!!\n        }\n\n    protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = internalMap.get(key)\n\n    actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n    actual override fun remove(key: K): V? = internalMap.remove(key)\n\n    actual override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n    return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\n */\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n    private val map: HashMap<E, Any>\n\n    /**\n     * Constructs a new empty [HashSet].\n     */\n    actual constructor() {\n        map = HashMap<E, Any>()\n    }\n\n    /**\n     * Constructs a new [HashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements: Collection<E>) {\n        map = HashMap<E, Any>(elements.size)\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a new empty [HashSet].\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n        map = HashMap<E, Any>(initialCapacity, loadFactor)\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /**\n     * Protected constructor to specify the underlying map. This is used by\n     * LinkedHashSet.\n\n     * @param map underlying map to use.\n     */\n    internal constructor(map: HashMap<E, Any>) {\n        this.map = map\n    }\n\n    actual override fun add(element: E): Boolean {\n        val old = map.put(element, this)\n        return old == null\n    }\n\n    actual override fun clear() {\n        map.clear()\n    }\n\n//    public override fun clone(): Any {\n//        return HashSet<E>(this)\n//    }\n\n    actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n    actual override fun isEmpty(): Boolean = map.isEmpty()\n\n    actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n    actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n    actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified [String]
```

```
 elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun
stringSetOf(vararg elements: String): HashSet<String> {\n    return HashSet(stringMapOf<Any>()).apply {
addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT
InternalHashCodeMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n
* A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n
*\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same
 hash.\n */\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) :
InternalMap<K, V> {\n\n    private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n
private set\n\n    override fun put(key: K, value: V): V? {\n        val hashCode = equality.getHashCode(key)\n
val chainOrEntry = getChainOrEntryOrNull(hashCode)\n        if (chainOrEntry == null) {\n            // This is a new
chain, put it to the map.\n            backingMap[hashCode] = SimpleEntry(key, value)\n        } else {\n            if
(chainOrEntry !is Array<*>) {\n                // It is an entry\n                val entry: SimpleEntry<K, V> =
chainOrEntry\n                if (equality.equals(entry.key, key)) {\n                    return entry.setValue(value)\n
} else {\n                    backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n                    size++\n
                return null\n                }\n
            } else {\n                // Chain already exists, perhaps key also exists.\n                val chain:
Array<MutableEntry<K, V>> = chainOrEntry\n                val entry = chain.findEntryInChain(key)\n                if
(entry != null) {\n                    return entry.setValue(value)\n                }\n
chain.asDynamic().push(SimpleEntry(key, value))\n            }\n        }\n        size++\n//        structureChanged(host)\n
        return null\n    }\n\n    override fun remove(key: K): V? {\n        val hashCode = equality.getHashCode(key)\n
 val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n        if (chainOrEntry !is Array<*>) {\n
  val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n
deleteProperty(backingMap, hashCode)\n                size--\n                return entry.value\n            } else {\n
return null\n            }\n        } else
 {\n            val chain: Array<MutableEntry<K, V>> = chainOrEntry\n            for (index in chain.indices) {\n
 val entry = chain[index]\n                if (equality.equals(key, entry.key)) {\n                    if (chain.size == 1) {\n
            chain.asDynamic().length = 0\n                        // remove the whole array\n
deleteProperty(backingMap, hashCode)\n                    } else {\n                        // splice out the entry we're
removing\n                        chain.asDynamic().splice(index, 1)\n                    }\n                    size--\n//
structureChanged(host)\n                    return entry.value\n                }\n            }\n        }\n        return null\n    }\n\n
override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun contains(key: K):
Boolean = getEntry(key) != null\n\n    override fun get(key: K): V? = getEntry(key)?.value\n\n
    private fun getEntry(key: K): MutableEntry<K, V>? {\n        val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n        if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n                return
entry\n            } else {\n                return null\n            }\n        } else {\n            val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n            return chain.findEntryInChain(key)\n        }\n    }\n\n    private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n        firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n            var state = -1 // -1 not ready, 0 - ready, 1 -
done\n\n            val keys: Array<Int> = js(\"Object\").keys(backingMap)\n            var keyIndex
 = -1\n\n            var chainOrEntry: dynamic = null\n            var isChain = false\n            var itemIndex = -1\n
var lastEntry: MutableEntry<K, V>? = null\n\n            private fun computeNext(): Int {\n                if (chainOrEntry
!= null && isChain) {\n                    val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K,
```

V>>>().size\n if (++itemIndex < chainSize)\n return 0\n }\n\n if (++keyIndex < keys.size) {\n chainOrEntry = backingMap[keys[keyIndex]]\n isChain = chainOrEntry is Array<*>\n itemIndex = 0\n return 0\n } else {\n chainOrEntry = null\n return 1\n }\n }\n\n override fun hasNext(): Boolean {\n if (state == -1)\n state = computeNext()\n return state == 0\n }\n\n override fun next(): MutableEntry<K, V> {\n if (!hasNext()) throw NoSuchElementException()\n val lastEntry = if (isChain) {\n chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n } else {\n chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n }\n this.lastEntry = lastEntry\n state = -1\n return lastEntry\n }\n\n override fun remove() {\n checkNotNull(lastEntry)\n this@InternalHashCodeMap.remove(lastEntry!!.key)\n lastEntry = null\n // the chain being iterated just got modified by InternalHashCodeMap.remove\n itemIndex--\n }\n }\n }\n\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n return if (chainOrEntry === undefined) null else chainOrEntry\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\ninternal inline fun deleteProperty(obj: Any, property: Any) {\n js(\"delete obj[property]\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\n */\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n val equality: EqualityComparator\n val size: Int\n operator fun contains(key: K): Boolean\n operator fun get(key: K): V?\n\n fun put(key: K, value: V): V?\n fun remove(key: K): V?\n fun clear(): Unit\n\n fun createJsMap(): dynamic {\n val result = js(\"Object.create(null)\")\n // force to switch object representation to dictionary mode\n // Using js-function due to JS_IR limitations\n js(\"result[\\\"foo\\\"] = 1\")\n js(\"delete result[\\\"foo\\\"]\")\n return result\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n *\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n// /**\n// * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n// * iterator entry is guaranteed to be still correct.\n// * This is to optimize for the common scenario where the values are not modified during\n// * iterations where the entries are never stale.\n// */\n// private var valueMod: Int = 0\n\n override operator fun contains(key: K): Boolean {\n if (key !is String) return false\n return backingMap[key] !== undefined\n }\n\n override operator fun get(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n return if (value !== undefined) value.unsafeCast<V>() else null\n }\n\n\n override fun put(key: K, value: V): V? {\n require(key is String)\n val oldValue = backingMap[key]\n backingMap[key] = value\n\n if (oldValue === undefined) {\n size++\n// structureChanged(host)\n return null\n } else {\n// valueMod++\n return oldValue.unsafeCast<V>()\n }\n }\n\n override fun remove(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n if (value !== undefined) {\n deleteProperty(backingMap, key)\n size--\n// structureChanged(host)\n return value.unsafeCast<V>()\n } else {\n// valueMod++\n return null\n }\n }\n\n override fun

clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n return object : MutableIterator<MutableEntry<K, V>> {\n private val keys: Array<String>
= js(\"Object\").keys(backingMap)\n private val iterator = keys.iterator()\n private var lastKey: String? = null\n\n override fun hasNext(): Boolean = iterator.hasNext()\n\n override fun next(): MutableEntry<K, V> {\n val key = iterator.next()\n lastKey = key\n @Suppress(\"UNCHECKED_CAST\")\n return newMapEntry(key as K)\n }\n\n override fun remove() {\n @Suppress(\"UNCHECKED_CAST\")\n this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n }\n }\n }\n\n private fun newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n override val key: K get() = key\n override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n override fun hashCode():
Int = AbstractMap.entryHashCode(this)\n override fun toString(): String = AbstractMap.entryToString(this)\n override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n /**\n * The entry we use includes next/prev pointers for a doubly-linked circular\n * list with a head
node. This reduces the special cases we have to deal with\n * in the list operations.\n\n * Note that we duplicate the key from the underlying hash map so we can find\n * the eldest entry. The alternative would have been to modify HashMap so more\n * of the code was directly usable here, but this would have added some\n * overhead to HashMap, or to reimplement most of the HashMap code here with\n * small modifications. Paying a small storage cost only if you use\n * LinkedHashMap and minimizing code size seemed like a better tradeoff\n */\n private class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n internal var next: ChainEntry<K, V>? = null\n internal var prev: ChainEntry<K, V>? = null\n }\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {\n // The last entry that
was returned from this iterator.\n private var last: ChainEntry<K, V>? = null\n\n // The next entry to return from this iterator.\n private var next: ChainEntry<K, V>? = null\n\n init {\n next = head\n// recordLastKnownStructure(map, this)\n }\n\n override fun hasNext(): Boolean {\n return next !== null\n }\n\n override fun next(): MutableEntry<K, V> {\n// checkStructuralChange(map, this)\n if (!hasNext()) throw NoSuchElementException()\n\n val current = next!!\n last = current\n next = current.next.takeIf { it !== head }\n return current\n }\n\n override fun remove() {\n check(last != null)\n// checkStructuralChange(map, this)\n\n last!!.remove()\n map.remove(last!!.key)\n// recordLastKnownStructure(map, this)\n last = null\n }\n }\n\n override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n override fun clear() {\n this@LinkedHashMap.clear()\n }\n\n override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n override fun remove(element: MutableEntry<K, V>): Boolean {\n if (contains(element)) {\n this@LinkedHashMap.remove(element.key)\n return true\n }\n return false\n }\n\n override val size: Int get() = this@LinkedHashMap.size\n }\n\n\n /*\n * The head of the insert order chain, which is a doubly-linked circular\n * list.\n *\n * The most recently inserted node is at the end

```
 of the chain, ie.\n   * chain.prev.\n   */\n    private var head: ChainEntry<K, V>? = null\n\n    /**\n     * Add this node to the end of the chain.\n     */\n    private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev == null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev = this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n    }\n\n    /**\n     * Remove this node from the chain it is a part of.\n     */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single element, remove head\n            head = null\n        }
 else {\n            if (head === this) {\n                // if this is first element, move head to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next = next\n        }\n        next = null\n        prev = null\n    }\n\n    /*\n   * The hashmap that keeps track of our entries and the chain. Note that we\n   * duplicate the key here to eliminate changes to HashMap and minimize the\n   * code here, at the expense of additional space.\n   */\n    private val map: HashMap<K, ChainEntry<K, V>>\n\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     */\n    actual constructor() : super() {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n        @Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\n        map = backingMap as HashMap<K, ChainEntry<K, V>>\n    }\n\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     *\n
    * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /**\n     * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        map.clear()\n        head = null\n    }\n\n\n//    override fun clone(): Any {\n//        return LinkedHashMap(this)\n//    }\n\n\n    actual override fun containsKey(key:
 K): Boolean = map.containsKey(key)\n\n    actual override fun containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if (node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node !== head)\n        return false\n    }\n\n\n    override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = map.get(key)?.value\n\n    actual override fun put(key: K, value: V): V? {\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry = ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n        } else {\n            return old.setValue(value)\n        }\n    }\n\n    actual override fun remove(key: K): V? {\n        val entry = map.remove(key)\n        if (entry != null) {\n            entry.remove()\n
            return entry.value\n        }\n        return null\n    }\n\n    actual override val size: Int get() = map.size\n\n}\n\n/**\n * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n    return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of elements during the iteration.\n */\npublic actual open class LinkedHashSet<E> : HashSet<E>,
 MutableSet<E> {\n\n    internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n    /**\n     * Constructs a new empty [LinkedHashSet].\n     */\n    actual constructor() : super(LinkedHashMap<E, Any>())\n\n    /**\n     * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n     */\n    actual
```

constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [LinkedHashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n actual constructor(initialCapacity: Int) : this(initialCapacity,
0.0f)\n\n// public override fun clone(): Any {\n// return LinkedHashSet(this)\n// }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.contracts.*\n\n\n@Deprecated(\"Do not use Synchronized annotation in pure Kotlin/JS code\", level = DeprecationLevel.ERROR)\npublic typealias Synchronized = kotlin.jvm.Synchronized\n\n@Deprecated(\"Do not use Volatile annotation in pure Kotlin/JS code\", level = DeprecationLevel.ERROR)\npublic typealias Volatile = kotlin.jvm.Volatile\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <R> synchronized(lock: Any, block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n open fun println() {\n print(\"\\n\")\n }\n\n open fun println(message: Any?) {\n print(message)\n println()\n }\n\n abstract fun print(message: Any?)\n\n open fun flush() {}\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n override fun print(message: Any?) = outputStream.write(String(message))\n}\n\n/** JsName used to make the declaration available
outside of module to test it */\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog : BaseOutput() {\n override fun print(message: Any?) {\n console.log(message)\n }\n\n override fun println(message: Any?) {\n console.log(message)\n }\n\n override fun println() {\n console.log(\"\")\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"BufferedOutput\")\ninternal open class BufferedOutput : BaseOutput() {\n var buffer = \"\"\n\n override fun print(message: Any?) {\n buffer += String(message)\n }\n\n override fun flush() {\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n override fun print(message: Any?) {\n var s = String(message)\n val i = s.lastIndexOf('\\n')\n if (i >= 0) {\n buffer += s.substring(0, i)\n flush()\n s = s.substring(i + 1)\n }\n buffer += s\n }\n\n override fun flush() {\n console.log(buffer)\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n if (isNode) NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n output.println(message)\n}\n\n/**
Prints the given [message] to the standard output stream. */\npublic actual fun print(message: Any?) {\n output.print(message)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport

```
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin(\"1.3\")\n@JsName(\"CoroutineImpl\")\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected var exception: Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context: CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n            ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n                .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? = result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n\n        // This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n            with(current) {\n                val completion = resultContinuation\n\n                // Set result and exception fields in the current continuation\n                if (currentException == null) {\n                    this.result = currentResult\n                } else {\n                    state = exceptionState\n                    exception = currentException\n                }\n\n                try {\n                    val outcome = doResume()\n                    if (outcome === COROUTINE_SUSPENDED) return\n                    currentResult = outcome\n                    currentException = null\n                } catch (exception: dynamic) { // Catch all exceptions\n                    currentResult = null\n                    currentException = exception.unsafeCast<Throwable>()\n                }\n\n                releaseIntercepted() // this state machine instance is terminating\n\n                if (completion is CoroutineImpl) {\n                    // unrolling recursion via loop\n                    current = completion\n                } else {\n                    // top-level completion reached -- invoke and return\n                    currentException?.let {\n                        completion.resumeWithException(it)\n                    } ?: completion.resume(currentResult)\n                    return\n                }\n            }\n        }\n    }\n\n    private fun releaseIntercepted() {\n        val intercepted = intercepted_\n        if (intercepted != null && intercepted !== this) {\n            context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_ = CompletedContinuation // just in case\n    }\n\n    protected abstract fun doResume(): Any?\n}\n\ninternal object CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() = error(\"This continuation is already complete\")\n\n    override fun resumeWith(result: Result<Any?>) {\n        error(\"This continuation is already complete\")\n    }\n\n    override fun toString(): String = \"This continuation is already complete\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNCHECKED_CAST\", \"RedundantVisibilityModifier\")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\n\n/**\n * A discriminated union that encapsulates successful outcome with a value of type [T]\n * or a failure with an arbitrary [Throwable] exception.\n */\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\npublic inline class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?\n) : Serializable {\n    // discovery\n\n    /**\n     * Returns `true` if this instance represents successful outcome.\n     * In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean get() = value !is Failure\n\n    /**\n     * Returns `true` if this instance represents failed outcome.\n     * In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean get() = value is Failure\n\n    // value & exception retrieval\n\n    /**\n     * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or `null`\n     * if it is [failure][Result.isFailure].\n     *\n     * This function is shorthand for `getOrElse { null }` (see [getOrElse]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n     */\n    @InlineOnly\n    public inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n            else -> value as T\n        }\n\n    /**\n     * Returns the encapsulated exception if this instance represents [failure][isFailure] or `null`\n     * if it is [success][isSuccess].\n     *\n     * This function is shorthand for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n     */\n    public fun exceptionOrNull(): Throwable? =\n        when (value) {\n            is Failure -> value.exception\n            else -> null\n        }\n\n    /**\n
```

```
* Returns a string `Success(v)` if this instance represents [success][Result.isSuccess]\n     * where `v` is a string representation of the value or a string `Failure(x)` if\n     * it is [failure][isFailure] where `x` is a string representation
 of the exception.\n     */\n    public override fun toString(): String =\n        when (value) {\n            is Failure -> value.toString() // \"Failure($exception)\"\n            else -> \"Success($value)\"\n        }\n\n    // companion with constructors\n\n    /**\n     * Companion object for [Result] class that contains its constructor functions\n     * [success] and [failure].\n     */\n    public companion object {\n        /**\n         * Returns an instance that encapsulates the given [value] as successful value.\n         */\n        @InlineOnly\n        public inline fun <T> success(value: T): Result<T> =\n            Result(value)\n\n        /**\n         * Returns an instance that encapsulates the given [exception] as failure.\n         */\n        @InlineOnly\n        public inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n    }\n\n    internal class Failure(\n        @JvmField\n        val exception: Throwable\n    ) : Serializable {\n        override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode(): Int = exception.hashCode()\n        override fun toString(): String = \"Failure($exception)\"\n    }\n}\n\n/**\n * Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun createFailure(exception: Throwable): Any =\n    Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting logic here (if needed).\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun Result<*>.throwOnFailure() {\n    if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n
 * catching and encapsulating any thrown exception as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result\n * if invocation was successful, catching and encapsulating any thrown exception as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated exception\n * if it is [failure][Result.isFailure].\n *\n * This function is shorthand for `getOrElse { throw
 it }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n    throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for encapsulated exception if it is [failure][Result.isFailure].\n *\n * Note, that an exception thrown by [onFailure] function is rethrown by this function.\n *\n * This function is shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess]
 or the\n * [defaultValue] if it is [failure][Result.isFailure].\n *\n * This function is shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\n    if (isFailure) return defaultValue\n    return value as T\n}\n\n/**\n * Returns the the result of [onSuccess] for encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for encapsulated exception if it is [failure][Result.isFailure].\n *\n * Note, that an exception thrown by [onSuccess] or by [onFailure] function is rethrown by this function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.fold(\n
```

onSuccess: (value: T) -> R,\n   onFailure: (exception: Throwable) -> R\n): R {\n   contract {\n callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n   callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n
    }\n   return when (val exception = exceptionOrNull()) {\n   null -> onSuccess(value as T)\n   else -> onFailure(exception)\n   }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated exception if it is [failure][Result.isFailure].\n *\n * Note, that an exception thrown by [transform] function is rethrown by this function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n   contract {\n   callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n   }\n return when {\n   isSuccess -> Result.success(transform(value as T))\n   else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to
 encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated exception if it is [failure][Result.isFailure].\n *\n * Any exception thrown by [transform] function is caught, encapsulated as a failure and returned by this function.\n * See [map] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n   return when {\n   isSuccess -> runCatching { transform(value as T) }\n   else -> Result(value)\n   }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to encapsulated exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that an exception thrown by [transform] function is rethrown by this function.\n * See [recoverCatching] for an alternative that encapsulates exceptions.\n
 */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n   contract {\n   callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n }\n   return when (val exception = exceptionOrNull()) {\n   null -> this\n   else -> Result.success(transform(exception))\n   }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to encapsulated exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Any exception thrown by [transform] function is caught, encapsulated as a failure and returned by this function.\n * See [recover] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n   val value = value // workaround for inline
 classes BE bug\n   return when (val exception = exceptionOrNull()) {\n   null -> this\n   else -> runCatching { transform(exception) }\n   }\n}\n\n// \"peek\" onto value/exception and pipe\n\n/**\n * Performs the given [action] on encapsulated exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n   contract {\n   callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n   }\n   exceptionOrNull()?.let { action(it) }\n   return this\n}\n\n/**\n * Performs the given [action] on encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n   contract {\n   callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n
    }\n   if (isSuccess) action(value as T)\n   return this\n}\n\n// ----------\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n   private val delegate: Continuation<T>,\n initialResult: Any?\n) : Continuation<T> {\n   @PublishedApi\n   internal actual constructor(delegate:

Continuation<T>) : this(delegate, UNDECIDED)\n\n   public actual override val context: CoroutineContext\n get() = delegate.context\n\n   private var result: Any? = initialResult\n\n   public actual override fun resumeWith(result: Result<T>) {\n   val cur = this.result\n   when {\n   cur === UNDECIDED -> {\n   this.result = result.value\n   }\n   cur === COROUTINE_SUSPENDED -> {\n   this.result = RESUMED\n   delegate.resumeWith(result)\n   }\n   else -> throw IllegalStateException(\"Already resumed\")\n   }\n   }\n\n   @PublishedApi\n internal actual fun getOrThrow(): Any? {\n   if (result === UNDECIDED) {\n   result = COROUTINE_SUSPENDED\n   return COROUTINE_SUSPENDED\n   }\n   val result = this.result\n return when {\n   result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n   result is Result.Failure -> throw result.exception\n   else -> result // either COROUTINE_SUSPENDED or data\n   }\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
 file.\n */\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts unintercepted coroutine without receiver and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the later case, the [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is invoker's responsibility to ensure that the proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic
 actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n   completion: Continuation<T>\n): Any? = this.asDynamic()(completion, false)\n\n/**\n * Starts unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the later case, the [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is invoker's responsibility to ensure that the proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of suspended\n * coroutine using a reference
 to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n   receiver: R,\n   completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n\n/**\n * Creates unintercepted coroutine without receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is invoker's responsibility to ensure that the proper invocation
 context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n completion: Continuation<T>\n): Continuation<Unit> =\n   // Kotlin/JS suspend lambdas have an extra parameter

`suspended`\n   if (this.asDynamic().length == 2) {\n   // When `suspended` is true the continuation is created, but not executed\n   this.asDynamic()(completion, true)\n   } else {\n   createCoroutineFromSuspendFunction(completion) {\n   this.asDynamic()(completion)\n   }\n}\n\n/**\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is invoker's responsibility to ensure that the proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n   receiver: R,\n   completion: Continuation<T>\n): Continuation<Unit> =\n   // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n   if (this.asDynamic().length == 3) {\n   // When `suspended` is true the continuation is created, but not executed\n   this.asDynamic()(receiver, completion, true)\n   } else {\n   createCoroutineFromSuspendFunction(completion) {\n   this.asDynamic()(receiver, completion)\n   }\n   }\n\n/**\n * Intercepts this continuation with [ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes [ContinuationInterceptor.interceptContinuation], caches and returns result.\n *\n * If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\n   (this as? CoroutineImpl)?.intercepted() ?: this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n   completion: Continuation<T>,\n   crossinline block: () -> Any?\n): Continuation<Unit> {\n   @Suppress(\"UNCHECKED_CAST\")\n   return object : CoroutineImpl(completion as Continuation<Any?>) {\n   override fun doResume(): Any? {\n   exception?.let { throw it }\n   return block()\n   }\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n   result.getOrThrow()\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n   public constructor(milliseconds: Number)\n\n   public constructor(dateString: String)\n\n   public constructor(year: Int, month: Int)\n\n   public constructor(year: Int, month: Int, day: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n   public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n   public fun getDate(): Int\n\n   public fun getDay(): Int\n\n   public fun getFullYear(): Int\n\n   public fun getHours(): Int\n\n   public fun getMilliseconds(): Int\n\n   public fun getMinutes(): Int\n\n   public fun getMonth(): Int\n\n   public fun getSeconds(): Int\n\n   public fun getTime(): Double\n\n   public fun

getTimezoneOffset(): Int\n\n   public fun getUTCDate(): Int\n\n   public fun getUTCDay(): Int\n\n   public fun getUTCFullYear(): Int\n\n   public fun getUTCHours():
Int\n\n   public fun getUTCMilliseconds(): Int\n\n   public fun getUTCMinutes(): Int\n\n   public fun getUTCMonth(): Int\n\n   public fun getUTCSeconds(): Int\n\n   public fun toDateString(): String\n\n   public fun toISOString(): String\n\n   public fun toJSON(): Json\n\n   public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n   public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\n\n   public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n   public fun toLocaleString(locales: String, options: LocaleOptions = definedExternally): String\n\n   public fun toLocaleTimeString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n   public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n   public
fun toTimeString(): String\n\n   public fun toUTCString(): String\n\n   public companion object {\n   public fun now(): Double\n\n   public fun parse(dateString: String): Double\n\n   public fun UTC(year: Int, month: Int): Double\n\n   public fun UTC(year: Int, month: Int, day: Int): Double\n\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n   public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n
public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n   }\n\n   public interface LocaleOptions {\n   public var localeMatcher: String?\n\n   public var timeZone: String?\n\n   public var hour12: Boolean?\n\n   public var formatMatcher: String?\n\n   public var weekday: String?\n\n   public var era: String?\n\n
        public var year: String?\n\n   public var month: String?\n\n   public var day: String?\n\n   public var hour: String?\n\n   public var minute: String?\n\n   public var second: String?\n\n   public var timeZoneName: String?\n   }\n}\n\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n   val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\n   init(result)\n   return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element = createElement(name).apply(init)\n\n/**\n * Appends a newly created element with
the specified [name] to this element.\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element =\n ownerDocument!!.createElement(name, init).also { appendChild(it) }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\nfun Element.hasClass(cssClass: String): Boolean = className.matches(\"\\"\"(^|.*\\s+)$cssClass($|\\s+.*)\"\\"\".toRegex())\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\nfun Element.addClass(vararg cssClasses: String): Boolean {\n   val missingClasses = cssClasses.filterNot
{ hasClass(it) }\n   if (missingClasses.isNotEmpty()) {\n   val presentClasses = className.trim()\n   className = buildString {\n   append(presentClasses)\n   if (!presentClasses.isEmpty()) {\n   append(\" \")\n   }\n   missingClasses.joinTo(this, \" \")\n   }\n   return true\n   }\n\n   return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n   if (cssClasses.any { hasClass(it) }) {\n   val toBeRemoved = cssClasses.toSet()\n   className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\" \")\n   return true\n   }\n\n   return false\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n

```
 * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage
kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the
string into a regular expression [Regex] with the specified single [option].\n */\n@kotlin.internal.InlineOnly\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a
regular expression [Regex] with the specified set of [options].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage
 kotlin.text\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided
[builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
buildString(builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder().apply(builderAction).toString()\n\n/**\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to
[String].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given
[Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n/**\n * Appends
 all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?):
StringBuilder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to
the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n
element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else ->
append(element.toString())\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n
 */\npublic val Node.isText: Boolean\n    get() = nodeType == Node.TEXT_NODE || nodeType ==
Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\npublic
val Node.isElement: Boolean\n    get() = nodeType == Node.ELEMENT_NODE\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) ->
Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler:
(Event) -> Unit) : EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n
}\n\n    public override fun toString(): String = \"EventListenerHandler($handler)\"\n}\n","/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt
 file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n    val length: Int\n    fun
item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\npublic
fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n    override val size: Int get() =
this@asList.length\n\n    override fun get(index: Int): T = when (index) {\n        in 0..lastIndex ->
this@asList.item(index).unsafeCast<T>()\n        else -> throw IndexOutOfBoundsException(\"index $index is not in
range [0..$lastIndex]\")\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
```

kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Removes all the children from this node. */\npublic fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!!)\n }\n}\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\nfun Element.appendText(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n val r: Any? = this\n\n return when {\n this[\"iterator\"] != null -> \n this[\"iterator\"]()\n js(\"Kotlin\").isArrayish(r) -> \n r.unsafeCast<Array<*>>().iterator()\n\n else -> \n (r as Iterable<*>).iterator()\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName: String) {\n throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n/*\npublic open class MyException : Exception {\n constructor() : super()\n constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n//
TODO: remove workarounds for KT-22053 from direct Throwable inheritors\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Error::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Error::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Error::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Exception::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Exception::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Exception::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual

constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message:
String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message,
null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\n actual constructor() : this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class AssertionError private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n actual constructor() : this(null)\n constructor(message: String?) : this(message, null)\n actual constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message)
{\n actual constructor() : this(null)\n}\n\n@SinceKotlin(\"1.3\")\npublic actual open class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Grouping<T, out K> {\n /** Returns an [Iterator]
over the elements of the source of this grouping. */\n fun sourceIterator(): Iterator<T>\n /** Extracts the key of an [element]. */\n fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n *

`element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating the key of each group
 with the result of aggregation of the group elements.\n * @sample
samples.collections.Grouping.aggregateByRadix\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.aggregate(\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n   return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n *
 - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * If the [destination] map already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n *\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample
samples.collections.Grouping.aggregateByRadixTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n   destination: M,\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n   for (e in this.sourceIterator()) {\n   val key = keyOf(e)\n   val accumulator = destination[key]\n   destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n   }\n   return destination\n}\n\n/**\n * Groups elements from
 the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample
samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n
 */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n   initialValueSelector: (key: K, element: T) -> R,\n   operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n
 *\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample
samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n

initialValueSelector: (key: K, element: T) -> R,\n   operation: (key: K, accumulator: R, element: T) -> R\n): M =\n @Suppress(\"UNCHECKED_CAST\")\n
    aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n   initialValue: R,\n   operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n   @Suppress(\"UNCHECKED_CAST\")\n aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating
 the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n   initialValue: R,\n
 operation: (accumulator: R, element: T) -> R\n): M =\n   @Suppress(\"UNCHECKED_CAST\")\n aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n *\n * @param operation a function that is invoked on each subsequent element of the group with the following
 parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n   operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S> =\n   aggregate { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination]
 map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being folded;\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n   destination: M,\n   operation: (key: K, accumulator: S, element: T) -> S\n): M =\n

aggregateTo(destination)
{ key, acc, e, first ->\n @Suppress(\"UNCHECKED_CAST\")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n *\n *\n * If the [destination] map already
has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n*/\n\n\n/*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector:
(T) -> Double): M =\n foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n fold(0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group with the count
of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n fold(0) { acc, e -> acc + valueSelector(e) }\n*/","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n */\n@Deprecated(\"Use top-level functions from kotlin.math package instead.\", level = DeprecationLevel.WARNING)\npublic external object Math {\n @Deprecated(\"Use kotlin.math.PI instead.\", ReplaceWith(\"PI\", \"kotlin.math.PI\"), level = DeprecationLevel.ERROR)\n public val PI: Double\n @Deprecated(\"Use Random.nextDouble instead\", ReplaceWith(\"kotlin.random.Random.nextDouble()\", \"kotlin.random.Random\"), level = DeprecationLevel.WARNING)\n
public fun random(): Double\n @Deprecated(\"Use kotlin.math.abs instead.\", ReplaceWith(\"abs(value)\", \"kotlin.math.abs\"), level = DeprecationLevel.ERROR)\n public fun abs(value: Double): Double\n @Deprecated(\"Use kotlin.math.acos instead.\", ReplaceWith(\"acos(value)\", \"kotlin.math.acos\"), level = DeprecationLevel.ERROR)\n public fun acos(value: Double): Double\n @Deprecated(\"Use kotlin.math.asin instead.\", ReplaceWith(\"asin(value)\", \"kotlin.math.asin\"), level = DeprecationLevel.ERROR)\n public fun asin(value: Double): Double\n @Deprecated(\"Use kotlin.math.atan instead.\", ReplaceWith(\"atan(value)\", \"kotlin.math.atan\"), level = DeprecationLevel.ERROR)\n public fun atan(value: Double): Double\n

@Deprecated(\"Use kotlin.math.atan2 instead.\", ReplaceWith(\"atan2(y, x)\", \"kotlin.math.atan2\"), level = DeprecationLevel.ERROR)\n   public fun atan2(y: Double, x: Double): Double\n   @Deprecated(\"Use kotlin.math.cos instead.\", ReplaceWith(\"cos(value)\",
\"kotlin.math.cos\"), level = DeprecationLevel.ERROR)\n   public fun cos(value: Double): Double\n @Deprecated(\"Use kotlin.math.sin instead.\", ReplaceWith(\"sin(value)\", \"kotlin.math.sin\"), level = DeprecationLevel.ERROR)\n   public fun sin(value: Double): Double\n   @Deprecated(\"Use kotlin.math.exp instead.\", ReplaceWith(\"exp(value)\", \"kotlin.math.exp\"), level = DeprecationLevel.ERROR)\n   public fun exp(value: Double): Double\n   @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Int): Int\n   @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Float): Float\n @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Double): Double\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n   public fun min(vararg
values: Int): Int\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n public fun min(vararg values: Float): Float\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n   public fun min(vararg values: Double): Double\n   @Deprecated(\"Use kotlin.math.sqrt instead.\", ReplaceWith(\"sqrt(value)\", \"kotlin.math.sqrt\"), level = DeprecationLevel.ERROR)\n public fun sqrt(value: Double): Double\n   @Deprecated(\"Use kotlin.math.tan instead.\", ReplaceWith(\"tan(value)\", \"kotlin.math.tan\"), level = DeprecationLevel.ERROR)\n   public fun tan(value: Double): Double\n   @Deprecated(\"Use kotlin.math.ln instead.\", ReplaceWith(\"ln(value)\", \"kotlin.math.ln\"), level = DeprecationLevel.ERROR)\n   public fun log(value: Double): Double\n   @Deprecated(\"Use kotlin.math.pow instead.\", ReplaceWith(\"pow(base, exp)\", \"kotlin.math.pow\"), level = DeprecationLevel.ERROR)\n   public fun pow(base: Double,
exp: Double): Double\n   @Deprecated(\"Use kotlin.math.round instead.\", ReplaceWith(\"round(value)\", \"kotlin.math.round\"), level = DeprecationLevel.ERROR)\n   public fun round(value: Number): Int\n @Deprecated(\"Use kotlin.math.floor instead.\", ReplaceWith(\"floor(value)\", \"kotlin.math.floor\"), level = DeprecationLevel.ERROR)\n   public fun floor(value: Number): Int\n   @Deprecated(\"Use kotlin.math.ceil instead.\", ReplaceWith(\"ceil(value)\", \"kotlin.math.ceil\"), level = DeprecationLevel.ERROR)\n   public fun ceil(value: Number): Int\n\n   @PublishedApi\n   internal fun trunc(value: Number): Double\n   @PublishedApi\n internal fun sign(value: Number): Double\n\n   @PublishedApi\n   internal fun sinh(value: Double): Double\n @PublishedApi\n   internal fun cosh(value: Double): Double\n   @PublishedApi\n   internal fun tanh(value: Double): Double\n   @PublishedApi\n   internal fun asinh(value: Double): Double\n   @PublishedApi\n   internal fun acosh(value:
Double): Double\n   @PublishedApi\n   internal fun atanh(value: Double): Double\n\n   @PublishedApi\n internal fun hypot(x: Double, y: Double): Double\n\n   @PublishedApi\n   internal fun expm1(value: Double): Double\n\n   @PublishedApi\n   internal fun log10(value: Double): Double\n   @PublishedApi\n   internal fun log2(value: Double): Double\n   @PublishedApi\n   internal fun log1p(value: Double): Double\n}\n\n/**\n * Returns the smaller of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use minOf or kotlin.math.min instead\", ReplaceWith(\"minOf(a, b)\"), level = DeprecationLevel.ERROR)\npublic fun Math.min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use maxOf or kotlin.math.max instead\", ReplaceWith(\"maxOf(a, b)\"), level = DeprecationLevel.ERROR)\npublic fun Math.max(a: Long, b: Long): Long = if (a >= b) a else b\n","/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\npublic external interface Json {\n   /**\n   * Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\n   *\n   * E.g. for next code:\n   * ```kotlin\n   * fun test(j: Json, p: String) =

j[\"prop\"] + j.get(p)\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p) {\n * return j[\"prop\"] + j[p];\n * }\n * ```\n */\n operator fun get(propertyName: String): Any?\n\n /**\n * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n *\n
* E.g. for the following code:\n * ```kotlin\n * fun test(j: Json, p: String, newValue: Any) {\n * j[\"prop\"] = 1\n * j.set(p, newValue)\n * }\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p, newValue) {\n * j[\"prop\"] = 1;\n * j[p] = newValue;\n * }\n * }\n * ```\n */\n operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic = js(\"({})\")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n val keys: Array<String> = js(\"Object\").keys(other)\n for (key in keys) {\n if (other.asDynamic().hasOwnProperty(key))
{\n this[key] = other[key];\n }\n }\n return this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external object JSON {\n public fun stringify(o: Any?): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer: Array<String>): String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun stringify(o: Any?, replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n public fun <T>
parse(text: String, reviver: ((key: String, value: Any?) -> Any?)): T\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n@file:Suppress(\"DEPRECATION\", \"DEPRECATION_ERROR\")\npackage kotlin.math\n\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.Math as nativeMath\n\n\n// region ================ Double Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in
radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)`
is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI`

for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n
 *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *   - `tanh(1.0)` is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n *   - `exp(NaN)` is `NaN`\n *   - `exp(+Inf)` is `+Inf`\n *   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/**\n
 * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   - `log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun log(x: Double, base: Double): Double {\n   if (base <= 0.0 || base == 1.0) return Double.NaN\n
    return nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x:

Double): Double = nativeMath.log2(x)\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x).unsafeCast<Double>()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun round(x: Double): Double {\n   if (x % 0.5 != 0.0) {\n   return nativeMath.round(x).unsafeCast<Double>()\n   }\n   val floor = floor(x)\n   return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.withSign(sign: Double): Double {\n   val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\n   val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\n   return if (thisSignBit == newSignBit) this else -this\n}\n\n/**\n * Returns this value with the sign bit same as of the [sign]

value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic actual val Double.ulp: Double get() = when {\n   this < 0 -> (-this).ulp\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == Double.MAX_VALUE -> this - this.nextDown()\n   else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextUp(): Double = when {\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == 0.0 -> Double.MIN_VALUE\n
    else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextDown(): Double = when {\n   this.isNaN() || this == Double.NEGATIVE_INFINITY -> this\n   this == 0.0 -> -Double.MIN_VALUE\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextTowards(to: Double): Double = when {\n   this.isNaN() || to.isNaN() -> Double.NaN\n   to == this -> to\n   to > this -> this.nextUp()\n   else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToInt(): Int = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Int.MAX_VALUE -> Int.MAX_VALUE\n   this < Int.MIN_VALUE -> Int.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
 actual fun Double.roundToLong(): Long = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Long.MAX_VALUE -> Long.MAX_VALUE\n   this < Long.MIN_VALUE -> Long.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n// endregion\n\n\n\n// region ================ Float Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)`
 is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value

is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n
 * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n
 */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Float):
 Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n
 * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b <

1`\n *  - `log(0.0, b)` is `-Inf` for
`b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n
* Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n
* - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline

```
fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is positive\n *\n * Special case:\n *   - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n *   - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n *   - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n\n// endregion\n\n// region ================ Integer Math ========================================\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n// TODO: remove manual 'or' when KT-19290 is fixed\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Int.sign: Int get() = when {\n    this < 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Long.sign: Int get() = when {\n    this
```

< 0 -> -1\n   this > 0 -> 1\n   else -> 0\n}\n\n\n// endregion\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long = definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int = definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float = js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\n/**\n * Returns `true` if the contents of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\npublic actual fun String.toBoolean(): Boolean = toLowerCase() == \"true\"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a

number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix)
?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException
if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toDouble(): Double = (+(this.asDynamic())).unsafeCast<Double>().also {\n if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\n !(it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException
when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n \"nan\", \"+nan\", \"-nan\" -> true\n else -> false\n}\n\n/**\n
* Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n if (radix !in 2..36) {\n throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\n }\n return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n char >= '0' && char <= '9' -> char - '0'\n char >= 'A' && char <= 'Z' -> char - 'A' + 10\n char >= 'a' && char <= 'z' -> char - 'a' + 10\n else -> -1\n}.let { if (it >= radix) -1 else it }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise

object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic
 open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n @LowPriorityInOverloadResolution\n   public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n   public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n   public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n companion object {\n   public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n   public fun reject(e: Throwable): Promise<Nothing>\n\n   public fun <S> resolve(e: S): Promise<S>\n   public fun <S> resolve(e: Promise<S>): Promise<S>\n   }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n   noinline onFulfilled: ((T)
 -> S)?\n): Promise<S> {\n   return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n   noinline onFulfilled: ((T) -> S)?,\n   noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n   return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n   Random(js(\"(Math.random() * Math.pow(2, 32)) | 0\").unsafeCast<Int>())\n\n\ninternal actual fun fastLog2(value: Int): Int {\n   // TODO: not so fast, make faster\n var v = value\n   var log = -1\n   while (v != 0) {\n   v = v.ushr(1)\n   log++\n   }\n   return log\n}\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val INV_2_53: Double = 2.0.pow(-53)\ninternal actual fun doubleFromParts(hi26:
 Int, low27: Int): Double =\n   hi26 * INV_2_26 + low27 * INV_2_53","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n   /**\n * Returns the unqualified name of the class represented by this instance.\n   */\n   val name: String\n}\n\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"T::class.js\"), level = DeprecationLevel.ERROR)\nexternal fun <T : Any> jsClass(): JsClass<T>\n\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"this::class.js\"), level
 = DeprecationLevel.ERROR)\nval <T : Any> T.jsClass: JsClass<T>\n   get() = when (jsTypeOf(this)) {\n \"string\" -> js(\"String\")\n   \"number\" -> js(\"Number\")\n   \"boolean\" -> js(\"Boolean\")\n   else -> js(\"Object\").getPrototypeOf(this).constructor\n   }\n\n/**\n * Obtains a constructor reference for the given `KClass`.\n */\nval <T : Any> KClass<T>.js: JsClass<T>\n   get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n   get() = getKClass(this)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n   internal open val jClass: JsClass<T>\n) : KClass<T> {\n   override val annotations: List<Annotation>\n get() = TODO()\n   override val constructors: Collection<KFunction<T>>\n   get() = TODO()\n   override val isAbstract: Boolean\n   get() = TODO()\n   override val isCompanion: Boolean\n   get() = TODO()\n override val isData: Boolean\n   get() = TODO()\n   override val isFinal: Boolean\n   get() = TODO()\n override val isInner: Boolean\n   get() = TODO()\n   override val isOpen: Boolean\n   get() = TODO()\n override val isSealed: Boolean\n   get() = TODO()\n   override val members: Collection<KCallable<*>>\n get() = TODO()\n   override val nestedClasses: Collection<KClass<*>>\n   get() = TODO()\n   override val objectInstance: T?\n   get() = TODO()\n   override val qualifiedName: String?\n   get() = TODO()\n override val supertypes: List<KType>\n   get() = TODO()\n   override val typeParameters:

```
List<KTypeParameter>\n        get() = TODO()\n    override val sealedSubclasses: List<KClass<out T>>\n
        get() = TODO()\n    override val visibility: KVisibility?\n        get() = TODO()\n\n    override fun equals(other:
Any?): Boolean {\n        return other is KClassImpl<*> && jClass == other.jClass\n    }\n\n    // TODO: use FQN\n
override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n    override fun toString(): String {\n        // TODO:
use FQN\n        return \"class $simpleName\"\n    }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass:
JsClass<T>) : KClassImpl<T>(jClass) {\n    override val simpleName: String? =
jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\n\n    override fun isInstance(value: Any?):
Boolean {\n        return jsIsType(value, jClass)\n    }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val isInstanceFunction: (Any?) ->
Boolean\n) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean {\n        if (other !is
PrimitiveKClassImpl<*>)
 return false\n        return super.equals(other) && givenSimpleName == other.givenSimpleName\n    }\n\n
override val simpleName: String? get() = givenSimpleName\n\n    override fun isInstance(value: Any?): Boolean {\n
     return isInstanceFunction(value)\n    }\n}\n\ninternal object NothingKClassImpl :
KClassImpl<Nothing>(js(\"Object\")) {\n    override val simpleName: String = \"Nothing\"\n\n    override fun
isInstance(value: Any?): Boolean = false\n\n    override val jClass: JsClass<Nothing>\n        get() = throw
UnsupportedOperationException(\"There's no native JS class for Nothing type\")\n\n    override fun equals(other:
Any?): Boolean = other === this\n\n    override fun hashCode(): Int = 0\n}","/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal
 object PrimitiveClasses {\n    @JsName(\"anyClass\")\n    val anyClass =
PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n
@JsName(\"numberClass\")\n    val numberClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n
@JsName(\"nothingClass\")\n    val nothingClass = NothingKClassImpl\n\n    @JsName(\"booleanClass\")\n    val
booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean
})\n\n    @JsName(\"byteClass\")\n    val byteClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n
@JsName(\"shortClass\")\n    val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(),
\"Short\", { it is Short })\n\n    @JsName(\"intClass\")\n    val intClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n
@JsName(\"floatClass\")\n
   val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\n\n
 @JsName(\"doubleClass\")\n    val doubleClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n
@JsName(\"arrayClass\")\n    val arrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n
@JsName(\"stringClass\")\n    val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(),
\"String\", { it is String })\n\n    @JsName(\"throwableClass\")\n    val throwableClass =
PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n
@JsName(\"booleanArrayClass\")\n    val booleanArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray
})\n\n    @JsName(\"charArrayClass\")\n    val charArrayClass =
PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(),
 \"CharArray\", { it is CharArray })\n\n    @JsName(\"byteArrayClass\")\n    val byteArrayClass =
PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n
@JsName(\"shortArrayClass\")\n    val shortArrayClass =
```

```
PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray })\n\n    @JsName(\"intArrayClass\")\n    val intArrayClass = PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n    @JsName(\"longArrayClass\")\n    val longArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n    @JsName(\"floatArrayClass\")\n    val floatArrayClass = PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray })\n\n    @JsName(\"doubleArrayClass\")\n    val doubleArrayClass = PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\", { it is DoubleArray })\n\n    @JsName(\"functionClass\")\n    fun functionClass(arity: Int): KClassImpl<Any> {\n        return functionClasses.get(arity) ?: run {\n            val result = PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(), \"Function$arity\",\n                { jsTypeOf(it) === \"function\" && it.asDynamic().length == arity })\n            functionClasses.asDynamic()[arity] = result\n            result\n        }\n    }\n}\n\nprivate val functionClasses = arrayOfNulls<KClassImpl<Any>>(0)","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"getKClass\")\ninternal fun <T : Any> getKClass(jClass: JsClass<T>): KClass<T> = getOrCreateKClass(jClass)\n\n@JsName(\"getKClassFromExpression\")\ninternal fun <T : Any> getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        \"string\" -> PrimitiveClasses.stringClass\n        \"number\" -> if (js(\"e | 0\") === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        \"boolean\" -> PrimitiveClasses.booleanClass\n        \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n        else -> {\n            when {\n                e is BooleanArray -> PrimitiveClasses.booleanArrayClass\n                e is CharArray -> PrimitiveClasses.charArrayClass\n                e is ByteArray -> PrimitiveClasses.byteArrayClass\n                e is ShortArray -> PrimitiveClasses.shortArrayClass\n                e is IntArray -> PrimitiveClasses.intArrayClass\n                e is LongArray -> PrimitiveClasses.longArrayClass\n                e is FloatArray -> PrimitiveClasses.floatArrayClass\n                e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n                e is KClass<*> -> KClass::class\n                e is Array<*> -> PrimitiveClasses.arrayClass\n                else -> {\n                    val constructor = js(\"Object\").getPrototypeOf(e).constructor\n                    when {\n                        constructor === js(\"Object\") -> PrimitiveClasses.anyClass\n                        constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\n                        else -> {\n                            val jsClass: JsClass<T> = constructor\n                            getOrCreateKClass(jsClass)\n                        }\n                    }\n                }\n            }\n        }\n    }.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n    if (jClass === js(\"String\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n    val metadata = jClass.asDynamic().`$metadata$`\n\n    return if (metadata != null) {\n        if (metadata.`$kClass$` == null) {\n            val kClass = SimpleKClassImpl(jClass)\n            metadata.`$kClass$` = kClass\n            kClass\n        } else {\n            metadata.`$kClass$`\n        }\n    } else {\n        SimpleKClassImpl(jClass)\n    }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOption(val value: String) {\n    /** Enables case-insensitive matching. */\n    IGNORE_CASE(\"i\"),\n    /** Enables multiline mode.\n     *\n     * In multiline mode the expressions `^` and `$` match just after or just before,\n     * respectively, a line terminator or the end of the input sequence. */\n    MULTILINE(\"m\")\n}\n\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n\n/**\n *
```

Represents a compiled regular expression.\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n *\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n *\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n /** Creates a regular expression from the specified [pattern] string and the default options. */\n public actual constructor(pattern: String) : this(pattern, emptySet())\n\n\n /** The pattern string of this regular expression. */\n public actual val pattern: String = pattern\n /** The set of options that were used to create this regular expression. */\n public actual val options: Set<RegexOption> = options.toSet()\n private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \"|\") + \"g\")\n\n /** Indicates whether the regular expression matches the entire [input]. */\n public actual infix fun matches(input: CharSequence): Boolean {\n nativePattern.reset()\n val match = nativePattern.exec(input.toString())\n return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n }\n\n /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n public actual fun containsMatchIn(input: CharSequence): Boolean {\n nativePattern.reset()\n return nativePattern.test(input.toString())\n }\n\n /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n *\n * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n * @return An instance of [MatchResult] if match was found or `null` otherwise.\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n\n /**\n * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n *\n * @sample samples.text.Regexps.findAll\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n generateSequence({ find(input, startIndex) }, { match -> match.next() })\n\n /**\n * Attempts to match the entire [input] CharSequence against the pattern.\n *\n * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n */\n public actual fun matchEntire(input: CharSequence): MatchResult? {\n if (pattern.startsWith('^') && pattern.endsWith('$'))\n return find(input)\n else\n return Regex(\"^${pattern.trimStart('^').trimEnd('$')}$\", options).find(input)\n }\n\n /**\n * Replaces all occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n *\n * @param replacement A replacement expression that can include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n */\n public actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern, replacement)\n\n /**\n * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n public actual inline fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n var match = find(input)\n if (match == null) return input.toString()\n\n var lastStart = 0\n val length = input.length\n val sb = StringBuilder(length)\n do {\n val foundMatch = match!!\n sb.append(input, lastStart, foundMatch.range.start)\n sb.append(transform(foundMatch))\n lastStart = foundMatch.range.endInclusive + 1\n match = foundMatch.next()\n } while (lastStart < length && match

```
!= null)\n\n        if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n        return sb.toString()\n    }\n\n    /**\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * @param replacement A replacement expression that can include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n     */\n    public actual fun replaceFirst(input: CharSequence, replacement: String): String {\n        val nonGlobalOptions = options.map { it.value }.joinToString(separator = \"\")\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)\n    }\n\n    /**\n     * Splits the [input] CharSequence around matches of this regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n     * Zero by default means no limit is set.\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun split(input: CharSequence, limit: Int = 0): List<String> {\n        require(limit >= 0) { \"Limit must be non-negative, but was $limit\" }\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result = mutableListOf<String>()\n        var lastStart = 0\n\n        for (match in matches) {\n            result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive + 1\n        }\n        result.add(input.subSequence(lastStart, input.length).toString())\n        return result\n    }\n\n\n    /**\n     * Returns the string representation of this regular expression, namely the [pattern] of this regular expression.\n     *\n     * Note that another regular expression constructed from the same pattern string may have different [options]\n     * and may match strings differently.\n     */\n    public override fun toString(): String = nativePattern.toString()\n\n    actual companion object {\n        /**\n         * Returns a regular expression that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n         */\n        public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n        /**\n         * Returns a regular expression pattern string that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n
         */\n        public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, \"\\\\$&\")\n\n        /**\n         * Returns a literal replacement expression for the specified [literal] string.\n         * No characters of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\n         */\n        public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, \"$$$$\")\n\n        private val patternEscape = RegExp(\"\"\"[-\\\\^$*+?.()|[\\]{}]\"\"\", \"g\")\n        private val replacementEscape = RegExp(\"\"\"\\$\"\"\", \"g\")\n    }\n}\n\n/** Creates a regular expression from the specified [pattern] string and the specified single [option].  */\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\n@JsName(\"Regex_sb3q2\\$\")\npublic fun Regex_0(pattern: String, option: RegexOption): Regex = Regex(pattern, setOf(option))\n\n/** Creates
 a regular expression from the specified [pattern] string and the default options.  */\n@Deprecated(\"Provided for binary compatibility\", level = DeprecationLevel.HIDDEN)\n@JsName(\"Regex_61zpoe\\$\")\npublic fun Regex_1(pattern: String): Regex = Regex(pattern, emptySet())\n\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n    this.lastIndex = from\n    val match = exec(input)\n    if (match == null) return null\n
 val range = match.index..lastIndex - 1\n\n    return object : MatchResult {\n        override val range: IntRange = range\n        override val value: String\n            get() = match[0]!!\n\n        override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n            override val size: Int get() = match.length\n            override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n            override fun get(index: Int): MatchGroup? = match[index]?.let
 { MatchGroup(it) }\n        }\n\n\n        private var groupValues_: List<String>? = null\n\n        override val groupValues: List<String>\n            get() {\n                if (groupValues_ == null) {\n                    groupValues_ = object : AbstractList<String>() {\n                        override val size: Int get() = match.length\n                        override fun get(index: Int): String = match[index] ?: \"\"\n                    }\n                }\n                return groupValues_!!\n
```

}\n\n override fun next(): MatchResult? = this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\n */\n public var lastIndex: Int\n\n public val global: Boolean\n public val ignoreCase: Boolean\n public val multiline: Boolean\n}\n\n/**\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n */\npublic fun RegExp.reset() {\n lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external interface RegExpMatch {\n public val index: Int\n public val input: String\n public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n private var sequenceRef: Sequence<T>? = sequence\n\n override fun iterator(): Iterator<T> {\n val sequence = sequenceRef ?: throw IllegalStateException(\"This sequence can be consumed only once.\")\n sequenceRef = null\n return sequence.iterator()\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, 0)\n else\n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, startIndex)\n else\n return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeEndsWith(suffix)\n else\n return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\npublic fun String.matches(regex: String): Boolean {\n val result = this.match(regex)\n return result != null && result.size != 0\n}\n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || (if (this is String) this else this.toString()).matches(\"^[\\\\s\\\\xA0]+$\")\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGU

```
MENTS\")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n    if (this == null)\n        other == null\n    else if (!ignoreCase)\n        this == other\n    else\n        other != null && this.toLowerCase() == other.toLowerCase()\n\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\n    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string having its first letter uppercased, or the original string,\n * if it's empty or already starts with an upper case letter.\n *\n * @sample samples.text.Strings.capitalize\n */\npublic actual fun String.capitalize(): String {\n    return if (isNotEmpty()) substring(0, 1).toUpperCase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased, or the original string,\n * if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapitalize\n */\npublic actual fun String.decapitalize(): String {\n    return if (isNotEmpty()) substring(0, 1).toLowerCase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws [IllegalArgumentException] when n < 0.\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\n    return when (n) {\n        0 -> \"\"\n        1 -> this.toString()\n        else -> {\n            var result = \"\"\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n                    s += s\n                }\n            }\n            return result\n        }\n    }\n}\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gi\" else \"g\"), Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()),\n        if (ignoreCase) \"gi\" else \"g\"), newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"i\" else \"\"), Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"i\" else \"\"), newChar.toString())\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\npublic actual interface Appendable {\n    public actual fun append(csq: CharSequence?): Appendable\n    public actual fun append(csq: CharSequence?, start: Int, end: Int): Appendable\n    public actual fun append(c: Char): Appendable\n}\n\npublic actual class StringBuilder(content: String = \"\") : Appendable, CharSequence {\n    actual constructor(capacity: Int) : this() {}\n\n    actual constructor(content: CharSequence) : this(content.toString()) {}\n\n    actual constructor() : this(\"\")\n\n    private var string: String = content\n\n    actual override val length: Int\n        get() = string.asDynamic().length\n\n    actual override fun get(index: Int): Char =\n        string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n\n    actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n    actual override fun append(c: Char): StringBuilder {\n        string += c\n        return this\n    }\n\n    actual override fun append(csq: CharSequence?): StringBuilder {\n        string += csq.toString()\n        return this\n    }\n\n    actual override
```

fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder {\n string += csq.toString().substring(start, end)\n return this\n }\n\n actual fun append(obj: Any?): StringBuilder {\n string += obj.toString()\n return this\n }\n\n actual fun reverse(): StringBuilder {\n string = string.asDynamic().split(\"\").reverse().join(\"\")\n return this\n }\n\n /**\n * Clears the content of this string builder making it empty.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n @SinceKotlin(\"1.3\")\n public fun clear(): StringBuilder {\n string = \"\"\n return this\n }\n\n override fun toString(): String = string\n}\n\n\n\n/**\n * Clears the content of this string builder making it empty.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n val o = js(\"({})\")\n\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"] = stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n\n return o\n}\n\npublic external abstract class WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external abstract class WebGLBuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic external abstract class WebGLFramebuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external abstract class WebGLProgram : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic external abstract class WebGLRenderbuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external abstract class WebGLShader : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript

[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external abstract class WebGLTexture : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript [WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\npublic external abstract class WebGLUniformLocation {\n}\n\n/**\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic external abstract class WebGLActiveInfo {\n   open val size: Int\n   open val type: Int\n   open val name: String\n}\n\n/**\n * Exposes the JavaScript [WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n   open val rangeMin: Int\n   open val rangeMax: Int\n   open val precision: Int\n}\n\npublic external interface WebGLRenderingContextBase {\n   val canvas: HTMLCanvasElement\n   val drawingBufferWidth: Int\n   val drawingBufferHeight: Int\n   fun getContextAttributes(): WebGLContextAttributes?\n   fun isContextLost(): Boolean\n   fun getSupportedExtensions(): Array<String>?\n   fun getExtension(name: String): dynamic\n   fun activeTexture(texture: Int): Unit\n   fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n   fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\n   fun bindBuffer(target: Int, buffer: WebGLBuffer?): Unit\n   fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\n   fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\n   fun bindTexture(target: Int, texture: WebGLTexture?): Unit\n   fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n   fun blendEquation(mode: Int): Unit\n   fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\n   fun blendFunc(sfactor: Int, dfactor: Int): Unit\n   fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int): Unit\n   fun bufferData(target: Int, size: Int, usage: Int): Unit\n   fun bufferData(target: Int, data: BufferDataSource?, usage: Int): Unit\n   fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\n   fun checkFramebufferStatus(target: Int): Int\n   fun clear(mask: Int): Unit\n   fun clearColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n   fun clearDepth(depth: Float): Unit\n   fun clearStencil(s: Int): Unit\n   fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean): Unit\n   fun compileShader(shader: WebGLShader?): Unit\n   fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView): Unit\n   fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\n   fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\n   fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\n   fun createBuffer(): WebGLBuffer?\n   fun createFramebuffer(): WebGLFramebuffer?\n   fun createProgram(): WebGLProgram?\n   fun createRenderbuffer(): WebGLRenderbuffer?\n   fun createShader(type: Int): WebGLShader?\n   fun createTexture(): WebGLTexture?\n   fun cullFace(mode: Int): Unit\n   fun deleteBuffer(buffer: WebGLBuffer?): Unit\n   fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\n   fun deleteProgram(program: WebGLProgram?): Unit\n   fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?): Unit\n   fun deleteShader(shader: WebGLShader?): Unit\n   fun deleteTexture(texture: WebGLTexture?): Unit\n   fun depthFunc(func: Int): Unit\n   fun depthMask(flag: Boolean): Unit\n   fun depthRange(zNear: Float, zFar: Float): Unit\n   fun detachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n   fun disable(cap: Int): Unit\n   fun disableVertexAttribArray(index: Int): Unit\n   fun drawArrays(mode: Int, first: Int, count: Int): Unit\n   fun drawElements(mode: Int, count: Int, type: Int, offset: Int): Unit\n   fun enable(cap: Int): Unit\n   fun enableVertexAttribArray(index: Int): Unit\n   fun finish(): Unit\n   fun flush(): Unit\n   fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?): Unit\n   fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int): Unit\n   fun frontFace(mode: Int): Unit\n   fun generateMipmap(target: Int): Unit\n   fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n   fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n   fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n   fun getAttribLocation(program:

WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int):
Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int): Unit\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?):
Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float): Unit\n fun linkProgram(program: WebGLProgram?): Unit\n fun pixelStorei(pname: Int, param: Int): Unit\n fun polygonOffset(factor: Float, units: Float): Unit\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int): Unit\n fun sampleCoverage(value: Float, invert: Boolean): Unit\n fun scissor(x: Int, y: Int, width: Int, height: Int): Unit\n fun shaderSource(shader: WebGLShader?, source: String): Unit\n fun stencilFunc(func: Int, ref: Int, mask: Int): Unit\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\n fun stencilMask(mask:
Int): Unit\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\n fun stencilOp(fail: Int, zfail: Int, zpass: Int): Unit\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int): Unit\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?): Unit\n fun texParameterf(target: Int, pname: Int, param: Float): Unit\n fun texParameteri(target: Int, pname: Int, param: Int): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?): Unit\n fun uniform1f(location: WebGLUniformLocation?, x: Float): Unit\n fun uniform1fv(location:
WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform1i(location: WebGLUniformLocation?, x: Int): Unit\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y: Float): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform3fv(location: WebGLUniformLocation?,
v: Array<Float>): Unit\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\n fun uniform4iv(location:

WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix3fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>): Unit\n fun useProgram(program: WebGLProgram?): Unit\n fun validateProgram(program: WebGLProgram?): Unit\n fun vertexAttrib1f(index: Int, x: Float): Unit\n fun vertexAttrib1fv(index: Int, values: dynamic): Unit\n fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\n fun vertexAttrib2fv(index: Int, values: dynamic): Unit\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\n fun vertexAttrib3fv(index: Int, values: dynamic): Unit\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\n fun vertexAttrib4fv(index: Int, values: dynamic):
Unit\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int): Unit\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA:
Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL:
Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL:
Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT:

Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST:
Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS:
Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18:
Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val

BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n */\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB:

Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val

TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n */\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit = definedExternally) : Event {\n open val statusMessage: String\n}\n\npublic external interface

```
WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = \"\" */\n        get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n\n    o[\"statusMessage\"] = statusMessage\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin: Int, end: Int = definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val byteOffset: Int\n    val byteLength: Int\n}\n\n/**\n * Exposes the JavaScript [Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally): Unit\n    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n@kotlin.internal.InlineOnly inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Int8Array.set(index: Int, value: Byte):
 Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint8Array, offset: Int = definedExternally): Unit\n    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int): Uint8Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint8Array.set(index:
 Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic external open class Uint8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint8ClampedArray, offset: Int = definedExternally): Unit\n    fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n    fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n@kotlin.internal.InlineOnly
 inline operator fun Uint8ClampedArray.set(index: Int, value: Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class Int16Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int16Array)\n    constructor(array: Array<Short>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Int16Array, offset: Int =
```

definedExternally): Unit\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Int16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open class Uint16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint16Array)\n   constructor(array: Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint16Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Short>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Uint16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class Int32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Int32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Int32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open class Uint32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Int>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Uint32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open class Float32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float32Array)\n   constructor(array: Array<Float>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float32Array, offset: Int = definedExternally): Unit\n   fun set(array: Array<Float>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Float32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Float32Array.set(index: Int, value: Float): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open class Float64Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float64Array)\n   constructor(array: Array<Double>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float64Array, offset: Int = definedExternally): Unit\n   fun

set(array: Array<Double>, offset: Int = definedExternally): Unit\n   fun subarray(start: Int, end: Int): Float64Array\n\n
    companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n@kotlin.internal.InlineOnly inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Float64Array.set(index: Int, value: Double): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun getInt8(byteOffset: Int): Byte\n   fun getUint8(byteOffset: Int): Byte\n   fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally):
 Int\n   fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n   fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n   fun setInt8(byteOffset: Int, value: Byte): Unit\n   fun setUint8(byteOffset: Int, value: Byte): Unit\n   fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n   fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally): Unit\n   fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n   fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally): Unit\n   fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally): Unit\n   fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally): Unit\n}\n\npublic external @marker
 interface BufferDataSource {\n}\n\npublic external @marker interface TexImageSource {\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface ClipboardEventInit : EventInit {\n   var clipboardData:
 DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n   val o = js(\"({})\")\n\n   o[\"clipboardData\"] = clipboardData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n
 open val clipboardData: DataTransfer?\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n   fun read():
 Promise<DataTransfer>\n   fun readText(): Promise<String>\n   fun write(data: DataTransfer): Promise<Unit>\n   fun writeText(data: String): Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n   var allowWithoutGesture: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n   val o = js(\"({})\")\n\n   o[\"allowWithoutGesture\"] = allowWithoutGesture\n\n   return o\n}\n\n","/*\n * Copyright

2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n   open var cssText: String\n   override val length: Int\n   open val parentRule: CSSRule?\n   open var cssFloat: String\n   open var _dashed_attribute: String\n   open var _camel_cased_attribute: String\n   open var _webkit_cased_attribute: String\n   open var alignContent: String\n   open var alignItems: String\n   open var alignSelf: String\n   open var animation: String\n   open var animationDelay: String\n   open var animationDirection: String\n   open var animationDuration: String\n   open var animationFillMode: String\n   open var animationIterationCount: String\n   open var animationName: String\n   open var animationPlayState: String\n   open var animationTimingFunction: String\n   open var backfaceVisibility: String\n   open var background: String\n   open var backgroundAttachment: String\n   open var backgroundClip: String\n   open var backgroundColor: String\n   open var backgroundImage: String\n   open var backgroundOrigin: String\n   open var backgroundPosition: String\n   open var backgroundRepeat: String\n   open var backgroundSize: String\n   open var border: String\n   open var borderBottom: String\n   open var borderBottomColor: String\n   open var borderBottomLeftRadius: String\n   open var borderBottomRightRadius: String\n   open var borderBottomStyle: String\n   open var borderBottomWidth: String\n   open var borderCollapse: String\n   open var borderColor: String\n   open var borderImage: String\n   open var borderImageOutset: String\n   open var borderImageRepeat: String\n   open var borderImageSlice: String\n   open var borderImageSource: String\n   open var borderImageWidth: String\n   open var borderLeft: String\n   open var borderLeftColor: String\n   open var borderLeftStyle: String\n   open var borderLeftWidth: String\n   open var borderRadius: String\n   open var borderRight: String\n   open var borderRightColor: String\n   open var borderRightStyle: String\n   open var borderRightWidth: String\n   open var borderSpacing: String\n   open var borderStyle: String\n   open var borderTop: String\n   open var borderTopColor: String\n   open var borderTopLeftRadius: String\n   open var borderTopRightRadius: String\n   open var borderTopStyle: String\n   open var borderTopWidth: String\n   open var borderWidth: String\n   open var bottom: String\n   open var boxDecorationBreak: String\n   open var boxShadow: String\n   open var boxSizing: String\n   open var breakAfter: String\n   open var breakBefore: String\n   open var breakInside: String\n   open var captionSide: String\n   open var clear: String\n   open var clip: String\n   open var color: String\n   open var columnCount: String\n   open var columnFill: String\n   open var columnGap: String\n   open var columnRule: String\n   open var columnRuleColor: String\n   open var columnRuleStyle: String\n   open var columnRuleWidth: String\n   open var columnSpan: String\n   open var columnWidth: String\n   open var columns: String\n   open var content: String\n   open var counterIncrement: String\n   open var counterReset: String\n   open var cursor: String\n   open var direction: String\n   open var display: String\n   open var emptyCells: String\n   open var filter: String\n   open var flex: String\n   open var flexBasis: String\n   open var flexDirection: String\n   open var flexFlow: String\n   open var flexGrow: String\n   open var flexShrink: String\n   open var flexWrap: String\n   open var font: String\n   open var fontFamily: String\n   open var fontFeatureSettings: String\n   open var fontKerning: String\n   open var fontLanguageOverride: String\n   open var fontSize: String\n   open var fontSizeAdjust: String\n   open var fontStretch: String\n   open var fontStyle: String\n   open var fontSynthesis: String\n   open var fontVariant: String\n   open var fontVariantAlternates: String\n   open var fontVariantCaps: String\n   open var fontVariantEastAsian: String\n

open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor: String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent: String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n override fun item(index: Int): String\n fun getPropertyValue(property: String): String\n fun getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String = definedExternally): Unit\n fun setPropertyValue(property: String, value: String): Unit\n fun setPropertyPriority(property: String, priority: String): Unit\n fun removeProperty(property: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n open var mediaText: String\n override val length: Int\n override fun item(index: Int): String?\n fun appendMedium(medium: String): Unit\n fun deleteMedium(medium: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode: UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n

open val media: MediaList\n
open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override val length: Int\n override fun item(index: Int): StyleSheet?\n}\n@kotlin.internal.InlineOnly inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface LinkStyle {\n val sheet: StyleSheet?\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n override val length: Int\n override fun item(index: Int): CSSRule?\n}\n@kotlin.internal.InlineOnly inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class CSSRule {\n open val type: Short\n open var cssText: String\n open val parentRule: CSSRule?\n open val parentStyleSheet: CSSStyleSheet?\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\npublic external abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href: String\n open val media: MediaList\n open val styleSheet: CSSStyleSheet\n}\n\n/**\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\npublic external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n}\n\n/**\n * Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic external abstract class CSSPageRule : CSSGroupingRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n open val name: String\n open val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n}\n\npublic external interface ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n\n companion object {\n fun escape(ident: String): String\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n

* Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view: Window?\n open val detail: Int\n}\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n val o = js(\"({})\")\n\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget: EventTarget?\n}\n\npublic external interface FocusEventInit : UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n val o = js(\"({})\")\n\n o[\"relatedTarget\"] = relatedTarget\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n open val region: String?\n open val screenX: Int\n open val screenY: Int\n open val pageX: Double\n open val pageY: Double\n open val clientX: Int\n open val clientY: Int\n open val offsetX: Double\n open val offsetY: Double\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget: EventTarget?\n fun getModifierState(keyArg: String): Boolean\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var button: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var buttons: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n val o = js(\"({})\")\n\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n

o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n var ctrlKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var shiftKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var altKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var metaKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierAltGraph: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierCapsLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierFn: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierFnLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierHyper: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierNumLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierScrollLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSuper: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbol: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbolLock: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n val o = js(\"({})\")\n\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n open val deltaX: Double\n open val deltaY: Double\n open val deltaZ: Double\n open val deltaMode: Int\n\n companion object {\n val DOM_DELTA_PIXEL: Int\n val DOM_DELTA_LINE: Int\n val DOM_DELTA_PAGE: Int\n }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n var deltaX: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaY: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaZ: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var deltaMode: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,

modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock:
Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n val o = js(\"({})\")\n\n o[\"deltaX\"] = deltaX\n o[\"deltaY\"] = deltaY\n o[\"deltaZ\"] = deltaZ\n o[\"deltaMode\"] = deltaMode\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n open val data: String\n open val isComposing: Boolean\n}\n\npublic external interface InputEventInit : UIEventInit {\n var data: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window?
= null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n val o = js(\"({})\")\n\n o[\"data\"] = data\n o[\"isComposing\"] = isComposing\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n open val key: String\n open val code: String\n open val location: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val repeat: Boolean\n open val isComposing: Boolean\n open val charCode: Int\n open val keyCode: Int\n open val which: Int\n fun getModifierState(keyArg:
String): Boolean\n\n companion object {\n val DOM_KEY_LOCATION_STANDARD: Int\n val DOM_KEY_LOCATION_LEFT: Int\n val DOM_KEY_LOCATION_RIGHT: Int\n val DOM_KEY_LOCATION_NUMPAD: Int\n }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n var key: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var code: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var location: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var repeat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int?
= 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n val o = js(\"({})\")\n\n o[\"key\"] = key\n o[\"code\"] = code\n o[\"location\"]

= location\n   o[\"repeat\"] = repeat\n   o[\"isComposing\"] = isComposing\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n   open val data: String\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n   var data: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n   val o = js(\"({})\")\n\n   o[\"data\"] = data\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n   open val type: String\n   open val target: EventTarget?\n   open val currentTarget: EventTarget?\n   open val eventPhase: Short\n   open val bubbles: Boolean\n   open val cancelable: Boolean\n   open val defaultPrevented: Boolean\n   open val composed: Boolean\n   open val isTrusted: Boolean\n   open val timeStamp: Number\n   fun composedPath(): Array<EventTarget>\n   fun stopPropagation(): Unit\n   fun stopImmediatePropagation(): Unit\n   fun preventDefault(): Unit\n   fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean): Unit\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n */\npublic external abstract class EventTarget {\n   fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\n   fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\n   fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally): Unit\n   fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally): Unit\n   fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic external interface EventListener {\n   fun handleEvent(event: Event): Unit\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,

NavigatorPlugins, NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n   open val maxTouchPoints: Int\n   open val mediaDevices: MediaDevices\n   open val clipboard: Clipboard\n   fun vibrate(pattern: dynamic): Boolean\n   fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit): Unit\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers,
 NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n   open val fullscreenEnabled: Boolean\n   open val fullscreen: Boolean\n   var onfullscreenchange: ((Event) -> dynamic)?\n   var onfullscreenerror: ((Event) -> dynamic)?\n   open val rootElement: SVGSVGElement?\n   var title: String\n   open val referrer: String\n   var domain: String\n   open val activeElement: Element?\n   open val location: Location?\n   var cookie: String\n   open val lastModified: String\n   open val readyState: DocumentReadyState\n   var dir: String\n   var body: HTMLElement?\n   open val head: HTMLHeadElement?\n   open val images: HTMLCollection\n   open val embeds: HTMLCollection\n   open val plugins: HTMLCollection\n   open val links: HTMLCollection\n   open val forms: HTMLCollection\n   open val scripts: HTMLCollection\n   open val currentScript: HTMLOrSVGScriptElement?\n   open val defaultView: Window?\n   var designMode: String\n   var
 onreadystatechange: ((Event) -> dynamic)?\n   var fgColor: String\n   var linkColor: String\n   var vlinkColor: String\n   var alinkColor: String\n   var bgColor: String\n   open val anchors: HTMLCollection\n   open val applets: HTMLCollection\n   open val all: HTMLAllCollection\n   open val implementation: DOMImplementation\n   open val URL: String\n   open val documentURI: String\n   open val origin: String\n   open val compatMode: String\n   open val characterSet: String\n   open val charset: String\n   open val inputEncoding: String\n   open val contentType: String\n   open val doctype: DocumentType?\n   open val documentElement: Element?\n   open val scrollingElement: Element?\n   open val styleSheets: StyleSheetList\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\n   override var onpointermove: ((PointerEvent)
 -> dynamic)?\n   override var onpointerup: ((PointerEvent) -> dynamic)?\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\n   override var onpointerover: ((PointerEvent) -> dynamic)?\n   override var onpointerout: ((PointerEvent) -> dynamic)?\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent)
 -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit: ((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n   override var ondragover: ((DragEvent) -> dynamic)?\n   override var ondragstart: ((DragEvent) -> dynamic)?\n   override var ondrop: ((DragEvent) -> dynamic)?\n   override var ondurationchange: ((Event) -> dynamic)?\n   override var onemptied: ((Event) -> dynamic)?\n   override var onended: ((Event) -> dynamic)?\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((FocusEvent) -> dynamic)?\n   override var oninput: ((InputEvent) -> dynamic)?\n   override var oninvalid: ((Event) -> dynamic)?\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var onloadend: ((Event) -> dynamic)?\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\n   override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var

onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset:
((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override val fullscreenElement: Element?\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n fun exitFullscreen(): Promise<Unit>\n fun getElementsByName(elementName: String): NodeList\n fun open(type: String = definedExternally, replace: String = definedExternally): Document\n fun open(url: String, name: String, features: String): Window\n fun close(): Unit\n fun write(vararg text: String): Unit\n fun writeln(vararg text: String): Unit\n fun hasFocus(): Boolean\n fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String): Boolean\n fun queryCommandSupported(commandId: String): Boolean\n fun queryCommandValue(commandId: String): String\n fun clear(): Unit\n fun captureEvents(): Unit\n fun releaseEvents(): Unit\n fun getElementsByTagName(qualifiedName:
String): HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun getElementsByClassName(classNames: String): HTMLCollection\n fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node, deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n fun createEvent(interface_: String): Event\n
fun createRange(): Range\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun elementFromPoint(x: Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double): Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun
querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic,

options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n@kotlin.internal.InlineOnly inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindow {\n   override val performance: Performance\n   open val window: Window\n   open val self: Window\n   open val document: Document\n   open var name: String\n   open val location: Location\n   open val history: History\n   open val customElements: CustomElementRegistry\n   open val locationbar: BarProp\n   open val menubar: BarProp\n   open val personalbar: BarProp\n   open val scrollbars: BarProp\n   open val statusbar: BarProp\n   open val toolbar: BarProp\n   open var status: String\n   open val closed: Boolean\n   open val frames: Window\n   open val length: Int\n   open val top: Window\n   open var opener: Any?\n   open val parent: Window\n   open val frameElement: Element?\n   open val navigator: Navigator\n   open val applicationCache: ApplicationCache\n   open val external: External\n   open val screen: Screen\n   open val innerWidth: Int\n   open val innerHeight: Int\n   open val scrollX: Double\n   open val pageXOffset: Double\n   open val scrollY: Double\n   open val pageYOffset: Double\n   open val screenX: Int\n   open val screenY: Int\n   open val outerWidth: Int\n   open val outerHeight: Int\n   open val devicePixelRatio: Double\n   fun close(): Unit\n   fun stop(): Unit\n   fun focus(): Unit\n   fun blur(): Unit\n   fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n   fun alert(): Unit\n   fun alert(message: String): Unit\n   fun confirm(message: String = definedExternally): Boolean\n   fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n   fun print(): Unit\n   fun requestAnimationFrame(callback: (Double) -> Unit): Int\n   fun cancelAnimationFrame(handle: Int): Unit\n   fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally): Unit\n   fun captureEvents(): Unit\n   fun releaseEvents(): Unit\n   fun matchMedia(query: String): MediaQueryList\n   fun moveTo(x: Int, y: Int): Unit\n   fun moveBy(x: Int, y: Int): Unit\n   fun resizeTo(x: Int, y: Int): Unit\n   fun resizeBy(x: Int, y: Int): Unit\n   fun scroll(options: ScrollToOptions = definedExternally): Unit\n   fun scroll(x: Double, y: Double): Unit\n   fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n   fun scrollTo(x: Double, y: Double): Unit\n   fun scrollBy(options: ScrollToOptions = definedExternally): Unit\n   fun scrollBy(x: Double, y: Double): Unit\n   fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally): CSSStyleDeclaration\n}\n@kotlin.internal.InlineOnly inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class HTMLAllCollection {\n   open val length: Int\n//   fun namedItem(name: String): UnionElementOrHTMLCollection?\n   fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n}\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n//@kotlin.internal.InlineOnly inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n */\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\n//   override fun namedItem(name: String): UnionElementOrRadioNodeList?\n}\n//@kotlin.internal.InlineOnly override inline operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n */\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n   open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection)

to Kotlin\n */\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n/**\n * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click(): Unit\n fun focus(): Unit\n fun blur(): Unit\n fun forceSpellCheck(): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n */\npublic external abstract class HTMLUnknownElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n */\npublic external abstract class DOMStringMap {\n}\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.set(name: String, value: String): Unit { asDynamic()[name] = value; }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n */\npublic external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n}\n\n/**\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n open var target: String\n}\n\n/**\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n open var scope: String\n open var workerType: WorkerType\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n @JsName(\"as\") open var as_: RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy: String\n open var charset: String\n open var rev: String\n open var target: String\n}\n\n/**\n * Exposes the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic external abstract class HTMLMetaElement : HTMLElement {\n open var name: String\n open var httpEquiv: String\n open var content: String\n open var scheme: String\n}\n\n/**\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n

open var link: String\n   open var vLink: String\n   open var aLink: String\n   open var bgColor: String\n   open var background: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n   open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n   open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic external abstract class HTMLHRElement : HTMLElement {\n   open var align: String\n   open var color: String\n   open var noShade: Boolean\n   open var size: String\n   open var width: String\n}\n\n/**\n * Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\npublic external abstract class HTMLPreElement : HTMLElement {\n   open var width: Int\n}\n\n/**\n * Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\npublic external abstract class HTMLQuoteElement : HTMLElement {\n   open var cite: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n */\npublic external abstract class HTMLOListElement : HTMLElement {\n   open var reversed: Boolean\n   open var start: Int\n   open var type: String\n   open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\n */\npublic external abstract class HTMLUListElement : HTMLElement {\n   open var compact: Boolean\n   open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n */\npublic external abstract class HTMLLIElement : HTMLElement {\n   open var value: Int\n   open var type: String\n}\n\n/**\n * Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n */\npublic external abstract class HTMLDListElement : HTMLElement {\n   open var compact: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic external abstract class HTMLDivElement : HTMLElement {\n   open var align: String\n}\n\n/**\n * Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n */\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n   open var target: String\n   open var download: String\n   open var ping: String\n   open var rel: String\n   open val relList: DOMTokenList\n   open var hreflang: String\n   open var type: String\n   open var text: String\n   open var referrerPolicy: String\n   open var coords: String\n   open var charset: String\n   open var name: String\n   open var rev: String\n   open var shape: String\n}\n\n/**\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n   open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic external abstract class HTMLTimeElement : HTMLElement {\n   open var dateTime: String\n}\n\n/**\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic external abstract class HTMLBRElement : HTMLElement {\n   open var clear: String\n}\n\n/**\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n   var href: String\n   val origin:

String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/**\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n */\npublic external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open var dateTime: String\n}\n\n/**\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n */\npublic external abstract class HTMLPictureElement : HTMLElement {\n}\n\n/**\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n */\npublic external abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n}\n\n/**\n * Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n */\npublic external abstract class HTMLImageElement : HTMLElement, TexImageSource, HTMLOrSVGImageElement {\n open var alt: String\n open var src: String\n open var srcset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n}\n\n/**\n * Exposes the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override val style: CSSStyleDeclaration\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart:

((ProgressEvent) -> dynamic)?\n   override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n   override var onmouseout: ((MouseEvent) -> dynamic)?\n   override var onmouseover: ((MouseEvent) -> dynamic)?\n   override var onmouseup: ((MouseEvent) -> dynamic)?\n   override var onwheel: ((WheelEvent) -> dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n   override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n   override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) -> dynamic)?\n   override var onseeking: ((Event) -> dynamic)?\n
    override var onselect: ((Event) -> dynamic)?\n   override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n override val isContentEditable: Boolean\n   override fun prepend(vararg nodes: dynamic): Unit\n   override fun append(vararg nodes: dynamic): Unit\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n */\npublic external abstract class HTMLIFrameElement : HTMLElement {\n   open var src: String\n   open var srcdoc: String\n   open var name: String\n   open val sandbox: DOMTokenList\n
    open var allowFullscreen: Boolean\n   open var allowUserMedia: Boolean\n   open var width: String\n   open var height: String\n   open var referrerPolicy: String\n   open val contentDocument: Document?\n   open val contentWindow: Window?\n   open var align: String\n   open var scrolling: String\n   open var frameBorder: String\n   open var longDesc: String\n   open var marginHeight: String\n   open var marginWidth: String\n   fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n */\npublic external abstract class HTMLEmbedElement : HTMLElement {\n   open var src: String\n   open var type: String\n   open var width: String\n   open var height: String\n   open var align: String\n   open var name: String\n   fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n */\npublic external abstract class HTMLObjectElement : HTMLElement {\n   open var data: String\n   open var type: String\n   open var typeMustMatch: Boolean\n   open var name: String\n   open var useMap: String\n   open val form: HTMLFormElement?\n   open var width: String\n   open var height: String\n   open val contentDocument: Document?\n   open val contentWindow: Window?\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open var align: String\n   open var archive: String\n   open var code: String\n   open var declare: Boolean\n   open var hspace: Int\n   open var standby: String\n   open var vspace: Int\n   open var codeBase: String\n   open var codeType: String\n   open var border: String\n   fun getSVGDocument(): Document?\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript

[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement)
to Kotlin\n */\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n}\n\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override val style: CSSStyleDeclaration\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var onabort: ((Event)
-> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n
override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent)
-> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow:

((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n
    override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n   override val isContentEditable: Boolean\n   override fun prepend(vararg nodes: dynamic): Unit\n   override fun append(vararg nodes: dynamic): Unit\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options:
 BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLElement {\n   open var kind: String\n   open var src: String\n   open var srclang: String\n   open var label: String\n   open var default: Boolean\n   open val readyState: Short\n   open val track: TextTrack\n\n   companion object {\n   val NONE: Short\n   val LOADING: Short\n   val LOADED: Short\n
        val ERROR: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLElement {\n   open val error: MediaError?\n   open var src: String\n   open var srcObject: dynamic\n   open val currentSrc: String\n   open var crossOrigin: String?\n   open val networkState: Short\n   open var preload: String\n   open val buffered: TimeRanges\n   open val readyState: Short\n   open val seeking: Boolean\n   open var currentTime: Double\n   open val duration: Double\n   open val paused: Boolean\n   open var defaultPlaybackRate: Double\n   open var playbackRate: Double\n   open val played: TimeRanges\n   open val seekable: TimeRanges\n   open val ended: Boolean\n   open var autoplay: Boolean\n   open var loop: Boolean\n   open var controls: Boolean\n   open var volume: Double\n   open var muted: Boolean\n   open var defaultMuted:
 Boolean\n   open val audioTracks: AudioTrackList\n   open val videoTracks: VideoTrackList\n   open val textTracks: TextTrackList\n   fun load(): Unit\n   fun canPlayType(type: String): CanPlayTypeResult\n   fun fastSeek(time: Double): Unit\n   fun getStartDate(): dynamic\n   fun play(): Promise<Unit>\n   fun pause(): Unit\n
 fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n\n   companion object {\n   val NETWORK_EMPTY: Short\n   val NETWORK_IDLE: Short\n
  val NETWORK_LOADING: Short\n   val NETWORK_NO_SOURCE: Short\n   val HAVE_NOTHING: Short\n   val HAVE_METADATA: Short\n   val HAVE_CURRENT_DATA: Short\n   val HAVE_FUTURE_DATA: Short\n   val HAVE_ENOUGH_DATA: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract class MediaError {\n   open val code:
 Short\n\n   companion object {\n   val MEDIA_ERR_ABORTED: Short\n   val MEDIA_ERR_NETWORK: Short\n   val MEDIA_ERR_DECODE: Short\n   val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\npublic external abstract class AudioTrackList : EventTarget {\n   open val length: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((TrackEvent) -> dynamic)?\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\n   fun getTrackById(id: String): AudioTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun

AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val id: String\n   open val kind: String\n
    open val label: String\n   open val language: String\n   open var enabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\npublic external abstract class VideoTrackList : EventTarget {\n   open val length: Int\n   open val selectedIndex: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((TrackEvent) -> dynamic)?\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\n   fun getTrackById(id: String): VideoTrack?\n}\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val id: String\n   open val kind: String\n   open val label: String\n   open val language: String\n   open var selected: Boolean\n}\n\npublic external abstract class TextTrackList : EventTarget {\n   open val length: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((TrackEvent) -> dynamic)?\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\n   fun getTrackById(id: String): TextTrack?\n}\n@kotlin.internal.InlineOnly inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val kind: TextTrackKind\n   open val label: String\n   open val language: String\n   open val id: String\n   open val inBandMetadataTrackDispatchType: String\n   open var mode: TextTrackMode\n   open val cues: TextTrackCueList?\n   open val activeCues: TextTrackCueList?\n   open var oncuechange: ((Event) -> dynamic)?\n   fun addCue(cue: TextTrackCue): Unit\n   fun removeCue(cue: TextTrackCue): Unit\n}\n\npublic external abstract class TextTrackCueList {\n   open val length: Int\n   fun getCueById(id: String): TextTrackCue?\n}\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external abstract class TextTrackCue : EventTarget {\n   open val track: TextTrack?\n   open var id: String\n   open var startTime: Double\n   open var endTime: Double\n   open var pauseOnExit: Boolean\n   open var onenter: ((Event) -> dynamic)?\n   open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n   open val length: Int\n   fun start(index: Int): Double\n   fun end(index: Int): Double\n}\n\n/**\n
 * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n   open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n}\n\npublic external interface TrackEventInit : EventInit {\n   var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n   val o = js(\"({})\")\n\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement)
 to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n   open var name: String\n   open val areas: HTMLCollection\n}\n\n/**\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\npublic

external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n   open var alt: String\n   open var coords: String\n   open var shape: String\n   open var target: String\n   open var download: String\n   open var ping: String\n   open var rel: String\n   open val relList: DOMTokenList\n   open var referrerPolicy: String\n   open var noHref: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n   open var caption: HTMLTableCaptionElement?\n   open var tHead: HTMLTableSectionElement?\n   open var tFoot: HTMLTableSectionElement?\n
    open val tBodies: HTMLCollection\n   open val rows: HTMLCollection\n   open var align: String\n   open var border: String\n   open var frame: String\n   open var rules: String\n   open var summary: String\n   open var width: String\n   open var bgColor: String\n   open var cellPadding: String\n   open var cellSpacing: String\n   fun createCaption(): HTMLTableCaptionElement\n   fun deleteCaption(): Unit\n   fun createTHead(): HTMLTableSectionElement\n   fun deleteTHead(): Unit\n   fun createTFoot(): HTMLTableSectionElement\n   fun deleteTFoot(): Unit\n   fun createTBody(): HTMLTableSectionElement\n   fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n   fun deleteRow(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n   open var align: String\n}\n\n/**\n
 * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\npublic external abstract class HTMLTableColElement : HTMLElement {\n   open var span: Int\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var width: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n   open val rows: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   fun insertRow(index: Int = definedExternally): HTMLElement\n   fun deleteRow(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\npublic external abstract
 class HTMLTableRowElement : HTMLElement {\n   open val rowIndex: Int\n   open val sectionRowIndex: Int\n   open val cells: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var bgColor: String\n   fun insertCell(index: Int = definedExternally): HTMLElement\n   fun deleteCell(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\npublic external abstract class HTMLTableCellElement : HTMLElement {\n   open var colSpan: Int\n   open var rowSpan: Int\n   open var headers: String\n   open val cellIndex: Int\n   open var scope: String\n   open var abbr: String\n   open var align: String\n   open var axis: String\n   open var height: String\n   open var width: String\n   open var ch: String\n   open var chOff: String\n   open var noWrap: Boolean\n   open var vAlign: String\n   open
 var bgColor: String\n}\n\n/**\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n */\npublic external abstract class HTMLFormElement : HTMLElement {\n   open var acceptCharset: String\n   open var action: String\n   open var autocomplete: String\n   open var enctype: String\n   open var encoding: String\n   open var method: String\n   open var name: String\n   open var noValidate: Boolean\n   open var target: String\n   open val elements: HTMLFormControlsCollection\n   open val length: Int\n   fun submit(): Unit\n   fun reset(): Unit\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator

fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLElement {\n open val form: HTMLFormElement?\n open var htmlFor: String\n open val control: HTMLElement?\n}\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLElement {\n open var accept: String\n open var alt: String\n open var autocomplete: String\n open var autofocus: Boolean\n open var defaultChecked: Boolean\n open var checked: Boolean\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open val files: FileList?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var height: Int\n open var indeterminate: Boolean\n open var inputMode: String\n open val list: HTMLElement?\n open var max: String\n open var maxLength: Int\n open var min: String\n open var minLength: Int\n open var multiple: Boolean\n open var name: String\n open var pattern: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var size: Int\n open var src: String\n open var step: String\n open var type: String\n open var defaultValue: String\n open var value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n open var align: String\n open var useMap: String\n fun stepUp(n: Int = definedExternally): Unit\n fun stepDown(n: Int = definedExternally): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLElement {\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n override fun item(index: Int): Element?\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option;

}\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement {\n   open val options:
HTMLCollection\n}\n\n/**\n
 * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open var label:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open val form:
HTMLFormElement?\n   open var label: String\n   open var defaultSelected: Boolean\n   open var selected:
Boolean\n   open var value: String\n   open var text: String\n   open val index: Int\n}\n\n/**\n * Exposes the
JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open
class Option(text: String = definedExternally, value: String
 = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) :
HTMLOptionElement {\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n
 override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val
previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot:
HTMLSlotElement?\n   override val style: CSSStyleDeclaration\n   override var ongotpointercapture:
((PointerEvent) -> dynamic)?\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n   override var
onpointerdown: ((PointerEvent) -> dynamic)?\n   override var onpointermove: ((PointerEvent) -> dynamic)?\n
override var onpointerup: ((PointerEvent) -> dynamic)?\n   override var onpointercancel: ((PointerEvent) ->
dynamic)?\n   override var onpointerover: ((PointerEvent) -> dynamic)?\n   override var onpointerout:
((PointerEvent) -> dynamic)?\n
    override var onpointerenter: ((PointerEvent) -> dynamic)?\n   override var onpointerleave: ((PointerEvent) ->
dynamic)?\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) -> dynamic)?\n
override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var
oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var
onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var
oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var
ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var
ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var
ondragexit: ((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n
 override var ondragover: ((DragEvent) -> dynamic)?\n   override var ondragstart: ((DragEvent) -> dynamic)?\n
override var ondrop: ((DragEvent) -> dynamic)?\n   override var ondurationchange: ((Event) -> dynamic)?\n
override var onemptied: ((Event) -> dynamic)?\n   override var onended: ((Event) -> dynamic)?\n   override var
onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((FocusEvent) -> dynamic)?\n
override var oninput: ((InputEvent) -> dynamic)?\n   override var oninvalid: ((Event) -> dynamic)?\n   override var
onkeydown: ((KeyboardEvent) -> dynamic)?\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\n
override var onkeyup: ((KeyboardEvent) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override
var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var
onloadend: ((Event) -> dynamic)?\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\n
    override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var onmouseenter: ((MouseEvent) ->
dynamic)?\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\n   override var onmousemove:
((MouseEvent) -> dynamic)?\n   override var onmouseout: ((MouseEvent) -> dynamic)?\n   override var
onmouseover: ((MouseEvent) -> dynamic)?\n   override var onmouseup: ((MouseEvent) -> dynamic)?\n   override

var onwheel: ((WheelEvent) -> dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n   override var onplaying: ((Event) -> dynamic)?\n   override var onprogress: ((ProgressEvent) -> dynamic)?\n   override var onratechange: ((Event) -> dynamic)?\n   override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) -> dynamic)?\n   override var onseeking: ((Event) -> dynamic)?\n   override var onselect:
((Event) -> dynamic)?\n   override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n   override val isContentEditable: Boolean\n   override fun prepend(vararg nodes: dynamic): Unit\n   override fun append(vararg nodes: dynamic): Unit\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg
nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var cols: Int\n   open var dirName: String\n   open var disabled:
Boolean\n   open val form: HTMLFormElement?\n   open var inputMode: String\n   open var maxLength: Int\n   open var minLength: Int\n   open var name: String\n   open var placeholder: String\n   open var readOnly: Boolean\n   open var required: Boolean\n   open var rows: Int\n   open var wrap: String\n   open val type: String\n   open var defaultValue: String\n   open var value: String\n   open val textLength: Int\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   open var selectionStart: Int?\n   open var selectionEnd: Int?\n   open var selectionDirection: String?\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n   fun select(): Unit\n   fun setRangeText(replacement: String): Unit\n   fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n
    fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n */\npublic external abstract class HTMLKeygenElement : HTMLElement {\n   open var autofocus: Boolean\n   open var challenge: String\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var keytype: String\n   open var name: String\n   open val type: String\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n */\npublic external abstract class HTMLOutputElement : HTMLElement {\n   open val htmlFor:
DOMTokenList\n   open val form: HTMLFormElement?\n   open var name: String\n   open val type: String\n   open var defaultValue: String\n   open var value: String\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the

JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLElement {\n open var value: Double\n open var max: Double\n open val position: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n */\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form: HTMLFormElement?\n open var align: String\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n */\npublic external abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val relatedTarget: EventTarget?\n}\n\npublic external interface RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n val o = js(\"({})\")\n\n o[\"relatedTarget\"] = relatedTarget\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n */\npublic external abstract class HTMLDialogElement : HTMLElement {\n open var open: Boolean\n open var returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun close(returnValue: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open var event: String\n open var htmlFor: String\n}\n\n/**\n * Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n

*/\npublic external abstract class HTMLTemplateElement : HTMLElement {\n   open val content: DocumentFragment\n}\n\n/**\n * Exposes the JavaScript [HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic external abstract class HTMLSlotElement : HTMLElement {\n   open var name: String\n   fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n}\n\npublic external interface AssignedNodesOptions {\n   var flatten: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n   val o = js(\"({})\")\n\n   o[\"flatten\"] = flatten\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, TexImageSource {\n   open var width: Int\n   open var height: Int\n   fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n   fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n   fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally): Unit\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n   var alpha: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n   val o = js(\"({})\")\n\n   o[\"alpha\"] = alpha\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform, CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n   open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n   fun save(): Unit\n   fun restore(): Unit\n}\n\npublic external interface CanvasTransform {\n   fun scale(x: Double, y: Double): Unit\n   fun rotate(angle: Double): Unit\n   fun translate(x: Double, y: Double): Unit\n   fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n   fun getTransform(): DOMMatrix\n   fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n   fun setTransform(transform: dynamic = definedExternally): Unit\n   fun resetTransform(): Unit\n}\n\npublic external interface CanvasCompositing {\n   var globalAlpha: Double\n   var globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n   var imageSmoothingEnabled: Boolean\n   var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n   var strokeStyle: dynamic\n   var fillStyle: dynamic\n   fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n   fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n   fun createPattern(image: dynamic, repetition: String): CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n   var shadowOffsetX: Double\n   var shadowOffsetY: Double\n   var shadowBlur: Double\n   var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n   var filter: String\n}\n\npublic external interface CanvasRect {\n   fun clearRect(x: Double, y: Double, w: Double, h: Double): Unit\n   fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\n   fun strokeRect(x: Double, y: Double, w: Double, h: Double): Unit\n}\n\npublic external interface CanvasDrawPath {\n   fun beginPath(): Unit\n   fun fill(fillRule: CanvasFillRule = definedExternally): Unit\n   fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\n   fun stroke(): Unit\n   fun stroke(path: Path2D): Unit\n   fun clip(fillRule: CanvasFillRule = definedExternally): Unit\n   fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally): Unit\n   fun resetClip(): Unit\n   fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n   fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally):

Boolean\n   fun isPointInStroke(x: Double, y: Double): Boolean\n   fun isPointInStroke(path: Path2D, x: Double, y:
Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n   fun drawFocusIfNeeded(element: Element): Unit\n   fun drawFocusIfNeeded(path: Path2D, element: Element): Unit\n   fun scrollPathIntoView(): Unit\n   fun scrollPathIntoView(path: Path2D): Unit\n}\n\npublic external interface CanvasText {\n   fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n   fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n   fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n   fun drawImage(image: dynamic, dx: Double, dy: Double): Unit\n   fun drawImage(image: dynamic, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n   fun drawImage(image: dynamic, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n}\n\npublic external interface CanvasHitRegion {\n   fun addHitRegion(options: HitRegionOptions
= definedExternally): Unit\n   fun removeHitRegion(id: String): Unit\n   fun clearHitRegions(): Unit\n}\n\npublic external interface CanvasImageData {\n   fun createImageData(sw: Double, sh: Double): ImageData\n   fun createImageData(imagedata: ImageData): ImageData\n   fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n   fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\n   fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double): Unit\n}\n\npublic external interface CanvasPathDrawingStyles {\n   var lineWidth: Double\n   var lineCap: CanvasLineCap\n   var lineJoin: CanvasLineJoin\n   var miterLimit: Double\n   var lineDashOffset: Double\n   fun setLineDash(segments: Array<Double>): Unit\n   fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n   var font: String\n   var textAlign: CanvasTextAlign\n   var textBaseline: CanvasTextBaseline\n   var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n   fun closePath(): Unit\n   fun moveTo(x: Double, y: Double): Unit\n   fun lineTo(x: Double, y: Double): Unit\n   fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n   fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n   fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n   fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\n   fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external abstract class CanvasGradient {\n   fun addColorStop(offset: Double, color: String): Unit\n}\n\n/**\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n   fun setTransform(transform: dynamic = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n   open val width: Double\n   open val actualBoundingBoxLeft: Double\n   open val actualBoundingBoxRight: Double\n   open val fontBoundingBoxAscent: Double\n   open val fontBoundingBoxDescent: Double\n   open val actualBoundingBoxAscent: Double\n   open val actualBoundingBoxDescent: Double\n   open val emHeightAscent: Double\n   open val emHeightDescent: Double\n   open val hangingBaseline: Double\n   open val alphabeticBaseline: Double\n   open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n   var path: Path2D? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n   get() = definedExternally\n   set(value) = definedExternally\n   var id: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var parentID: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var cursor: String? /* = \"inherit\" */\n   get() = definedExternally\n   set(value) =

definedExternally\n   var control: Element? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var label: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var role: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n   val o = js(\"({})\")\n\n   o[\"path\"] = path\n   o[\"fillRule\"] = fillRule\n   o[\"id\"] = id\n   o[\"parentID\"] = parentID\n   o[\"cursor\"] = cursor\n   o[\"control\"] = control\n   o[\"label\"] = label\n   o[\"role\"] = role\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : TexImageSource {\n   constructor(sw: Int, sh: Int)\n   constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n   open val width: Int\n   open val height: Int\n   open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n   constructor(path: Path2D)\n   constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n   constructor(d: String)\n   fun addPath(path: Path2D, transform: dynamic = definedExternally): Unit\n   override fun closePath(): Unit\n   override fun moveTo(x: Double, y: Double): Unit\n   override fun lineTo(x: Double, y: Double): Unit\n   override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n   override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double): Unit\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n   override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n   override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\n   override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */): Unit\n}\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch {\n   open val region: String?\n}\n\n/**\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n   open val canvas: HTMLCanvasElement\n   fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n   var alpha: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n   val o = js(\"({})\")\n\n   o[\"alpha\"] = alpha\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n */\npublic external abstract class CustomElementRegistry {\n   fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally): Unit\n   fun get(name: String): Any?\n   fun whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n   var extends: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n   val o = js(\"({})\")\n\n   o[\"extends\"] = extends\n\n   return o\n}\n\npublic external interface ElementContentEditable {\n   var contentEditable: String\n   val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\npublic external abstract class DataTransfer {\n   open var dropEffect: String\n   open var effectAllowed: String\n   open val items: DataTransferItemList\n   open val types: Array<out String>\n   open val files: FileList\n   fun setDragImage(image: Element, x: Int, y: Int): Unit\n   fun getData(format: String): String\n   fun setData(format:

String, data: String): Unit\n   fun clearData(format: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\npublic
external abstract class DataTransferItemList {\n   open val length: Int\n   fun add(data: String, type: String): DataTransferItem?\n   fun add(data: File): DataTransferItem?\n   fun remove(index: Int): Unit\n   fun clear(): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic external abstract class DataTransferItem {\n   open val kind: String\n   open val type: String\n   fun getAsString(_callback: ((String) -> Unit)?): Unit\n   fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent) to Kotlin\n */\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n   open val dataTransfer: DataTransfer?\n}\n\npublic external interface
DragEventInit : MouseEventInit {\n   var dataTransfer: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit
{\n   val o = js(\"({})\")\n\n   o[\"dataTransfer\"] = dataTransfer\n   o[\"screenX\"] = screenX\n   o[\"screenY\"] = screenY\n   o[\"clientX\"] = clientX\n   o[\"clientY\"] = clientY\n   o[\"button\"] = button\n   o[\"buttons\"] = buttons\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\npublic external abstract class BarProp {\n   open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class History {\n   open val length: Int\n   open var scrollRestoration: ScrollRestoration\n   open val state: Any?\n   fun go(delta: Int = definedExternally): Unit\n   fun back(): Unit\n   fun forward(): Unit\n   fun pushState(data: Any?, title: String, url: String? = definedExternally): Unit\n   fun replaceState(data: Any?, title: String, url: String? = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class Location {\n   open var href: String\n   open val origin: String\n   open var protocol: String\n   open var host: String\n   open var hostname: String\n   open var port: String\n   open var pathname:
String\n   open var search: String\n   open var hash: String\n   open val ancestorOrigins: Array<out String>\n   fun assign(url: String): Unit\n   fun replace(url: String): Unit\n   fun reload(): Unit\n}\n\n/**\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n   open val state: Any?\n}\n\npublic external interface PopStateEventInit : EventInit {\n   var state: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:

Boolean? = false): PopStateEventInit {\n   val o = js(\"({})\")\n\n   o[\"state\"] = state\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"]
 = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n   open val oldURL: String\n   open val newURL: String\n}\n\npublic external interface HashChangeEventInit : EventInit {\n   var oldURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var newURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL: String? = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n   val o = js(\"({})\")\n\n   o[\"oldURL\"] = oldURL\n   o[\"newURL\"] = newURL\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"]
 = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n   open val persisted: Boolean\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n   var persisted: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\n   val o = js(\"({})\")\n\n   o[\"persisted\"] = persisted\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent)
 to Kotlin\n */\npublic external open class BeforeUnloadEvent : Event {\n   var returnValue: String\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n   open val status: Short\n   open var onchecking: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onnoupdate: ((Event) -> dynamic)?\n   open var ondownloading: ((Event) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var onupdateready: ((Event) -> dynamic)?\n   open var oncached: ((Event) -> dynamic)?\n   open var onobsolete: ((Event) -> dynamic)?\n   fun update(): Unit\n   fun abort(): Unit\n   fun swapCache(): Unit\n\n   companion object {\n   val UNCACHED: Short\n   val IDLE: Short\n   val CHECKING: Short\n   val DOWNLOADING: Short\n   val UPDATEREADY: Short\n   val OBSOLETE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine)
 to Kotlin\n */\npublic external interface NavigatorOnLine {\n   val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n   open val message: String\n   open val filename: String\n   open val lineno: Int\n   open val colno: Int\n   open val error: Any?\n}\n\npublic external interface ErrorEventInit : EventInit {\n   var message: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var filename: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var lineno: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var colno: Int? /* = 0 */\n   get() = definedExternally\n   set(value)
 = definedExternally\n   var error: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n   val o = js(\"({})\")\n\n   o[\"message\"] = message\n   o[\"filename\"] = filename\n   o[\"lineno\"] = lineno\n   o[\"colno\"] = colno\n   o[\"error\"] = error\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript

[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n */\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {\n open val promise: Promise<Any?>\n
open val reason: Any?\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n var promise: Promise<Any?>?\n get() = definedExternally\n set(value) = definedExternally\n var reason: Any?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n val o = js(\"({})\")\n\n o[\"promise\"] = promise\n o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n */\npublic external interface GlobalEventHandlers {\n var ongotpointercapture: ((PointerEvent) -> dynamic)?\n var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n var onpointerdown: ((PointerEvent) -> dynamic)?\n var onpointermove: ((PointerEvent) -> dynamic)?\n var onpointerup: ((PointerEvent) -> dynamic)?\n var onpointercancel: ((PointerEvent) -> dynamic)?\n var onpointerover: ((PointerEvent) -> dynamic)?\n var onpointerout: ((PointerEvent) -> dynamic)?\n var onpointerenter: ((PointerEvent) -> dynamic)?\n var onpointerleave: ((PointerEvent) -> dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onblur: ((FocusEvent) -> dynamic)?\n var oncancel: ((Event) -> dynamic)?\n var oncanplay: ((Event) -> dynamic)?\n var oncanplaythrough: ((Event) -> dynamic)?\n var onchange: ((Event) -> dynamic)?\n var onclick: ((MouseEvent) -> dynamic)?\n var onclose: ((Event) -> dynamic)?\n var oncontextmenu: ((MouseEvent) -> dynamic)?\n var oncuechange: ((Event) -> dynamic)?\n var ondblclick: ((MouseEvent) -> dynamic)?\n var ondrag: ((DragEvent) -> dynamic)?\n
var ondragend: ((DragEvent) -> dynamic)?\n var ondragenter: ((DragEvent) -> dynamic)?\n var ondragexit: ((DragEvent) -> dynamic)?\n var ondragleave: ((DragEvent) -> dynamic)?\n var ondragover: ((DragEvent) -> dynamic)?\n var ondragstart: ((DragEvent) -> dynamic)?\n var ondrop: ((DragEvent) -> dynamic)?\n var ondurationchange: ((Event) -> dynamic)?\n var onemptied: ((Event) -> dynamic)?\n var onended: ((Event) -> dynamic)?\n var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n var onfocus: ((FocusEvent) -> dynamic)?\n var oninput: ((InputEvent) -> dynamic)?\n var oninvalid: ((Event) -> dynamic)?\n var onkeydown: ((KeyboardEvent) -> dynamic)?\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n var onkeyup: ((KeyboardEvent) -> dynamic)?\n var onload: ((Event) -> dynamic)?\n var onloadeddata: ((Event) -> dynamic)?\n var onloadedmetadata: ((Event) -> dynamic)?\n var onloadend: ((Event) -> dynamic)?\n var onloadstart:
((ProgressEvent) -> dynamic)?\n var onmousedown: ((MouseEvent) -> dynamic)?\n var onmouseenter: ((MouseEvent) -> dynamic)?\n var onmouseleave: ((MouseEvent) -> dynamic)?\n var onmousemove: ((MouseEvent) -> dynamic)?\n var onmouseout: ((MouseEvent) -> dynamic)?\n var onmouseover: ((MouseEvent) -> dynamic)?\n var onmouseup: ((MouseEvent) -> dynamic)?\n var onwheel: ((WheelEvent) -> dynamic)?\n var onpause: ((Event) -> dynamic)?\n var onplay: ((Event) -> dynamic)?\n var onplaying: ((Event) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onratechange: ((Event) -> dynamic)?\n var onreset: ((Event) -> dynamic)?\n var onresize: ((Event) -> dynamic)?\n var onscroll: ((Event) -> dynamic)?\n var onseeked: ((Event) -> dynamic)?\n var onseeking: ((Event) -> dynamic)?\n var onselect: ((Event) -> dynamic)?\n var onshow: ((Event) -> dynamic)?\n var onstalled: ((Event) -> dynamic)?\n var onsubmit: ((Event) ->
dynamic)?\n var onsuspend: ((Event) -> dynamic)?\n var ontimeupdate: ((Event) -> dynamic)?\n var ontoggle: ((Event) -> dynamic)?\n var onvolumechange: ((Event) -> dynamic)?\n var onwaiting: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n var

onbeforeprint: ((Event) -> dynamic)?\n   var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\n   var onhashchange: ((HashChangeEvent) -> dynamic)?\n   var onlanguagechange: ((Event) -> dynamic)?\n   var onmessage: ((MessageEvent) -> dynamic)?\n   var onoffline: ((Event) -> dynamic)?\n   var ononline: ((Event) -> dynamic)?\n   var onpagehide: ((PageTransitionEvent) -> dynamic)?\n   var onpageshow: ((PageTransitionEvent) -> dynamic)?\n   var onpopstate: ((PopStateEvent) -> dynamic)?\n   var onrejectionhandled: ((Event) -> dynamic)?\n   var onstorage: ((StorageEvent) -> dynamic)?\n   var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n   var onunload: ((Event) -> dynamic)?\n}\n\npublic external interface DocumentAndElementEventHandlers {\n   var oncopy: ((ClipboardEvent) -> dynamic)?\n   var oncut: ((ClipboardEvent) -> dynamic)?\n   var onpaste: ((ClipboardEvent) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n   val caches: CacheStorage\n   val origin: String\n   fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n   fun btoa(data: String): String\n   fun atob(data: String): String\n   fun setTimeout(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n   fun clearTimeout(handle: Int = definedExternally): Unit\n   fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n   fun clearInterval(handle: Int = definedExternally): Unit\n   fun createImageBitmap(image: dynamic, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n   fun createImageBitmap(image: dynamic, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n   val appCodeName: String\n   val appName: String\n   val appVersion: String\n   val platform: String\n   val product: String\n   val productSub: String\n   val userAgent: String\n   val vendor: String\n   val vendorSub: String\n   val oscpu: String\n   fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n   val language: String\n   val languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n   fun registerProtocolHandler(scheme: String, url: String, title: String): Unit\n   fun registerContentHandler(mimeType: String, url: String, title: String): Unit\n   fun isProtocolHandlerRegistered(scheme: String, url: String): String\n   fun isContentHandlerRegistered(mimeType: String, url: String): String\n   fun unregisterProtocolHandler(scheme: String, url: String): Unit\n   fun unregisterContentHandler(mimeType: String, url: String): Unit\n}\n\npublic external interface NavigatorCookies {\n   val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic external interface NavigatorPlugins {\n   val plugins: PluginArray\n   val mimeTypes: MimeTypeArray\n   fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\n   override val length: Int\n   fun refresh(reload: Boolean = definedExternally): Unit\n   override fun item(index: Int): Plugin?\n   fun namedItem(name: String): Plugin?\n}\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n   override val length: Int\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract

class Plugin : ItemArrayLike<MimeType> {\n   open val name: String\n   open val description: String\n   open val filename: String\n   override val length: Int\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract class MimeType {\n   open val type: String\n   open val description: String\n   open val suffixes: String\n   open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external abstract class ImageBitmap : TexImageSource {\n   open val width: Int\n   open val height: Int\n   fun close(): Unit\n}\n\npublic external interface ImageBitmapOptions {\n   var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\n   get() = definedExternally\n   set(value) = definedExternally\n   var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n   var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeWidth: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeHeight: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeQuality: ResizeQuality? /* = ResizeQuality.LOW */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n   val o = js(\"({})\")\n\n   o[\"imageOrientation\"] = imageOrientation\n   o[\"premultiplyAlpha\"] = premultiplyAlpha\n   o[\"colorSpaceConversion\"] = colorSpaceConversion\n   o[\"resizeWidth\"] = resizeWidth\n   o[\"resizeHeight\"] = resizeHeight\n   o[\"resizeQuality\"] = resizeQuality\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open val origin: String\n   open val lastEventId: String\n   open val source: UnionMessagePortOrWindow?\n   open val ports: Array<out MessagePort>\n   fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindow?, ports: Array<MessagePort>): Unit\n}\n\npublic external interface MessageEventInit : EventInit {\n   var data: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var origin: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var lastEventId: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var source: UnionMessagePortOrWindow? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var ports: Array<MessagePort>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n   val o = js(\"({})\")\n\n   o[\"data\"] = data\n   o[\"origin\"] = origin\n   o[\"lastEventId\"] = lastEventId\n   o[\"source\"] = source\n   o[\"ports\"] = ports\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget

{\n open val url: String\n open val withCredentials: Boolean\n open val readyState: Short\n var onopen: ((Event) -> dynamic)?\n var onmessage: ((MessageEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n fun close(): Unit\n\n companion object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSED: Short\n }\n}\n\npublic external interface EventSourceInit {\n var withCredentials: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n val o = js(\"({})\")\n\n o[\"withCredentials\"] = withCredentials\n\n return o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n open val url: String\n open val readyState: Short\n open val bufferedAmount: Int\n var onopen: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onclose: ((Event) -> dynamic)?\n open val extensions: String\n open val protocol: String\n var onmessage: ((MessageEvent) -> dynamic)?\n var binaryType: BinaryType\n fun close(code: Short = definedExternally, reason: String = definedExternally): Unit\n fun send(data: String): Unit\n fun send(data: Blob): Unit\n fun send(data: ArrayBuffer): Unit\n fun send(data: ArrayBufferView): Unit\n\n companion object {\n val CONNECTING: Short\n val OPEN: Short\n val CLOSING: Short\n val CLOSED: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n open val wasClean: Boolean\n open val code: Short\n open val reason: String\n}\n\npublic external interface CloseEventInit : EventInit {\n var wasClean: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var code: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var reason: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n val o = js(\"({})\")\n\n o[\"wasClean\"] = wasClean\n o[\"code\"] = code\n o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external open class MessageChannel {\n open val port1: MessagePort\n open val port2: MessagePort\n}\n\n/**\n * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n */\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n fun start(): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic external open class BroadcastChannel(name: String) : EventTarget {\n open val name: String\n var onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n */\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n open val self: WorkerGlobalScope\n open val location: WorkerLocation\n open val navigator: WorkerNavigator\n open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n open var onlanguagechange: ((Event) -> dynamic)?\n open var onoffline: ((Event) -> dynamic)?\n open var ononline: ((Event) -> dynamic)?\n open var onrejectionhandled: ((Event) -> dynamic)?\n open var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n fun importScripts(vararg urls: String): Unit\n}\n\n/**\n * Exposes the JavaScript

[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n open var onmessage:
((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n open val name: String\n open val applicationCache: ApplicationCache\n open var onconnect: ((Event) -> dynamic)?\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var onmessage:
((MessageEvent) -> dynamic)?\n override var onerror: ((Event) -> dynamic)?\n fun terminate(): Unit\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\npublic external interface WorkerOptions {\n var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n val o = js(\"({})\")\n\n o[\"type\"] = type\n o[\"credentials\"] = credentials\n\n return o\n}\n\n/**\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name:
String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency: Int\n}\n\n/**\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n open var href: String\n open val origin: String\n open val protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val pathname: String\n open val search: String\n open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n open val length: Int\n fun key(index: Int): String?\n fun getItem(key: String): String?\n fun setItem(key: String, value: String): Unit\n fun removeItem(key: String): Unit\n fun clear(): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit { asDynamic()[key] = value; }\n\n/**\n * Exposes the JavaScript [WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n val sessionStorage:
Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic

```
external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
open val key: String?\n    open val oldValue: String?\n    open val newValue: String?\n    open val url: String\n
open val storageArea: Storage?\n}\n\npublic external interface StorageEventInit : EventInit {\n    var key: String? /*
= null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var oldValue: String? /* = null
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var newValue: String? /* = null */\n
get() = definedExternally\n
  set(value) = definedExternally\n    var url: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var storageArea: Storage? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null,
oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n    val o =
js(\"({})\")\n\n    o[\"key\"] = key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"] = newValue\n    o[\"url\"] =
url\n    o[\"storageArea\"] = storageArea\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n\n    return o\n}\n\npublic external abstract class HTMLAppletElement :
HTMLElement {\n    open var align: String\n    open var alt: String\n    open var archive: String\n
   open var code: String\n    open var codeBase: String\n    open var height: String\n    open var hspace: Int\n    open
var name: String\n    open var _object: String\n    open var vspace: Int\n    open var width: String\n}\n\n/**\n *
Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*/\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open
var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var
loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var
vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event)
-> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start(): Unit\n    fun stop(): Unit\n}\n\n/**\n *
Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement)
 to Kotlin\n */\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n
 open var cols: String\n    open var rows: String\n}\n\npublic external abstract class HTMLFrameElement :
HTMLElement {\n    open var name: String\n    open var scrolling: String\n    open var src: String\n    open var
frameBorder: String\n    open var longDesc: String\n    open var noResize: Boolean\n    open val contentDocument:
Document?\n    open val contentWindow: Window?\n    open var marginHeight: String\n    open var marginWidth:
String\n}\n\npublic external abstract class HTMLDirectoryElement : HTMLElement {\n    open var compact:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic
external abstract class HTMLFontElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n}\n\npublic
 external interface External {\n    fun AddSearchProvider(): Unit\n    fun IsSearchProviderInstalled():
Unit\n}\n\npublic external interface EventInit {\n    var bubbles: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var cancelable: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var composed: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val
o = js(\"({})\")\n\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] =
composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic external open
class CustomEvent(type: String,
 eventInitDict: CustomEventInit = definedExternally) : Event {\n    open val detail: Any?\n    fun
initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?): Unit\n}\n\npublic external
```

interface CustomEventInit : EventInit {\n   var detail: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n   val o = js(\"({})\")\n\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\npublic external interface EventListenerOptions {\n   var capture: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? = false):
EventListenerOptions {\n   val o = js(\"({})\")\n\n   o[\"capture\"] = capture\n\n   return o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n   var passive: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var once: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n   val o = js(\"({})\")\n\n   o[\"passive\"] = passive\n   o[\"once\"] = once\n   o[\"capture\"] = capture\n\n   return o\n}\n\npublic external interface NonElementParentNode {\n   fun getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n */\npublic external interface DocumentOrShadowRoot
{\n   val fullscreenElement: Element?\n}\n\n/**\n * Exposes the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic external interface ParentNode {\n   val children: HTMLCollection\n   val firstElementChild: Element?\n   val lastElementChild: Element?\n   val childElementCount: Int\n   fun prepend(vararg nodes: dynamic): Unit\n   fun append(vararg nodes: dynamic): Unit\n   fun querySelector(selectors: String): Element?\n   fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n   val previousElementSibling: Element?\n   val nextElementSibling: Element?\n}\n\n/**\n * Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n */\npublic external interface ChildNode {\n
    fun before(vararg nodes: dynamic): Unit\n   fun after(vararg nodes: dynamic): Unit\n   fun replaceWith(vararg nodes: dynamic): Unit\n   fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable {\n   val assignedSlot: HTMLSlotElement?\n}\n\n/**\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class NodeList : ItemArrayLike<Node> {\n   override val length: Int\n   override fun item(index: Int): Node?\n}\n@kotlin.internal.InlineOnly inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {\n   override val length: Int\n   override fun
item(index: Int): Element?\n   fun namedItem(name: String): Element?\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n */\npublic external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n   fun observe(target: Node, options: MutationObserverInit = definedExternally): Unit\n   fun disconnect(): Unit\n   fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n

/\npublic external interface MutationObserverInit {\n   var childList: Boolean? / = false */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var attributes: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterData: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var subtree: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterDataOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeFilter: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter: Array<String>?
 = undefined): MutationObserverInit {\n   val o = js(\"({})\")\n\n   o[\"childList\"] = childList\n   o[\"attributes\"] = attributes\n   o[\"characterData\"] = characterData\n   o[\"subtree\"] = subtree\n   o[\"attributeOldValue\"] = attributeOldValue\n   o[\"characterDataOldValue\"] = characterDataOldValue\n   o[\"attributeFilter\"] = attributeFilter\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external abstract class MutationRecord {\n   open val type: String\n   open val target: Node\n   open val addedNodes: NodeList\n   open val removedNodes: NodeList\n   open val previousSibling: Node?\n   open val nextSibling: Node?\n   open val attributeName: String?\n   open val attributeNamespace: String?\n   open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\n */\npublic external abstract
 class Node : EventTarget {\n   open val nodeType: Short\n   open val nodeName: String\n   open val baseURI: String\n   open val isConnected: Boolean\n   open val ownerDocument: Document?\n   open val parentNode: Node?\n   open val parentElement: Element?\n   open val childNodes: NodeList\n   open val firstChild: Node?\n   open val lastChild: Node?\n   open val previousSibling: Node?\n   open val nextSibling: Node?\n   open var nodeValue: String?\n   open var textContent: String?\n   fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n   fun hasChildNodes(): Boolean\n   fun normalize(): Unit\n   fun cloneNode(deep: Boolean = definedExternally): Node\n   fun isEqualNode(otherNode: Node?): Boolean\n   fun isSameNode(otherNode: Node?): Boolean\n   fun compareDocumentPosition(other: Node): Short\n   fun contains(other: Node?): Boolean\n   fun lookupPrefix(namespace: String?): String?\n   fun lookupNamespaceURI(prefix: String?): String?\n   fun
 isDefaultNamespace(namespace: String?): Boolean\n   fun insertBefore(node: Node, child: Node?): Node\n   fun appendChild(node: Node): Node\n   fun replaceChild(node: Node, child: Node): Node\n   fun removeChild(child: Node): Node\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
 Short\n   }\n}\n\npublic external interface GetRootNodeOptions {\n   var composed: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n   val o = js(\"({})\")\n\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript

[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external open class XMLDocument : Document {\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\npublic external interface ElementCreationOptions {\n @JsName(\"is\") var is_: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(is_: String? = undefined): ElementCreationOptions {\n val o = js(\"({})\")\n\n o[\"is\"] = is_\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n */\npublic external abstract class DOMImplementation {\n fun createDocumentType(qualifiedName: String, publicId: String,
systemId: String): DocumentType\n fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n fun createHTMLDocument(title: String = definedExternally): Document\n fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n open val name: String\n open val publicId: String\n open val systemId: String\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n open val mode: ShadowRootMode\n open val host: Element\n override val fullscreenElement: Element?\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent {\n open var innerHTML: String\n open var outerHTML: String\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val tagName: String\n open var id: String\n open var className: String\n open val classList: DOMTokenList\n open var slot: String\n open val attributes: NamedNodeMap\n open val shadowRoot: ShadowRoot?\n open var scrollTop: Double\n open var scrollLeft: Double\n open val scrollWidth: Int\n open val scrollHeight: Int\n open val clientTop: Int\n open val clientLeft: Int\n open val clientWidth: Int\n open val clientHeight: Int\n fun requestFullscreen(): Promise<Unit>\n fun setPointerCapture(pointerId: Int): Unit\n fun releasePointerCapture(pointerId: Int): Unit\n

```
    fun hasPointerCapture(pointerId: Int): Boolean\n    fun insertAdjacentHTML(position: String, text: String): Unit\n
  fun hasAttributes(): Boolean\n    fun getAttributeNames(): Array<String>\n    fun getAttribute(qualifiedName:
String): String?\n    fun getAttributeNS(namespace: String?, localName: String): String?\n    fun
setAttribute(qualifiedName: String, value: String): Unit\n    fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String): Unit\n    fun removeAttribute(qualifiedName: String): Unit\n    fun
removeAttributeNS(namespace: String?, localName: String): Unit\n    fun hasAttribute(qualifiedName: String):
Boolean\n    fun hasAttributeNS(namespace: String?, localName: String): Boolean\n    fun
getAttributeNode(qualifiedName: String): Attr?\n    fun getAttributeNodeNS(namespace: String?, localName:
String): Attr?\n    fun setAttributeNode(attr: Attr): Attr?\n    fun setAttributeNodeNS(attr: Attr): Attr?\n    fun
removeAttributeNode(attr: Attr): Attr\n
    fun attachShadow(init: ShadowRootInit): ShadowRoot\n    fun closest(selectors: String): Element?\n    fun
matches(selectors: String): Boolean\n    fun webkitMatchesSelector(selectors: String): Boolean\n    fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n    fun
getElementsByClassName(classNames: String): HTMLCollection\n    fun insertAdjacentElement(where: String,
element: Element): Element?\n    fun insertAdjacentText(where: String, data: String): Unit\n    fun getClientRects():
Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun scrollIntoView(): Unit\n    fun
scrollIntoView(arg: dynamic): Unit\n    fun scroll(options: ScrollToOptions = definedExternally): Unit\n    fun
scroll(x: Double, y: Double): Unit\n    fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n    fun
scrollTo(x: Double, y: Double): Unit\n    fun scrollBy(options: ScrollToOptions = definedExternally):
 Unit\n    fun scrollBy(x: Double, y: Double): Unit\n}\n\npublic external interface ShadowRootInit {\n    var mode:
ShadowRootMode?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n    val o = js(\"({})\")\n\n    o[\"mode\"] = mode\n\n    return o\n}\n\n/**\n
* Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n    override val length: Int\n
override fun item(index: Int): Attr?\n    fun getNamedItem(qualifiedName: String): Attr?\n    fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n    fun setNamedItem(attr: Attr): Attr?\n    fun
setNamedItemNS(attr: Attr): Attr?\n    fun removeNamedItem(qualifiedName: String): Attr\n    fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n}\n@kotlin.internal.InlineOnly
 inline operator fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n@kotlin.internal.InlineOnly
inline operator fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n *
Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external
abstract class Attr : Node {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open val
localName: String\n    open val name: String\n    open var value: String\n    open val ownerElement: Element?\n
open val specified: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var data: String\n    open
val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun appendData(data: String): Unit\n    fun
insertData(offset:
 Int, data: String): Unit\n    fun deleteData(offset: Int, count: Int): Unit\n    fun replaceData(offset: Int, count: Int,
data: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n    override
val previousElementSibling: Element?\n    override val nextElementSibling: Element?\n    override val assignedSlot:
HTMLSlotElement?\n    fun splitText(offset: Int): Text\n    override fun before(vararg nodes: dynamic): Unit\n
override fun after(vararg nodes: dynamic): Unit\n    override fun replaceWith(vararg nodes: dynamic): Unit\n
override fun remove(): Unit\n    override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
```

Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally
/): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions / = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external open class CDATASection : Text {\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\n   open val target: String\n}\n\n/**\n * Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external open class Comment(data: String = definedExternally) : CharacterData {\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override fun before(vararg nodes: dynamic): Unit\n   override fun after(vararg nodes: dynamic): Unit\n   override fun replaceWith(vararg nodes: dynamic): Unit\n   override fun remove(): Unit\n}\n\n/**\n * Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n   open val startContainer: Node\n   open val startOffset: Int\n   open val endContainer: Node\n   open val endOffset: Int\n   open val collapsed: Boolean\n   open val commonAncestorContainer: Node\n   fun createContextualFragment(fragment: String): DocumentFragment\n   fun setStart(node: Node, offset: Int): Unit\n   fun setEnd(node: Node, offset: Int): Unit\n   fun setStartBefore(node: Node): Unit\n   fun setStartAfter(node: Node): Unit\n   fun setEndBefore(node: Node): Unit\n   fun setEndAfter(node: Node): Unit\n   fun collapse(toStart: Boolean = definedExternally): Unit\n   fun selectNode(node: Node): Unit\n   fun selectNodeContents(node: Node): Unit\n   fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n   fun deleteContents(): Unit\n   fun extractContents(): DocumentFragment\n   fun cloneContents(): DocumentFragment\n   fun insertNode(node: Node): Unit\n   fun surroundContents(newParent: Node): Unit\n   fun cloneRange(): Range\n   fun detach(): Unit\n   fun isPointInRange(node: Node, offset: Int): Boolean\n   fun comparePoint(node: Node, offset: Int): Short\n   fun intersectsNode(node: Node): Boolean\n   fun getClientRects(): Array<DOMRect>\n   fun getBoundingClientRect(): DOMRect\n\n   companion object {\n   val START_TO_START: Short\n   val START_TO_END: Short\n   val END_TO_END: Short\n   val END_TO_START: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\npublic external abstract class NodeIterator {\n   open val root: Node\n   open val referenceNode: Node\n   open val pointerBeforeReferenceNode: Boolean\n   open val whatToShow: Int\n   open val filter: NodeFilter?\n   fun nextNode(): Node?\n   fun previousNode(): Node?\n   fun detach():
Unit\n}\n\n/**\n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\npublic external abstract class TreeWalker {\n   open val root: Node\n   open val whatToShow: Int\n   open val filter: NodeFilter?\n   open var currentNode: Node\n   fun parentNode(): Node?\n   fun firstChild(): Node?\n   fun lastChild(): Node?\n   fun previousSibling(): Node?\n   fun nextSibling(): Node?\n   fun previousNode(): Node?\n   fun nextNode():

Node?\n}\n\n/**\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\npublic external interface NodeFilter {\n fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n */\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n override val length: Int\n open var value: String\n override fun item(index: Int): String?\n fun contains(token: String): Boolean\n fun add(vararg tokens: String): Unit\n fun remove(vararg tokens: String): Unit\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String): Unit\n fun supports(token: String): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n override var x: Double\n override var y: Double\n override var z: Double\n override var w: Double\n}\n\n/**\n * Exposes the JavaScript [DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\npublic external interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js(\"({})\")\n\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"z\"] = z\n o[\"w\"] = w\n\n return o\n}\n\n/**\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally)\n : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n override var width: Double\n override var height: Double\n}\n\n/**\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val right: Double\n open val bottom: Double\n open val left: Double\n}\n\npublic external interface DOMRectInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =

definedExternally\n   var height: Double? /* = 0.0 */\n
    get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n   val o = js(\"({})\")\n\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"width\"] = width\n   o[\"height\"] = height\n\n   return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n   override fun item(index: Int): DOMRect?\n}\n\n@kotlin.internal.InlineOnly inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class DOMQuad {\n   constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n   constructor(rect: DOMRectInit)\n   open val p1: DOMPoint\n   open val p2: DOMPoint\n
    open val p3: DOMPoint\n   open val p4: DOMPoint\n   open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n   open val a: Double\n   open val b: Double\n   open val c: Double\n   open val d: Double\n   open val e: Double\n   open val f: Double\n   open val m11: Double\n   open val m12: Double\n   open val m13: Double\n   open val m14: Double\n   open val m21: Double\n   open val m22: Double\n   open val m23: Double\n   open val m24: Double\n   open val m31: Double\n   open val m32: Double\n   open val m33: Double\n   open val m34: Double\n   open val m41: Double\n   open val m42: Double\n   open val m43: Double\n   open val m44: Double\n   open val is2D: Boolean\n   open val isIdentity: Boolean\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewX(sx: Double): DOMMatrix\n   fun skewY(sy: Double): DOMMatrix\n   fun multiply(other: DOMMatrix): DOMMatrix\n   fun flipX(): DOMMatrix\n   fun flipY(): DOMMatrix\n   fun inverse(): DOMMatrix\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n   fun toFloat32Array(): Float32Array\n   fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n   constructor(transformList: String)\n   constructor(other: DOMMatrixReadOnly)\n   constructor(array32: Float32Array)\n   constructor(array64: Float64Array)\n   constructor(numberSequence: Array<Double>)\n   override var a: Double\n   override var b: Double\n   override var c: Double\n   override var d: Double\n   override var e: Double\n   override var f: Double\n   override var m11: Double\n   override var m12: Double\n   override var m13: Double\n   override var m14: Double\n   override var m21: Double\n   override var m22: Double\n   override var m23: Double\n   override var m24: Double\n   override var m31: Double\n   override var m32: Double\n   override var m33: Double\n   override var m34: Double\n   override var m41: Double\n   override var m42: Double\n   override var m43: Double\n   override var m44: Double\n   fun multiplySelf(other: DOMMatrix): DOMMatrix\n   fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n   fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,

originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally):
 DOMMatrix\n   fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewXSelf(sx: Double): DOMMatrix\n   fun skewYSelf(sy: Double): DOMMatrix\n   fun invertSelf(): DOMMatrix\n   fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n   var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n   val o = js(\"({})\")\n\n   o[\"behavior\"] = behavior\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external interface ScrollToOptions : ScrollOptions {\n   var left: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var top: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n   val o = js(\"({})\")\n\n   o[\"left\"] = left\n   o[\"top\"] = top\n   o[\"behavior\"] = behavior\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n   open val media: String\n   open val matches: Boolean\n   open var onchange: ((Event) -> dynamic)?\n   fun addListener(listener: EventListener?): Unit\n   fun addListener(listener: ((Event) -> Unit)?): Unit\n   fun removeListener(listener: EventListener?): Unit\n   fun removeListener(listener: ((Event) -> Unit)?): Unit\n}\n\n/**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n   open val media: String\n   open val matches: Boolean\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n   var media: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var matches: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n   val o = js(\"({})\")\n\n   o[\"media\"] = media\n   o[\"matches\"] = matches\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"]
 = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n   open val availWidth: Int\n   open val availHeight: Int\n   open val width: Int\n   open val height: Int\n   open val colorDepth: Int\n   open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external abstract class CaretPosition {\n   open val offsetNode: Node\n   open val offset: Int\n   fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n   var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n   val o = js(\"({})\")\n\n   o[\"block\"] = block\n   o[\"inline\"] = inline\n   o[\"behavior\"] = behavior\n\n   return o\n}\n\npublic external interface BoxQuadOptions {\n   var box: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var relativeTo: dynamic\n   get() = definedExternally\n   set(value) =

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n   val o = js(\"({})\")\n\n   o[\"box\"] = box\n   o[\"relativeTo\"] = relativeTo\n\n   return o\n}\n\npublic external interface ConvertCoordinateOptions
{\n   var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n   val o = js(\"({})\")\n\n   o[\"fromBox\"] = fromBox\n   o[\"toBox\"] = toBox\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external interface GeometryUtils {\n   fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n   fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n   fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic,
options: ConvertCoordinateOptions = definedExternally): DOMQuad\n   fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\npublic external @marker interface UnionElementOrProcessingInstruction {\n}\n\npublic external @marker interface UnionElementOrHTMLCollection {\n}\n\npublic external @marker interface UnionElementOrRadioNodeList {\n}\n\npublic external @marker interface UnionHTMLOptGroupElementOrHTMLOptionElement {\n}\n\npublic external @marker interface UnionAudioTrackOrTextTrackOrVideoTrack {\n}\n\npublic external @marker interface UnionElementOrMouseEvent {\n}\n\npublic external @marker interface UnionMessagePortOrWindow {\n}\n\npublic external @marker interface UnionMessagePortOrServiceWorker {\n}\n\npublic external @marker interface HTMLOrSVGScriptElement {\n}\n\npublic external @marker interface RenderingContext {\n}\n\npublic external @marker interface HTMLOrSVGImageElement {\n}\n\n/* please, don't
implement this interface! */\npublic external interface DocumentReadyState {\n   companion object\n}\npublic inline val DocumentReadyState.Companion.LOADING: DocumentReadyState get() = \"loading\".asDynamic().unsafeCast<DocumentReadyState>()\npublic inline val DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() = \"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\npublic inline val DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() = \"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface! */\npublic external interface CanPlayTypeResult {\n   companion object\n}\npublic inline val CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() = \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get()
= \"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface! */\npublic external interface TextTrackMode {\n   companion object\n}\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val TextTrackMode.Companion.HIDDEN: TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val TextTrackMode.Companion.SHOWING: TextTrackMode get() = \"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! */\npublic external interface TextTrackKind {\n   companion object\n}\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() = \"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.CAPTIONS: TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val

TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind
get() = \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\npublic
external interface SelectionMode {\n   companion object\n}\npublic inline val
SelectionMode.Companion.SELECT: SelectionMode get() =
\"select\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! */\npublic external interface
CanvasFillRule {\n   companion object\n}\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface! */\npublic
external interface ImageSmoothingQuality {\n   companion object\n}\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*/\npublic external interface CanvasLineCap {\n   companion object\n}\npublic inline val
CanvasLineCap.Companion.BUTT: CanvasLineCap get() =
\"butt\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.ROUND:
CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val
CanvasLineCap.Companion.SQUARE: CanvasLineCap get() =
\"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasLineJoin {\n   companion object\n}\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasTextAlign {\n   companion object\n}\npublic inline val
CanvasTextAlign.Companion.START:
CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.END: CanvasTextAlign get() =
\"end\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.LEFT:
CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() =
\"right\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.CENTER:
CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this
interface! */\npublic external interface CanvasTextBaseline {\n   companion object\n}\npublic inline val
CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() =

\"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() = \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\npublic external interface CanvasDirection {\n companion object\n}\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! */\npublic external interface ScrollRestoration {\n companion object\n}\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface! */\npublic external interface ImageOrientation {\n companion object\n}\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface! */\npublic external interface PremultiplyAlpha {\n companion object\n}\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\npublic external interface ColorSpaceConversion {\n companion object\n}\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\npublic inline val ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface! */\npublic external interface ResizeQuality {\n companion object\n}\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this interface! */\npublic external interface BinaryType {\n companion object\n}\npublic inline val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\npublic inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this

interface! */\npublic external interface WorkerType {\n   companion object\n}\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\npublic inline val WorkerType.Companion.MODULE: WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! */\npublic external interface ShadowRootMode {\n   companion object\n}\npublic inline val ShadowRootMode.Companion.OPEN: ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\npublic inline val ShadowRootMode.Companion.CLOSED: ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! */\npublic external interface ScrollBehavior {\n   companion object\n}\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.INSTANT: ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface! */\npublic
 external interface ScrollLogicalPosition {\n   companion object\n}\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() = \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() = \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface! */\npublic external interface CSSBoxType {\n   companion object\n}\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.BORDER: CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\npublic
 inline val CSSBoxType.Companion.PADDING: CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.CONTENT: CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
 org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\npublic external open class Headers(init: dynamic = definedExternally) {\n   fun append(name: String, value: String): Unit\n   fun delete(name: String): Unit\n   fun get(name: String): String?\n   fun has(name: String): Boolean\n   fun set(name: String, value: String): Unit\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n */\npublic external interface Body {\n   val bodyUsed: Boolean\n   fun arrayBuffer(): Promise<ArrayBuffer>\n   fun blob(): Promise<Blob>\n   fun formData(): Promise<FormData>\n   fun json(): Promise<Any?>\n   fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class

Request(input: dynamic, init: RequestInit = definedExternally)
: Body {\n   open val method: String\n   open val url: String\n   open val headers: Headers\n   open val type: RequestType\n   open val destination: RequestDestination\n   open val referrer: String\n   open val referrerPolicy: dynamic\n   open val mode: RequestMode\n   open val credentials: RequestCredentials\n   open val cache: RequestCache\n   open val redirect: RequestRedirect\n   open val integrity: String\n   open val keepalive: Boolean\n   override val bodyUsed: Boolean\n   fun clone(): Request\n   override fun arrayBuffer(): Promise<ArrayBuffer>\n   override fun blob(): Promise<Blob>\n   override fun formData(): Promise<FormData>\n   override fun json(): Promise<Any?>\n   override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n   var method: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var headers: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var body: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrer: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var referrerPolicy: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var mode: RequestMode?\n   get() = definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials?\n   get() = definedExternally\n   set(value) = definedExternally\n   var cache: RequestCache?\n   get() = definedExternally\n   set(value) = definedExternally\n   var redirect: RequestRedirect?\n   get() = definedExternally\n   set(value) = definedExternally\n   var integrity: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var keepalive: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var window: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? = undefined, window: Any? = undefined): RequestInit {\n   val o = js(\"({})\")\n\n   o[\"method\"] = method\n   o[\"headers\"] = headers\n   o[\"body\"] = body\n   o[\"referrer\"] = referrer\n   o[\"referrerPolicy\"] = referrerPolicy\n   o[\"mode\"] = mode\n   o[\"credentials\"] = credentials\n   o[\"cache\"] = cache\n   o[\"redirect\"] = redirect\n   o[\"integrity\"] = integrity\n   o[\"keepalive\"] = keepalive\n   o[\"window\"] = window\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response)
to Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n   open val type: ResponseType\n   open val url: String\n   open val redirected: Boolean\n   open val status: Short\n   open val ok: Boolean\n   open val statusText: String\n   open val headers: Headers\n   open val body: dynamic\n   open val trailer: Promise<Headers>\n   override val bodyUsed: Boolean\n   fun clone(): Response\n   override fun arrayBuffer(): Promise<ArrayBuffer>\n   override fun blob(): Promise<Blob>\n   override fun formData(): Promise<FormData>\n   override fun json(): Promise<Any?>\n   override fun text(): Promise<String>\n\n   companion object {\n   fun error(): Response\n   fun redirect(url: String, status: Short = definedExternally): Response\n   }\n}\n\npublic external interface ResponseInit {\n   var status: Short? /* = 200 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var statusText: String? /* = \"OK\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var headers: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n   val o = js(\"({})\")\n\n   o[\"status\"] = status\n   o[\"statusText\"] = statusText\n   o[\"headers\"] = headers\n\n   return o\n}\n\n/* please, don't implement this interface! */\npublic external interface RequestType {\n   companion object\n}\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\npublic

```
 inline val RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\npublic inline val
RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\npublic
inline val RequestType.Companion.TRACK: RequestType get() =
\"track\".asDynamic().unsafeCast<RequestType>()\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this
interface! */\npublic external interface RequestDestination {\n    companion object\n}\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
\"\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\npublic
 inline val RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val RequestDestination.Companion.IMAGE:
RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
 RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestMode {\n    companion object\n}\npublic inline val
RequestMode.Companion.NAVIGATE:
 RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface! */\npublic external interface RequestCredentials {\n    companion
object\n}\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() =
\"omit\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
```

origin\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val RequestCredentials.Companion.INCLUDE: RequestCredentials get() = \"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\npublic external interface RequestCache {\n companion object\n}\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_STORE: RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.RELOAD: RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\npublic external interface RequestRedirect {\n companion object\n}\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.ERROR: RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.MANUAL: RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface! */\npublic external interface ResponseType {\n companion object\n}\npublic inline val ResponseType.Companion.BASIC: ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.OPAQUE: ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.mediacapture\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\npublic external open class MediaStream() : EventTarget {\n constructor(stream: MediaStream)\n constructor(tracks: Array<MediaStreamTrack>)\n open val id: String\n open val active: Boolean\n var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n fun getAudioTracks(): Array<MediaStreamTrack>\n fun getVideoTracks(): Array<MediaStreamTrack>\n fun getTracks(): Array<MediaStreamTrack>\n fun getTrackById(trackId: String): MediaStreamTrack?\n fun addTrack(track: MediaStreamTrack): Unit\n fun removeTrack(track: MediaStreamTrack): Unit\n fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n */\npublic

```
external abstract class MediaStreamTrack
 : EventTarget {\n    open val kind: String\n    open val id: String\n    open val label: String\n    open var enabled:
Boolean\n    open val muted: Boolean\n    open var onmute: ((Event) -> dynamic)?\n    open var onunmute: ((Event)
-> dynamic)?\n    open val readyState: MediaStreamTrackState\n    open var onended: ((Event) -> dynamic)?\n
open var onoverconstrained: ((Event) -> dynamic)?\n    fun clone(): MediaStreamTrack\n    fun stop(): Unit\n    fun
getCapabilities(): MediaTrackCapabilities\n    fun getConstraints(): MediaTrackConstraints\n    fun getSettings():
MediaTrackSettings\n    fun applyConstraints(constraints: MediaTrackConstraints = definedExternally):
Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n */\npublic external interface MediaTrackSupportedConstraints {\n    var width: Boolean? /* = true
*/\n        get() = definedExternally\n
      set(value) = definedExternally\n    var height: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var aspectRatio: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var frameRate: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var facingMode: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var resizeMode: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var volume: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var sampleRate: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var sampleSize: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var echoCancellation:
 Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
autoGainControl: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
noiseSuppression: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n
var latency: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
channelCount: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
deviceId: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
groupId: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSupportedConstraints(width:
Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true,
 facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? =
true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true,
noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? =
true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n    val o = js(\"({})\")\n\n    o[\"width\"] =
width\n    o[\"height\"] = height\n    o[\"aspectRatio\"] = aspectRatio\n    o[\"frameRate\"] = frameRate\n
o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] = resizeMode\n    o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n    o[\"echoCancellation\"] =
echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n    o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n    o[\"deviceId\"] = deviceId\n    o[\"groupId\"] =
groupId\n\n    return
 o\n}\n\npublic external interface MediaTrackCapabilities {\n    var width: ULongRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var height: ULongRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var aspectRatio: DoubleRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var frameRate: DoubleRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var facingMode: Array<String>?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var resizeMode: Array<String>?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var volume: DoubleRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var sampleRate: ULongRange?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var sampleSize: ULongRange?\n        get() =
```

definedExternally\n
set(value) = definedExternally\n var echoCancellation: Array<Boolean>?\n get() = definedExternally\n
set(value) = definedExternally\n var autoGainControl: Array<Boolean>?\n get() = definedExternally\n
set(value) = definedExternally\n var noiseSuppression: Array<Boolean>?\n get() = definedExternally\n
set(value) = definedExternally\n var latency: DoubleRange?\n get() = definedExternally\n set(value) =
definedExternally\n var channelCount: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var deviceId: String?\n get() = definedExternally\n set(value) = definedExternally\n
var groupId: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange?
= undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? = undefined, volume:
DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined,
echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined,
noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n val o = js(\"({})\")\n\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n
o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n\n return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n var advanced:
Array<MediaTrackConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined,
latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId:
dynamic = undefined): MediaTrackConstraints {\n val o = js(\"({})\")\n\n o[\"advanced\"] = advanced\n
o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] =
frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] =
echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] =
groupId\n\n return o\n}\n\npublic external interface MediaTrackConstraintSet {\n var width: dynamic\n
get() = definedExternally\n set(value) = definedExternally\n var height: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var aspectRatio: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var frameRate: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var facingMode: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var resizeMode: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var volume: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n var sampleRate: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var sampleSize: dynamic\n get() = definedExternally\n set(value) =

definedExternally\n   var echoCancellation: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var autoGainControl: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n
    var noiseSuppression: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var latency: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var channelCount: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var deviceId: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var groupId: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency:
 dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet {\n   val o = js(\"({})\")\n\n   o[\"width\"] = width\n   o[\"height\"] = height\n   o[\"aspectRatio\"] = aspectRatio\n   o[\"frameRate\"] = frameRate\n   o[\"facingMode\"] = facingMode\n   o[\"resizeMode\"] = resizeMode\n   o[\"volume\"] = volume\n   o[\"sampleRate\"] = sampleRate\n   o[\"sampleSize\"] = sampleSize\n   o[\"echoCancellation\"] = echoCancellation\n   o[\"autoGainControl\"] = autoGainControl\n   o[\"noiseSuppression\"] = noiseSuppression\n   o[\"latency\"] = latency\n   o[\"channelCount\"] = channelCount\n   o[\"deviceId\"] = deviceId\n   o[\"groupId\"] = groupId\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n */\npublic external interface MediaTrackSettings {\n   var width: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var height: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var aspectRatio: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var frameRate: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var facingMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var volume: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleRate: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleSize: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var echoCancellation: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var autoGainControl:
 Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var noiseSuppression: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var latency: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var channelCount: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var deviceId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var groupId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl:
 Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n   val o = js(\"({})\")\n\n   o[\"width\"] = width\n   o[\"height\"] = height\n   o[\"aspectRatio\"] = aspectRatio\n   o[\"frameRate\"] = frameRate\n   o[\"facingMode\"] = facingMode\n   o[\"resizeMode\"] = resizeMode\n   o[\"volume\"] = volume\n   o[\"sampleRate\"] = sampleRate\n   o[\"sampleSize\"] = sampleSize\n   o[\"echoCancellation\"] = echoCancellation\n   o[\"autoGainControl\"] = autoGainControl\n   o[\"noiseSuppression\"] = noiseSuppression\n   o[\"latency\"] = latency\n   o[\"channelCount\"] = channelCount\n

o[\"deviceId\"] = deviceId\n   o[\"groupId\"] = groupId\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n */\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event {\n   open val track: MediaStreamTrack\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n   var track: MediaStreamTrack?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\n   val o = js(\"({})\")\n\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n   open val error: dynamic\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n   var error: dynamic /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n   val o = js(\"({})\")\n\n   o[\"error\"] = error\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n */\npublic external abstract class MediaDevices : EventTarget {\n   open var ondevicechange: ((Event) -> dynamic)?\n   fun enumerateDevices(): Promise<dynamic>\n   fun getSupportedConstraints(): MediaTrackSupportedConstraints\n   fun getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n */\npublic external abstract class MediaDeviceInfo {\n   open val deviceId: String\n   open val kind: MediaDeviceKind\n   open val label: String\n   open val groupId: String\n   fun toJSON(): dynamic\n}\n\npublic external abstract class InputDeviceInfo : MediaDeviceInfo {\n   fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n */\npublic external interface MediaStreamConstraints {\n   var video: dynamic /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var audio: dynamic /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n   val o = js(\"({})\")\n\n   o[\"video\"] = video\n   o[\"audio\"] = audio\n\n   return o\n}\n\npublic external interface ConstrainablePattern {\n   var onoverconstrained: ((Event) -> dynamic)?\n   fun getCapabilities(): Capabilities\n   fun getConstraints(): Constraints\n   fun getSettings(): Settings\n   fun applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic external interface DoubleRange {\n   var max: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var min: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? = undefined, min: Double? = undefined): DoubleRange {\n   val o = js(\"({})\")\n\n   o[\"max\"] = max\n   o[\"min\"] = min\n\n   return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n   var exact: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined): ConstrainDoubleRange {\n   val o = js(\"({})\")\n\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   o[\"max\"] = max\n   o[\"min\"] = min\n\n   return o\n}\n\npublic external interface ULongRange {\n   var max: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var min: Int?\n   get() =

definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined, min: Int? = undefined): ULongRange {\n   val o = js(\"({})\")\n\n   o[\"max\"] = max\n   o[\"min\"] = min\n\n   return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n   var exact: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n   val o = js(\"({})\")\n\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   o[\"max\"] = max\n   o[\"min\"] = min\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n   var exact: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n   val o = js(\"({})\")\n\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters) to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n   var exact: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined): ConstrainDOMStringParameters {\n   val o = js(\"({})\")\n\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n\n   return o\n}\n\npublic external interface Capabilities {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n   val o = js(\"({})\")\n\n\n   return o\n}\n\npublic external interface Settings {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n   val o = js(\"({})\")\n\n\n   return o\n}\n\npublic external interface ConstraintSet {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n   val o = js(\"({})\")\n\n\n   return o\n}\n\npublic external interface Constraints : ConstraintSet {\n   var advanced: Array<ConstraintSet>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced: Array<ConstraintSet>? = undefined): Constraints {\n   val o = js(\"({})\")\n\n   o[\"advanced\"] = advanced\n\n   return o\n}\n\n/* please, don't implement this interface! */\npublic external interface MediaStreamTrackState {\n   companion object\n}\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() = \"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\npublic inline val MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() = \"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface! */\npublic external interface VideoFacingModeEnum {\n   companion object\n}\npublic inline val VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() = \"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() = \"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() = \"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\npublic inline val VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() = \"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface! */\npublic external interface VideoResizeModeEnum {\n   companion object\n}\npublic inline val VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() = \"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\npublic inline val VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-

```
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface! */\npublic external interface MediaDeviceKind {\n    companion object\n}\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\npublic inline val MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() = \"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\npublic inline val MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() = \"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found
 in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface PointerEventInit : MouseEventInit {\n    var pointerId: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var width: Double? /* = 1.0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var height: Double?
 /* = 1.0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var pressure: Float? /* = 0f */\n        get() = definedExternally\n        set(value) = definedExternally\n    var tangentialPressure: Float? /* = 0f */\n        get() = definedExternally\n        set(value) = definedExternally\n    var tiltX: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var tiltY: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var twist: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var pointerType: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isPrimary: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double?
 = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n    val o = js(\"({})\")\n\n    o[\"pointerId\"] = pointerId\n    o[\"width\"]
 = width\n    o[\"height\"] = height\n    o[\"pressure\"] = pressure\n    o[\"tangentialPressure\"] = tangentialPressure\n    o[\"tiltX\"] = tiltX\n    o[\"tiltY\"] = tiltY\n    o[\"twist\"] = twist\n    o[\"pointerType\"] = pointerType\n    o[\"isPrimary\"] = isPrimary\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"]
```

= modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/**\n * Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n open val pointerId: Int\n open val width: Double\n open val height: Double\n open val pressure: Float\n open val tangentialPressure: Float\n open val tiltX: Int\n open val tiltY: Int\n open val twist: Int\n open val pointerType: String\n open val isPrimary: Boolean\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus(): Unit\n fun blur(): Unit\n}\n\npublic external interface SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n val o = js(\"({})\")\n\n o[\"fill\"] = fill\n o[\"stroke\"] = stroke\n o[\"markers\"] = markers\n o[\"clipped\"] = clipped\n\n return o\n}\n\n/**\n * Exposes the JavaScript [SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n */\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform: SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally): DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n}\n\n/**\n * Exposes the JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength: SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint): Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic external abstract class SVGNumber {\n open var value: Float\n}\n\n/**\n * Exposes the JavaScript [SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external abstract class SVGLength {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG_LENGTHTYPE_UNKNOWN: Short\n val SVG_LENGTHTYPE_NUMBER: Short\n val SVG_LENGTHTYPE_PERCENTAGE: Short\n val SVG_LENGTHTYPE_EMS: Short\n val SVG_LENGTHTYPE_EXS: Short\n val SVG_LENGTHTYPE_PX: Short\n val

SVG_LENGTHTYPE_CM: Short\n val SVG_LENGTHTYPE_MM: Short\n val SVG_LENGTHTYPE_IN: Short\n val SVG_LENGTHTYPE_PT: Short\n val SVG_LENGTHTYPE_PC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract class SVGAngle {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG_ANGLETYPE_UNKNOWN: Short\n val SVG_ANGLETYPE_UNSPECIFIED: Short\n val SVG_ANGLETYPE_DEG: Short\n val SVG_ANGLETYPE_RAD: Short\n val SVG_ANGLETYPE_GRAD: Short\n }\n}\n\npublic external abstract class SVGNameList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: dynamic): dynamic\n fun getItem(index: Int): dynamic\n fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n fun replaceItem(newItem: dynamic, index: Int): dynamic\n fun removeItem(index: Int): dynamic\n fun appendItem(newItem: dynamic): dynamic\n}\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGNameList.set(index: Int, newItem: dynamic): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGNumber): SVGNumber\n fun getItem(index: Int): SVGNumber\n fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem: SVGNumber): SVGNumber\n}\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index: Int, newItem: SVGNumber): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n}\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n */\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal: Float\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n/**\n * Exposes the JavaScript

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: String): String\n fun getItem(index: Int): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\npublic external interface SVGUnitTypes {\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n */\npublic external interface SVGTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll(): Unit\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix:

DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int): Unit\n fun unsuspendRedrawAll(): Unit\n fun forceRedraw(): Unit\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n}\n\n/**\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot: SVGElement?\n}\n\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic): Unit\n override fun append(vararg nodes: dynamic): Unit\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n}\n\npublic external interface SVGElementInstance {\n val correspondingElement: SVGElement?\n val correspondingUseElement: SVGUseElement?\n}\n\npublic external open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n open val sourceAnimation: dynamic\n}\n\n/**\n * Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n}\n\npublic external interface GetSVGDocument {\n fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n open var type: String\n open var media: String\n open var title: String\n}\n\n/**\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle: Float\n fun setMatrix(matrix: DOMMatrixReadOnly): Unit\n fun setTranslate(tx: Float, ty: Float): Unit\n fun setScale(sx: Float, sy: Float): Unit\n fun setRotate(angle: Float, cx: Float, cy: Float): Unit\n fun setSkewX(angle: Float): Unit\n fun setSkewY(angle: Float): Unit\n\n companion object {\n val SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val SVG_TRANSFORM_TRANSLATE: Short\n val SVG_TRANSFORM_SCALE: Short\n val SVG_TRANSFORM_ROTATE: Short\n val SVG_TRANSFORM_SKEWX: Short\n val SVG_TRANSFORM_SKEWY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: SVGTransform): SVGTransform\n fun getItem(index: Int): SVGTransform\n fun insertItemBefore(newItem: SVGTransform, index: Int):

SVGTransform\n   fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\n   fun removeItem(index: Int): SVGTransform\n   fun appendItem(newItem: SVGTransform): SVGTransform\n   fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n   fun consolidate(): SVGTransform?\n}\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n   open val baseVal: SVGTransformList\n   open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGPreserveAspectRatio {\n   open var align: Short\n   open var meetOrSlice: Short\n\n   companion object {\n   val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n   val SVG_PRESERVEASPECTRATIO_NONE: Short\n   val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\n   val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n   val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n   val SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n   val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n   val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n   val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n   val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n   val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n   val SVG_MEETORSLICE_UNKNOWN: Short\n   val SVG_MEETORSLICE_MEET: Short\n   val SVG_MEETORSLICE_SLICE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n   open val baseVal: SVGPreserveAspectRatio\n   open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic external abstract class SVGPathElement : SVGGeometryElement {\n}\n\n/**\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n   open val x: SVGAnimatedLength\n   open val y: SVGAnimatedLength\n   open val width: SVGAnimatedLength\n   open val height: SVGAnimatedLength\n   open val rx: SVGAnimatedLength\n   open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic external abstract class SVGCircleElement : SVGGeometryElement {\n   open val cx: SVGAnimatedLength\n   open val cy: SVGAnimatedLength\n   open val r: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n   open val cx: SVGAnimatedLength\n   open val cy: SVGAnimatedLength\n   open val rx: SVGAnimatedLength\n   open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic external abstract class SVGLineElement : SVGGeometryElement {\n   open val x1: SVGAnimatedLength\n   open val y1: SVGAnimatedLength\n   open val x2: SVGAnimatedLength\n   open val y2: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\npublic

```
external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear(): Unit\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun getItem(index:
Int): DOMPoint\n    fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun
replaceItem(newItem: DOMPoint,
 index: Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun appendItem(newItem: DOMPoint):
DOMPoint\n}\n@kotlin.internal.InlineOnly inline operator fun SVGPointList.get(index: Int): DOMPoint? =
asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGPointList.set(index: Int, newItem:
DOMPoint): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
*/\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
* Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*/\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
* Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*/\npublic external abstract class SVGTextContentElement
 : SVGGraphicsElement {\n    open val textLength: SVGAnimatedLength\n    open val lengthAdjust:
SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n    fun getComputedTextLength(): Float\n    fun
getSubStringLength(charnum: Int, nchars: Int): Float\n    fun getStartPositionOfChar(charnum: Int): DOMPoint\n
fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun getExtentOfChar(charnum: Int): DOMRect\n    fun
getRotationOfChar(charnum: Int): Float\n    fun getCharNumAtPosition(point: DOMPoint): Int\n    fun
selectSubString(charnum: Int, nchars: Int): Unit\n\n    companion object {\n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to
Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open
 val x: SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx:
SVGAnimatedLengthList\n    open val dy: SVGAnimatedLengthList\n    open val rotate:
SVGAnimatedNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n */\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n */\npublic
external abstract class SVGTSpanElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n
*/\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n    open
val startOffset: SVGAnimatedLength\n    open val method: SVGAnimatedEnumeration\n    open val spacing:
SVGAnimatedEnumeration\n\n    companion object
 {\n        val TEXTPATH_METHODTYPE_UNKNOWN: Short\n        val TEXTPATH_METHODTYPE_ALIGN:
Short\n        val TEXTPATH_METHODTYPE_STRETCH: Short\n        val
TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n        val TEXTPATH_SPACINGTYPE_AUTO: Short\n
val TEXTPATH_SPACINGTYPE_EXACT: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n */\npublic
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLOrSVGImageElement {\n    open val x: SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open
val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n    open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio\n    open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript
[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to
```

Kotlin\n */\npublic external abstract class SVGForeignObjectElement :
SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val
width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n}\n\npublic external abstract class
SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val
refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth:
SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType:
SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun
setOrientToAuto(): Unit\n fun setOrientToAngle(angle: SVGAngle): Unit\n\n companion object {\n val
SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n
val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n
val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n
}\n}\n\n/**\n *
Exposes the JavaScript
[SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n
*/\npublic external abstract class SVGSolidcolorElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n
*/\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n
open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform: SVGAnimatedTransformList\n
open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n val
SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val
SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val
SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement)
to Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1:
SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val
y2: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx:
SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx:
SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n}\n\npublic
external abstract class SVGMeshGradientElement : SVGGradientElement {\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement
{\n}\n\n/**\n
* Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to
Kotlin\n */\npublic external abstract class SVGStopElement : SVGElement {\n open val offset:
SVGAnimatedNumber\n}\n\n/**\n * Exposes the JavaScript
[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits:
SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val
height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n
val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n }\n}\n\npublic external abstract class
SVGHatchElement : SVGElement {\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement
{\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic

external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n   open val x: SVGAnimatedLength\n   open val y: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n   open var type: String\n   open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\n */\npublic external abstract class SVGAElement : SVGGraphicsElement, SVGURIReference {\n   open val target: SVGAnimatedString\n   open val download: SVGAnimatedString\n   open val rel: SVGAnimatedString\n   open val relList: SVGAnimatedString\n   open val hreflang: SVGAnimatedString\n   open val type: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n\n   companion object {\n   val SVG_ZOOMANDPAN_UNKNOWN: Short\n   val SVG_ZOOMANDPAN_DISABLE: Short\n   val SVG_ZOOMANDPAN_MAGNIFY: Short\n   }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) {\n   open val size: Int\n   open val type: String\n   open val isClosed: Boolean\n   fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n   fun close(): Unit\n}\n\npublic external interface BlobPropertyBag {\n   var type: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n   val o = js(\"({})\")\n\n   o[\"type\"] = type\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n   open val name: String\n   open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n   var lastModified: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = \"\"): FilePropertyBag {\n   val o = js(\"({})\")\n\n   o[\"lastModified\"] = lastModified\n   o[\"type\"] = type\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n   override val length: Int\n   override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class FileReader : EventTarget {\n   open val readyState: Short\n   open val result: dynamic\n   open val error: dynamic\n   var onloadstart: ((ProgressEvent) -> dynamic)?\n   var onprogress: ((ProgressEvent) -> dynamic)?\n   var onload: ((Event) -> dynamic)?\n   var onabort: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   var onloadend: ((Event) -> dynamic)?\n   fun readAsArrayBuffer(blob: Blob): Unit\n   fun readAsBinaryString(blob: Blob): Unit\n   fun readAsText(blob: Blob, label: String = definedExternally): Unit\n

```
fun readAsDataURL(blob: Blob): Unit\n    fun abort():
 Unit\n\n    companion object {\n        val EMPTY: Short\n        val LOADING: Short\n        val DONE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n    fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n    fun readAsBinaryString(blob:
Blob): String\n    fun readAsText(blob: Blob, label: String = definedExternally): String\n    fun
readAsDataURL(blob: Blob): String\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport
 org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n    var onclick:
((MouseEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    open val title: String\n    open val dir:
NotificationDirection\n    open val lang: String\n    open val body: String\n    open val tag: String\n    open val
image: String\n    open val icon: String\n    open val badge: String\n    open val sound: String\n    open val vibrate:
Array<out Int>\n    open val timestamp: Number\n
    open val renotify: Boolean\n    open val silent: Boolean\n    open val noscreen: Boolean\n    open val
requireInteraction: Boolean\n    open val sticky: Boolean\n    open val data: Any?\n    open val actions: Array<out
NotificationAction>\n    fun close(): Unit\n\n    companion object {\n        var permission: NotificationPermission\n
    var maxActions: Int\n        fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit =
definedExternally): Promise<NotificationPermission>\n    }\n}\n\npublic external interface NotificationOptions {\n
var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n        get() = definedExternally\n        set(value)
= definedExternally\n    var lang: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var body: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var tag: String? /* = \"\" */\n        get() = definedExternally\n
        set(value) = definedExternally\n    var image: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var icon: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
badge: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var sound: String?\n
get() = definedExternally\n        set(value) = definedExternally\n    var vibrate: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var timestamp: Number?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var renotify: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var silent: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var noscreen: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n
    var requireInteraction: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var sticky: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var data: Any? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var actions: Array<NotificationAction>? /* = arrayOf() */\n        get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:
NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\",
image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined,
vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? =
```

false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false,
data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\"({})\")\n\n o[\"dir\"] = dir\n o[\"lang\"] = lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n get() = definedExternally\n set(value) = definedExternally\n var title: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\"({})\")\n\n o[\"action\"] = action\n o[\"title\"] = title\n o[\"icon\"] = icon\n\n return o\n}\n\npublic external interface GetNotificationOptions {\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\n val o = js(\"({})\")\n\n o[\"tag\"] = tag\n\n return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n */\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n open val notification: Notification\n open val action: String\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit
{\n var notification: Notification?\n get() = definedExternally\n set(value) = definedExternally\n var action: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n val o = js(\"({})\")\n\n o[\"notification\"] = notification\n o[\"action\"] = action\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n\n return o\n}\n\n/* please, don't implement this interface! */\npublic external interface NotificationPermission {\n companion object\n}\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\npublic inline val NotificationPermission.Companion.DENIED:
NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\npublic external interface NotificationDirection {\n companion object\n}\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE:
THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript

[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n open val installing: ServiceWorker?\n open val waiting: ServiceWorker?\n open val active: ServiceWorker?\n open val scope: String\n open var onupdatefound: ((Event) -> dynamic)?\n open val APISpace: dynamic\n fun update(): Promise<Unit>\n fun unregister(): Promise<Boolean>\n fun methodName(): Promise<dynamic>\n fun showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n open val clients: Clients\n open val registration: ServiceWorkerRegistration\n open var oninstall: ((Event) -> dynamic)?\n open var onactivate: ((Event) -> dynamic)?\n open var onfetch: ((FetchEvent) -> dynamic)?\n open var onforeignfetch: ((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n open var onfunctionalevent: ((Event) -> dynamic)?\n open var onnotificationclick: ((NotificationEvent) -> dynamic)?\n open var onnotificationclose: ((NotificationEvent) -> dynamic)?\n fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open val scriptURL: String\n open val state: ServiceWorkerState\n open var onstatechange: ((Event) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n open val controller: ServiceWorker?\n open val ready: Promise<ServiceWorkerRegistration>\n open var oncontrollerchange: ((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n fun getRegistrations(): Promise<dynamic>\n fun startMessages(): Unit\n}\n\npublic external interface RegistrationOptions {\n var scope: String?\n get() = definedExternally\n set(value) = definedExternally\n var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n val o = js(\"({})\")\n\n o[\"scope\"] = scope\n o[\"type\"] = type\n\n return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin: String\n open val lastEventId: String\n open val source: UnionMessagePortOrServiceWorker?\n open val ports: Array<out MessagePort>?\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) = definedExternally\n var source: UnionMessagePortOrServiceWorker?\n get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n val o = js(\"({})\")\n\n o[\"data\"] = data\n o[\"origin\"] = origin\n

```
o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n    open val url: String\n    open val frameType: FrameType\n
open val id: String\n    fun postMessage(message:
 Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n */\npublic external
abstract class WindowClient : Client {\n    open val visibilityState: dynamic\n    open val focused: Boolean\n    fun
focus(): Promise<WindowClient>\n    fun navigate(url: String): Promise<WindowClient>\n}\n\n/**\n * Exposes the
JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract
class Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<dynamic>\n    fun openWindow(url: String): Promise<WindowClient?>\n    fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var type:
ClientType?
 /* = ClientType.WINDOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n    val o = js(\"({})\")\n\n
o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] = type\n\n    return o\n}\n\n/**\n * Exposes the
JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n
*/\npublic external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit =
definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>): Unit\n}\n\npublic external interface
ExtendableEventInit : EventInit {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ExtendableEventInit {\n    val o = js(\"({})\")\n\n    o[\"bubbles\"] = bubbles\n
   o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the
JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic
external open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) :
ExtendableEvent {\n    fun registerForeignFetch(options: ForeignFetchOptions): Unit\n}\n\npublic external interface
ForeignFetchOptions {\n    var scopes: Array<String>?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var origins: Array<String>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n\n    o[\"scopes\"] =
scopes\n    o[\"origins\"] = origins\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent)
 to Kotlin\n */\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) :
ExtendableEvent {\n    open val request: Request\n    open val clientId: String?\n    open val isReload: Boolean\n
fun respondWith(r: Promise<Response>): Unit\n}\n\npublic external interface FetchEventInit : ExtendableEventInit
{\n    var request: Request?\n        get() = definedExternally\n        set(value) = definedExternally\n    var clientId:
String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isReload: Boolean?
/* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId:
String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): FetchEventInit {\n    val o = js(\"({})\")\n\n    o[\"request\"] =
 request\n    o[\"clientId\"] = clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\npublic external open class
ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val request:
Request\n    open val origin: String\n    fun respondWith(r: Promise<ForeignFetchResponse>): Unit\n}\n\npublic
```

```
external interface ForeignFetchEventInit : ExtendableEventInit {\n    var request: Request?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = \"null\" */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ForeignFetchEventInit {\n    val o = js(\"({})\")\n\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\npublic external interface ForeignFetchResponse {\n    var response: Response?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var headers: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n    val o = js(\"({})\")\n\n    o[\"response\"] = response\n    o[\"origin\"] = origin\n    o[\"headers\"] = headers\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n */\npublic
 external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source: UnionClientOrMessagePortOrServiceWorker?\n    open val ports: Array<out MessagePort>?\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n    var data: Any?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var lastEventId: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var source: UnionClientOrMessagePortOrServiceWorker?\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n    val o = js(\"({})\")\n\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache {\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n    fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n
    fun add(request: dynamic): Promise<Unit>\n    fun addAll(requests: Array<dynamic>): Promise<Unit>\n    fun put(request: dynamic, response: Response): Promise<Unit>\n    fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n    fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n}\n\npublic external interface CacheQueryOptions {\n    var ignoreSearch: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ignoreMethod: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ignoreVary: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var cacheName: String?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean?
 = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\n    val o = js(\"({})\")\n\n    o[\"ignoreSearch\"] = ignoreSearch\n    o[\"ignoreMethod\"] = ignoreMethod\n    o[\"ignoreVary\"] = ignoreVary\n    o[\"cacheName\"] = cacheName\n\n    return o\n}\n\npublic
```

external interface CacheBatchOperation {\n   var type: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var request: Request?\n   get() = definedExternally\n   set(value) = definedExternally\n   var response: Response?\n   get() = definedExternally\n   set(value) = definedExternally\n   var options: CacheQueryOptions?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation
 {\n   val o = js(\"({})\")\n\n   o[\"type\"] = type\n   o[\"request\"] = request\n   o[\"response\"] = response\n   o[\"options\"] = options\n\n   return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external abstract class CacheStorage {\n   fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n   fun has(cacheName: String): Promise<Boolean>\n   fun open(cacheName: String): Promise<Cache>\n   fun delete(cacheName: String): Promise<Boolean>\n   fun keys(): Promise<dynamic>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n}\n\npublic external @marker interface UnionClientOrMessagePortOrServiceWorker {\n}\n\n/* please, don't implement this interface! */\npublic external interface ServiceWorkerState {\n   companion object\n}\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic
 inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() = \"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\npublic inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() = \"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface! */\npublic external interface FrameType {\n   companion object\n}\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\npublic inline
 val FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\npublic inline val FrameType.Companion.NONE: FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface! */\npublic external interface ClientType {\n   companion object\n}\npublic inline val ClientType.Companion.WINDOW: ClientType get() = \"window\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.WORKER: ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.SHAREDWORKER: ClientType get() = \"sharedworker\".asDynamic().unsafeCast<ClientType>()\npublic inline val ClientType.Companion.ALL: ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
 DO NOT EDIT!\n// See libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the

JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to Kotlin\n */\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n   open var onloadstart: ((ProgressEvent) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var onabort: ((Event) -> dynamic)?\n
 open var onerror: ((Event) -> dynamic)?\n   open var onload: ((Event) -> dynamic)?\n   open var ontimeout: ((Event) -> dynamic)?\n   open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\n}\n\n/**\n * Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n */\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n   var onreadystatechange: ((Event) -> dynamic)?\n   open val readyState: Short\n   var timeout: Int\n   var withCredentials: Boolean\n   open val upload: XMLHttpRequestUpload\n   open val responseURL: String\n   open val status: Short\n   open val statusText: String\n   var responseType: XMLHttpRequestResponseType\n   open val response: Any?\n   open val responseText: String\n   open val responseXML: Document?\n   fun open(method: String, url: String): Unit\n   fun open(method: String, url: String, async: Boolean,
 username: String? = definedExternally, password: String? = definedExternally): Unit\n   fun setRequestHeader(name: String, value: String): Unit\n   fun send(body: dynamic = definedExternally): Unit\n   fun abort(): Unit\n   fun getResponseHeader(name: String): String?\n   fun getAllResponseHeaders(): String\n   fun overrideMimeType(mime: String): Unit\n\n   companion object {\n   val UNSENT: Short\n   val OPENED: Short\n   val HEADERS_RECEIVED: Short\n   val LOADING: Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class FormData(form: HTMLFormElement = definedExternally) {\n   fun append(name: String, value: String): Unit\n   fun append(name: String, value: Blob, filename: String = definedExternally): Unit\n   fun delete(name: String): Unit\n   fun get(name: String): dynamic\n   fun getAll(name: String): Array<dynamic>\n
    fun has(name: String): Boolean\n   fun set(name: String, value: String): Unit\n   fun set(name: String, value: Blob, filename: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n   open val lengthComputable: Boolean\n   open val loaded: Int\n   open val total: Int\n}\n\npublic external interface ProgressEventInit : EventInit {\n   var lengthComputable: Boolean? /* = false */\n   get() = definedExternally\n
    set(value) = definedExternally\n   var loaded: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var total: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean?
 = false, loaded: Int? = 0, total: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n   val o = js(\"({})\")\n\n   o[\"lengthComputable\"] = lengthComputable\n
 o[\"loaded\"] = loaded\n   o[\"total\"] = total\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n\n   return o\n}\n\n/* please, don't implement this interface! */\npublic external interface XMLHttpRequestResponseType {\n   companion object\n}\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = \"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic
 inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val

XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\n *\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Suppress(\"ANNOTATION_CLASS_MEMBER\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n   /**\n   * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n   * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n   */\n   public enum class Level {\n   /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n   WARNING,\n   /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n   ERROR,\n   }\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is experimental itself and can only be used with the compiler argument `-Xuse-experimental=kotlin.Experimental`.\n */\n@Target(\n   CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,\n   TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class UseExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n *\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield(\"result\") }\n * ```\n * Here the type argument of the resulting sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(VALUE_PARAMETER, FUNCTION,

PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@ExperimentalTypeInferenc e\npublic annotation class BuilderInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalMultiplatform::class)`,\n * or by using the compiler argument `-Xuse-experimental=kotlin.ExperimentalMultiplatform`.\n */\n@Experimental\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as \"optional\".\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased when compiling code on that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatfor m\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptionalExpectation\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract override fun iterator(): Iterator<E>\n\n override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\n if (it === this) \"(this Collection)\" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection.\n */\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this collection.\n */\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\nprivate enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n\n private var nextValue: T? = null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress(\"UNCHECKED_CAST\")\n return nextValue as T\n }\n\n private fun tryToComputeNext(): Boolean {\n state = State.Failed\n

computeNext()\n return state == State.Ready\n }\n\n /**\n * Computes the next item in the iterator.\n *\n * This callback method should call one of these two methods:\n *\n * * [setNext] with the next value of the iteration\n * * [done] to indicate there are no more elements\n *\n * Failure to call either method will result in the iteration terminating with a failed state\n */\n
abstract protected fun computeNext(): Unit\n\n /**\n * Sets the next value in the iteration, called from the [computeNext] function\n */\n protected fun setNext(value: T): Unit {\n nextValue = value\n state = State.Ready\n }\n\n /**\n * Sets the state to done so that the iteration terminates.\n */\n protected fun done() {\n state = State.Done\n }\n}\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic
abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n abstract override val size: Int\n abstract override fun get(index: Int): E\n\n override fun iterator(): Iterator<E> = IteratorImpl()\n\n override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n\n override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n\n override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n private var _size: Int = 0\n\n init {\n checkRangeIndexes(fromIndex, toIndex, list.size)\n
this._size = toIndex - fromIndex\n }\n\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override val size: Int get() = _size\n }\n\n /**\n * Compares this list with other list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl : Iterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n\n
override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw NoSuchElementException()\n return get(index++)\n }\n }\n\n /**\n * Implementation of [ListIterator] for abstract lists.\n */\n private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n\n init {\n checkPositionIndex(index, this@AbstractList.size)\n this.index = index\n }\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw NoSuchElementException()\n return get(--index)\n }\n\n override fun previousIndex(): Int = index - 1\n }\n\n internal companion object {\n internal fun checkElementIndex(index: Int, size: Int) {\n if (index < 0 || index >= size) {\n throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n }\n }\n\n internal fun checkPositionIndex(index: Int, size: Int) {\n if (index < 0 || index > size) {\n throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n }\n }\n\n internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n if (fromIndex < 0 || toIndex > size) {\n throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex, size: $size\")\n }\n if (fromIndex > toIndex) {\n throw IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\n }\n }\n\n internal fun orderedHashCode(c: Collection<*>): Int {\n var hashCode = 1\n for (e in c) {\n hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun

orderedEquals(c: Collection<*>,
other: Collection<*>): Boolean {\n if (c.size != other.size) return false\n\n val otherIterator = other.iterator()\n for (elem in c) {\n val elemOther = otherIterator.next()\n if (elem != elemOther) {\n return false\n }\n }\n return true\n }\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The map is covariant on its value
type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n override fun containsKey(key: K): Boolean {\n return implFindEntry(key) != null\n }\n\n override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n // since entry comes from @UnsafeVariance parameters it can be virtually anything\n if (entry !is Map.Entry<*, *>) return false\n val key = entry.key\n val value = entry.value\n val ourValue = get(key)\n\n if (value != ourValue) {\n return false\n }\n\n // Perhaps it was null and we don't contain the key?\n if (ourValue == null && !containsKey(key)) {\n return false\n }\n\n return true\n }\n\n /**\n * Compares this map with other instance with the ordered structural equality.\n *\n
* @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Map<*, *>) return false\n if (size != other.size) return false\n\n return other.entries.all { containsEntry(it) }\n }\n\n override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n\n /**\n * Returns the hash code value for this map.\n *\n * It is the same as the hashCode of [entries] set.\n */\n override fun hashCode(): Int = entries.hashCode()\n\n override fun isEmpty(): Boolean = size == 0\n override val size: Int get() = entries.size\n\n /**\n * Returns a read-only [Set] of all keys in this map.\n *\n * Accessing this property first time creates a keys view from [entries].\n * All subsequent accesses just return the created instance.\n */\n override
val keys: Set<K>\n get() {\n if (_keys == null) {\n _keys = object : AbstractSet<K>() {\n override operator fun contains(element: K): Boolean = containsKey(element)\n\n override operator fun iterator(): Iterator<K> {\n val entryIterator = entries.iterator()\n return object : Iterator<K> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _keys!!\n }\n\n @kotlin.jvm.Volatile\n private var _keys: Set<K>? = null\n\n\n override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it) }\n\n private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" + toString(entry.value)\n\n private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\n\n /**\n * Returns a read-only [Collection] of all values in this map.\n *\n * Accessing this property first time creates a values view from [entries].\n * All subsequent accesses just return the created instance.\n */\n override val values: Collection<V>\n get() {\n if (_values == null) {\n _values = object : AbstractCollection<V>() {\n override operator fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\n\n override operator fun iterator(): Iterator<V> {\n val entryIterator = entries.iterator()\n return object : Iterator<V> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n }\n }\n\n override val size: Int get() = this@AbstractMap.size\n }\n }\n return _values!!\n }\n\n @kotlin.jvm.Volatile\n private var _values: Collection<V>? = null\n\n private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n internal companion object {\n\n internal fun entryHashCode(e:

Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n if (other !is Map.Entry<*, *>) return false\n return e.key == other.key && e.value == other.value\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n /**\n * Compares this set with other set instance with the unordered structural equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int = unorderedHashCode(this)\n\n internal companion object {\n internal fun unorderedHashCode(c: Collection<*>): Int {\n var hashCode = 0\n for (element in c) {\n hashCode += (element?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n if (c.size != other.size) return false\n return c.containsAll(other)\n }\n }\n\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out Array<out T>>.flatten(): List<T> {\n val result = ArrayList<T>(sumBy { it.size })\n for (element in this) {\n result.addAll(element)\n }\n return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT = ArrayList<T>(size)\n val listR = ArrayList<R>(size)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.isEmpty()\n}\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UPPER_BOUND_CANNOT_BE_ARRAY\")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n if (isEmpty()) defaultValue() else this\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepEquals\")\n@kotlin.js.JsName(\"contentDeepEqualsImpl\")\ninternal fun <T> Array<out T>.contentDeepEqualsImpl(other: Array<out T>): Boolean {\n if (this === other) return true\n if (this.size != other.size) return false\n\n for (i in indices) {\n val v1 = this[i]\n val v2 = other[i]\n\n if (v1 === v2) {\n continue\n } else if (v1 == null || v2 == null) {\n return false\n }\n\n when {\n v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is IntArray && v2 is IntArray -> if

(!v1.contentEquals(v2)) return false\n v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false\n v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\n v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return
false\n\n v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\n v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n\n else -> if (v1 != v2) return false\n }\n\n }\n return true\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepToString\")\n@kotlin.js.JsName(\"contentDeepToStringImpl\")\ninternal fun <T> Array<out T>.contentDeepToStringImpl(): String {\n val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not to overflow Int.MAX_VALUE\n return buildString(length) {\n contentDeepToStringInternal(this, mutableListOf())\n }\n}\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out T>.contentDeepToStringInternal(result:
StringBuilder, processed: MutableList<Array<*>>) {\n if (this in processed) {\n result.append(\"[...]\")\n return\n }\n processed.add(this)\n result.append('[')\n\n for (i in indices) {\n if (i != 0) {\n result.append(\", \")\n }\n val element = this[i]\n when (element) {\n null -> result.append(\"null\")\n is Array<*> -> element.contentDeepToStringInternal(result, processed)\n is ByteArray -> result.append(element.contentToString())\n is ShortArray -> result.append(element.contentToString())\n is IntArray -> result.append(element.contentToString())\n is LongArray -> result.append(element.contentToString())\n is FloatArray -> result.append(element.contentToString())\n is DoubleArray -> result.append(element.contentToString())\n is CharArray -> result.append(element.contentToString())\n
is BooleanArray -> result.append(element.contentToString())\n\n is UByteArray -> result.append(element.contentToString())\n is UShortArray -> result.append(element.contentToString())\n is UIntArray -> result.append(element.contentToString())\n is ULongArray -> result.append(element.contentToString())\n\n else -> result.append(element.toString())\n }\n }\n\n result.append(']')\n processed.removeAt(processed.lastIndex)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\npublic
data class IndexedValue<out T>(public val index: Int, public val value: T)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef:
Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\")
(getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain

value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName(\"getVar\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated(\"Use getValue() with two type parameters instead\", level = DeprecationLevel.ERROR)\n@kotlin.jvm.JvmName(\"getVarContravariant\")\n@kotlin.internal.LowPriorityInOverloadResolution\n@kotlin.internal.InlineOnly\npublic
 inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage
 kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault] method.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n */\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n if (this is MapWithDefault)\n return this.getOrImplicitDefault(key)\n\n return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This
 implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n when (this) {\n is MapWithDefault -> this.map.withDefault(defaultValue)\n else -> MapWithDefaultImpl(this, defaultValue)\n }\n\n/**\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default
 value provided with a former call to [withDefault], it is being replaced by this call.\n */\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else -> MutableMapWithDefaultImpl(this, defaultValue)\n }\n\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K, V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\n\nprivate class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n
 override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys:

Set<K> get() = map.keys\n   override val values: Collection<V> get() = map.values\n   override val entries: Set<Map.Entry<K, V>> get() = map.entries\n\n   override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n   override fun hashCode(): Int = map.hashCode()\n   override fun toString(): String = map.toString()\n   override val size: Int get() = map.size\n override fun isEmpty(): Boolean
= map.isEmpty()\n   override fun containsKey(key: K): Boolean = map.containsKey(key)\n   override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n   override fun get(key: K): V? = map.get(key)\n   override val keys: MutableSet<K> get() = map.keys\n   override val values: MutableCollection<V> get() = map.values\n   override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n   override fun put(key: K, value: V): V? = map.put(key, value)\n   override fun remove(key: K): V? = map.remove(key)\n   override fun putAll(from: Map<out K, V>) = map.putAll(from)\n override fun clear() = map.clear()\n\n   override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\n *\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also contained in the specified collection.\n\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not
modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n@Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n   @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n */\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Adds the specified [element] to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n   this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n   this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] array to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n   this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n   this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from

this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n   this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given [elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n   this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] array from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n   this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] sequence
 from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n   this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n   when (elements) {\n   is Collection -> return addAll(elements)\n   else -> {\n   var result: Boolean = false\n   for (item in elements)\n   if (add(item)) result = true\n   return result\n   }\n   }\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n   var result: Boolean = false\n   for (item in elements) {\n   if (add(item)) result = true\n   }\n   return result\n}\n\n/**\n * Adds all elements of the given [elements] array
 to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n   return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n */\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n   var result = false\n   with(iterator()) {\n   while (hasNext())\n   if (predicate(next()) == predicateResultToRemove) {\n   remove()\n   result = true\n   }\n   }\n   return result\n}\n\n/**\n * Removes all elements from this [MutableList]
 that match the given [predicate].\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n   if (this !is RandomAccess)\n   return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n   var writeIndex: Int = 0\n   for (readIndex in 0..lastIndex) {\n   val element = this[readIndex]\n   if (predicate(element) == predicateResultToRemove)\n   continue\n\n   if (writeIndex != readIndex)\n   this[writeIndex] = element\n\n   writeIndex++\n   }\n   if (writeIndex < size) {\n   for (removeIndex in lastIndex downTo writeIndex)\n
        removeAt(removeIndex)\n\n   return true\n   } else {\n   return false\n   }\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n   return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n   val set = elements.toHashSet()\n   return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n   return elements.isNotEmpty() && removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this [MutableCollection]
 that are contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n   return

retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n   if (elements.isNotEmpty())\n   return retainAll(elements.toHashSet())\n   else\n   return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n   val set = elements.toHashSet()\n   if (set.isNotEmpty())\n   return retainAll(set)\n   else\n   return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n   val result = isNotEmpty()\n   clear()\n   return result\n}\n\n/**\n * Randomly shuffles elements in this mutable list using the specified [random] instance as the source of randomness.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n   for (i in lastIndex downTo 1) {\n   val j = random.nextInt(i + 1)\n   val copy = this[i]\n   this[i] = this[j]\n   this[j] = copy\n   }\n}\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n * using the specified [random] instance as the source of randomness.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\n   override val size: Int get() = delegate.size\n   override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {\n   override val size: Int get() = delegate.size\n   override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n\n   override fun clear() = delegate.clear()\n   override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\n\n   override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n   override fun add(index: Int, element: T) {\n   delegate.add(reversePositionIndex(index), element)\n   }\n}\n\nprivate fun List<*>.reverseElementIndex(index: Int) =\n   if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element index $index must be in range [${0..lastIndex}].\")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n   if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\n\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n */\n@kotlin.jvm.JvmName(\"asReversedMutable\")\npublic fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n@file:UseExperimental(ExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a [Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(block) }\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'sequence { }' function instead.\", ReplaceWith(\"sequence(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic

```
 inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction) }\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return iterator\n}\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'iterator { }' function instead.\", ReplaceWith(\"iterator(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Iterator<T> =
 iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.3\")\npublic abstract class SequenceScope<in T> internal constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence
 of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values  to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated(\"Use SequenceScope class instead.\", ReplaceWith(\"SequenceScope<T>\"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> = SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when (state) {\n                State_NotReady -> {}\n
  State_ManyNotReady ->\n                    if (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    } else {\n                        nextIterator = null\n                    }\n
State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state) {\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextValue
```

```
as T\n                nextValue = null\n                return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T {\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private fun exceptionalState(): Throwable = when (state) {\n        State_Done -> NoSuchElementException()\n        State_Failed -> IllegalStateException(\"Iterator has failed.\")\n        else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\n    }\n\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state = State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if (!iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    // Completion continuation implementation\n    override fun resumeWith(result: Result<Unit>) {\n        result.getOrThrow() // just rethrow exception if it is there\n        state = State_Done\n    }\n\n    override val context: CoroutineContext\n        get() = EmptyCoroutineContext\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            \"Both size $size and step $step must be greater than zero.\"\n        else\n            \"size $size must be greater than zero.\"\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer = ArrayList<T>(size)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) { skip -= 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        } else {\n            val buffer = RingBuffer<T>(size)\n            for (e in iterator) {\n                buffer.add(e)\n                if (buffer.isFull()) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n            }\n            if (partialWindows) {\n                while (buffer.size > step) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n                if (buffer.isNotEmpty()) yield(buffer)\n            }\n        }\n    }\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n    private var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n        checkRangeIndexes(fromIndex, toIndex, list.size)\n        this.fromIndex = fromIndex\n        this._size = toIndex - fromIndex\n    }\n\n    override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n\n        return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n\n/**\n * Provides ring buffer implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(val capacity: Int) : AbstractList<T>(), RandomAccess {\n    init {\n        require(capacity >= 0) { \"ring buffer capacity should not be negative but it is $capacity\" }\n    }\n\n    private val buffer = arrayOfNulls<Any?>(capacity)\n    private var startIndex: Int = 0\n\n    override var size: Int = 0\n        private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n        @Suppress(\"UNCHECKED_CAST\")\n        return buffer[startIndex.forward(index)] as T\n    }\n\n    fun isFull() = size == capacity\n\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n        private var count = size\n        private var index = startIndex\n\n        override fun computeNext() {\n            if (count == 0) {\n                done()\n            } else {\n                @Suppress(\"UNCHECKED_CAST\")\n                setNext(buffer[index] as T)\n                index = index.forward(1)\n                count--\n            }\n        }\n    }\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        val result: Array<T?> =\n            if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n        val
```

```
size = this.size\n\n        var widx = 0\n        var idx = startIndex\n\n        while (widx < size && idx < capacity) {\n
    result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n\n        idx = 0\n        while (widx <
size) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n        if (result.size >
this.size) result[this.size]
 = null\n\n        return result as Array<T>\n    }\n\n    override fun toArray(): Array<Any?> {\n        return
toArray(arrayOfNulls(size))\n    }\n\n    /**\n     * Add [element] to the buffer or fail with [IllegalStateException] if
no free space available in the buffer\n     */\n    fun add(element: T) {\n        if (isFull()) {\n            throw
IllegalStateException(\"ring buffer is full\")\n        }\n\n        buffer[startIndex.forward(size)] = element\n
size++\n    }\n\n    /**\n     * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if
not enough elements in the buffer to remove\n     */\n    fun removeFirst(n: Int) {\n        require(n >= 0) { \"n
shouldn't be negative but it is $n\" }\n        require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n,
size = $size\" }\n\n        if (n > 0) {\n            val start = startIndex\n            val end = start.forward(n)\n\n            if
(start > end) {\n
    buffer.fill(null, start, capacity)\n                buffer.fill(null, 0, end)\n            } else {\n                buffer.fill(null,
start, end)\n            }\n\n            startIndex = end\n            size -= n\n        }\n    }\n\n\n
@Suppress(\"NOTHING_TO_INLINE\")\n    private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n\n
// TODO: replace with Array.fill from stdlib when available in common\n    private fun <T> Array<T>.fill(element:
T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n        for (idx in fromIndex until toIndex) {\n            this[idx] =
element\n        }\n    }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//
UByteArray
================================================================================\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UByteArray,
 left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n
    while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp
= array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return
i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UByteArray, left: Int, right: Int) {\n    val
index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index <
right)\n        quickSort(array, index, right)\n}\n\n// UShortArray
================================================================================\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UShortArray, left: Int, right: Int): Int {\n    var i = left\n
var j = right\n    val pivot = array[(left + right) / 2]\n
  while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <=
j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n
 }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UShortArray, left: Int, right:
Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if
(index < right)\n        quickSort(array, index, right)\n}\n\n// UIntArray
================================================================================\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UIntArray, left: Int, right: Int): Int {\n    var i = left\n
var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n
  while (array[j] > pivot)\n            j--\n
      if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n
j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UIntArray, left:
Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index -
1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// ULongArray
================================================================================\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: ULongArray, left: Int, right: Int): Int {\n    var i = left\n
var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n
```

```
  while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n
 array[j] = tmp\n
        i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n
array: ULongArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n
quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n\n// Interfaces
==========================================================================\n/**\n
* Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
UByteArray)    = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
UShortArray)   = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
UIntArray)     = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
ULongArray)    = quickSort(array, 0, array.size - 1)","/*\n * Copyright 2010-2018 JetBrains s.r.o.
 Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport
kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is
used to opt-in for that feature\n * when declaring contracts of user functions.\n *\n * Any usage of a declaration
annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the
[UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalContracts::class)`,\n * or by using the
compiler argument `-Xuse-experimental=kotlin.contracts.ExperimentalContracts`.\n
*/\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@Experimental\npublic annotation class
ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns],
[callsInPlace], etc.,\n * can be used to describe the contract of
 a function.\n *\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n
*\n * @see contract\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic interface
ContractBuilder {\n    /**\n     * Describes a situation when a function returns normally, without any exceptions
thrown.\n     *\n     * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such
case.\n     *\n     */\n    // @sample samples.contracts.returnsContract\n    @ContractsDsl public fun returns():
Returns\n\n    /**\n     * Describes a situation when a function returns normally with the specified return [value].\n
*\n     * The possible values of [value] are limited to `true`, `false` or `null`.\n     *\n     * Use [SimpleEffect.implies]
function to describe a conditional effect that happens in such case.\n     *\n     */\n    // @sample
samples.contracts.returnsTrueContract\n    // @sample samples.contracts.returnsFalseContract\n
   // @sample samples.contracts.returnsNullContract\n    @ContractsDsl public fun returns(value: Any?):
Returns\n\n    /**\n     * Describes a situation when a function returns normally with any value that is not `null`.\n
*\n     * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n     *\n
*/\n    // @sample samples.contracts.returnsNotNullContract\n    @ContractsDsl public fun returnsNotNull():
ReturnsNotNull\n\n    /**\n     * Specifies that the function parameter [lambda] is invoked in place.\n     *\n     * This
contract specifies that:\n     * 1. the function [lambda] can only be invoked during the call of the owner function,\n
*  and it won't be invoked after that owner function call is completed;\n     * 2. _(optionally)_ the function [lambda]
is invoked the amount of times specified by the [kind] parameter,\n     *  see the [InvocationKind] enum for possible
values.\n     *\n     * A function declaring the `callsInPlace`
 effect must be _inline_.\n     *\n     */\n    /* @sample samples.contracts.callsInPlaceAtMostOnceContract\n    *
@sample samples.contracts.callsInPlaceAtLeastOnceContract\n    * @sample
samples.contracts.callsInPlaceExactlyOnceContract\n    * @sample
samples.contracts.callsInPlaceUnknownContract\n    */\n    @ContractsDsl public fun <R> callsInPlace(lambda:
Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how
many times a function invokes its function parameter in place.\n *\n * See [ContractBuilder.callsInPlace] for the
details of the call-in-place function contract.\n
*/\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic enum class InvocationKind {\n
/**\n     * A function parameter will be invoked one time or not invoked at all.\n     */\n    // @sample
```

samples.contracts.callsInPlaceAtMostOnceContract\n   @ContractsDsl AT_MOST_ONCE,\n\n   /**\n   * A function parameter will be invoked one or more
 times.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n   @ContractsDsl AT_LEAST_ONCE,\n\n   /**\n   * A function parameter will be invoked exactly one time.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceExactlyOnceContract\n   @ContractsDsl EXACTLY_ONCE,\n\n   /**\n * A function parameter is called in place, but it's unknown how many times it can be called.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceUnknownContract\n   @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n/* @sample samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample samples.contracts.returnsFalseContract\n*
 @sample samples.contracts.returnsNullContract\n* @sample samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n* @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample samples.contracts.callsInPlaceExactlyOnceContract\n* @sample samples.contracts.callsInPlaceUnknownContract\n*/\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun contract(builder: ContractBuilder.() -> Unit) { }","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine continuations with [interceptContinuation]
 invocations.\n */\n@SinceKotlin(\"1.3\")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n   /**\n   * The key that defines *the* context interceptor.\n   */\n   companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n   /**\n   * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n   * This function is invoked by coroutines framework when needed and the resulting continuations are\n   * cached internally per each instance of the original [continuation].\n   *\n   * This function may simply return original [continuation] if it does not want to intercept this particular continuation.\n   *\n   * When the original [continuation] completes, coroutine framework invokes [releaseInterceptedContinuation]\n   * with the resulting continuation if it was intercepted, that is if `interceptContinuation` had previously\n   * returned a different continuation instance.\n   */\n   public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n   /**\n   * Invoked for the continuation instance returned by [interceptContinuation] when the original\n   * continuation completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n   * had returned a different continuation instance from the one it was invoked with.\n   *\n   * Default implementation does nothing.\n   *\n * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n */\n   public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n   /* do nothing by default */\n   }\n\n   // Performance optimization for a singleton Key\n   public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? =\n   @Suppress(\"UNCHECKED_CAST\")\n   if (key === Key) this as E else null\n\n   // Performance optimization to a singleton
 Key\n   public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext =\n   if (key === Key) EmptyCoroutineContext else this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key]. Keys are compared _by reference_.\n */\n@SinceKotlin(\"1.3\")\npublic interface CoroutineContext {\n   /**\n   * Returns the element

```
with the given [key] from this context or `null`.\n     * Keys are compared _by reference_, that is to get an element from the context the reference to its actual key\n     * object must be presented to this function.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\n     * from left to right to current accumulator value and each element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this context and elements from  other [context].\n     * The elements from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) { acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed === EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if (interceptor == null) CombinedContext(removed, element) else {\n                        val left = removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                            CombinedContext(CombinedContext(left, element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key]. Keys are compared _by reference_, that is to remove an element from the context\n     * the reference to its actual key object must be presented to this function.\n     */\n    public fun minusKey(key: Key<*>): CoroutineContext\n\n    /**\n     * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n     * Keys in the context are compared _by reference_.\n     */\n    public interface Key<E : Element>\n\n    /**\n     * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element : CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key: Key<*>\n\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n            @Suppress(\"UNCHECKED_CAST\")\n            if (this.key == key) this as E else null\n\n        public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(initial, this)\n\n        public override fun minusKey(key: Key<*>): CoroutineContext =\n            if (this.key == key) EmptyCoroutineContext else this\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.CoroutineContext.*\nimport kotlin.io.Serializable\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n@SinceKotlin(\"1.3\")\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin(\"1.3\")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long = 0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key: Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key: Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString(): String = \"EmptyCoroutineContext\"\n}\n\n//------------------------ internal impl ----------------------\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally\n@SinceKotlin(\"1.3\")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n\n    override fun <E : Element> get(key: Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return next[key]\n            }\n        }\n    }\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n        operation(left.fold(initial, operation), element)\n\n    public override fun minusKey(key: Key<*>): CoroutineContext {\n        element[key]?.let { return left }\n        val newLeft = left.minusKey(key)\n        return when {\n            newLeft === left -> this\n            newLeft === EmptyCoroutineContext
```

-> element\n   else -> CombinedContext(newLeft, element)\n   }\n   }\n\n   private fun size(): Int {\n   var cur = this\n   var size = 2\n   while (true) {\n   cur = cur.left as? CombinedContext ?: return size\n   size++\n   }\n   }\n\n   private fun contains(element: Element): Boolean =\n   get(element.key) == element\n\n   private fun containsAll(context: CombinedContext): Boolean {\n   var cur = context\n   while (true) {\n   if (!contains(cur.element)) return false\n   val next = cur.left\n   if (next is CombinedContext) {\n   cur = next\n   } else {\n   return contains(next as Element)\n   }\n   }\n   }\n\n   override fun equals(other: Any?): Boolean =\n   this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n   override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n
    override fun toString(): String =\n   \"[\" + fold(\"\") { acc, element ->\n   if (acc.isEmpty()) element.toString() else \"$acc, $element\"\n   } + \"]\"\n\n   private fun writeReplace(): Any {\n   val n = size()\n   val elements = arrayOfNulls<CoroutineContext>(n)\n   var index = 0\n   fold(Unit) { _, element -> elements[index++] = element }\n   check(index == n)\n   @Suppress(\"UNCHECKED_CAST\")\n   return Serialized(elements as Array<CoroutineContext>)\n   }\n\n   private class Serialized(val elements: Array<CoroutineContext>) : Serializable {\n   companion object {\n   private const val serialVersionUID: Long = 0L\n   }\n\n   private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n *\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend function's author.\n *\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * It is invoker's responsibility to ensure that the proper invocation context is established.\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n *\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\n@Suppress(\"UNUSED_PARAMETER\", \"RedundantSuspendModifier\")\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n   throw NotImplementedError(\"Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic\")\n\n/**\n * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified behavior of the code.\n */\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\n@SinceKotlin(\"1.3\")\npublic val COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum here ensures two important

properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n@SinceKotlin(\"1.3\")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
 inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between
 the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/**\n * The experimental type inference augmenting annotations marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [UseExperimental] annotation, e.g. `@UseExperimental(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-Xuse-experimental=kotlin.experimental.ExperimentalTypeInference`.\n */\n@Experimental(level =
Experimental.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin(\"1.3\")\npublic
 annotation class ExperimentalTypeInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation
 class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n
*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without

inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin(\"1.2\")\ninternal annotation class RequireKotlin(\n   val version: String,\n   val message: String = \"\",\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\n   val errorCode: Int = -1)\n\n/**\n * The kind of the version that is required by [RequireKotlin].\n */\n@SinceKotlin(\"1.2\")\ninternal enum class RequireKotlinVersionKind {\n   LANGUAGE_VERSION,\n   COMPILER_VERSION,\n   API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class ContractsDsl\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n */\npublic object Delegates {\n   /**\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\n   * object construction time but at a later time. Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   *\n   * @sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   *\n   * @sample samples.properties.Delegates.observableDelegate\n   */\n   public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n

```
ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n            override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n    }\n\n    /**\n     * Returns a property delegate for a read/write property that calls a specified callback function when changed,\n     * allowing the callback to veto the modification.\n     * @param initialValue the initial value of the property.\n     * @param onChange the callback which is called before a
 change to the property value is attempted.\n     *  The value of the property hasn't been changed yet, when this callback is invoked.\n     *  If the callback returns `true` the value of the property is being set to the new value,\n     * and if the callback returns `false` the new value is discarded and the property remains its old value.\n     *\n     * @sample samples.properties.Delegates.vetoableDelegate\n     *  @sample samples.properties.Delegates.throwVetoableDelegate\n     */\n    public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n            override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\n        }\n\n}\n\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n    private var value: T? = null\n\n    public
 override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value ?: throw IllegalStateException(\"Property ${property.name} should be initialized before get.\")\n    }\n\n    public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        this.value = value\n    }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n    private var value = initialValue\n\n    /**\n     *  The callback which is called before a change to the property value is attempted.\n     *  The value
 of the property hasn't been changed yet, when this callback is invoked.\n     *  If the callback returns `true` the value of the property is being set to the new value,\n     *  and if the callback returns `false` the new value is discarded and the property remains its old value.\n     */\n    protected open fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n    /**\n     * The callback which is called after the change of the property is made. The value of the property\n     * has already been changed when this callback is invoked.\n     */\n    protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit {}\n\n    public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value\n    }\n\n    public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        val oldValue = this.value\n        if (!beforeChange(property, oldValue, value)) {\n            return\n        }\n
        this.value = value\n        afterChange(property, oldValue, value)\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n *\n * The companion object [Random.Default] is the default instance of [Random].\n *\n * To get a seeded instance of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n */\n@SinceKotlin(\"1.3\")\npublic abstract class Random {\n\n    /**\n     * Gets the next random [bitCount] number of bits.\n     *\n     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n     *\n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n     */\n
    public abstract fun nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     *\n     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n     */\n    public open fun nextInt(): Int = nextBits(32)\n\n    /**\n     * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\n     *\n
     * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until]
```

```
is negative or zero.\n     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n    /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive)
 and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextInt(from: Int, until: Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n                nextBits(bitCount)\n            } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random
 value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     */\n    public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextLong(until: Long): Long = nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified range.\n     *\n     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow = n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n                        val bitCount = fastLog2(nLow)\n                        // toUInt().toLong()\n                        nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                    }\n                    nHigh == 1 ->\n                        // toUInt().toLong()\n                        nextInt().toLong() and 0xFFFF_FFFF\n                    else -> {\n                        val bitCount = fastLog2(nHigh)\n                        nextBits(bitCount).toLong().shl(32) + nextInt()\n                    }\n                }\n            } else {\n                var v: Long\n                do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random [Boolean] value.\n     */\n    public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n    /**\n     * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n    /**\n     * Gets the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n     *\n     * @throws IllegalArgumentException
 if [until] is negative or zero.\n     */\n    public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n    /**\n     * Gets the next random `Double` from the random number generator in the specified range.\n     *\n     * Generates a `Double` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * [from] and [until] must be finite otherwise the behavior is unspecified.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextDouble(from: Double, until: Double): Double {\n        checkRangeBounds(from, until)\n        val size = until - from\n        val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n            val r1 = nextDouble() * (until / 2 - from / 2)\n            from + r1 + r1\n        } else {\n            from + nextDouble() * size\n        }\n        return if (r >= until) until.nextDown()
 else r\n    }\n\n    /**\n     * Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n    /**\n     * Fills a
```

```
subrange of the specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n     * with random bytes.\n     *\n     * @return [array] with the subrange filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n        require(fromIndex in 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}.\" }\n        require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than toIndex ($toIndex).\" }\n\n        val steps = (toIndex - fromIndex) / 4\n\n        var position = fromIndex\n        repeat(steps) {\n            val v = nextInt()\n            array[position] = v.toByte()\n            array[position + 1] = v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position + 3] = v.ushr(24).toByte()\n            position += 4\n        }\n\n        val remainder = toIndex - position\n        val vr = nextBits(remainder * 8)\n        for (i in 0 until remainder) {\n            array[position + i] = vr.ushr(i * 8).toByte()\n        }\n\n        return array\n    }\n\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n     * @return [array] filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n\n    /**\n     * Creates a byte array of the specified [size], filled with random bytes.\n     */\n    public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n\n    /**\n     * The default random number generator.\n     *\n     * On JVM this generator is
     thread-safe, its methods can be invoked from multiple threads.\n     *\n     * @sample samples.random.Randoms.defaultRandom\n     */\n    companion object Default : Random() {\n\n        private val defaultRandom: Random = defaultPlatformRandom()\n\n        override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n        override fun nextInt(): Int = defaultRandom.nextInt()\n        override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n        override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n        override fun nextLong(): Long = defaultRandom.nextLong()\n        override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n        override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\n\n        override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n        override fun nextDouble(): Double = defaultRandom.nextDouble()\n        override fun nextDouble(until:
     Double): Double = defaultRandom.nextDouble(until)\n        override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n        override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n        override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n        override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)\n        override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n        @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\n        @Suppress(\"DEPRECATION_ERROR\")\n        @kotlin.jvm.JvmField\n        public val Companion: Random.Companion = Random.Companion\n    }\n\n    @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\n    public object Companion : Random() {\n        override fun nextBits(bitCount: Int): Int
     = Default.nextBits(bitCount)\n    }\n}\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current one for a given seed.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current
     one for a given seed.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n\n/**\n * Gets the next random `Int` from the random number generator in the specified
```

[range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextInt(range: IntRange): Int = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n else -> nextInt()\n}\n\n/**\n * Gets the next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long`
random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextLong(range: LongRange): Long = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < Long.MAX_VALUE -> nextLong(range.start, range.endInclusive + 1)\n range.start > Long.MIN_VALUE -> nextLong(range.start - 1, range.endInclusive) + 1\n else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun fastLog2(value: Int): Int // 31 - Integer.numberOfLeadingZeros(value)\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\n/** Takes upper [bitCount] bits (0..32) from this number. */\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun checkRangeBounds(from:
Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = \"Random range is empty: [$from, $until).\"\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(): UInt = nextInt().toUInt()\n\n/**\n * Gets the next random [UInt] from the random number generator less
than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(from: UInt, until: UInt): UInt {\n checkUIntRangeBounds(from, until)\n\n val signedFrom = from.toInt() xor Int.MIN_VALUE\n val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n val signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(range: UIntRange): UInt = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < UInt.MAX_VALUE -> nextUInt(range.first, range.last + 1u)\n range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) + 1u\n else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and [ULong.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value

uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(from: ULong, until: ULong): ULong {\n checkULongRangeBounds(from, until)\n\n val signedFrom = from.toLong() xor Long.MIN_VALUE\n val signedUntil = until.toLong() xor Long.MIN_VALUE\n\n val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n return signedResult.toULong()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(range: ULongRange): ULong = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned
byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray): UByteArray {\n nextBytes(array.asByteArray())\n return array\n}\n\n/**\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n nextBytes(array.asByteArray(), fromIndex, toIndex)\n return array\n}\n\n\n@ExperimentalUnsignedTypes\ninternal
fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until) }\n@ExperimentalUnsignedTypes\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until) }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Random number generator, algorithm \"xorwow\" from p. 5 of Marsaglia, \"Xorshift RNGs\".\n *\n * Cycles after 2^160 * (2^32-1) repetitions.\n *\n * See http://www.jstatsoft.org/v08/i14/paper for details.\n */\ninternal class XorWowRandom\ninternal constructor(\n private var x: Int,\n private var y: Int,\n private var z: Int,\n private var w: Int,\n private var v: Int,\n private var addend: Int\n) : Random() {\n\n internal constructor(seed1: Int, seed2: Int) :\n this(seed1, seed2, 0, 0, seed1.inv(),
(seed1 shl 10) xor (seed2 ushr 4))\n\n init {\n require((x or y or z or w or v) != 0) { \"Initial state must have at least one non-zero element.\" }\n\n // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n repeat(64) { nextInt() }\n }\n\n override fun nextInt(): Int {\n var t = x\n t = t xor (t ushr 2)\n x = y\n y = z\n z = w\n val v0 = v\n w = v0\n t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n v = t\n addend += 362437\n return t + addend\n }\n\n override fun nextBits(bitCount: Int): Int =\n nextInt().takeUpperBits(bitCount)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n/**\n * Represents

a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin(\"1.1\")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n /**\n * Compares two values of range domain type and returns true if first is less than or equal to second.\n */\n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n * Represents a range of [Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n override val
start: T,\n override val endInclusive: T\n) : ClosedRange<T> {\n\n override fun equals(other: Any?): Boolean {\n return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n start == other.start && endInclusive == other.endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String = \"$start..$endInclusive\"\n}\n\n/**\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n start: Double,\n endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n private val _start = start\n private val _endInclusive = endInclusive\n override val start: Double get() = _start\n override val endInclusive: Double get() = _endInclusive\n\n override fun lessThanOrEquals(a: Double, b: Double): Boolean = a
<= b\n\n override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n override fun equals(other: Any?): Boolean {\n return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n _start == other._start && _endInclusive == other._endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n }\n\n override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n\n/**\n * Creates a range from this [Comparable] value to the specified [that] value.\n *\n * This value needs to be smaller than [that] value, otherwise the returned range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n/**\n * Creates a range from this [Double] value
to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n element != null && contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n if (!isPositive) throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Concatenates this Char and a String.\n *\n * @sample samples.text.Chars.plus\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n *\n * Two characters are considered the same ignoring case if at least one of the following is `true`:\n * - The two characters are the same (as compared by the == operator)\n * - Applying the method [toUpperCase] to each character produces the same result\n * - Applying the method [toLowerCase] to each character produces the same result\n *\n * @sample samples.text.Chars.equals\n */\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false):

```
Boolean {\n    if (this == other) return true\n    if (!ignoreCase) return false\n\n    if (this.toUpperCase() == other.toUpperCase()) return true\n    if (this.toLowerCase() == other.toLowerCase()) return true\n    return false\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\n    replaceIndentByMargin(\"\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\n    require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\n    val lines = lines()\n\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun String.trimIndent(): String = replaceIndent(\"\")\n\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String = \"\"): String {\n    val lines = lines()\n\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .min() ?: 0\n\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every line of the original string.\n *\n * Doesn't preserve the original line endings.\n */\npublic fun String.prependIndent(indent: String = \"    \"): String =\n    lineSequence()\n        .map {\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString(\"\\n\")\n\nprivate fun String.indentWidth():
 Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction: (String) -> String,\n    indentCutFunction: (String) -> String?\n): String {\n    val lastIndex = lastIndex\n    return mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n        .joinTo(StringBuilder(resultSizeEstimate), \"\\n\")\n        .toString()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n */\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public const val quote: Char = '\\u0022'\n    /** The character &#x24; \u2013 dollar sign */\n
```

public const val dollar: Char = '\\u0024'\n   /** The character & \u2013 ampersand */\n   public const val amp: Char = '\\u0026'\n   /** The character < \u2013 less-than sign */\n   public const val less: Char = '\\u003C'\n   /** The character > \u2013 greater-than sign */\n   public const val greater: Char = '\\u003E'\n   /** The non-breaking space character */\n   public const val nbsp: Char = '\\u00A0'\n   /** The character × */\n   public const val times: Char = '\\u00D7'\n   /** The character ¢ */\n   public const val cent: Char = '\\u00A2'\n   /** The character £ */\n   public const val pound: Char = '\\u00A3'\n   /** The character § */\n   public const val section: Char = '\\u00A7'\n   /** The character © */\n   public const val copyright: Char = '\\u00A9'\n   /** The character « */\n   public const val leftGuillemete: Char = '\\u00AB'\n   /** The character » */\n   public const val rightGuillemete: Char = '\\u00BB'\n   /** The character ® */\n   public const val registered: Char = '\\u00AE'\n   /** The character ° */\n   public const val degree: Char = '\\u00B0'\n   /** The character ± */\n   public const val plusMinus: Char = '\\u00B1'\n   /** The character ¶ */\n   public const val paragraph: Char = '\\u00B6'\n   /** The character · */\n   public const val middleDot: Char = '\\u00B7'\n   /** The character ½ */\n   public const val half: Char = '\\u00BD'\n   /** The character – */\n   public const val ndash: Char = '\\u2013'\n   /** The character — */\n   public const val mdash: Char = '\\u2014'\n   /** The character ‘ */\n   public const val leftSingleQuote: Char = '\\u2018'\n   /** The character ’ */\n   public const val rightSingleQuote: Char = '\\u2019'\n   /** The character ‚ */\n   public const val lowSingleQuote: Char = '\\u201A'\n   /** The character “ */\n   public const val leftDoubleQuote: Char = '\\u201C'\n   /** The character ” */\n   public const val rightDoubleQuote: Char = '\\u201D'\n   /** The character „ */\n   public const val lowDoubleQuote: Char = '\\u201E'\n   /** The character † */\n   public const val dagger: Char = '\\u2020'\n   /** The character ‡ */\n   public const val doubleDagger: Char = '\\u2021'\n   /** The character • */\n   public const val bullet: Char = '\\u2022'\n   /** The character … */\n   public const val ellipsis: Char = '\\u2026'\n   /** The character ′ */\n   public const val prime: Char = '\\u2032'\n   /** The character ″ */\n   public const val doublePrime: Char = '\\u2033'\n   /** The character € */\n   public const val euro: Char = '\\u20AC'\n   /** The character ™ */\n   public const val tm: Char = '\\u2122'\n   /** The character ≈ */\n   public const val almostEqual: Char = '\\u2248'\n   /** The character ≠ */\n   public const val notEqual: Char = '\\u2260'\n   /** The character ≤ */\n   public const val lessOrEqual: Char = '\\u2264'\n   /** The character ≥ */\n   public const val greaterOrEqual: Char = '\\u2265'\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null`,\n * if the corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n   /** Returns a group with the specified [index].\n   *\n   * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n   *\n   * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n   * corresponds to the entire match.\n   */\n   public operator fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n@SinceKotlin(\"1.1\")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n   /**\n   * Returns a named group with the specified [name].\n   * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n   * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.\n   * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.\n   */\n   public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic interface MatchResult {\n   /** The

range of indices in the original string where match was captured. */\n public val range: IntRange\n /** The substring from the input string captured by this match. */\n public val value: String\n /**\n * A collection of groups matched by the regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n */\n public val groups: MatchGroupCollection\n /**\n * A list of matched indexed group values.\n *\n * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding item in [groupValues] is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val groupValues: List<String>\n\n /**\n * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n *\n * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val destructured: Destructured get() = Destructured(this)\n\n /** Returns a new [MatchResult] with the results for the next match, starting at the position\n * at which the last match ended (at the character after the last matched character).\n */\n public fun next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public class Destructured internal constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the first group, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n *\n * @see Any.hashCode\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three components.\n */\n@SinceKotlin(\"1.1\")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n */\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val

version = versionOf(major, minor, patch)\n\n   private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n \"Version components are out of range: $major.$minor.$patch\"\n }\n return major.shl(16) + minor.shl(8)
+ patch\n }\n\n /**\n * Returns the string representation of this version\n */\n override fun toString(): String = \"$major.$minor.$patch\"\n\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return false\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major], [minor]
and [patch] components.\n */\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n this.patch >= patch))\n\n companion object {\n /**\n * Maximum value a version component can have, a constant value 255.\n */\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version of the Kotlin standard library.\n */\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion = KotlinVersion(1, 3, 31) // value is written here automatically during build\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false` otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError(\"Implementation is intrinsic\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LazyKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport kotlin.reflect.KProperty\n\n/**\n * Represents a value
with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n */\npublic interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n * Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n */\n public val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false` otherwise.\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n */\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of [Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n * `val
property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n /**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n */\n SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n * but only the first returned value will be used as the value of [Lazy]

instance.\n */\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n *\n * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\n */\n NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value = initializer!!()\n initializer = null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return _value as T\n }\n\n override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\n\n override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\n\n private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\n\n override fun isInitialized(): Boolean = true\n\n override fun toString(): String = value.toString()\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.2\")\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun <R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\n\npackage kotlin\n\n\n/**\n * Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out A, out B>(\n public val first: A,\n public val second: B\n) : Serializable {\n\n /**\n * Returns string representation of the [Pair] including its [first] and [second] values.\n */\n public override fun toString(): String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n */\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n public val first: A,\n public val second: B,\n public val third: C\n) : Serializable {\n\n /**\n * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n */\n public override fun toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n * @sample samples.misc.Tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n override val start: UInt get() = first\n override

```
val endInclusive: UInt get() = last\n\n    override fun contains(value: UInt): Boolean = first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty() ||\n                first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type UInt. */\n        public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n    }\n}\n\n/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic open class UIntProgression\ninternal constructor(\n    start: UInt,\n    endInclusive: UInt,\n    step: Int\n) : Iterable<UInt> {\n    init {\n        if (step == 0.toInt()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: UInt = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntProgression && (isEmpty() && other.isEmpty() ||\n                first == other.first && last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         * Creates UIntProgression within the specified bounds of a closed range.\n\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n         *\n         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n    private val finalElement = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private val step = step.toUInt() // use 2-complement math for negative steps\n    private var next = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextUInt(): UInt {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        } else {\n            next += step\n        }\n        return value\n    }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UByteIterator : Iterator<UByte> {\n    override final fun next() = nextUByte()\n\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UShortIterator : Iterator<UShort> {\n    override final fun next() = nextUShort()\n\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UIntIterator : Iterator<UInt> {\n    override final fun next() = nextUInt()\n\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextUInt(): UInt\n}\n\n/** An iterator over a sequence of values of type `ULong`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class ULongIterator : Iterator<ULong> {\n    override final fun next() = nextULong()\n\n    /** Returns the next
```

value in the sequence without boxing. */\n   public abstract fun nextULong(): ULong\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `ULong`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n   override val start: ULong get() = first\n   override val endInclusive: ULong get() = last\n\n   override fun contains(value: ULong): Boolean = first <= value && value <= last\n\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is ULongRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n\n   override fun toString(): String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type ULong. */\n   public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n   }\n}\n\n/**\n * A progression of values of type `ULong`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic open class ULongProgression\ninternal constructor(\n   start: ULong,\n   endInclusive: ULong,\n   step: Long\n) : Iterable<ULong> {\n   init {\n   if (step == 0.toLong()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n   if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: ULong =
    start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Long = step\n\n   override fun iterator(): ULongIterator = ULongProgressionIterator(first, last, step)\n\n   /** Checks if the progression is empty. */\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is ULongProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n
    companion object {\n   /**\n   * Creates ULongProgression within the specified bounds of a closed range.\n\n   * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n   * In order to go backwards the [step] must be negative.\n   *\n   * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n   */\n   public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n   }\n}\n\n\n\n/**\n * An iterator over a progression of values of type `ULong`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\nprivate class ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n   private val finalElement = last\n   private var hasNext: Boolean = if (step > 0) first <= last
    else first >= last\n   private val step = step.toULong() // use 2-complement math for negative steps\n   private var next = if (hasNext) first else finalElement\n\n   override fun hasNext(): Boolean = hasNext\n\n   override fun nextULong(): ULong {\n   val value = next\n   if (value == finalElement) {\n   if (!hasNext) throw kotlin.NoSuchElementException()\n   hasNext = false\n   } else {\n   next += step\n   }\n   return value\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a: UInt, b: UInt): UInt {\n   return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a: ULong, b: ULong): ULong {\n   return minOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a: UInt, b: UInt): UInt {\n   return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a: ULong, b: ULong): ULong {\n   return maxOf(a, b)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"UStringsKt\") // string representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.toString(radix:

Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun String.toUShort(): UShort = toUShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(): UInt = toUIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of
a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatError(this)\n\n\n\n\n\n/**\n
* Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(radix: Int): UByte? {\n   val int = this.toUIntOrNull(radix) ?: return null\n   if (int > UByte.MAX_VALUE) return null\n   return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(): UShort?
= toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(radix: Int): UShort? {\n   val int = this.toUIntOrNull(radix) ?: return null\n   if (int > UShort.MAX_VALUE) return null\n   return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws

IllegalArgumentException when [radix] is not a valid
radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(radix: Int): UInt? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val limit: UInt = UInt.MAX_VALUE\n val start: Int\n\n val firstChar = this[0]\n if (firstChar < '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n val uradix = radix.toUInt()\n val limitBeforeMul = limit / uradix\n var result = 0u\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result > limitBeforeMul) return null\n\n result *= uradix\n\n val beforeAdding = result\n result += digit.toUInt()\n if (result < beforeAdding) return null // overflow has happened\n }\n\n return result\n}\n\n/**\n * Parses the string as an [ULong] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULongOrNull(radix: Int): ULong? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val limit: ULong = ULong.MAX_VALUE\n val start: Int\n\n val firstChar = this[0]\n if (firstChar < '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n\n val uradix = radix.toUInt()\n val limitBeforeMul = limit / uradix\n var result
= 0uL\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result > limitBeforeMul) return null\n\n result *= uradix\n\n val beforeAdding = result\n result += digit.toUInt()\n if (result < beforeAdding) return null // overflow has happened\n }\n\n return result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit opt-in with\n * the [UseExperimental] annotation,
e.g. `@UseExperimental(ExperimentalUnsignedTypes::class)`,\n * or with the `-Xuse-experimental=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.\n */\n@Experimental(level = Experimental.Level.WARNING)\n@Target(CLASS, ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MathKt\")\n\n\npackage kotlin.math\n\n\n\n// constants, can't use them from nativeMath
as they are not constants there\n\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin(\"1.2\")\npublic const val PI: Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828. */\n@SinceKotlin(\"1.2\")\npublic const val E: Double = 2.718281828459045\n\n// region ================ Double Math ====================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic

expect fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Double): Double\n\n/**\n
 * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Double): Double\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Double): Double\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Double): Double\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value
 [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Double): Double\n\n/**\n
 * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Double): Double\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when
 `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x:
 Double): Double\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Double): Double\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Double): Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for

`b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Double): Double\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)`
 is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic
 expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Double): Double\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is
 negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Double): Double\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Double, b: Double): Double\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Double, b: Double): Double\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(x: Double): Double\n\n/**\n
 * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(n: Int): Double\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.absoluteValue: Double\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic

```
expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n *  - `NaN.ulp` is `NaN`\n *  - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n *  - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n *  - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n *  - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *  - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n *  - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *  - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n *  - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToLong(): Long\n\n//
endregion\n\n\n\n// region ================ Float Math ========================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n *  Special cases:\n *  - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Float): Float\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n *  Special cases:\n *  - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Float): Float\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n *  Special cases:\n *  - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *  - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the
value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *  - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *  - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *  - `atan2(0.0, 0.0)` is `0.0`\n *  - `atan2(0.0, x)` is  `0.0` for `x > 0` and `PI` for `x < 0`\n *  - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y <
+Inf` and `-0.0` for '-Inf < y < 0`\n *  - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *  - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *  - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *  - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *  - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *  - `sinh(NaN)` is `NaN`\n *  - `sinh(+Inf)` is `+Inf`\n *  - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Float): Float\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *  - `cosh(NaN)` is `NaN`\n *  - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Float): Float\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *  - `tanh(NaN)` is `NaN`\n *
```

- `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n
 * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce
 more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)`
 is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Float): Float\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that
 is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Float): Float\n\n/**\n
 * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Float): Float\n\n\n/**\n * Returns the absolute value of the

given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Float): Float\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Float, b:
Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(n: Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.absoluteValue:
Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException
when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToLong(): Long\n\n\n// endregion\n\n// region ================ Integer Math ==\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.sign: Int\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a:
Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n

* - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.sign: Int\n\n\n//
endregion\n",null,null,null,null,null,null,null,null,null],"names":[],"mappings":"AAWC,0B;EAVG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,CAAwB,EAAxB,wB,OAAAxB,C;;QAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,CAAiB,C;;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,CAAc,E;;IAEd,OAAO,CAAC,IAAI,OAAL,CAAc,oB;EACG,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,gB;IAClB,OAAO,oD,CAAA,M,CAAA,M,CAAA,M

AAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;EACf,C;EAEA,MAAM,YAAa,gB;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAAArB,C;EACX,C;EAEA,MAAM,UAAW,gB;IACb,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,C;EACxB,C;ECnDA,MAAM,OAAQ,yB;IACV,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;;IAGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;;IAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,IAAG,I;;IAGpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,OAAO,CAAC,IAAD,C;;IAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAS,IAAG,QAAhE,C;MACI,OAAO,IAAK,IAAG,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAS,IAAG,QAAS,IAAG,IAAnE,C;;IAGX,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAS,IAAG,QAAS,IAAG,IAAnE,C;;IAGX,IAAI,IAAK,IAAG,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAS,IAAG,QAAS,IAAG,IAAnE

AM,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;;IAGvB,OAAO,M;EACT,C;EAaA,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAOlC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAIlC,MAAM,KAAK,KAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAItC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,CAAC,aAAW,GAAE,CAAE,IAAG,EAAI,UAAW,GAAE,CAAE,I9B,C;EAIxF,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,CAAC,CAAD,EAAI,aAAW,GAAE,CAAE,IAAG,EAAI,UAAW,GAAE,CAAE,I9B,C;EAOvF,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAI7C

U;;;MAElB,OAAO,IAAI,IAAI,EAAE,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;EAEzB,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IAGxB,IAAI,MAAM,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,B,EAAsB,MAAM,CAA5B,EAA+B,EAA/B,B,MAAM,C;IACrC,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,GAAI,GAAE,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,GAAI,GAAE,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAAI,f,EAAI,qB,GAAI,IAAG,EAAI,GAAE,GAAI,lC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,OAAO,IAAI,IAAI,IAAI,CAAE,KAAK,OAAO,EAAE,C;MACE,OAAO,MAAM,KAAK,K;;UACb,IAAI,KAAK,OAAO,EAAE,hB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,CAAE,MAAM,KAAK,UAAU,CAAE,anB,C;MACE,OAAO,KAAK,MAAM,EAAE,G,GAAE,MAAM,KAAK,UAAU,Ab,GAA0B,MAAM,KAAK,K;;UACrD,IAAI,KAAK,WAAW,CAAE,MAAM,KAAK,UAAU,CAAE,AZ,C;MACL,OAAO,IAAI,MAAM,EAAE,G,GAAE,MAAM,KAAK,UAAU,Ab,GAA0B,MAAM,KAAK,K;;IAG3D,IAAI,IAAI,WAAW,CAAE,EAAE,anB,C;MACE,IAAI,KAAK,WAAW,CAAE,EAAE,ApB,C;MACL,QAAQ,OAAO,IAAI,OAAO,EAAE,E,SAAS,CAAE,CAAE,KAAK,OAAO,EAAE,Ab,C;;;QAAE7B,OAAO,IAAI,OAAO,EAAE,S,SAAS,CAAE,CAAE,KAAK,KAAK,OAAO,E;;;UAAExC,IAAI,KAAK,WAAW,EAAE,ApB,C;MACL,OAAO,IAAI,SAAS,CAAE,CAAE,KAAK,OAAO,EAAE,Ab,CAAgB,OAAO,E;;IAI7C,IAAI,IAAI,SAAS,CAAE,CAAE,MAAM,KAAK,YAAY,CAAE,0B,IAAI,CAAE,KAAK,SAAS,CAAE,CAAE,MAAM,KAAK,YAAY,CAAE,ClB,C;MAEE,OAAO,MAAM,KAAK,WAAW,CAAE,CAAE,IAAI,SAAS,CAAE,EAAE,G,GAAE,KAAK,SAAS,EAAE,jC,C;;IAAM/B,MAAM,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,B,EAAsB,MAAM,CAA5B,EAA+B,EAA/B,B,MAAM,C;IACrC,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,GAAI,GAAE,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP

AG,EAAI,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,CAAD,EAAI,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MAClC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QAClC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAApB,pB,C;QACE,SAAU,GAAE,MAAM,KAAK,I;;MAGzB,GAAI,IAAI,CAAC,SAAU,IAAG,GAAE,GAAG,IAAI,CAAC,SAAD,C;;IAEpB,OAAO,G;EACT,C;EAQA,MAAM,KAAK,UAAU,OAAO,OAAO,oB;IAC3B,OAAO,IAAI,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,C;EAEtC,C;EAIA,MAAM,KAAK,UAAU,IAAK,e;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,C;EAEvC,C;EAIA,MAAM,KAAK,UAAU,IAAK,e;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,C;EAEvC,C;EAIA,MAAM,KAAK,UAAU,IAAK,oB;IAAC,SAAS,MAAM,KAAK,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,C;EAAE,C;EAIpE

mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,KAAM,KAAI,SAApC,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;EAC5B,C;EAEA,MAAM,mBAAoB,mB;IACtB,OAAO,CAAE,GAAE,CAAE,GAAE,EAAF,GAAO,CAAE,GAAE,CAAF,GAAM,CAAF,GAAM,CAAF,GAAM

AAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QAChB,IAAI,KAAK,CAAE,GA
AE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CAA7B,C;UAAmC,O
AAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QAClD,OAAgB,CAAR,CAAE,
GAAE,EAAI,IAAE,C;MACtB,C;;IAGJ,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAM,gB;QA
CN,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,
CAD,CAAI,GAAE,cAAlB,C;YACI,GAAE,C;;UAE5B,OAA
O,M;;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF
,C;UAClC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAAF,GAAe,CAAP,C
AAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;MAElE,C;;IAMJ,IAAI,OAAO,IAAI,MAAO,KAAI,WA1B,
C;MACI,IAAI,qB;QACA,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,GAAE,oBAAR,C;YAEI,IAAI,CAAE,
GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;;cAKzB,OAAO,IAAI,IAAI,
CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAV,C;;;;YAKnB,OAAO,IAAI,IAAI,C
AAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;cAGlB,IAAI,CAAE,IAAG,CAAC,
cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;;UAKb,IAAI,SAAS,C;UACb,IAAI,IAAI,I
AAI,CAAC,CAAD,CAAI,IAAG,cAAb,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,I
AAG,EAAG,GAAE,C;;UAEnB,OAAO,M;;MAEf,C;MACA,IAAI,MAAO,GAAE,K;;IAEjB,IAAI,OAAO,IAAI,M
AAO,KAAI,WA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,CAAE,GAAE,CAAR,C;UAEI,OAAO,G;;cAEN,IAAI
,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IAAI,CAAC,CA
AD,CAAI,GAAE,IAAI,I;;;YAIb,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,C
AAE,GAAE,CAAT,CAAd,C;;;;UAKnB,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,CAAC,cAAV,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAEnB,OAAO,M;;MAE9B,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAAb,C;MACI,IAAI,M;;MAEf,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KAAI,WAAb,C;MACI,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,CAAE,GAAE,C;UAEtB,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,CAAC,cAAV,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAEnB,OAAO,M;;MAE9B

,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAAI,WAA1C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAX,EAAuB,OAAvB,EAAgC,QAAC1C,eAD0C,C;;;MAQJ,CAAN,Y;MAAF,CAAE,CAAE,CAAE,CAAE,CAAE,IAAD,EAAO,EAAP,IAAI,UAAJ,CAAe,CAAf,CAAkB,E;;;MAAErB,IAAI,QAAJ,EAAa,QAAb,EAAsB,UAAtB,EAAkC,M;MAAC9B,eAAe,CAAC,QAAD,EAAW,UAAX,EAAuB,EAAvB,qBAAwB,OAAxB,EAAiC,+B;QAAE3C,OAAO,KAAK,KAAK,CAAC,IAAD,EAAO,EAAP,IAAI,EAAJ,EAAa,EAAb,EAAsB,MAAtB,EAAkC,KAAlC,EAA2C,CAA3C,EAA8C,CAA9C,EAAiD,CAAjD,EAAoD,C;MAAC,CAAD,EAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,EAAa,CAAb,EAAgB,CAAhB,EAAmB,CAAnB,EAAsB,CAAtB,EAAyB,CAAzB,EAA4B,CAA5B,EAA+B,CAA/B,EAAkC,CAAlC,EAAqC,CAArC,EAAwC,CAAxC,EAA2C,CAA3C,EAA8C,CAA9C,EAAiD,CAAjD,EAAoD,CAApD,EAAuD,CAAvD,EAA0D,CAA1D,EAA6D,CAA7D,EAAgE,CAAhE,EAAmE,CAAnE,EAAsE,CAAtE,EAAyE,CAAzE,EAA4E,CAA5E,EAA+E,CAA/E,EAAkF,CAAlF,EAAqF,CAArF,EAAwF,CAAxF,EAA2F,CAA3F,EAA8F,CAA9F,EAAiG,CAAjG,EAAoG,CAApG,EAAuG,CAAvG,EAA0G,CAA1G,EAA6G,CAA7G,EAAgH,CAAhH,EAAmH,CAAnH,EAAsH,CAAtH,EAAyH,CAAzH,EAA4H,CAA5H,EAA+H,CAA/H,EAAkI,CAAlI,EAAqI,CAArI,EAAwI,CAAxI,EAA2I,CAA3I,EAA8I,CAA9I,EAAiJ,CAAjJ,EAAoJ,CAApJ,EAAuJ,CAAvJ,EAA0J,CAA1J,EAA6J,CAA7J,EAAgK,CAAhK,EAAmK,CAAnK,EAAsK,CAAtK,EAAyK,CAAzK,EAA4K,CAA5K,EAA+K,CAA/K,EAAkL,CAAlL,EAAqL,CAArL,EAAwL,CAAxL,EAA2L,CAA3L,EAA8L,CAA9L,EAAiM,CAAjM,EAAoM,CAApM,EAAuM,CAAvM,EAA0M,CAA1M,EAA6M,CAA7M,EAAgN,CAAhN,EAAmN,CAAnN,EAAsN,CAAtN,EAAyN,CAAzN,EAA4N,CAA5N,EAA+N,CAA/N,EAAkO,CAAlO,EAAqO,CAArO,EAAwO,CAAxO,EAA2O,CAA3O,EAA8O,CAA9O,EAAiP,CAAjP,EAAoP,CAApP,EAAuP,CAAvP,EAA0P,CAA1P,EAA6P,CAA7P,EAAgQ,CAAhQ,EAAmQ,CAAnQ,EAAsQ,CAAtQ,EAAyQ,CAAzQ,EAA4Q,CAA5Q,EAA+Q,CAA/Q,EAAkR,CAAlR,EAAqR,CAArR,EAAwR,CAAxR,EAA2R,CAA3R,EAA8R,CAA9R,EAAiS,CAAjS,EAAoS,CAApS,EAAuS,CAAvS,EAA0S,CAA1S,EAA6S,CAA7S,EAAgT,CAAhT,EAAmT,CAAnT,EAAsT,CAAtT,EAAyT,CAAzT,EAA4T,CAA5T,EAA+T,CAA/T,EAAkU,CAAlU,EAAqU,CAArU,EAAwU,CAAxU,EAA2U,CAA3U,EAA8U,CAA9U,EAAiV,CAAjV,EAAoV,CAApV,EAAuV,CAAvV,EAA0V,CAA1V,EAA6V,CAA7V,EAAgW,CAAhW,EAAmW,CAAnW,EAAsW,CAAtW,EAAyW,CAAzW,EAA4W,CAA5W,EAA+W,CAA/W,EAAkX,CAAlX,EAAqX,CAArX,EAAwX,CAAxX,EAA2X,CAA3X,EAA8X,CAA9X,EAAiY,CAAjY,EAAoY,CAApY,EAAuY,CAAvY,EAA0Y,CAA1Y,EAA6Y,CAA7Y,EAAgZ,CAAhZ,EAAmZ,CAAnZ,EAAsZ,CAAtZ,EAAyZ,CAAzZ,EAA4Z,CAA5Z,EAA+Z,CAA/Z,EAAka,CAAla,EAAqa,CAAra,EAAwa,CAAxa,EAA2a,CAA3a,EAA8a,CAA9a,EAAib,CAAjb,EAAob,CAApb,EAAub,CAAvb,EAA0b,CAA1b,EAA6b,CAA7b,EAAgc,CAAhc,EAAmc,CAAnc,EAAsc,CAAtc,EAAyc,CAAzc,EAA4c,CAA5c,EAA+c,CAA/c,EAAkd,CAAld,EAAqd,CAArd,EAAwd,CAAxd,EAA2d,CAA3d,EAA8d,CAA9d,EAAie,CAAje,EAAoe,CAApe,EAAue,CAAve,EAA0e,CAA1e,EAA6e,CAA7e,EAAgf,CAAhf,EAAmf,CAAnf,EAAsf,CAAtf,EAAyf,CAAzf,EAA4f,CAA5f,EAA+f,CAA/f,EAAkgB,CAAlgB,EAAqgB,CAArgB,EAAwgB,CAAxgB,EAA2gB,CAA3gB,EAA8gB,CAA9gB,EAAihB,CAAjhB,EAAohB,CAAphB,EAAuhB,CAAvhB,EAA0hB,CAA1hB,EAA6hB,CAA7hB,EAAgiB,CAAhiB,EAAmiB,CAAniB,EAAsiB,CAAtiB,EAAyiB,CAAziB,EAA4iB,CAA5iB,EAA+iB,CAA/iB,EAAkjB,CAAljB,EAAqjB,CAArjB,EAAwjB,CAAxjB,EAA2jB,CAA3jB,EAA8jB,CAA9jB,EAAikB,CAAjkB,EAAokB,CAApkB,EAAukB,CAAvkB,EAA0kB,CAA1kB,EAA6kB,CAA7kB,EAAglB,CAAhlB,EAAmlB,CAAnlB,EAAslB,CAAtlB,EAAylB,CAAzlB,EAA4lB,CAA5lB,EAA+lB,CAA/lB,EAAkmB,CAAlmB,EAAqmB,CAArmB,EAAwmB,CAAxmB,EAA2mB,CAA3mB,EAA8mB,CAA9mB,EAAinB,CAAjnB,EAAonB,CAApnB,EAAunB,CAAvnB,EAA0nB,CAA1nB,EAA6nB,CAA7nB,EAAgoB,CAAhoB,EAAmoB,CAAnoB,EAAsoB,CAAtoB,EAAyoB,CAAzoB,EAA4oB,CAA5oB,EAA+oB,CAA/oB,EAAkpB,CAAlpB,EAAqpB,CAArpB,EAAwpB,CAAxpB,EAA2pB,CAA3pB,EAA8pB,CAA9pB,EAAiqB,CAAjqB,EAAoqB,CAApqB,EAAuqB,CAAvqB,EAA0qB,CAA1qB,EAA6qB,CAA7qB,EAAgrB,CAAhrB,EAAmrB,CAAnrB,EAAsrB,CAAtrB,EAAyrB,CAAzrB,EAA4rB,CAA5rB,EAA+rB,CAA/rB,EAAksB,CAAlsB,EAAqsB,CAArsB,EAAwsB,CAAxsB,EAA2sB,CAA3sB,EAA8sB,CAA9sB,EAAitB,CAAjtB,EAAotB,CAAptB,EAAutB,CAAvtB,EAA0tB,CAA1tB,EAA6tB,CAA7tB,EAAguB,CAAhuB,EAAmuB,CAAnuB,EAAsuB,CAAtuB,EAAyuB,CAAzuB,EAA4uB,CAA5uB,EAA+uB,CAA/uB,EAAkvB,CAAlvB,EAAqvB,CAArvB,EAAwvB,CAAxvB,EAA2vB,CAA3vB,EAA8vB,CAA9vB,EAAiwB,CAAjwB,EAAowB,CAApwB,EAAuwB,CAAvwB,EAA0wB,CAA1wB,EAA6wB,CAA7wB,EAAgxB,CAAhxB,EAAmxB,CAAnxB,EAAsxB,CAAtxB,EAAyxB,CAAzxB,EAA4xB,CAA5xB,EAA+xB,CAA/xB,EAAkyB,CAAlyB,EAAqyB,CAAryB,EAAwyB,CAAxyB,EAA2yB,CAA3yB,EAA8yB,CAA9yB,EAAizB,CAAjzB,EAAozB,CAApzB,EAAuzB,CAAvzB,EAA0zB,CAA1zB,EAA6zB,CAA7zB,EAAg0B,CAAh0B,EAAm0B,CAAn0B,EAAs0B,CAAt0B,EAAy0B,CAAz0B,EAA40B,CAA50B,EAA+0B,CAA/0B,EAAk1B,CAAl1B,EAAq1B,CAAr1B,EAAw1B,CAAx1B,EAA21B,CAA31B,EAA81B,CAA91B,EAAi2B,CAAj2B,EAAo2B,CAAp2B,EAAu2B,CAAv2B,EAA02B,CAA12B,EAA62B,CAA72B,EAAg3B,CAAh3B,EAAm3B,CAAn3B,EAAs3B,CAAt3B,EAAy3B,CAAz3B,EAA43B,CAA53B,EAA+3B,CAA/3B,EAAk4B,CAAl4B,EAAq4B,CAAr4B,EAAw4B,CAAx4B,EAA24B,CAA34B,EAA84B,CAA94B,EAAi5B,CAAj5B,EAAo5B,CAAp5B,EAAu5B,CAAv5B,EAA05B,CAA15B,EAA65B,CAA75B,EAAg6B,CAAh6B,EAAm6B,CAAn6B,EAAs6B,CAAt6B,EAAy6B,CAAz6B,EAA46B,CAA56B,EAA+6B,CAA/6B,EAAk7B,CAAl7B,EAAq7B,CAAr7B,EAAw7B,CAAx7B,EAA27B,CAA37B,EAA87B,CAA97B,EAAi8B,CAAj8B,EAAo8B,CAAp8B,EAAu8B,CAAv8B,EAA08B,CAA18B,EAA68B,CAA78B,EAAg9B,CAAh9B,EAAm9B,CAAn9B,EAAs9B,CAAt9B,EAAy9B,CAAz9B,EAA49B,CAA59B,EAA+9B,CAA/9B,EAAk+B,CAAl+B,EAAq+B,CAAr+B,EAAw+B,CAAx+B,EAA2+B,CAA3+B,EAA8+B,CAA9+B,EAAi/B,CAAj/B,EAAo/B,CAAp/B,EAAu/B,CAAv/B,EAA0/B,CAA1/B,EAA6/B,CAA7/B,EAAggC,CAAhgC,EAAmgC,CAAngC,EAAsgC,CAAtgC,EAAygC,CAAzgC,EAA4gC,CAA5gC,EAA+gC,CAA/gC,EAAkhC,CAAlhC,EAAqhC,CAArhC,EAAwhC,CAAxhC,EAA2hC,CAA3hC,EAA8hC,CAA9hC,EAAiiC,CAAjiC,EAAoiC,CAApiC,EAAuiC,CAAviC,EAA0iC,CAA1iC,EAA6iC,CAA7iC,EAAgjC,CAAhjC,EAAmjC,CAAnjC,EAAsjC,CAAtjC,EAAyjC,CAAzjC,EAA4jC,CAA5jC,EAA+jC,CAA/jC,EAAkkC,CAAlkC,EAAqkC,CAArkC,EAAwkC,CAAxkC,EAA2kC,CAA3kC,EAA8kC,CAA9kC,EAAilC,CAAjlC,EAAolC,CAAplC,EAAulC,CAAvlC,EAA0lC,CAA1lC,EAA6lC,CAA7lC,EAAgmC,CAAhmC,EAAmmC,CAAnmC,EAAsmC,CAAtmC,EAAymC,CAAzmC,EAA4mC,CAA5mC,EAA+mC,CAA/mC,EAAknC,CAAlnC,EAAqnC,CAArnC,EAAwnC,CAAxnC,EAA2nC,CAA3nC,EAA8nC,CAA9nC,EAAioC,CAAjoC,EAAooC,CAApoC,EAAuoC,CAAvoC,EAA0oC,CAA1oC,EAA6oC,CAA7oC,EAAgpC,CAAhpC,EAAmpC,CAAnpC,EAAspC,CAAtpC,EAAypC,CAAzpC,EAA4pC,CAA5pC,EAA+pC,CAA/pC,EAAkqC,CAAlqC,EAAqqC,CAArqC,EAAwqC,CAAxqC,EAA2qC,CAA3qC,EAA8qC,CAA9qC,EAAirC,CAAjrC,EAAorC,CAAprC,EAAurC,CAAvrC,EAA0rC,CAA1rC,EAA6rC,CAA7rC,EAAgsC,CAAhsC,EAAmsC,CAAnsC,EAAssC,CAAtsC,EAAysC,CAAzsC,EAA4sC,CAA5sC,EAA+sC,CAA/sC,EAAktC,CAAltC,EAAqtC,CAArtC,EAAwtC,CAAxtC,EAA2tC,CAA3tC,EAA8tC,CAA9tC,EAAiuC,CAAjuC,EAAouC,CAApuC,EAAuuC,CAAvuC,EAA0uC,CAA1uC,EAA6uC,CAA7uC,EAAgvC,CAAhvC,EAAmvC,CAAnvC,EAAsvC,CAAtvC,EAAyvC,CAAzvC,EAA4vC,CAA5vC,EAA+vC,CAA/vC,EAAkwC,CAAlwC,EAAqwC,CAArwC,EAAwwC,CAAxwC,EAA2wC,CAA3wC,EAA8wC,CAA9wC,EAAixC,CAAjxC,EAAoxC,CAApxC,EAAuxC,CAAvxC,EAA0xC,CAA1xC,EAA6xC,CAA7xC,EAAgyC,CAAhyC,EAAmyC,CAAnyC,EAAsyC,CAAtyC,EAAyyC,CAAzyC,EAA4yC,CAA5yC,EAA+yC,CAA/yC,EAAkzC,CAAlzC,EAAqzC,CAArzC,EAAwzC,CAAxzC,EAA2zC,CAA3zC,EAA8zC,CAA9zC,EAAi0C,CAAj0C,EAAo0C,CAAp0C,EAAu0C,CAAv0C,EAA00C,CAA10C,EAA60C,CAA70C,EAAg1C,CAAh1C,EAAm1C,CAAn1C,EAAs1C,CAAt1C,EAAy1C,CAAz1C,EAA41C,CAA51C,EAA+1C,CAA/1C,EAAk2C,CAAl2C,EAAq2C,CAAr2C,EAAw2C,CAAx2C,EAA22C,CAA32C,EAA82C,CAA92C,EAAi3C,CAAj3C,EAAo3C,CAAp3C,EAAu3C,CAAv3C,EAA03C,CAA13C,EAA63C,CAA73C,EAAg4C,CAAh4C,EAAm4C,CAAn4C,EAAs4C,CAAt4C,EAAy4C,CAAz4C,EAA44C,CAA54C,EAA+4C,CAA/4C,EAAk5C,CAAl5C,EAAq5C,CAAr5C,EAAw5C,CAAx5C,EAA25C,CAA35C,EAA85C,CAA95C,EAAi6C,CAAj6C,EAAo6C,CAAp6C,EAAu6C,CAAv6C,EAA06C,CAA16C,EAA66C,CAA76C,EAAg7C,CAAh7C,EAAm7C,CAAn7C,EAAs7C,CAAt7C,EAAy7C,CAAz7C,EAA47C,CAA57C,EAA+7C,CAA/7C,EAAk8C,CAAl8C,EAAq8C,CAAr8C,EAAw8C,CAAx8C,EAA28C,CAA38C,EAA88C,CAA98C,EAAi9C,CAAj9C,EAAo9C,CAAp9C,EAAu9C,CAAv9C,EAA09C,CAA19C,EAA69C,CAA79C,EAAg+C,CAAh+C,EAAm+C,CAAn+C,EAAs+C,CAAt+C,EAAy+C,CAAz+C,EAA4+C,CAA5+C,EAA++C,CAA/+C,EAAk/C,CAAl/C,EAAq/C,CAAr/C,EAAw/C,CAAx/C,EAA2/C,CAA3/C,EAA8/C,CAA9/C,EAAigD,CAAjgD,EAAogD,CAApgD,EAAugD,CAAvgD,EAA0gD,CAA1gD,EAA6gD,CAA7gD,EAAghD,CAAhhD,EAAmhD,CAAnhD,EAAshD,CAAthD,EAAyhD,CAAzhD,EAA4hD,CAA5hD,EAA+hD,CAA/hD,EAAkiD,CAAliD,EAAqiD,CAAriD,EAAwiD,CAAxiD,EAA2iD,CAA3iD,EAA8iD,CAA9iD,EAAijD,CAAjjD,EAAojD,CAApjD,EAAujD,CAAvjD,EAA0jD,CAA1jD,EAA6jD,CAA7jD,EAAgkD,CAAhkD,EAAmkD,CAAnkD,EAAskD,CAAtkD,EAAykD,CAAzkD,EAA4kD,CAA5kD,EAA+kD,CAA/kD,EAAklD,CAAllD,EAAqlD,CAArlD,EAAwlD,CAAxlD,EAA2lD,CAA3lD,EAA8lD,CAA9lD,EAAimD,CAAjmD,EAAomD,CAApmD,EAAumD,CAAvmD,EAA0mD,CAA1mD,EAA6mD,CAA7mD,EAAgnD,CAAhnD,EAAmnD,CAAnnD,EAAsnD,CAAtnD,EAAynD,CAAznD,EAA4nD,CAA5nD,EAA+nD,CAA/nD,EAAkoD,CAAloD,EAAqoD,CAAroD,EAAwoD,CAAxoD,EAA2oD,CAA3oD,EAA8oD,CAA9oD,EAAipD,CAAjpD,EAAopD,CAAppD,EAAupD,CAAvpD,EAA0pD,CAA1pD,EAA6pD,CAA7pD,EAAgqD,CAAhqD,EAAmqD,CAAnqD,EAAsqD,CAAtqD,EAAyqD,CAAzqD,EAA4qD,CAA5qD,EAA+qD,CAA/qD,EAAkrD,CAAlrD,EAAqrD,CAArrD,EAAwrD,CAAxrD,EAA2rD,CAA3rD,EAA8rD,CAA9rD,EAAisD,CAAjsD,EAAosD,CAApsD,EAAusD,CAAvsD,EAA0sD,CAA1sD,EAA6sD,CAA7sD,EAAgtD,CAAhtD,EAAmtD,CAAntD,EAAstD,CAAttD,EAAytD,CAAztD,EAA4tD,CAA5tD,EAA+tD,CAA/tD,EAAkuD,CAAluD,EAAquD,CAAruD,EAAwuD,CAAxuD,EAA2uD,CAA3uD,EAA8uD,CAA9uD,EAAivD,CAAjvD,EAAovD,CAApvD,EAAuvD,CAAvvD,EAA0vD,CAA1vD,EAA6vD,CAA7vD,EAAgwD,CAAhwD,EAAmwD,CAAnwD,EAAswD,CAAtwD,EAAywD,CAAzwD,EAA4wD,CAA5wD,EAA+wD,CAA/wD,EAAkxD,CAAlxD,EAAqxD,CAArxD,EAAwxD,CAAxxD,EAA2xD,CAA3xD,EAA8xD,CAA9xD,EAAiyD,CAAjyD,EAAoyD,CAApyD,EAAuyD,CAAvyD,EAA0yD,CAA1yD,EAA6yD,CAA7yD,EAAgzD,CAAhzD,EAAmzD,CAAnzD,EAAszD,CAAtzD,EAAyzD,CAAzzD,EAA4zD,CAA5zD,EAA+zD,CAA/zD,EAAk0D,CAAl0D,EAAq0D,CAAr0D,EAAw0D,CAAx0D,EAA20D,CAA30D,EAA80D,CAA90D,EAAi1D,CAAj1D,EAAo1D,CAAp1D,EAAu1D,CAAv1D,EAA01D,CAA11D,EAA61D,CAA71D,EAAg2D,CAAh2D,EAAm2D,CAAn2D,EAAs2D,CAAt2D,EAAy2D,CAAz2D,EAA42D,CAA52D,EAA+2D,CAA/2D,EAAk3D,CAAl3D,EAAq3D,CAAr3D,EAAw3D,CAAx3D,EAA23D,CAA33D,EAA83D,CAA93D,EAAi4D,CAAj4D,EAAo4D,CAAp4D,EAAu4D,CAAv4D,EAA04D,CAA14D,EAA64D,CAA74D,EAAg5D,CAAh5D,EAAm5D,CAAn5D,EAAs5D,CAAt5D,EAAy5D,CAAz5D,EAA45D,CAA55D,EAA+5D,CAA/5D,EAAk6D,CAAl6D,EAAq6D,CAAr6D,EAAw6D,CAAx6D,EAA26D,CAA36D,EAA86D,CAA96D,EAAi7D,CAAj7D,EAAo7D,CAAp7D,EAAu7D,CAAv7D,EAA07D,CAA17D,EAA67D,CAA77D,EAAg8D,CAAh8D,EAAm8D,CAAn8D,EAAs8D,CAAt8D,EAAy8D,CAAz8D,EAA48D,CAA58D,EAA+8D,CAA/8D,EAAk9D,CAAl9D,EAAq9D,CAAr9D,EAAw9D,CAAx9D,EAA29D,CAA39D,EAA89D,CAA99D,EAAi+D,CAAj+D,EAAo+D,CAAp+D,EAAu+D,CAAv+D,EAA0+D,CAA1+D,EAA6+D,CAA7+D,EAAg/D,CAAh/D,EAAm/D,CAAn/D,EAAs/D,CAAt/D,EAAy/D,CAAz/D,EAA4/D,CAA5/D,EAA+/D,CAA/gE,EAAkhE,CAAlhE,EAAqhE,CAArhE,EAAwhE,CAAxhE,EAA2hE,CAA3hE,EAA8hE,CAA9hE,EAAiiE,CAAjiE,EAAoiE,CAApiE,EAAuiE,CAAviE,EAA0iE,CAA1iE,EAA6iE,CAA7iE,EAAgjE,CAAhjE,EAAmjE,CAAnjE,EAAsjE,CAAtjE,EAAyjE,CAAzjE,EAA4jE,CAA5jE,EAA+jE,CAA/jE,EAAkkE,CAAlkE,EAAqkE,CAArkE,EAAwkE,CAAxkE,EAA2kE,CAA3kE,EAA8kE,CAA9kE,EAAilE,CAAjlE,EAAolE,CAAplE,EAAulE,CAAvlE,EAA0lE,CAA1lE,EAA6lE,CAA7lE,EAAgmE,CAAhmE,EAAmmE,CAAnmE,EAAsmE,CAAtmE,EAAymE,CAAzmE,EAA4mE,CAA5mE,EAA+mE,CAA/mE,EAAknE,CAAlnE,EAAqnE,CAArnE,EAAwnE,CAAxnE,EAA2nE,CAA3nE,EAA8nE,CAA9nE,EAAioE,CAAjoE,EAAooE,CAApoE,EAAuoE,CAAvoE,EAA0oE,CAA1oE,EAA6oE,CAA7oE,EAAgpE,CAAhpE,EAAmpE,CAAnpE,EAAspE,CAAtpE,EAAypE,CAAzpE,EAA4pE,CAA5pE,EAA+pE,CAA/pE,EAAkqE,CAAlqE,EAAqqE,CAArqE,EAAwqE,CAAxqE,EAA2qE,CAA3qE,EAA8qE,CAA9qE,EAAirE,CAAjrE,EAAorE,CAAprE,EAAurE,CAAvrE,EAA0rE,CAA1rE,EAA6rE,CAA7rE,EAAgsE,CAAhsE,EAAmsE,CAAnsE,EAAssE,CAAtsE,EAAysE,CAAzsE,EAA4sE,CAA5sE,EAA+sE,CAA/sE,EAAktE,CAAltE,EAAqtE,CAArtE,EAAwtE,CAAxtE,EAA2tE,CAA3tE,EAA8tE,CAA9tE,EAAiuE,CAAjuE,EAAouE,CAApuE,EAAuuE,CAAvuE,EAA0uE,CAA1uE,EAA6uE,CAA7uE,EAAgvE,CAAhvE,EAAmvE,CAAnvE,EAAsvE,CAAtvE,EAAyvE,CAAzvE,EAA4vE,CAA5vE,EAA+vE,CAA/vE,EAAkwE,CAAlwE,EAAqwE,CAArwE,EAAwwE,CAAxwE,EAA2wE,CAA3wE,EAA8wE,CAA9wE,EAAixE,CAAjxE,EAAoxE,CAApxE,EAAuxE,CAAvxE,EAA0xE,CAA1xE,EAA6xE,CAA7xE,EAAgyE,CAAhyE,EAAmyE,CAAnyE,EAAsyE,CAAtyE,EAAyyE,CAAzyE,EAA4yE,CAA5yE,EAA+yE,CAA/yE,EAAkzE,CAAlzE,EAAqzE,CAArzE,EAAwzE,CAAxzE,EAA2zE,CAA3zE,EAA8zE,CAA9zE,EAAi0E,CAAj0E,EAAo0E,CAAp0E,EAAu0E,CAAv0E,EAA00E,CAA10E,EAA60E,CAA70E,EAAg1E,CAAh1E,EAAm1E,CAAn1E,EAAs1E,CAAt1E,EAAy1E,CAAz1E,EAA41E,CAA51E,EAA+1E,CAA/1E,EAAk2E,CAAl2E,EAAq2E,CAAr2E,EAAw2E,CAAx2E,EAA22E,CAA32E,EAA82E,CAA92E,EAAi3E,CAAj3E,EAAo3E,CAAp3E,EAAu3E,CAAv3E,EAA03E,CAA13E,EAA63E,CAA73E,EAAg4E,CAAh4E,EAAm4E,CAAn4E,EAAs4E,CAAt4E,EAAy4E,CAAz4E,EAA44E,CAA54E,EAA+4E,CAA/4E,EAAk5E,CAAl5E,EAAq5E,CAAr5E,EAAw5E,CAAx5E,EAA25E,CAA35E,EAA85E,CAA95E,EAAi6E,CAAj6E,EAAo6E,CAAp6E,EAAu6E,CAAv6E,EAA06E,CAA16E,EAA66E,CAA76E,EAAg7E,CAAh7E,EAAm7E,CAAn7E,EAAs7E,CAAt7E,EAAy7E,CAAz7E,EAA47E,CAA57E,EAA+7E,CAA/7E,EAAk8E,CAAl8E,EAAq8E,CAAr8E,EAAw8E,CAAx8E,EAA28E,CAA38E,EAA88E,CAA98E,EAAi9E,CAAj9E,EAAo9E,CAAp9E,EAAu9E,CAAv9E,EAA09E,CAA19E,EAA69E,CAA79E,EAAg+E,CAAh+E,EAAm+E,CAAn+E,EAAs+E,CAAt+E,EAAy+E,CAAz+E,EAA4+E,CAA5+E,EAA++E,CAA/+E,EAAk/E,CAAl/E,EAAq/E,CAAr/E,EAAw/E,CAAx/E,EAA2/E,CAA3/E,EAA8/E,CAA9/E,EAAigF,CAAjgF,EAAogF,CAApgF,EAAugF,CAAvgF,EAA0gF,CAA1gF,EAA6gF,CAA7gF,EAAghF,CAAhhF,EAAmhF,CAAnhF,EAAshF,CAAthF,EAAyhF,CAAzhF,EAA4hF,CAA5hF,EAA+hF,CAA/hF,EAAkiF,CAAliF,EAAqiF,CAAriF,EAAwiF,CAAxiF,EAA2iF,CAA3iF,EAA8iF,CAA9iF,EAAijF,CAAjjF,EAAojF,CAApjF,EAAujF,CAAvjF,EAA0jF,CAA1jF,EAA6jF,CAA7jF,EAAgkF,CAAhkF,EAAmkF,CAAnkF,EAAskF,CAAtkF,EAAykF,CAAzkF,EAA4kF,CAA5kF,EAA+kF,CAA/kF,EAAklF,CAAllF,EAAqlF,CAArlF,EAAwlF,CAAxlF,EAA2lF,CAA3lF,EAA8lF,CAA9lF,EAAimF,CAAjmF,EAAomF,CAApmF,EAAumF,CAAvmF,EAA0mF,CAA1mF,EAA6mF,CAA7mF,EAAgnF,CAAhnF,EAAmnF,CAAnnF,EAAsnF,CAAtnF,EAAynF,CAAznF,EAA4nF,CAA5nF,EAA+nF,CAA/nF,EAAkoF,CAAloF,EAAqoF,CAAroF,EAAwoF,CAAxoF,EAA2oF,CAA3oF,EAA8oF,CAA9oF,EAAipF,CAAjpF,EAAopF,CAAppF,EAAupF,CAAvpF,EAA0pF,CAA1pF,EAA6pF,CAA7pF,EAAgqF,CAAhqF,EAAmqF,CAAnqF,EAAsqF,CAAtqF,EAAyqF,CAAzqF,EAA4qF,CAA5qF,EAA+qF,CAA/qF,EAAkrF,CAAlrF,EAAqrF,CAArrF,EAAwrF,CAAxrF,EAA2rF,CAA3rF,EAA8rF,CAA9rF,EAAisF,CAAjsF,EAAosF,CAApsF,EAAusF,CAAvsF,EAA0sF,CAA1sF,EAA6sF,CAA7sF,EAAgtF,CAAhtF,EAAmtF,CAAntF,EAAstF,CAAttF,EAAytF,CAAztF,EAA4tF,CAA5tF,EAA+tF,CAA/tF,EAAkuF,CAAluF,EAAquF,CAAruF,EAAwuF,CAAxuF,EAA2uF,CAA3uF,EAA8uF,CAA9uF,EAAivF,CAAjvF,EAAovF,CAApvF,EAAuvF,CAAvvF,EAA0vF,CAA1vF,EAA6vF,CAA7vF,EAAgwF,CAAhwF,EAAmwF,CAAnwF,EAAswF,CAAtwF,EAAywF,CAAzwF,EAA4wF,CAA5wF,EAA+wF,CAA/wF,EAAkxF,CAAlxF,EAAqxF,CAArxF,EAAwxF,CAAxxF,EAA2xF,CAA3xF,EAA8xF,CAA9xF,EAAiyF,CAAjyF,EAAoyF,CAApyF,EAAuyF,CAAvyF,EAA0yF,CAA1yF,EAA6yF,CAA7yF,EAAgzF,CAAhzF,EAAmzF,CAAnzF,EAAszF,CAAtzF,EAAyzF,CAAzzF,EAA4zF,CAA5zF,EAA+zF,CAA/zF,EAAk0F,CAAl0F,EAAq0F,CAAr0F,EAAw0F,CAAx0F,EAA20F,CAA30F,EAA80F,CAA90F,EAAi1F,CAAj1F,EAAo1F,CAAp1F,EAAu1F,CAAv1F,EAA01F,CAA11F,EAA61F,CAA71F,EAAg2F,CAAh2F,EAAm2F,CAAn2F,EAAs2F,CAAt2F,EAAy2F,CAAz2F,EAA42F,CAA52F,EAA+2F,CAA/2F,EAAk3F,CAAl3F,EAAq3F,CAAr3F,EAAw3F,CAAx3F,EAA23F,CAA33F,EAA83F,CAA93F,EAAi4F,CAAj4F,EAAo4F,CAAp4F,EAAu4F,CAAv4F,EAA04F,CAA14F,EAA64F,CAA74F,EAAg5F,CAAh5F,EAAm5F,CAAn5F,EAAs5F,CAAt5F,EAAy5F,CAAz5F,EAA45F,CAA55F,EAA+5F,CAA/5F,EAAk6F,CAAl6F,EAAq6F,CAAr6F,EAAw6F,CAAx6F,EAA26F,CAA36F,EAA86F,CAA96F,EAAi7F,CAAj7F,EAAo7F,CAAp7F,EAAu7F,CAAv7F,EAA07F,CAA17F,EAA67F,CAA77F,EAAg8F,CAAh8F,EAAm8F,CAAn8F,EAAs8F,CAAt8F,EAAy8F,CAAz8F,EAA48F,CAA58F,EAA+8F,CAA/8F,EAAk9F,CAAl9F,EAAq9F,CAAr9F,EAAw9F,CAAx9F,EAA29F,CAA39F,EAA89F,CAA99F,EAAi+F,CAAj+F,EAAo+F,CAAp+F,EAAu+F,CAAv+F,EAA0+F,CAA1+F,EAA6+F,CAA7+F,EAAg/F,CAAh/F,EAAm/F,CAAn/F,EAAs/F,CAAt/F,EAAy/F,CAAz/F,EAA4/F,CAA5/F,EAA+/F,CAA/gG,EAAkhG,CAAlhG,EAAqhG,CAArhG,EAAwhG,CAAxhG,EAA2hG,CAA3hG,EAA8hG,CAA9hG,EAAiiG,CAAjiG,EAAoiG,CAApiG,EAAuiG,CAAviG,EAA0iG,CAA1iG,EAA6iG,CAA7iG,EAAgjG,CAAhjG,EAAmjG,CAAnjG,EAAsjG,CAAtjG,EAAyjG,CAAzjG,EAA4jG,CAA5jG,EAA+jG,CAA/jG,EAAkkG,CAAlkG,EAAqkG,CAArkG,EAAwkG,CAAxkG,EAA2kG,CAA3kG,EAA8kG,CAA9kG,EAAilG,CAAjlG,EAAolG,CAAplG,EAAulG,CAAvlG,EAA0lG,CAA1lG,EAA6lG,CAA7lG,EAAgmG,CAAhmG,EAAmmG,CAAnmG,EAAsmG,CAAtmG,EAAymG,CAAzmG,EAA4mG,CAA5mG,EAA+mG,CAA/mG,EAAknG,CAAlnG,EAAqnG,CAArnG,EAAwnG,CAAxnG,EAA2nG,CAA3nG,EAA8nG,CAA9nG,EAAioG,CAAjoG,EAAooG,CAApoG,EAAuoG,CAAvoG,EAA0oG,CAA1oG,EAA6oG,CAA7oG,EAAgpG,CAAhpG,EAAmpG,CAAnpG,EAAspG,CAAtpG,EAAypG,CAAzpG,EAA4pG,CAA5pG,EAA+pG,CAA/pG,EAAkqG,CAAlqG,EAAqqG,CAArqG,EAAwqG,CAAxqG,EAA2qG,CAA3qG,EAA8qG,CAA9qG,EAAirG,CAAjrG,EAAorG,CAAprG,EAAurG,CAAvrG,EAA0rG,CAA1rG,EAA6rG,CAA7rG,EAAgsG,CAAhsG,EAAmsG,CAAnsG,EAAssG,CAAtsG,EAAysG,CAAzsG,EAA4sG,CAA5sG,EAA+sG,CAA/sG,EAAktG,CAAltG,EAAqtG,CAArtG,EAAwtG,CAAxtG,EAA2tG,CAA3tG,EAA8tG,CAA9tG,EAAiuG,CAAjuG,EAAouG,CAApuG,EAAuuG,CAAvuG,EAA0uG,CAA1uG,EAA6uG,CAA7uG,EAAgvG,CAAhvG,EAAmvG,CAAnvG,EAAsvG,CAAtvG,EAAyvG,CAAzvG,EAA4vG,CAA5vG,EAA+vG,CAA/vG,EAAkwG,CAAlwG,EAAqwG,CAArwG,EAAwwG,CAAxwG,EAA2wG,CAA3wG,EAA8wG,CAA9wG,EAAixG,CAAjxG,EAAoxG,CAApxG,EAAuxG,CAAvxG,EAA0xG,CAA1xG,EAA6xG,CAA7xG,EAAgyG,CAAhyG,EAAmyG,CAAnyG,EAAsyG,CAAtyG,EAAyyG,CAAzyG,EAA4yG,CAA5yG,EAA+yG,CAA/yG,EAAkzG,CAAlzG,EAAqzG,CAArzG,EAAwzG,CAAxzG,EAA2zG,CAA3zG,EAA8zG,CAA9zG,EAAi0G,CAAj0G,EAAo0G,CAAp0G,EAAu0G,CAAv0G,EAA00G,CAA10G,EAA60G,CAA70G,EAAg1G,CAAh1G,EAAm1G,CAAn1G,EAAs1G,CAAt1G,EAAy1G,CAAz1G,EAA41G,CAA51G,EAA+1G,CAA/1G,EAAk2G,CAAl2G,EAAq2G,CAAr2G,EAAw2G,CAAx2G,EAA22G,CAA32G,EAA82G,CAA92G,EAAi3G,CAAj3G,EAAo3G,CAAp3G,EAAu3G,CAAv3G,EAA03G,CAA13G,EAA63G,CAA73G,EAAg4G,CAAh4G,EAAm4G,CAAn4G,EAAs4G,CAAt4G,EAAy4G,CAAz4G,EAA44G,CAA54G,EAA+4G,CAA/4G,EAAk5G,CAAl5G,EAAq5G,CAAr5G,EAAw5G,CAAx5G,EAA25G,CAA35G,EAA85G,CAA95G,EAAi6G,CAAj6G,EAAo6G,CAAp6G,EAAu6G,CAAv6G,EAA06G,CAA16G,EAA66G,CAA76

AI,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;EACrD,C;;;;;;;;;aCpD2C,gB;;;;;MCnDvC,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;IAFpD,C;;MAKgB,iB;IAAA,C;;MAGA,oB;IAAA,C;;MAE6B,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QAAhB,B,C;IAAR,C;;MAEN,gBAAS,K;IAAT,C;;MAEJ,OAAnC,MAAmC,kBAA8B,IAA9B,C;IAAA,C;;MAAL,gB;IAAA,C;;MAAE,1B,8B;IAAA,C;;;;MAAF,qC;QAAA,oB;;MAAA,8B;IAAA,C;;;MDdwC,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,B,C;IAAA,C;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAAb,IAAvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAAK,E,C;QAAL,C;;QALwC,OAAhD,K;MAAP,gD,C;KAAD,3D,C;;MAAiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QAAA,MAAA,CAAA,IAAA,CAAA,CAAA,C

ID,C;IAAA,C;;MCAE,wB;QAAW,OAAA,aAAK,KAAL,CC4IV,K;MD5ID,C;IAAA,C;;MEAE,wB;QAAW,OAAA,aAAK,KAAL,CbgHV,K;MahHD,C;IAAA,C;;MCvD8D,4C;IAAtG,C;IAAA,6D;MAC4C,+BAAW,CAAX,EAAc,CAAd,C;IAAA,C;IAD5C,kF;;MCmDI,sC;MAAA,4C;IATJ,C;IAAA,yF;MAWoB,2B;IAAA,CAXpB,E;IAAA,4E;MAcY,wBAAW,MAAX,C;IAAA,C;IAdZ,sF;;MAsF0C,oB;QAClC,WAAW,sBAAmB,B,YAAF,CAAE,CAAnB,B,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,a;MAH6B,C;IAAA,C;;MnBvHtC,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI

B,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB

M,gCAAuB,mDAAvB,C;MACV,C;KAPA,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SA
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gC
AAuB,mDAAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,
gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu
B,mDAAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;U
AAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mD
AAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB
,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAv
B,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAA
A,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;M
ACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA
AhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV
,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;
UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;K
APA,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA
gB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAA
uB,mDAAvB,C;MACV,C;KAPA,C;;MAaI,OAmxKO,qBAAQ,CAnxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IA
CpC,C;;MAMI,OAoxKO,qBAAQ,CApxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAqxKO,qB
AAQ,CArxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAsxKO,qBAAQ,CAtxKR,GAAe,IAAf,
GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAuxKO,qBAAQ,CAvxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IA
CpC,C;;MAMI,OAwxKO,qBAAQ,CAxxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OAyxKO,q
BAAQ,CAzxKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OA0xKO,qBAAQ,CA1xKR,GAAe,IAA
f,GAAyB,UAAK,CAAL,C;IACpC,C;;MAMI,OA2xKO,qBAAQ,CA3xKR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;I
ACpC,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA
AJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAA
hB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;M
ACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UA
AU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAg
B,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMo
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA
O,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;+
FAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;
UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KANA,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,C;wBAA3B,wBAA3B,GAAsD,UAAK,CAAL,C;IAAtD,C;;MAM

AW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;;MAYI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0B

K,0BAAL,C;IACX,C;;MAOI,IAorJO,qBAAQ,CAprJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA
K,0BAAL,C;IACX,C;;MAOI,IAkrJO,qBAAQ,CAlrJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA
K,0BAAL,C;IACX,C;;MAOI,IAgrJO,qBAAQ,CAhrJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA
K,0BAAL,C;IACX,C;;MAOI,IA8qJO,qBAAQ,CA9qJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UA
AK,0BAAL,C;IACX,C;;MAOI,IA4qJO,qBAAQ,CA5qJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U
AAK,0BAAL,C;IACX,C;;MAOI,IA0qJO,qBAAQ,CA1qJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,
UAAK,0BAAL,C;IACX,C;;MAOI,IAwqJO,qBAAQ,CAxqJf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAA
O,UAAK,0BAAL,C;IACX,C;gFAEA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,
SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA
AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;gFAY
A,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,
W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,
OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,oD;MAAA,
iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;
UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;iFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;

P,IAAL,C;IACpC,C;;MAMI,OAg4IO,qBAAQ,CAh4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAi4IO,qBAAQ,CAj4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAk4IO,qBAAQ,CAl4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAm4IO,qBAAQ,CAn4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAo4IO,qBAAQ,CAp4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAq4IO,qBAAQ,CAr4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAs4IO,qBAAQ,CAt4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAu4IO,qBAAQ,CAv4IR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;4FAEA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAAV,cAAU,UAAK,KAAL,C;UAAd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAAnC,OAAmC,I;MAAA,CAAX,MAAW,C;KAAA,C;6FAA

C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;IAKJ,C;;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,

X,C;KAhBA,C;;MAsBI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAM

Fc,sD;QoBvxFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwxFV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB3xFI,IAAI,EpBqyFI,KAAAK,CoBryFT,CAAAJ,C;QACI,cpBoyFc,sD;QoBnyFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBoyFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBvyFI,IAAI,EpBizFI,KAAAK,CoBjzFT,CAAAJ,C;QACI,cpBgzFc,sD;QoB/yFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgzFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBnzFI,IAAI,EpB6zFI,KAAAK,CoB7zFT,CAAAJ,C;QACI,cpB4zFc,sD;QoB3zFd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4zFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/zFI,IAAI,EpBy0FI,KAAAK,CoBz0FT,CAAAJ,C;QACI,cpBw0Fc,sD;QoBv0Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBw0FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB30FI,IAAI,EpBq1FI,KAAAK,CoBr1FT,CAAAJ,C;QACI,cpBo1Fc,sD;QoBn1Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBo1FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBv1FI,IAAI,EpBi2FI,KAAAK,CoBj2FT,CAAAJ,C;QACI,cpBg2Fc,sD;QoB/1Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBg2FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBn2FI,IAAI,EpB62FI,KAAAK,CoB72FT,CAAAJ,C;QACI,cpB42Fc,sD;QoB32Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB42FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/2FI,IAAI,EpBy3FI,KAAAK,CoBz3FT,CAAAJ,C;QACI,cpBw3Fc,sD;QoBv3Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBw3FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB33FI,IAAI,EpBq4FI,KAAAK,CoBr4FT,CAAAJ,C;QACI,cpBo4Fc,sD;QoBn4Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBo4FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBv4FI,IAAI,EpBi5FI,KAAAK,CoBj5FT,CAAAJ,C;QACI,cpBg5Fc,sD;QoB/4Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBg5FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBn5FI,IAAI,EpB65FI,KAAAK,CoB75FT,CAAAJ,C;QACI,cpB45Fc,sD;QoB35Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB45FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/5FI,IAAI,EpBy6FI,KAAAK,CoBz6FT,CAAAJ,C;QACI,cpBw6Fc,sD;QoBv6Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBw6FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB36FI,IAAI,EpBq7FI,KAAAK,CoBr7FT,CAAAJ,C;QACI,cpBo7Fc,sD;QoBn7Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBo7FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBv7FI,IAAI,EpBi8FI,KAAAK,CoBj8FT,CAAAJ,C;QACI,cpBg8Fc,sD;QoB/7Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBg8FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBn8FI,IAAI,EpB68FI,KAAAK,CoB78FT,CAAAJ,C;QACI,cpB48Fc,sD;QoB38Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB48FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/8FI,IAAI,EpBy9FI,KAAAK,CoBz9FT,CAAAJ,C;QACI,cpBw9Fc,sD;QoBv9Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBw9FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB39FI,IAAI,EpBq+FI,KAAAK,CoBr+FT,CAAAJ,C;QACI,cpBo+Fc,sD;QoBn+Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBo+FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBv+FI,IAAI,EpBi/FI,KAAAK,CoBj/FT,CAAAJ,C;QACI,cpBg/Fc,sD;QoB/+Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBg/FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBn/FI,IAAI,EpB6/FI,KAAAK,CoB7/FT,CAAAJ,C;QACI,cpB4/Fc,sD;QoB3/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4/FV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB//FI,IAAI,EpBygGI,KAAAK,CoBzgGT,CAAAJ,C;QACI,cpBwgGc,sD;QoBvgGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwgGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB3gGI,IAAI,EpBqhGI,KAAAK,CoBrhGT,CAAAJ,C;QACI,cpBohGc,sD;QoBnhGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBohGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBvhGI,IAAI,EpBiiGI,KAAAK,CoBjiGT,CAAAJ,C;QACI,cpBgiGc,sD;QoB/hGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgiGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBniGI,IAAI,EpB6iGI,KAAAK,CoB7iGT,CAAAJ,C;QACI,cpB4iGc,sD;QoB3iGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4iGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/iGI,IAAI,EpBykGI,KAAAK,CoBzkGT,CAAAJ,C;QACI,cpBwkGc,sD;QoBvkGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwkGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB3kGI,IAAI,EpBqlGI,KAAAK,CoBrlGT,CAAAJ,C;QACI,cpBolGc,sD;QoBnlGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBolGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBvlGI,IAAI,EpBimGI,KAAAK,CoBjmGT,CAAAJ,C;QACI,cpBgmGc,sD;QoB/lGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgmGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBnmGI,IAAI,EpB6mGI,KAAAK,CoB7mGT,CAAAJ,C;QACI,cpB4mGc,sD;QoB3mGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4mGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/mGI,IAAI,EpBynGI,KAAAK,CoBznGT,CAAAJ,C;QACI,cpBwnGc,sD;QoBvnGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwnGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB3nGI,IAAI,EpBqoGI,KAAAK,CoBroGT,CAAAJ,C;QACI,cpBooGc,sD;QoBnoGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBooGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBvoGI,IAAI,EpBipGI,KAAAK,CoBjpGT,CAAAJ,C;QACI,cpBgpGc,sD;QoB/oGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgpGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBnpGI,IAAI,EpB6pGI,KAAAK,CoB7pGT,CAAAJ,C;QACI,cpB4pGc,sD;QoB3pGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4pGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB/pGI,IAAI,EpBwqGI,KAAAK,CoBxqGT,CAAAJ,C;QACI,cpBuqGc,sD;QoBtqGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuqGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1qGI,IAAI,EpBorGI,KAAAK,CoBprGT,CAAAJ,C;QACI,cpBmrGc,sD;QoBlrGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmrGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtrGI,IAAI,EpBgsGI,KAAAK,CoBhsGT,CAAAJ,C;QACI,cpB+rGc,sD;QoB9rGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+rGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlsGI,IAAI,EpB4sGI,KAAAK,CoB5sGT,CAAAJ,C;QACI,cpB2sGc,sD;QoB1sGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2sGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9sGI,IAAI,EpBwtGI,KAAAK,CoBxtGT,CAAAJ,C;QACI,cpButGc,sD;QoBttGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpButGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1tGI,IAAI,EpBouGI,KAAAK,CoBpuGT,CAAAJ,C;QACI,cpBmuGc,sD;QoBluGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmuGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtuGI,IAAI,EpBgvGI,KAAAK,CoBhvGT,CAAAJ,C;QACI,cpB+uGc,sD;QoB9uGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+uGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlvGI,IAAI,EpB4vGI,KAAAK,CoB5vGT,CAAAJ,C;QACI,cpB2vGc,sD;QoB1vGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2vGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9vGI,IAAI,EpBwwGI,KAAAK,CoBxwGT,CAAAJ,C;QACI,cpBuwGc,sD;QoBtwGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuwGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1wGI,IAAI,EpBoxGI,KAAAK,CoBpxGT,CAAAJ,C;QACI,cpBmxGc,sD;QoBlxGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmxGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtxGI,IAAI,EpBgyGI,KAAAK,CoBhyGT,CAAAJ,C;QACI,cpB+xGc,sD;QoB9xGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+xGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlyGI,IAAI,EpB4yGI,KAAAK,CoB5yGT,CAAAJ,C;QACI,cpB2yGc,sD;QoB1yGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2yGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9yGI,IAAI,EpBwzGI,KAAAK,CoBxzGT,CAAAJ,C;QACI,cpBuzGc,sD;QoBtzGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1zGI,IAAI,EpBo0GI,KAAAK,CoBp0GT,CAAAJ,C;QACI,cpBm0Gc,sD;QoBl0Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm0GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt0GI,IAAI,EpBg1GI,KAAAK,CoBh1GT,CAAAJ,C;QACI,cpB+0Gc,sD;QoB90Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+0GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl1GI,IAAI,EpB42GI,KAAAK,CoB52GT,CAAAJ,C;QACI,cpB22Gc,sD;QoB12Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB22GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB92GI,IAAI,EpBw3GI,KAAAK,CoBx3GT,CAAAJ,C;QACI,cpBu3Gc,sD;QoBt3Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu3GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB13GI,IAAI,EpBo4GI,KAAAK,CoBp4GT,CAAAJ,C;QACI,cpBm4Gc,sD;QoBl4Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm4GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt4GI,IAAI,EpBg5GI,KAAAK,CoBh5GT,CAAAJ,C;QACI,cpB+4Gc,sD;QoB94Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+4GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl5GI,IAAI,EpB46GI,KAAAK,CoB56GT,CAAAJ,C;QACI,cpB26Gc,sD;QoB16Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB26GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB96GI,IAAI,EpBw7GI,KAAAK,CoBx7GT,CAAAJ,C;QACI,cpBu7Gc,sD;QoBt7Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu7GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB17GI,IAAI,EpBo8GI,KAAAK,CoBp8GT,CAAAJ,C;QACI,cpBm8Gc,sD;QoBl8Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm8GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt8GI,IAAI,EpBg9GI,KAAAK,CoBh9GT,CAAAJ,C;QACI,cpB+8Gc,sD;QoB98Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+8GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl9GI,IAAI,EpB4+GI,KAAAK,CoB5+GT,CAAAJ,C;QACI,cpB2+Gc,sD;QoB1+Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2+GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9+GI,IAAI,EpBw/GI,KAAAK,CoBx/GT,CAAAJ,C;QACI,cpBu/Gc,sD;QoBt/Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu/GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1/GI,IAAI,EpBogHI,KAAAK,CoBpgHT,CAAAJ,C;QACI,cpBmgHc,sD;QoBlgHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmgHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtgHI,IAAI,EpBghHI,KAAAK,CoBhhHT,CAAAJ,C;QACI,cpB+gHc,sD;QoB9gHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+gHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlhHI,IAAI,EpB4hHI,KAAAK,CoB5hHT,CAAAJ,C;QACI,cpB2hHc,sD;QoB1hHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2hHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9hHI,IAAI,EpBwiHI,KAAAK,CoBxiHT,CAAAJ,C;QACI,cpBuiHc,sD;QoBtiHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuiHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1iHI,IAAI,EpBojHI,KAAAK,CoBpjHT,CAAAJ,C;QACI,cpBmjHc,sD;QoBljHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmjHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtjHI,IAAI,EpBgkHI,KAAAK,CoBhkHT,CAAAJ,C;QACI,cpB+jHc,sD;QoB9jHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+jHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlkHI,IAAI,EpB4kHI,KAAAK,CoB5kHT,CAAAJ,C;QACI,cpB2kHc,sD;QoB1kHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2kHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9kHI,IAAI,EpBwlHI,KAAAK,CoBxlHT,CAAAJ,C;QACI,cpBulHc,sD;QoBtlHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBulHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1lHI,IAAI,EpBomHI,KAAAK,CoBpmHT,CAAAJ,C;QACI,cpBmmHc,sD;QoBlmHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmmHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtmHI,IAAI,EpBgnHI,KAAAK,CoBhnHT,CAAAJ,C;QACI,cpB+mHc,sD;QoB9mHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+mHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlnHI,IAAI,EpB4nHI,KAAAK,CoB5nHT,CAAAJ,C;QACI,cpB2nHc,sD;QoB1nHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2nHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9nHI,IAAI,EpBwoHI,KAAAK,CoBxoHT,CAAAJ,C;QACI,cpBuoHc,sD;QoBtoHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuoHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1oHI,IAAI,EpBopHI,KAAAK,CoBppHT,CAAAJ,C;QACI,cpBmpHc,sD;QoBlpHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmpHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtpHI,IAAI,EpBgqHI,KAAAK,CoBhqHT,CAAAJ,C;QACI,cpB+pHc,sD;QoB9pHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+pHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlqHI,IAAI,EpB4qHI,KAAAK,CoB5qHT,CAAAJ,C;QACI,cpB2qHc,sD;QoB1qHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2qHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9qHI,IAAI,EpBwrHI,KAAAK,CoBxrHT,CAAAJ,C;QACI,cpBurHc,sD;QoBtrHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBurHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1rHI,IAAI,EpBosHI,KAAAK,CoBpsHT,CAAAJ,C;QACI,cpBmsHc,sD;QoBlsHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmsHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtsHI,IAAI,EpBgtHI,KAAAK,CoBhtHT,CAAAJ,C;QACI,cpB+sHc,sD;QoB9sHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+sHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBltHI,IAAI,EpB4tHI,KAAAK,CoB5tHT,CAAAJ,C;QACI,cpB2tHc,sD;QoB1tHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2tHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9tHI,IAAI,EpBwuHI,KAAAK,CoBxuHT,CAAAJ,C;QACI,cpBuuHc,sD;QoBtuHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuuHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1uHI,IAAI,EpBovHI,KAAAK,CoBpvHT,CAAAJ,C;QACI,cpBmvHc,sD;QoBlvHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmvHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtvHI,IAAI,EpBgwHI,KAAAK,CoBhwHT,CAAAJ,C;QACI,cpB+vHc,sD;QoB9vHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+vHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlwHI,IAAI,EpB4wHI,KAAAK,CoB5wHT,CAAAJ,C;QACI,cpB2wHc,sD;QoB1wHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2wHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9wHI,IAAI,EpBwxHI,KAAAK,CoBxxHT,CAAAJ,C;QACI,cpBuxHc,sD;QoBtxHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBuxHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1xHI,IAAI,EpBoyHI,KAAAK,CoBpyHT,CAAAJ,C;QACI,cpBmyHc,sD;QoBlyHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmyHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBtyHI,IAAI,EpBgzHI,KAAAK,CoBhzHT,CAAAJ,C;QACI,cpB+yHc,sD;QoB9yHd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+yHV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBlzHI,IAAI,EpB40HI,KAAAK,CoB50HT,CAAAJ,C;QACI,cpB20Hc,sD;QoB10Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB20HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB90HI,IAAI,EpBw1HI,KAAAK,CoBx1HT,CAAAJ,C;QACI,cpBu1Hc,sD;QoBt1Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu1HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB11HI,IAAI,EpBo2HI,KAAAK,CoBp2HT,CAAAJ,C;QACI,cpBm2Hc,sD;QoBl2Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm2HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt2HI,IAAI,EpBg3HI,KAAAK,CoBh3HT,CAAAJ,C;QACI,cpB+2Hc,sD;QoB92Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+2HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl3HI,IAAI,EpB44HI,KAAAK,CoB54HT,CAAAJ,C;QACI,cpB24Hc,sD;QoB14Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB24HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB94HI,IAAI,EpBw5HI,KAAAK,CoBx5HT,CAAAJ,C;QACI,cpBu5Hc,sD;QoBt5Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu5HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB15HI,IAAI,EpBo6HI,KAAAK,CoBp6HT,CAAAJ,C;QACI,cpBm6Hc,sD;QoBl6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm6HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt6HI,IAAI,EpBg7HI,KAAAK,CoBh7HT,CAAAJ,C;QACI,cpB+6Hc,sD;QoB96Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+6HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl7HI,IAAI,EpB48HI,KAAAK,CoB58HT,CAAAJ,C;QACI,cpB28Hc,sD;QoB18Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB28HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB98HI,IAAI,EpBw9HI,KAAAK,CoBx9HT,CAAAJ,C;QACI,cpBu9Hc,sD;QoBt9Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu9HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB19HI,IAAI,EpBo+HI,KAAAK,CoBp+HT,CAAAJ,C;QACI,cpBm+Hc,sD;QoBl+Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm+HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBt+HI,IAAI,EpBg/HI,KAAAK,CoBh/HT,CAAAJ,C;QACI,cpB+9Hc,sD;QoB99Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+9HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoBl/HI,IAAI,EpB4/HI,KAAAK,CoB5/HT,CAAAJ,C;QACI,cpB2/Hc,sD;QoB1/Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2/HV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB9/HI,IAAI,EpBwgII,KAAAK,CoBxgIT,CAAAJ,C;QACI,cpBugIc,sD;QoBtgId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBugIV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAAU,EAAAc,CAAAd,CAAAhB,C;IACX,C;;MoB1gII,IAAI,EpBohII,KAAAK,CoBphIT,CAAAJ,C;QACI,cpBmhIc,sD;Qo

b,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb

sGO,W;MArGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAwzOV,gB;QADb,YAA
Y,C;QACZ,iD;UAAa,WAAb,e;UAjtOI,IAvGyC,SAuGrC,EAitOkB,cAjtOlB,EAitOkB,sBAjtOlB,WAitO2B,IAjtO3
B,CAAJ,C;YAA2C,sBAitOZ,IAjtOY,C;;QAvG/C,OAyGO,W;MAxGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAyG
A,gC;MA+sOA,oC;MAxzOA,uC;QAMW,kBAAgB,gB;QAyzOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B
;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA/sO/B,IA1GsC,SA0GlC,CAAU,OAAV,EAAiB,OA
AjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4GO,W;MA3GX,C;KAPA,C;;MA+uOiB,gB;MADb,YAAY,
C;MACZ,iD;QAAa,WAAb,e;QA/tOI,IAAI,WA+tOkB,cA/tOlB,EA+tOkB,sBA/tOlB,WA+tO2B,IA/tO3B,CAAJ,C;
UAA2C,sBA+tOZ,IA/tOY,C;;MAE/C,OAAO,W;IACX,C;;MAsuOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7tOI,IAAI,WA6tOkB,cA7tOlB,EA6tOkB,sBA7tOlB,WA6tO2B,IA7tO3B,CAAJ,C;UAA2C,sBA6tOZ,IA7tOY,C;;MAE/C,OAAO,W;IACX,C;;MAouOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3tOI,IAAI,WA2tOkB,cA3tOlB,EA2tOkB,sBA3tOlB,WA2tO2B,IA3tO3B,CAAJ,C;UAA2C,sBA2tOZ,IA3tOY,C;;MAE/C,OAAO,W;IACX,C;;MAkvOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAztOI,IAAI,WAytOkB,cAztOlB,EAytOkB,sBAztOlB,WAytO2B,IAztO3B,CAAJ,C;UAA2C,sBAytOZ,IAztOY,C;;MAE/C,OAAO,W;IACX,C;;MAwvOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvtOI,IAAI,WAutOkB,cAvtOlB,EAutOkB,sBAvtOlB,WAutO2B,IAvtO3B,CAAJ,C;UAA2C,sBAutOZ,IAvtOY,C;;MAE/C,OAAO,W;IACX,C;;MA8vOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArtOI,IAAI,WAqtOkB,cArtOlB,EAqtOkB,sBArtOlB,WAqtO2B,IArtO3B,CAAJ,C;UAA2C,sBAqtOZ,IArtOY,C;;MAE/C,OAAO,W;IACX,C;;MAowOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAntOI,IAAI,WAmtOkB,cAntOlB,EAmtOkB,sBAntOlB,WAmtO2B,IAntO3B,CAAJ,C;UAA2C,sBAmtOZ,IAntOY,C;;MAE/C,OAAO,W;IACX,C;;MA0wOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjtOI,IAAI,WAitOkB,cAjtOlB,EAitOkB,sBAjtOlB,WAitO2B,IAjtO3B,CAAJ,C;UAA2C,sBAitOZ,IAjtOY,C;;MAE/C,OAAO,W;IACX,C;;MAgxOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/sOI,IAAI,WA+sOkB,cA/sOlB,EA+sOkB,sBA/sOlB,WA+sO2B,IA/sO3B,CAAJ,C;UAA2C,sBA+sOZ,IA/sOY,C;;MAE/C,OAAO,W;IACX,C;;MAsxOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7sOI,IAAI,WA6sOkB,cA7sOlB,EA6sOkB,sBA7sOlB,WA6sO2B,IA7sO3B,CAAJ,C;UAA2C,sBA6sOZ,IA7sOY,C;;MAE/C,OAAO,W;IACX,C;;MA4xOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3sOI,IAAI,WA2sOkB,cA3sOlB,EA2sOkB,sBA3sOlB,WA2sO2B,IA3sO3B,CAAJ,C;UAA2C,sBA2sOZ,IA3sOY,C;;MAE/C,OAAO,W;IACX,C;;MAkyOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzsOI,IAAI,WAysOkB,cAzsOlB,EAysOkB,sBAzsOlB,WAysO2B,IAzsO3B,CAAJ,C;UAA2C,sBAysOZ,IAzsOY,C;;MAE/C,OAAO,W;IACX,C;;MAwyOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvsOI,IAAI,WAusOkB,cAvsOlB,EAusOkB,sBAvsOlB,WAusO2B,IAvsO3B,CAAJ,C;UAA2C,sBAusOZ,IAvsOY,C;;MAE/C,OAAO,W;IACX,C;;MA8yOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArsOI,IAAI,WAqsOkB,cArsOlB,EAqsOkB,sBArsOlB,WAqsO2B,IArsO3B,CAAJ,C;UAA2C,sBAqsOZ,IArsOY,C;;MAE/C,OAAO,W;IACX,C;;MAozOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnsOI,IAAI,WAmsOkB,cAnsOlB,EAmsOkB,sBAnsOlB,WAmsO2B,IAnsO3B,CAAJ,C;UAA2C,sBAmsOZ,IAnsOY,C;;MAE/C,OAAO,W;IACX,C;;MA0zOiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjsOI,IAAI,WAisOkB,cAjsOlB,EAisOkB,sBAjsOlB,WAisO2B,IAjsO3B,CAAJ,C;UAA2C,sBAisOZ,IAjsOY,C;;MAE/C,OAAO,W;IACX,C;;MAg0OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/rOI,IAAI,WA+rOkB,cA/rOlB,EA+rOkB,sBA/rOlB,WA+rO2B,IA/rO3B,CAAJ,C;UAA2C,sBA+rOZ,IA/rOY,C;;MAE/C,OAAO,W;IACX,C;;MAs0OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7rOI,IAAI,WA6rOkB,cA7rOlB,EA6rOkB,sBA7rOlB,WA6rO2B,IA7rO3B,CAAJ,C;UAA2C,sBA6rOZ,IA7rOY,C;;MAE/C,OAAO,W;IACX,C;;MA40OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3rOI,IAAI,WA2rOkB,cA3rOlB,EA2rOkB,sBA3rOlB,WA2rO2B,IA3rO3B,CAAJ,C;UAA2C,sBA2rOZ,IA3rOY,C;;MAE/C,OAAO,W;IACX,C;;MAk1OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzrOI,IAAI,WAyrOkB,cAzrOlB,EAyrOkB,sBAzrOlB,WAyrO2B,IAzrO3B,CAAJ,C;UAA2C,sBAyrOZ,IAzrOY,C;;MAE/C,OAAO,W;IACX,C;;MAw1OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvrOI,IAAI,WAurOkB,cAvrOlB,EAurOkB,sBAvrOlB,WAurO2B,IAvrO3B,CAAJ,C;UAA2C,sBAurOZ,IAvrOY,C;;MAE/C,OAAO,W;IACX,C;;MA82OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArrOI,IAAI,WAqrOkB,cArrOlB,EAqrOkB,sBArrOlB,WAqrO2B,IArrO3B,CAAJ,C;UAA2C,sBAqrOZ,IArrOY,C;;MAE/C,OAAO,W;IACX,C;;MAo3OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnrOI,IAAI,WAmrOkB,cAnrOlB,EAmrOkB,sBAnrOlB,WAmrO2B,IAnrO3B,CAAJ,C;UAA2C,sBAmrOZ,IAnrOY,C;;MAE/C,OAAO,W;IACX,C;;MA03OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjrOI,IAAI,WAirOkB,cAjrOlB,EAirOkB,sBAjrOlB,WAirO2B,IAjrO3B,CAAJ,C;UAA2C,sBAirOZ,IAjrOY,C;;MAE/C,OAAO,W;IACX,C;;MAg4OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/qOI,IAAI,WA+qOkB,cA/qOlB,EA+qOkB,sBA/qOlB,WA+qO2B,IA/qO3B,CAAJ,C;UAA2C,sBA+qOZ,IA/qOY,C;;MAE/C,OAAO,W;IACX,C;;MAs4OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7qOI,IAAI,WA6qOkB,cA7qOlB,EA6qOkB,sBA7qOlB,WA6qO2B,IA7qO3B,CAAJ,C;UAA2C,sBA6qOZ,IA7qOY,C;;MAE/C,OAAO,W;IACX,C;;MA45OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3qOI,IAAI,WA2qOkB,cA3qOlB,EA2qOkB,sBA3qOlB,WA2qO2B,IA3qO3B,CAAJ,C;UAA2C,sBA2qOZ,IA3qOY,C;;MAE/C,OAAO,W;IACX,C;;MAk6OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzqOI,IAAI,WAyqOkB,cAzqOlB,EAyqOkB,sBAzqOlB,WAyqO2B,IAzqO3B,CAAJ,C;UAA2C,sBAyqOZ,IAzqOY,C;;MAE/C,OAAO,W;IACX,C;;MAw6OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvqOI,IAAI,WAuqOkB,cAvqOlB,EAuqOkB,sBAvqOlB,WAuqO2B,IAvqO3B,CAAJ,C;UAA2C,sBAuqOZ,IAvqOY,C;;MAE/C,OAAO,W;IACX,C;;MA87OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArqOI,IAAI,WAqqOkB,cArqOlB,EAqqOkB,sBArqOlB,WAqqO2B,IArqO3B,CAAJ,C;UAA2C,sBAqqOZ,IArqOY,C;;MAE/C,OAAO,W;IACX,C;;MAo8OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnqOI,IAAI,WAmqOkB,cAnqOlB,EAmqOkB,sBAnqOlB,WAmqO2B,IAnqO3B,CAAJ,C;UAA2C,sBAmqOZ,IAnqOY,C;;MAE/C,OAAO,W;IACX,C;;MA08OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjqOI,IAAI,WAiqOkB,cAjqOlB,EAiqOkB,sBAjqOlB,WAiqO2B,IAjqO3B,CAAJ,C;UAA2C,sBAiqOZ,IAjqOY,C;;MAE/C,OAAO,W;IACX,C;;MAg9OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/pOI,IAAI,WA+pOkB,cA/pOlB,EA+pOkB,sBA/pOlB,WA+pO2B,IA/pO3B,CAAJ,C;UAA2C,sBA+pOZ,IA/pOY,C;;MAE/C,OAAO,W;IACX,C;;MAs9OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7pOI,IAAI,WA6pOkB,cA7pOlB,EA6pOkB,sBA7pOlB,WA6pO2B,IA7pO3B,CAAJ,C;UAA2C,sBA6pOZ,IA7pOY,C;;MAE/C,OAAO,W;IACX,C;;MA4+OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3pOI,IAAI,WA2pOkB,cA3pOlB,EA2pOkB,sBA3pOlB,WA2pO2B,IA3pO3B,CAAJ,C;UAA2C,sBA2pOZ,IA3pOY,C;;MAE/C,OAAO,W;IACX,C;;MAk/OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzpOI,IAAI,WAypOkB,cAzpOlB,EAypOkB,sBAzpOlB,WAypO2B,IAzpO3B,CAAJ,C;UAA2C,sBAypOZ,IAzpOY,C;;MAE/C,OAAO,W;IACX,C;;MAw/OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvpOI,IAAI,WAupOkB,cAvpOlB,EAupOkB,sBAvpOlB,WAupO2B,IAvpO3B,CAAJ,C;UAA2C,sBAupOZ,IAvpOY,C;;MAE/C,OAAO,W;IACX,C;;MA8/OiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArpOI,IAAI,WAqpOkB,cArpOlB,EAqpOkB,sBArpOlB,WAqpO2B,IArpO3B,CAAJ,C;UAA2C,sBAqpOZ,IArpOY,C;;MAE/C,OAAO,W;IACX,C;;MAogPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnpOI,IAAI,WAmpOkB,cAnpOlB,EAmpOkB,sBAnpOlB,WAmpO2B,IAnpO3B,CAAJ,C;UAA2C,sBAmpOZ,IAnpOY,C;;MAE/C,OAAO,W;IACX,C;;MA0gPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjpOI,IAAI,WAipOkB,cAjpOlB,EAipOkB,sBAjpOlB,WAipO2B,IAjpO3B,CAAJ,C;UAA2C,sBAipOZ,IAjpOY,C;;MAE/C,OAAO,W;IACX,C;;MAghPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/oOI,IAAI,WA+oOkB,cA/oOlB,EA+oOkB,sBA/oOlB,WA+oO2B,IA/oO3B,CAAJ,C;UAA2C,sBA+oOZ,IA/oOY,C;;MAE/C,OAAO,W;IACX,C;;MAsgPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7oOI,IAAI,WA6oOkB,cA7oOlB,EA6oOkB,sBA7oOlB,WA6oO2B,IA7oO3B,CAAJ,C;UAA2C,sBA6oOZ,IA7oOY,C;;MAE/C,OAAO,W;IACX,C;;MA4hPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3oOI,IAAI,WA2oOkB,cA3oOlB,EA2oOkB,sBA3oOlB,WA2oO2B,IA3oO3B,CAAJ,C;UAA2C,sBA2oOZ,IA3oOY,C;;MAE/C,OAAO,W;IACX,C;;MAkiPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzoOI,IAAI,WAyoOkB,cAzoOlB,EAyoOkB,sBAzoOlB,WAyoO2B,IAzoO3B,CAAJ,C;UAA2C,sBAyoOZ,IAzoOY,C;;MAE/C,OAAO,W;IACX,C;;MAwiPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvoOI,IAAI,WAuoOkB,cAvoOlB,EAuoOkB,sBAvoOlB,WAuoO2B,IAvoO3B,CAAJ,C;UAA2C,sBAuoOZ,IAvoOY,C;;MAE/C,OAAO,W;IACX,C;;MA8iPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArnOI,IAAI,WAqnOkB,cArnOlB,EAqnOkB,sBArnOlB,WAqnO2B,IArnO3B,CAAJ,C;UAA2C,sBAqnOZ,IArnOY,C;;MAE/C,OAAO,W;IACX,C;;MAojPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnnOI,IAAI,WAmnOkB,cAnnOlB,EAmnOkB,sBAnnOlB,WAmnO2B,IAnnO3B,CAAJ,C;UAA2C,sBAmnOZ,IAnnOY,C;;MAE/C,OAAO,W;IACX,C;;MA0jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjnOI,IAAI,WAinOkB,cAjnOlB,EAinOkB,sBAjnOlB,WAinO2B,IAjnO3B,CAAJ,C;UAA2C,sBAinOZ,IAjnOY,C;;MAE/C,OAAO,W;IACX,C;;MAgkPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/mOI,IAAI,WA+mOkB,cA/mOlB,EA+mOkB,sBA/mOlB,WA+mO2B,IA/mO3B,CAAJ,C;UAA2C,sBA+mOZ,IA/mOY,C;;MAE/C,OAAO,W;IACX,C;;MAslPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7mOI,IAAI,WA6mOkB,cA7mOlB,EA6mOkB,sBA7mOlB,WA6mO2B,IA7mO3B,CAAJ,C;UAA2C,sBA6mOZ,IA7mOY,C;;MAE/C,OAAO,W;IACX,C;;MA4mPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3mOI,IAAI,WA2mOkB,cA3mOlB,EA2mOkB,sBA3mOlB,WA2mO2B,IA3mO3B,CAAJ,C;UAA2C,sBA2mOZ,IA3mOY,C;;MAE/C,OAAO,W;IACX,C;;MAknPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzmOI,IAAI,WAymOkB,cAzmOlB,EAymOkB,sBAzmOlB,WAymO2B,IAzmO3B,CAAJ,C;UAA2C,sBAymOZ,IAzmOY,C;;MAE/C,OAAO,W;IACX,C;;MAwnPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvmOI,IAAI,WAumOkB,cAvmOlB,EAumOkB,sBAvmOlB,WAumO2B,IAvmO3B,CAAJ,C;UAA2C,sBAumOZ,IAvmOY,C;;MAE/C,OAAO,W;IACX,C;;MA8nPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArmOI,IAAI,WAqmOkB,cArmOlB,EAqmOkB,sBArmOlB,WAqmO2B,IArmO3B,CAAJ,C;UAA2C,sBAqmOZ,IArmOY,C;;MAE/C,OAAO,W;IACX,C;;MAopPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnmOI,IAAI,WAmmOkB,cAnmOlB,EAmmOkB,sBAnmOlB,WAmmO2B,IAnmO3B,CAAJ,C;UAA2C,sBAmmOZ,IAnmOY,C;;MAE/C,OAAO,W;IACX,C;;MA0pPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjmOI,IAAI,WAimOkB,cAjmOlB,EAimOkB,sBAjmOlB,WAimO2B,IAjmO3B,CAAJ,C;UAA2C,sBAimOZ,IAjmOY,C;;MAE/C,OAAO,W;IACX,C;;MAgqPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/lOI,IAAI,WA+lOkB,cA/lOlB,EA+lOkB,sBA/lOlB,WA+lO2B,IA/lO3B,CAAJ,C;UAA2C,sBA+lOZ,IA/lOY,C;;MAE/C,OAAO,W;IACX,C;;MAsqPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7lOI,IAAI,WA6lOkB,cA7lOlB,EA6lOkB,sBA7lOlB,WA6lO2B,IA7lO3B,CAAJ,C;UAA2C,sBA6lOZ,IA7lOY,C;;MAE/C,OAAO,W;IACX,C;;MA4rPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3lOI,IAAI,WA2lOkB,cA3lOlB,EA2lOkB,sBA3lOlB,WA2lO2B,IA3lO3B,CAAJ,C;UAA2C,sBA2lOZ,IA3lOY,C;;MAE/C,OAAO,W;IACX,C;;MAksPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzlOI,IAAI,WAylOkB,cAzlOlB,EAylOkB,sBAzlOlB,WAylO2B,IAzlO3B,CAAJ,C;UAA2C,sBAylOZ,IAzlOY,C;;MAE/C,OAAO,W;IACX,C;;MAwsPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvlOI,IAAI,WAulOkB,cAvlOlB,EAulOkB,sBAvlOlB,WAulO2B,IAvlO3B,CAAJ,C;UAA2C,sBAulOZ,IAvlOY,C;;MAE/C,OAAO,W;IACX,C;;MA8sPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArlOI,IAAI,WAqlOkB,cArlOlB,EAqlOkB,sBArlOlB,WAqlO2B,IArlO3B,CAAJ,C;UAA2C,sBAqlOZ,IArlOY,C;;MAE/C,OAAO,W;IACX,C;;MAotPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnlOI,IAAI,WAmlOkB,cAnlOlB,EAmlOkB,sBAnlOlB,WAmlO2B,IAnlO3B,CAAJ,C;UAA2C,sBAmlOZ,IAnlOY,C;;MAE/C,OAAO,W;IACX,C;;MA0tPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjlOI,IAAI,WAilOkB,cAjlOlB,EAilOkB,sBAjlOlB,WAilO2B,IAjlO3B,CAAJ,C;UAA2C,sBAilOZ,IAjlOY,C;;MAE/C,OAAO,W;IACX,C;;MAguPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/kOI,IAAI,WA+kOkB,cA/kOlB,EA+kOkB,sBA/kOlB,WA+kO2B,IA/kO3B,CAAJ,C;UAA2C,sBA+kOZ,IA/kOY,C;;MAE/C,OAAO,W;IACX,C;;MAsuPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7kOI,IAAI,WA6kOkB,cA7kOlB,EA6kOkB,sBA7kOlB,WA6kO2B,IA7kO3B,CAAJ,C;UAA2C,sBA6kOZ,IA7kOY,C;;MAE/C,OAAO,W;IACX,C;;MA4vPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3kOI,IAAI,WA2kOkB,cA3kOlB,EA2kOkB,sBA3kOlB,WA2kO2B,IA3kO3B,CAAJ,C;UAA2C,sBA2kOZ,IA3kOY,C;;MAE/C,OAAO,W;IACX,C;;MAkwPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzkOI,IAAI,WAykOkB,cAzkOlB,EAykOkB,sBAzkOlB,WAykO2B,IAzkO3B,CAAJ,C;UAA2C,sBAykOZ,IAzkOY,C;;MAE/C,OAAO,W;IACX,C;;MAwwPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvkOI,IAAI,WAukOkB,cAvkOlB,EAukOkB,sBAvkOlB,WAukO2B,IAvkO3B,CAAJ,C;UAA2C,sBAukOZ,IAvkOY,C;;MAE/C,OAAO,W;IACX,C;;MA8wPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArkOI,IAAI,WAqkOkB,cArkOlB,EAqkOkB,sBArkOlB,WAqkO2B,IArkO3B,CAAJ,C;UAA2C,sBAqkOZ,IArkOY,C;;MAE/C,OAAO,W;IACX,C;;MAoxPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnkOI,IAAI,WAmkOkB,cAnkOlB,EAmkOkB,sBAnkOlB,WAmkO2B,IAnkO3B,CAAJ,C;UAA2C,sBAmkOZ,IAnkOY,C;;MAE/C,OAAO,W;IACX,C;;MA0xPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjkOI,IAAI,WAikOkB,cAjkOlB,EAikOkB,sBAjkOlB,WAikO2B,IAjkO3B,CAAJ,C;UAA2C,sBAikOZ,IAjkOY,C;;MAE/C,OAAO,W;IACX,C;;MAgyPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/jOI,IAAI,WA+jOkB,cA/jOlB,EA+jOkB,sBA/jOlB,WA+jO2B,IA/jO3B,CAAJ,C;UAA2C,sBA+jOZ,IA/jOY,C;;MAE/C,OAAO,W;IACX,C;;MAsyPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7jOI,IAAI,WA6jOkB,cA7jOlB,EA6jOkB,sBA7jOlB,WA6jO2B,IA7jO3B,CAAJ,C;UAA2C,sBA6jOZ,IA7jOY,C;;MAE/C,OAAO,W;IACX,C;;MA4zPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3jOI,IAAI,WA2jOkB,cA3jOlB,EA2jOkB,sBA3jOlB,WA2jO2B,IA3jO3B,CAAJ,C;UAA2C,sBA2jOZ,IA3jOY,C;;MAE/C,OAAO,W;IACX,C;;MAk0PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzjOI,IAAI,WAyjOkB,cAzjOlB,EAyjOkB,sBAzjOlB,WAyjO2B,IAzjO3B,CAAJ,C;UAA2C,sBAyjOZ,IAzjOY,C;;MAE/C,OAAO,W;IACX,C;;MAw0PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvjOI,IAAI,WAujOkB,cAvjOlB,EAujOkB,sBAvjOlB,WAujO2B,IAvjO3B,CAAJ,C;UAA2C,sBAujOZ,IAvjOY,C;;MAE/C,OAAO,W;IACX,C;;MA81PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArjOI,IAAI,WAqjOkB,cArjOlB,EAqjOkB,sBArjOlB,WAqjO2B,IArjO3B,CAAJ,C;UAA2C,sBAqjOZ,IArjOY,C;;MAE/C,OAAO,W;IACX,C;;MAo2PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnjOI,IAAI,WAmjOkB,cAnjOlB,EAmjOkB,sBAnjOlB,WAmjO2B,IAnjO3B,CAAJ,C;UAA2C,sBAmjOZ,IAnjOY,C;;MAE/C,OAAO,W;IACX,C;;MA02PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjjOI,IAAI,WAijOkB,cAjjOlB,EAijOkB,sBAjjOlB,WAijO2B,IAjjO3B,CAAJ,C;UAA2C,sBAijOZ,IAjjOY,C;;MAE/C,OAAO,W;IACX,C;;MAg3PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/iOI,IAAI,WA+iOkB,cA/iOlB,EA+iOkB,sBA/iOlB,WA+iO2B,IA/iO3B,CAAJ,C;UAA2C,sBA+iOZ,IA/iOY,C;;MAE/C,OAAO,W;IACX,C;;MAs3PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7iOI,IAAI,WA6iOkB,cA7iOlB,EA6iOkB,sBA7iOlB,WA6iO2B,IA7iO3B,CAAJ,C;UAA2C,sBA6iOZ,IA7iOY,C;;MAE/C,OAAO,W;IACX,C;;MA44PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3iOI,IAAI,WA2iOkB,cA3iOlB,EA2iOkB,sBA3iOlB,WA2iO2B,IA3iO3B,CAAJ,C;UAA2C,sBA2iOZ,IA3iOY,C;;MAE/C,OAAO,W;IACX,C;;MAk5PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzhOI,IAAI,WAyhOkB,cAzhOlB,EAyhOkB,sBAzhOlB,WAyhO2B,IAzhO3B,CAAJ,C;UAA2C,sBAyhOZ,IAzhOY,C;;MAE/C,OAAO,W;IACX,C;;MAw5PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvhOI,IAAI,WAuhOkB,cAvhOlB,EAuhOkB,sBAvhOlB,WAuhO2B,IAvhO3B,CAAJ,C;UAA2C,sBAuhOZ,IAvhOY,C;;MAE/C,OAAO,W;IACX,C;;MA86PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArhOI,IAAI,WAqhOkB,cArhOlB,EAqhOkB,sBArhOlB,WAqhO2B,IArhO3B,CAAJ,C;UAA2C,sBAqhOZ,IArhOY,C;;MAE/C,OAAO,W;IACX,C;;MAo7PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnhOI,IAAI,WAmhOkB,cAnhOlB,EAmhOkB,sBAnhOlB,WAmhO2B,IAnhO3B,CAAJ,C;UAA2C,sBAmhOZ,IAnhOY,C;;MAE/C,OAAO,W;IACX,C;;MA07PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjhOI,IAAI,WAihOkB,cAjhOlB,EAihOkB,sBAjhOlB,WAihO2B,IAjhO3B,CAAJ,C;UAA2C,sBAihOZ,IAjhOY,C;;MAE/C,OAAO,W;IACX,C;;MAg8PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/gOI,IAAI,WA+gOkB,cA/gOlB,EA+gOkB,sBA/gOlB,WA+gO2B,IA/gO3B,CAAJ,C;UAA2C,sBA+gOZ,IA/gOY,C;;MAE/C,OAAO,W;IACX,C;;MAs8PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7gOI,IAAI,WA6gOkB,cA7gOlB,EA6gOkB,sBA7gOlB,WA6gO2B,IA7gO3B,CAAJ,C;UAA2C,sBA6gOZ,IA7gOY,C;;MAE/C,OAAO,W;IACX,C;;MA49PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3gOI,IAAI,WA2gOkB,cA3gOlB,EA2gOkB,sBA3gOlB,WA2gO2B,IA3gO3B,CAAJ,C;UAA2C,sBA2gOZ,IA3gOY,C;;MAE/C,OAAO,W;IACX,C;;MAk+PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzfOI,IAAI,WAyfOkB,cAzfOlB,EAyfOkB,sBAzfOlB,WAyfO2B,IAzfO3B,CAAJ,C;UAA2C,sBAyfOZ,IAzfOY,C;;MAE/C,OAAO,W;IACX,C;;MAw+PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvfOI,IAAI,WAufOkB,cAvfOlB,EAufOkB,sBAvfOlB,WAufO2B,IAvfO3B,CAAJ,C;UAA2C,sBAufOZ,IAvfOY,C;;MAE/C,OAAO,W;IACX,C;;MA8+PiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QArfOI,IAAI,WAqfOkB,cArfOlB,EAqfOkB,sBArfOlB,WAqfO2B,IArfO3B,CAAJ,C;UAA2C,sBAqfOZ,IArfOY,C;;MAE/C,OAAO,W;IACX,C;;MAogQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAnfOI,IAAI,WAmfOkB,cAnfOlB,EAmfOkB,sBAnfOlB,WAmfO2B,IAnfO3B,CAAJ,C;UAA2C,sBAmfOZ,IAnfOY,C;;MAE/C,OAAO,W;IACX,C;;MA0gQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAjfOI,IAAI,WAifOkB,cAjfOlB,EAifOkB,sBAjfOlB,WAifO2B,IAjfO3B,CAAJ,C;UAA2C,sBAifOZ,IAjfOY,C;;MAE/C,OAAO,W;IACX,C;;MAghQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA/eOI,IAAI,WA+eOkB,cA/eOlB,EA+eOkB,sBA/eOlB,WA+eO2B,IA/eO3B,CAAJ,C;UAA2C,sBA+eOZ,IA/eOY,C;;MAE/C,OAAO,W;IACX,C;;MAshQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA7eOI,IAAI,WA6eOkB,cA7eOlB,EA6eOkB,sBA7eOlB,WA6eO2B,IA7eO3B,CAAJ,C;UAA2C,sBA6eOZ,IA7eOY,C;;MAE/C,OAAO,W;IACX,C;;MA4hQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA3eOI,IAAI,WA2eOkB,cA3eOlB,EA2eOkB,sBA3eOlB,WA2eO2B,IA3eO3B,CAAJ,C;UAA2C,sBA2eOZ,IA3eOY,C;;MAE/C,OAAO,W;IACX,C;;MAkiQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAzdOI,IAAI,WAydOkB,cAzdOlB,EAydOkB,sBAzdOlB,WAydO2B,IAzdO3B,CAAJ,C;UAA2C,sBAydOZ,IAzdOY,C;;MAE/C,OAAO,W;IACX,C;;MAwiQiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAvdOI,IAAI,WAudOkB,cAvdOlB,EAudOkB,sBAvdOlB,WAudO2B,IAvdO3B,CAAJ,C

AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAA

QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAe,IAAf,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAoB,IAApB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAqB,IAArB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAsB,IAAtB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAuB,IAAvB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAwB,IAAxB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAyB,IAAzB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA0B,IAA1B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA2B,IAA3B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA4B,IAA5B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA6B,IAA7B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA8B,IAA9B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA+B,IAA/B,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgC,IAAhC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiC,IAAjC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkC,IAAlC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmC,IAAnC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAoC,IAApC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAqC,IAArC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAsC,IAAtC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAuC,IAAvC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAwC,IAAxC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAyC,IAAzC,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA0C,IAA1C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA2C,IAA3C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA4C,IAA5C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA6C,IAA7C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA8C,IAA9C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA+C,IAA/C,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgD,IAAhD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiD,IAAjD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkD,IAAlD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmD,IAAnD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAoD,IAApD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAqD,IAArD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAsD,IAAtD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAuD,IAAvD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAwD,IAAxD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAyD,IAAzD,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA0D,IAA1D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA2D,IAA3D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA4D,IAA5D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA6D,IAA7D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA8D,IAA9D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA+D,IAA/D,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgE,IAAhE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiE,IAAjE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkE,IAAlE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmE,IAAnE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAoE,IAApE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAqE,IAArE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAsE,IAAtE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAuE,IAAvE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAwE,IAAxE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAyE,IAAzE,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA0E,IAA1E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA2E,IAA3E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA4E,IAA5E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA6E,IAA7E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA8E,IAA9E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA+E,IAA/E,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgF,IAAhF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiF,IAAjF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkF,IAAlF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAmF,IAAnF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAoF,IAApF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAqF,IAArF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAsF,IAAtF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAuF,IAAvF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAwF,IAAxF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAyF,IAAzF,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA0F,IAA1F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA2F,IAA3F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA4F,IAA5F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA6F,IAA7F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA8F,IAA9F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAA+F,IAA/F,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgG,IAAhG,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiG,IAAjG,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkG,IAAlG,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C

Y,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB5hIR,IAAI,EpBqhII,KAAK,CoBrhIT,CAAJ,C;QACI,cpBohIc,sD;QoBnhId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBohIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBjjIR,IAAI,EpBijII,KAAK,CoBjjIT,CAAJ,C;QACI,cpBgjIc,sD;QoB/iId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgjIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBrlIR,IAAI,EpBqlII,KAAK,CoBrlIT,CAAJ,C;QACI,cpBolIc,sD;QoBnlId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBolIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBtnIR,IAAI,EpBsnII,KAAK,CoBtnIT,CAAJ,C;QACI,cpBqnIc,sD;QoBpnId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBqnIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBvpIR,IAAI,EpBupII,KAAK,CoBvpIT,CAAJ,C;QACI,cpBspIc,sD;QoBrpId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBspIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBxrIR,IAAI,EpBwrII,KAAK,CoBxrIT,CAAJ,C;QACI,cpBurIc,sD;QoBtrId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBurIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBztIR,IAAI,EpBytII,KAAK,CoBztIT,CAAJ,C;QACI,cpBwtIc,sD;QoBvtId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwtIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB1vIR,IAAI,EpB0vII,KAAK,CoB1vIT,CAAJ,C;QACI,cpByvIc,sD;QoBxvId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpByvIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB3xIR,IAAI,EpB2xII,KAAK,CoB3xIT,CAAJ,C;QACI,cpB0xIc,sD;QoBzxId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB0xIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB5zIR,IAAI,EpB4zII,KAAK,CoB5zIT,CAAJ,C;QACI,cpB2zIc,sD;QoB1zId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2zIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB71IR,IAAI,EpB61II,KAAK,CoB71IT,CAAJ,C;QACI,cpB41Ic,sD;QoB31Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB41IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB93IR,IAAI,EpB83II,KAAK,CoB93IT,CAAJ,C;QACI,cpB63Ic,sD;QoB53Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB63IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB/5IR,IAAI,EpB+5II,KAAK,CoB/5IT,CAAJ,C;QACI,cpB85Ic,sD;QoB75Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB85IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBh8IR,IAAI,EpBg8II,KAAK,CoBh8IT,CAAJ,C;QACI,cpB+7Ic,sD;QoB97Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBj+IR,IAAI,EpBi+II,KAAK,CoBj+IT,CAAJ,C;QACI,cpBg+Ic,sD;QoB/9Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBg+IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBl/IR,IAAI,EpBk/II,KAAK,CoBl/IT,CAAJ,C;QACI,cpBi/Ic,sD;QoBh/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBi/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBn/IR,IAAI,EpBm/II,KAAK,CoBn/IT,CAAJ,C;QACI,cpBk/Ic,sD;QoBj/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBk/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBp/IR,IAAI,EpBo/II,KAAK,CoBp/IT,CAAJ,C;QACI,cpBm/Ic,sD;QoBl/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBm/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBr/IR,IAAI,EpBq/II,KAAK,CoBr/IT,CAAJ,C;QACI,cpBo/Ic,sD;QoBn/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBo/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBt/IR,IAAI,EpBs/II,KAAK,CoBt/IT,CAAJ,C;QACI,cpBq/Ic,sD;QoBp/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBq/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBv/IR,IAAI,EpBu/II,KAAK,CoBv/IT,CAAJ,C;QACI,cpBs/Ic,sD;QoBr/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBs/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBx/IR,IAAI,EpBw/II,KAAK,CoBx/IT,CAAJ,C;QACI,cpBu/Ic,sD;QoBt/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBu/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBz/IR,IAAI,EpBy/II,KAAK,CoBz/IT,CAAJ,C;QACI,cpBw/Ic,sD;QoBv/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBw/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB1/IR,IAAI,EpB0/II,KAAK,CoB1/IT,CAAJ,C;QACI,cpBy/Ic,sD;QoBx/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBy/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB3/IR,IAAI,EpB2/II,KAAK,CoB3/IT,CAAJ,C;QACI,cpB0/Ic,sD;QoBz/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB0/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB5/IR,IAAI,EpB4/II,KAAK,CoB5/IT,CAAJ,C;QACI,cpB2/Ic,sD;QoB1/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB7/IR,IAAI,EpB6/II,KAAK,CoB7/IT,CAAJ,C;QACI,cpB4/Ic,sD;QoB3/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB9/IR,IAAI,EpB8/II,KAAK,CoB9/IT,CAAJ,C;QACI,cpB6/Ic,sD;QoB5/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB6/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB//IR,IAAI,EpB+/II,KAAK,CoB//IT,CAAJ,C;QACI,cpB8/Ic,sD;QoB7/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB8/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBhgJR,IAAI,EpBggJI,KAAK,CoBhgJT,CAAJ,C;QACI,cpB+/Ic,sD;QoB9/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBjgJR,IAAI,EpBigJI,KAAK,CoBjgJT,CAAJ,C;QACI,cpBggJc,sD;QoB//Id,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBggJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBlgJR,IAAI,EpBkgJI,KAAK,CoBlgJT,CAAJ,C;QACI,cpBigJc,sD;QoBhgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBigJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBngJR,IAAI,EpBmgJI,KAAK,CoBngJT,CAAJ,C;QACI,cpBkgJc,sD;QoBjgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBkgJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBpgJR,IAAI,EpBogJI,KAAK,CoBpgJT,CAAJ,C;QACI,cpBmgJc,sD;QoBlgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmgJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBrgJR,IAAI,EpBqgJI,KAAK,CoBrgJT,CAAJ,C;QACI,cpBogJc,sD;QoBngJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBogJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBtgJR,IAAI,EpBsgJI,KAAK,CoBtgJT,CAAJ,C;QACI,cpBqgJc,sD;QoBpgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBqgJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBvgJR,IAAI,EpBugJI,KAAK,CoBvgJT,CAAJ,C;QACI,cpBsgJc,sD;QoBrgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsgJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBxgJR,IAAI,EpBwgJI,KAAK,CoBxgJT,CAAJ,C;QACI,cpBugJc,sD;QoBtgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBugJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoBzgJR,IAAI,EpBygJI,KAAK,CoBzgJT,CAAJ,C;QACI,cpBwgJc,sD;QoBvgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBwgJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB1gJR,IAAI,EpB0gJI,KAAK,CoB1gJT,CAAJ,C;QACI,cpBygJc,sD;QoBxgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBygJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB3gJR,IAAI,EpB2gJI,KAAK,CoB3gJT,CAAJ,C;QACI,cpB0gJc,sD;QoBzgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB0gJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB5gJR,IAAI,EpB4gJI,KAAK,CoB5gJT,CAAJ,C;QACI,cpB2gJc,sD;QoB1gJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB2gJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAgBiB,UACL,M;MoB7gJR,IAAI,EpB6gJI,KAAK,CoB7gJT,CAAJ,C;QACI,cpB4gJc,sD;QoB3gJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB4gJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA

I,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBjuII,IAAI,EpB2uII,KAAK,CoB3uIT,CAAJ,C;QACI,cpB0uIc,sD;QoBzuId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB0uIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBvvII,IAAI,EpB8vII,KAAK,CoB9vIT,CAAJ,C;QACI,cpB6vIc,sD;QoB5vId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB6vIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBxxII,IAAI,EpB+wII,KAAK,CoB/wIT,CAAJ,C;QACI,cpB8wIc,sD;QoB7wId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB8wIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBzyII,IAAI,EpBgyII,KAAK,CoBhyIT,CAAJ,C;QACI,cpB+xIc,sD;QoB9xId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpB+xIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB10II,IAAI,EpBiyII,KAAK,CoBjyIT,CAAJ,C;QACI,cpBgyIc,sD;QoB/xId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBgyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB31II,IAAI,EpBkyII,KAAK,CoBlyIT,CAAJ,C;QACI,cpBiyIc,sD;QoBhyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBiyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB54II,IAAI,EpBmyII,KAAK,CoBnyIT,CAAJ,C;QACI,cpBkyIc,sD;QoBjyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBkyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB75II,IAAI,EpBoyII,KAAK,CoBpyIT,CAAJ,C;QACI,cpBmyIc,sD;QoBlyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBmyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB95II,IAAI,EpBqyII,KAAK,CoBryIT,CAAJ,C;QACI,cpBoyIc,sD;QoBnyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBoyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB/9II,IAAI,EpBsyII,KAAK,CoBtyIT,CAAJ,C;QACI,cpBqyIc,sD;QoBpyId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBqyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBhgJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBhhJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBjjJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBlmJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBpoJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBrqJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBtsJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBvuJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBxwJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBzyJI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB10JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB31JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB54JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB75JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB98JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBn/JI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBxhKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB7kKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBpnKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBvpKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBrrKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBttKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBvvKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBxxKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBzyKI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB10KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB31KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB54KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB75KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB98KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBn/KI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBxhLI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoB7kLI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBpnLI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBvpLI,IAAI,EpBuyII,KAAK,CoBvyIT,CAAJ,C;QACI,cpBsyIc,sD;QoBryId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MpBsyIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAI,LAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAI,IAAd,UA6B,IA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MoBrrLI,IAAI,EpBuyII,KAAK,CoBv

BAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,QAAQ,iB;QAQb,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAU,C;YAAV,IAAI,CAAJ,K;UACJ,IAAK,KAAL,WAAK,IAAL,IAAK,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAe

BAAQ,CA99Cf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MA
MI,IA49CO,qBAAQ,CA59Cf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;I
ACX,C;;MAMI,IA09CO,qBAAQ,CA19Cf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MAC
L,OAAO,I;IACX,C;;MAMI,IAw9CO,qBAAQ,CAx9Cf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,I
AAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAs9CO,qBAAQ,CAt9Cf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MAC
N,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAo9CO,qBAAQ,CAp9Cf,C;QAAe,OAAO,W;MACtB,WAA
W,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAk9CO,qBAAQ,CAl9Cf,C;QAAe,OAAO,W;M
ACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAw4CO,qBAAQ,CAx4Cf,C;QAAe,
OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAmB,gBAAnB,C;MACb,gBAAgB,wB;MAChB,aAAU,CAAV,OAAa,SA
Ab,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAo4CO,
qBAAQ,CAp4Cf,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,
OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,
IAg4CO,qBAAQ,CAh4Cf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,C;MACb,gBAAgB,0B;MAChB,aAA
U,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,
C;;MAMI,IA43CO,qBAAQ,CA53Cf,C;QAAe,OAAO,S;MACtB,aAAa,eAAS,gBAAT,C;MACb,gBAAgB,0B;MA
ChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,
M;IACX,C;;MAMI,IAw3CO,qBAAQ,CAx3Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAA
gB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC
5B,OAAO,M;IACX,C;;MAMI,IAo3CO,qBAAQ,CAp3Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;M
ACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CA
AL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAg3CO,qBAAQ,CAh3Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAY,g
BAAZ,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,
UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA42CO,qBAAQ,CA52Cf,C;QAAe,OAAO,S;MACtB,aAAa
,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,
UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAw2CO,qBAAQ,CAx2Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;M
ACtB,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;kFAEA,yB;MAAA,oD;MsB/3JA,sC;MJjFA,k
C;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;
MIiFA,uBAAe,yB;QArEf,8D;;UAAqE,uB;YAAA,U,eAAsB,gB;YAAtB,U,A5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA
A2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtBw3Jf,sC;QAMI,IAAI,mBAAO,CAAX,C;UA
Ac,iDsB93JH,iBtB83JsB,QsB93JtB,CtB83JG,E;;MAClB,C;KAPA,C;sGASA,yB;MAAA,oD;MsBr3JA,sC;MJpGA
,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,k
F;MIoGA,iCAAe,yB;QAxEf,8D;;UAAqE,uB;YAAA,U,eAAsB,gB;YAAtB,U,A5Dd,cAAc,SA+DgB,CA/DhB,CAAd,E
AA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB82Jf,sC;QAMI,IAAI,mBAAO,CAAX,C;UA
Ac,iDsBp3JH,2BtBo3JgC,QsBp3JhC,CtBo3JG,E;;MAClB,C;KAPA,C;;MAeI,oBAAS,cAAT,C;IACJ,C;;MAMI,IA
AI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;
MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,iB;QACA,o
B;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,
e;QACA,oB;;IAER,C;;MAMI,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;IAER,C;;MAQI,oAAqB,oBAAd,sBAA
c,C;IACzB,C;;MAM0B,kBAAf,yB;MAAuB,mB;MA9B9B,OAAuC,OuBhgKhC,WvBggKgC,C;IAC3C,C;;MAM0B
,kBAAf,yB;MAAuB,mB;MA9B9B,OAAuC,OuBvgKhC,WvBugKgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,m
B;MA9B9B,OAAuC,OuB9gKhC,WvB8gKgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MA9B9B,OAAuC,Ou
BrhKhC,WvBqhKgC,C;IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MA9B9B,OAAuC,OuB5hKhC,WvB4hKgC,C;
IAC3C,C;;MAM0B,kBAAf,yB;MAAuB,mB;MA9B9B,OAAuC,OuBniKhC,WvBmiKgC,C;IAC3C,C;;MAM0B,kB
AAf,0B;MAAuB,mB;MA9B9B,OAAuC,OuB1iKhC,WvB0iKgC,C;IAC3C,C;;MAQI,IA+nCO,qBAAQ,CA/nCf,C;Q
AAe,OAAO,S;MACD,kBAAd,SqBr5IiB,Q;MrBq5IK,mB;MAA7B,OuBpjKO,W;IvBqjKX,C;;MAMI,IA+nCO,qB
AAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBn5IiB,Q;MrBm5IK,iB;MAA7B,OuB5jKO,W;IvB6jKX,C;;M
AMI,IA+nCO,qBAAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBj5IiB,Q;MrBi5IK,iB;MAA7B,OuBpkKO,

W;IvBqkKX,C;;MAMI,IA+nCO,qBAAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB/4IiB,Q;MrB+4IK,iB;MAA7B,OuB5kKO,W;IvB6kKX,C;;MAMI,IA+nCO,qBAAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;MAA7B,OuBplKO,W;IvBqlKX,C;;MAMI,IA+nCO,qBAAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB54IiB,Q;MrB44IK,iB;MAA7B,OuB5lKO,W;IvB6lKX,C;;MAMI,IA+nCO,qBAAQ,CA/nCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB14IiB,Q;MrB04IK,iB;MAA7B,OuBpmKO,W;IvBqmKX,C;;MAMI,IAuoCO,qBAAQ,CAvoCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OuB5mKO,W;IvB6mKX,C;;MAQI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBv9IiB,Q;MrBu9IK,sBAAS,cAAT,C;MAA7B,OuBtnKO,W;IvBunKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBr9IiB,Q;MrBq9IK,6B;MAA7B,OuB9nKO,W;IvB+nKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBn9IiB,Q;MrBm9IK,6B;MAA7B,OuBtoKO,W;IvBuoKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqBj9IiB,Q;MrBi9IK,6B;MAA7B,OuB9oKO,W;IvB+oKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OuBtpKO,W;IvBupKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB98IiB,Q;MrB88IK,6B;MAA7B,OuB9pKO,W;IvB+pKX,C;;MAMI,IA6jCO,qBAAQ,CA7jCf,C;QAAe,OAAO,S;MACD,kBAAd,SqB58IiB,Q;MrB48IK,6B;MAA7B,OuBtqKO,W;IvBuqKX,C;;MAMI,IAqkCO,qBAAQ,CArkCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OuB9qKO,W;IvB+qKX,C;;MAMI,IA2/BO,qBAAQ,CA3/Bf,C;QAAe,OAAO,S;MACD,kBAAd,SqBzhJiB,Q;MrByhJK,iC;MAA7B,OuBxrKO,W;IvByrKX,C;sFAEA,yB;MAAA,wD;MsBxqKA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIiFA,uBAAe,yB;QArEf,8D;;UAqEe,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CA4Dd,EA5DA,SA4DM,CA5DN,CA4DA,C;UA4DI,C;QAAA,C;OAAA,C;MtBiqKf,sC;QAMI,IAAO,qBAAS,CAAT,EAAY,kBAAZ,EAAgB,qBAAS,CAAT,EAAY,kBAAZ,EAAgB,qBAAS,CAAT,EAAY,kBAAZ,EAAgB

AAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIiFA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MtB2tKf,sC;QAII,OAAO,mDsB/tKI,iBtB+tKiB,QsB/tKjB,CtB+tKJ,E;MACX,C;KALA,C;0GAOA,yB;MAAA,wD;MsBttKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+sKf,sC;QAII,OAAO,mDsBrtKI,2BtBqtKqB,QsBrtKrB,CtBqtKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBvtKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBwtKf,sC;QAII,OAAO,mDsB9tKI,2BtB8tKqB,QsB9tKrB,CtB8tKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBhuKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBiuKf,sC;QAII,OAAO,mDsBvuKI,2BtBuuKqB,QsBvuKrB,CtBuuKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBzuKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBsvKf,sC;QAII,OAAO,mDsB5vKI,2BtB4vKqB,QsB5vKrB,CtB4vKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB9vKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB2wKf,sC;QAII,OAAO,mDsBjxKI,2BtBixKqB,QsBjxKrB,CtBixKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBnxKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBgyKf,sC;QAII,OAAO,mDsBtyKI,2BtBsyKqB,QsBtyKrB,CtBsyKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBxyKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqzKf,sC;QAII,OAAO,mDsB3zKI,2BtB2zKqB,QsB3zKrB,CtB2zKR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7zKA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB00Kf,sC;QAII,OAAO,mDsBh1KI,2BtBg1KqB,QsBh1KrB,CtBg1KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBl1KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+1Kf,sC;QAII,OAAO,mDsBr2KI,2BtBq2KqB,QsBr2KrB,CtBq2KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBv2KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB43Kf,sC;QAII,OAAO,mDsBl4KI,2BtBk4KqB,QsBl4KrB,CtBk4KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBp4KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBy5Kf,sC;QAII,OAAO,mDsB/5KI,2BtB+5KqB,QsB/5KrB,CtB+5KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBj6KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBs7Kf,sC;QAII,OAAO,mDsB57KI,2BtB47KqB,QsB57KrB,CtB47KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB97KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBm9Kf,sC;QAII,OAAO,mDsBz9KI,2BtBy9KqB,QsBz9KrB,CtBy9KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB39KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBg/Kf,sC;QAII,OAAO,mDsBt/KI,2BtBs/KqB,QsBt/KrB,CtBs/KR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBx/KA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqhLf,sC;QAII,OAAO,mDsB3hLI,2BtB2hLqB,QsB3hLrB,CtB2hLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7hLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBkjLf,sC;QAII,OAAO,mDsBxjLI,2BtBwjLqB,QsBxjLrB,CtBwjLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB1jLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBulLf,sC;QAII,OAAO,mDsB7lLI,2BtB6lLqB,QsB7lLrB,CtB6lLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB/lLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB4nLf,sC;QAII,OAAO,mDsBloLI,2BtBkoLqB,QsBloLrB,CtBkoLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBpoLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBiqLf,sC;QAII,OAAO,mDsBvqLI,2BtBuqLqB,QsBvqLrB,CtBuqLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBzqLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBssLf,sC;QAII,OAAO,mDsB5sLI,2BtB4sLqB,QsB5sLrB,CtB4sLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB9sLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB2uLf,sC;QAII,OAAO,mDsBjvLI,2BtBivLqB,QsBjvLrB,CtBivLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBnvLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBgxLf,sC;QAII,OAAO,mDsBtxLI,2BtBsxLqB,QsBtxLrB,CtBsxLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBxxLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqzLf,sC;QAII,OAAO,mDsB3zLI,2BtB2zLqB,QsB3zLrB,CtB2zLR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7zLA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB00Lf,sC;QAII,OAAO,mDsBh1LI,2BtBg1LqB,QsBh1LrB,CtBg1LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBl1LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+1Lf,sC;QAII,OAAO,mDsBr2LI,2BtBq2LqB,QsBr2LrB,CtBq2LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBv2LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB43Lf,sC;QAII,OAAO,mDsBl4LI,2BtBk4LqB,QsBl4LrB,CtBk4LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBp4LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBy5Lf,sC;QAII,OAAO,mDsB/5LI,2BtB+5LqB,QsB/5LrB,CtB+5LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBj6LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBs7Lf,sC;QAII,OAAO,mDsB57LI,2BtB47LqB,QsB57LrB,CtB47LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB97LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBm9Lf,sC;QAII,OAAO,mDsBz9LI,2BtBy9LqB,QsBz9LrB,CtBy9LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB39LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBg/Lf,sC;QAII,OAAO,mDsBt/LI,2BtBs/LqB,QsBt/LrB,CtBs/LR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBx/LA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqhMf,sC;QAII,OAAO,mDsB3hMI,2BtB2hMqB,QsB3hMrB,CtB2hMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7hMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBkjMf,sC;QAII,OAAO,mDsBxjMI,2BtBwjMqB,QsBxjMrB,CtBwjMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB1jMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBulMf,sC;QAII,OAAO,mDsB7lMI,2BtB6lMqB,QsB7lMrB,CtB6lMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB/lMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB4nMf,sC;QAII,OAAO,mDsBloMI,2BtBkoMqB,QsBloMrB,CtBkoMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBpoMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBiqMf,sC;QAII,OAAO,mDsBvqMI,2BtBuqMqB,QsBvqMrB,CtBuqMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBzqMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBssMf,sC;QAII,OAAO,mDsB5sMI,2BtB4sMqB,QsB5sMrB,CtB4sMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB9sMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB2uMf,sC;QAII,OAAO,mDsBjvMI,2BtBivMqB,QsBjvMrB,CtBivMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBnvMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBgxMf,sC;QAII,OAAO,mDsBtxMI,2BtBsxMqB,QsBtxMrB,CtBsxMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBxxMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqzMf,sC;QAII,OAAO,mDsB3zMI,2BtB2zMqB,QsB3zMrB,CtB2zMR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7zMA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB00Mf,sC;QAII,OAAO,mDsBh1MI,2BtBg1MqB,QsBh1MrB,CtBg1MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBl1MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB+1Mf,sC;QAII,OAAO,mDsBr2MI,2BtBq2MqB,QsBr2MrB,CtBq2MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBv2MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtB43Mf,sC;QAII,OAAO,mDsBl4MI,2BtBk4MqB,QsBl4MrB,CtBk4MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBp4MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBy5Mf,sC;QAII,OAAO,mDsB/5MI,2BtB+5MqB,QsB/5MrB,CtB+5MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBj6MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBs7Mf,sC;QAII,OAAO,mDsB57MI,2BtB47MqB,QsB57MrB,CtB47MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB97MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBm9Mf,sC;QAII,OAAO,mDsBz9MI,2BtBy9MqB,QsBz9MrB,CtBy9MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB39MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBg/Mf,sC;QAII,OAAO,mDsBt/MI,2BtBs/MqB,QsBt/MrB,CtBs/MR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsBx/MA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBqhNf,sC;QAII,OAAO,mDsB3hNI,2BtB2hNqB,QsB3hNrB,CtB2hNR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB7hNA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBkjNf,sC;QAII,OAAO,mDsBxjNI,2BtBwjNqB,QsBxjNrB,CtBwjNR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB1jNA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MtBulNf,sC;QAII,OAAO,mDsB7lNI,2BtB6lNqB,QsB7lNrB,CtB6lNR,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MsB/lNA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;

,OAAqD,OuBv6K9C,WvBu6K8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OuB96K9C,WvB86K8C,C;IACzD,C;;MAM0B,kBAAf,0B;MAAuB,iC;MAA9B,OAAqD,OuBr7K9C,WvBq7K8C,C;IACzD,C;;MAqsBY,oBAAS,CAAT,EAAY,wBAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0B

AAhB,iD;UAAgB,cAAhB,e;UACI,WAhlB8C,SAglB/B,CAAU,OAAV,C;UOzyNnB,wBAAI,IAAK,MAAT,EAAgB,IAAAK,OAArB,C;;QPytMA,OAklBO,W;MAjlBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAklBA,oC;MAAA,gC;MAllBA,uC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAhlB8C,SAglB/B,CAAU,oBAAV,C;UOtzNnB,wBAAI,IAAK,MAAT,EAAgB,IAAAK,OAArB,C;;QPsuMA,OAklBO,W;MAjlBX,C;KAXA,C;4FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,NL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAhOoC,WAAgOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAhOhO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAjOuC,WAAiOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAjOjO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOwC,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOyC,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO0C,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO2C,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO4C,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO6C,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO8C,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO+C,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOgD,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOiD,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOkD,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOmD,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOoD,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOqD,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOsD,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOuD,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOwD,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOyD,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO0D,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO2D,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO4D,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO6D,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO8D,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO+D,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOgE,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOiE,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOkE,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOmE,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOoE,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOqE,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOsE,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOuE,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOwE,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOyE,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO0E,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO2E,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO4E,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO6E,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO8E,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO+E,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOgF,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOiF,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOkF,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOmF,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOoF,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOqF,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOsF,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOuF,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOwF,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOyF,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO0F,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO2F,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO4F,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO6F,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlO8F,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnO+F,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOgG,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOiG,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAnOnO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAlOkG,WAAkOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,EAAA,C;;QAlOlO,OAAA,OAAA,W;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAAoB,QAAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAAnOmG,WAAmOC,CAAY,OAAZ,EAAY,CAAZ,EAAY,EAAA0B,OAAA,E

e,OAAf,CAA1B,C;;QApPhB,OAsPO,W;MArPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA
AA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAq
PL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtPoC,WAsPhC,CAAY,OAAZ,CAAJ,EAtPiD,cAsPvB,CAAe
,OAAf,CAA1B,C;;QAtPhB,OAwPO,W;MAvPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA
A,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuP
L,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxPoC,WAwPhC,CAAY,OAAZ,CAAJ,EAxPiD,cAwPvB,CAAe
Ae,OAAf,CAA1B,C;;QAxPhB,OA0PO,W;MAzPX,C;KAVA,C;+FAYA,yB;MAAA,0D;MAAA,yD;MAAA,uE;M
A0PA,oC;MAAA,gC;MA1PA,yD;QAQI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,
mBAAoB,QAApB,C;QAyPL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA1PoC,WA0PhC,CAAY,oBAAZ,
CAAJ,EA1PiD,cA0PvB,oBAAf,CAA1B,C;;QA1PhB,OA4PO,W;MA3PX,C;KAVA,C;;MAoBoB,Q;MAAhB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAAA0B,OAA1B,C;;
MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,
aAAI,YAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;MAEhB,OAAO,
W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,O
AAZ,CAAJ,EAA0B,OA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;MAEhB,OAAO,W;IACX,C;;MA
UoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA
0B,OA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OA1B,C;;MA
EhB,OAAO,W;IACX,C;iGAEA,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAQoB,Q;QAAhB,wBAAgB,SAAhB,gB
;UAAgB,cAAhB,0B,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBA1B,C;;QAEhB,OA
AO,W;MACX,C;KAZA,C;;MAsBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,
aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CA
A1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,
WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MA
AhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,O
AAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAU
oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eA
Ae,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB
,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAU
oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eA
Ae,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;mGAEA,yB;MAAA,oC;MAAA,gC;MAAA,sE;QAQoB,Q;QAAhB,
wBAAgB,SAAhB,gB;UAAgB,cAAhB,0B,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBA
1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;;MAsBoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MA
UoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,
eAAe,oBAAf,CA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,C

AhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO5xNnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP8xNA,OAAO,W;IACX,C;;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOzyNnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP2yNA,OAAO,W;IACX,C;8FAEA,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAOoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,oBAAV,C;UOtzNnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPwzNA,OAAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,cAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAM

AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;;MAQiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAa,qBAAmB,YAAY,gBAAZ,CAAn

gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;oFAWA,yB;MAAA,wE;MAAiO,A,+D;MAAjO,yC;QAAS,kBAAT,oB;QAAS,oB;QAAT,gB;QAAS,iD;QAAT,gB;QAAS,iD;QAAT,gB;QAAS,iD

;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WAyRvC,CAAY,OAAZ,C;UOhoQP,U;UADP,YPkoQe,WOloQH,WPkoQwB,GOloQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgoQuC,gB;YAA5B,WO/nQX,aP+nQgC,GO/nQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4nQA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;MA5RX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOlpQP,U;UADP,YPopQe,WOppQH,WPopQwB,GOppQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkpQuC,gB;YAA5B,WOjpQX,aPipQgC,GOjpQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8oQA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAkSO,W;MAjSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAlSA,yD;QAUW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOpqQP,U;UADP,YPsqQe,WOtqQH,WPsqQwB,GOtqQxB,C;UACL,IAAI,aAAJ,C;YACH,aPoqQuC,gB;YAA5B,WOnqQX,aPmqQgC,GOnqQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgqQA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;MAtSX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAuSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxSiD,WAwSvC,CAAY,OAAZ,C;UOtrQP,U;UADP,YPwrQe,WOxrQH,WPwrQwB,GOxrQxB,C;UACL,IAAI,aAAJ,C;YACH,aPsrQuC,gB;YAA5B,WOrrQX,aPqrQgC,GOrrQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPkrQA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UOxsQP,U;UADP,YP0sQe,WO1sQH,WP0sQwB,GO1sQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsQuC,gB;YAA5B,WOvsQX,aPusQgC,GOvsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosQA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OAiTO,W;MAhTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlTiD,WAkTvC,CAAY,OAAZ,C;UO1tQP,U;UADP,YP4tQe,WO5tQH,WP4tQwB,GO5tQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tQuC,gB;YAA5B,WOztQX,aPytQgC,GOztQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPstQA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;MArTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAsTA,+D;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvTiD,WAuTvC,CAAY,OAAZ,C;UO5uQP,U;UADP,YP8uQe,WO9uQH,WP8uQwB,GO9uQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4uQuC,gB;YAA5B,WO3uQX,aP2uQgC,GO3uQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwuQA,iB;UACA,IAAK,WAzTyD,cAyTrD,CAAe,OAAf,CAAJ,C;;QAzTT,OA2TO,W;MA1TX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0TD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3TiD,WA2TvC,CAAY,OAAZ,C;UOl9QP,U;UADP,YPo9Qe,WOp9QH,WPo9QwB,GOp9QxB,C;UACL,IAAI,aAAJ,C;YACH,aPk9QuC,gB;YAA5B,WOj9QX,aPi9QgC,GOj9QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP88QA,iB;UACA,IAAK,WA7TyD,cA6TrD,CAAe,OAAf,CAAJ,C;;QA7TT,OA+TO,W;MA9TX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8TD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/TiD,WA+TvC,CAAY,OAAZ,C;UOx+QP,U;UADP,YP0+Qe,WO1+QH,WP0+QwB,GO1+QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw+QuC,gB;YAA5B,WOv+QX,aPu+QgC,GOv+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPo+QA,iB;UACA,IAAK,WAjUyD,cAiUrD,CAAe,OAAf,CAAJ,C;;QAjUT,OAmUO,W;MAlUX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkUD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnUiD,WAmUvC,CAAY,OAAZ,C;UOhgRP,U;UADP,YPkgRe,WOlgRH,WPkgRwB,GOlgRxB,C;UACL,IAAI,aAAJ,C;YACH,aPggRuC,gB;YAA5B,WO/fX,aP+fgC,GO/fhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4fA,iB;UACA,IAAK,WArUyD,cAqUrD,CAAe,OAAf,CAAJ,C;;QArUT,OAuUO,W;MAtUX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsUD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvUiD,WAuUvC,CAAY,OAAZ,C;UOphRP,U;UADP,YPshRe,WOthRH,WPshRwB,GOthRxB,C;UACL,IAAI,aAAJ,C;YACH,aPohRuC,gB;YAA5B,WOnhRX,aPmhRgC,GOnhRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPghRA,iB;UACA,IAAK,WAzUyD,cAyUrD,CAAe,OAAf,CAAJ,C;;QAzUT,OA2UO,W;MA1UX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0UD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3UiD,WA2UvC,CAAY,OAAZ,C;UOxiRP,U;UADP,YP0iRe,WO1iRH,WP0iRwB,GO1iRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiRuC,gB;YAA5B,WOviRX,aPuiRgC,GOviRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoiRA,iB;UACA,IAAK,WA7UyD,cA6UrD,CAAe,OAAf,CAAJ,C;;QA7UT,OA+UO,W;MA9UX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8UD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/UiD,WA+UvC,CAAY,OAAZ,C;UO5jRP,U;UADP,YP8jRe,WO9jRH,WP8jRwB,GO9jRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4jRuC,gB;YAA5B,WO3jRX,aP2jRgC,GO3jRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwjRA,iB;UACA,IAAK,WAjVyD,cAiVrD,CAAe,OAAf,CAAJ,C;;QAjVT,OAmVO,W;MAlVX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkVD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnViD,WAmVvC,CAAY,OAAZ,C;UOhlRP,U;UADP,YPklRe,WOllRH,WPklRwB,GOllRxB,C;UACL,IAAI,aAAJ,C;YACH,aPglRuC,gB;YAA5B,WO/kRX,aP+kRgC,GO/kRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4kRA,iB;UACA,IAAK,WArVyD,cAqVrD,CAAe,OAAf,CAAJ,C;;QArVT,OAuVO,W;MAtVX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsVD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvViD,WAuVvC,CAAY,OAAZ,C;UOpmRP,U;UADP,YPsmRe,WOtmRH,WPsmRwB,GOtmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPomRuC,gB;YAA5B,WOnmRX,aPmmRgC,GOnmRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgmRA,iB;UACA,IAAK,WAzVyD,cAyVrD,CAAe,OAAf,CAAJ,C;;QAzVT,OA2VO,W;MA1VX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0VD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3ViD,WA2VvC,CAAY,OAAZ,C;UOxnRP,U;UADP,YP0nRe,WO1nRH,WP0nRwB,GO1nRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwnRuC,gB;YAA5B,WOvnRX,aPunRgC,GOvnRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPonRA,iB;UACA,IAAK,WA7VyD,cA6VrD,CAAe,OAAf,CAAJ,C;;QA7VT,OA+VO,W;MA9VX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8VD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/ViD,WA+VvC,CAAY,OAAZ,C;UO5oRP,U;UADP,YP8oRe,WO9oRH,WP8oRwB,GO9oRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4oRuC,gB;YAA5B,WO3oRX,aP2oRgC,GO3oRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwoRA,iB;UACA,IAAK,WAjWyD,cAiWrD,CAAe,OAAf,CAAJ,C;;QAjWT,OAmWO,W;MAlWX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkWD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnWiD,WAmWvC,CAAY,OAAZ,C;UOhqRP,U;UADP,YPkqRe,WOlqRH,WPkqRwB,GOlqRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgqRuC,gB;YAA5B,WO/pRX,aP+pRgC,GO/pRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4pRA,iB;UACA,IAAK,WArWyD,cAqWrD,CAAe,OAAf,CAAJ,C;;QArWT,OAuWO,W;MAtWX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsWD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvWiD,WAuWvC,CAAY,OAAZ,C;UOprRP,U;UADP,YPsrRe,WOtrRH,WPsrRwB,GOtrRxB,C;UACL,IAAI,aAAJ,C;YACH,aPorRuC,gB;YAA5B,WOnrRX,aPmrRgC,GOnrRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgrRA,iB;UACA,IAAK,WAzWyD,cAyWrD,CAAe,OAAf,CAAJ,C;;QAzWT,OA2WO,W;MA1WX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0WD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3WiD,WA2WvC,CAAY,OAAZ,C;UOxsRP,U;UADP,YP0sRe,WO1sRH,WP0sRwB,GO1sRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwsRuC,gB;YAA5B,WOvsRX,aPusRgC,GOvsRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPosRA,iB;UACA,IAAK,WA7WyD,cA6WrD,CAAe,OAAf,CAAJ,C;;QA7WT,OA+WO,W;MA9WX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8WD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/WiD,WA+WvC,CAAY,OAAZ,C;UO5tRP,U;UADP,YP8tRe,WO9tRH,WP8tRwB,GO9tRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4tRuC,gB;YAA5B,WO3tRX,aP2tRgC,GO3tRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwtRA,iB;UACA,IAAK,WAjXyD,cAiXrD,CAAe,OAAf,CAAJ,C;;QAjXT,OAmXO,W;MAlXX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkXD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnXiD,WAmXvC,CAAY,OAAZ,C;UOhvRP,U;UADP,YPkvRe,WOlvRH,WPkvRwB,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRuC,gB;YAA5B,WO/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WArXyD,cAqXrD,CAAe,OAAf,CAAJ,C;;QArXT,OAuXO,W;MAtXX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsXD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvXiD,WAuXvC,CAAY,OAAZ,C;UOpwRP,U;UADP,YPswRe,WOtwRH,WPswRwB,GOtwRxB,C;UACL,IAAI,aAAJ,C;YACH,aPowRuC,gB;YAA5B,WOnwRX,aPmwRgC,GOnwRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgwRA,iB;UACA,IAAK,WAzXyD,cAyXrD,CAAe,OAAf,CAAJ,C;;QAzXT,OA2XO,W;MA1XX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0XD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3XiD,WA2XvC,CAAY,OAAZ,C;UOxxRP,U;UADP,YP0xRe,WO1xRH,WP0xRwB,GO1xRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwxRuC,gB;YAA5B,WOvxRX,aPuxRgC,GOvxRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoxRA,iB;UACA,IAAK,WA7XyD,cA6XrD,CAAe,OAAf,CAAJ,C;;QA7XT,OA+XO,W;MA9XX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8XD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/XiD,WA+XvC,CAAY,OAAZ,C;UO5yRP,U;UADP,YP8yRe,WO9yRH,WP8yRwB,GO9yRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4yRuC,gB;YAA5B,WO3yRX,aP2yRgC,GO3yRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwyRA,iB;UACA,IAAK,WAjYyD,cAiYrD,CAAe,OAAf,CAAJ,C;;QAjYT,OAmYO,W;MAlYX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkYD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnYiD,WAmYvC,CAAY,OAAZ,C;UOhzRP,U;UADP,YPkzRe,WOlzRH,WPkzRwB,GOlzRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgzRuC,gB;YAA5B,WO/yRX,aP+yRgC,GO/yRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4yRA,iB;UACA,IAAK,WArYyD,cAqYrD,CAAe,OAAf,CAAJ,C;;QArYT,OAuYO,W;MAtYX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsYD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvYiD,WAuYvC,CAAY,OAAZ,C;UOp0RP,U;UADP,YPs0Re,WOt0RH,WPs0RwB,GOt0RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo0RuC,gB;YAA5B,WOn0RX,aPm0RgC,GOn0RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg0RA,iB;UACA,IAAK,WAzYyD,cAyYrD,CAAe,OAAf,CAAJ,C;;QAzYT,OA2YO,W;MA1YX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0YD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3YiD,WA2YvC,CAAY,OAAZ,C;UOx1RP,U;UADP,YP01Re,WO11RH,WP01RwB,GO11RxB,C;UACL,IAAI,aAAJ,C;YACH,aPw1RuC,gB;YAA5B,WOv1RX,aPu1RgC,GOv1RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPo1RA,iB;UACA,IAAK,WA7YyD,cA6YrD,CAAe,OAAf,CAAJ,C;;QA7YT,OA+YO,W;MA9YX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8YD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/YiD,WA+YvC,CAAY,OAAZ,C;UO52RP,U;UADP,YP82Re,WO92RH,WP82RwB,GO92RxB,C;UACL,IAAI,aAAJ,C;YACH,aP42RuC,gB;YAA5B,WO32RX,aP22RgC,GO32RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPw2RA,iB;UACA,IAAK,WAjZyD,cAiZrD,CAAe,OAAf,CAAJ,C;;QAjZT,OAmZO,W;MAlZX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkZD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnZiD,WAmZvC,CAAY,OAAZ,C;UOh4RP,U;UADP,YPk4Re,WOl4RH,WPk4RwB,GOl4RxB,C;UACL,IAAI,aAAJ,C;YACH,aPg4RuC,gB;YAA5B,WO/3RX,aP+3RgC,GO/3RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP43RA,iB;UACA,IAAK,WArZyD,cAqZrD,CAAe,OAAf,CAAJ,C;;QArZT,OAuZO,W;MAtZX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsZD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvZiD,WAuZvC,CAAY,OAAZ,C;UOp5RP,U;UADP,YPs5Re,WOt5RH,WPs5RwB,GOt5RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5RuC,gB;YAA5B,WOn5RX,aPm5RgC,GOn5RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg5RA,iB;UACA,IAAK,WAzZyD,cAyZrD,CAAe,OAAf,CAAJ,C;;QAzZT,OA2ZO,W;MA1ZX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0ZD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3ZiD,WA2ZvC,CAAY,OAAZ,C;UOx6RP,U;UADP,YP06Re,WO16RH,WP06RwB,GO16RxB,C;UACL,IAAI,aAAJ,C;YACH,aPw6RuC,gB;YAA5B,WOv6RX,aPu6RgC,GOv6RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPo6RA,iB;UACA,IAAK,WA7ZyD,cA6ZrD,CAAe,OAAf,CAAJ,C;;QA7ZT,OA+ZO,W;MA9ZX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8ZD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/ZiD,WA+ZvC,CAAY,OAAZ,C;UO57RP,U;UADP,YP87Re,WO97RH,WP87RwB,GO97RxB,C;UACL,IAAI,aAAJ,C;YACH,aP47RuC,gB;YAA5B,WO37RX,aP27RgC,GO37RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPw7RA,iB;UACA,IAAK,WAjayD,cAiarD,CAAe,OAAf,CAAJ,C;;QAjaT,OAmaO,W;MAlaX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkaD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnaiD,WAmavC,CAAY,OAAZ,C;UOh9RP,U;UADP,YPk9Re,WOl9RH,WPk9RwB,GOl9RxB,C;UACL,IAAI,aAAJ,C;YACH,aPg9RuC,gB;YAA5B,WO/8RX,aP+8RgC,GO/8RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP48RA,iB;UACA,IAAK,WArayD,cAqarD,CAAe,OAAf,CAAJ,C;;QAraT,OAuaO,W;MAtaX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsaD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvaiD,WAuavC,CAAY,OAAZ,C;UOp+RP,U;UADP,YPs+Re,WOt+RH,WPs+RwB,GOt+RxB,C;UACL,IAAI,aAAJ,C;YACH,aPo+RuC,gB;YAA5B,WOn+RX,aPm+RgC,GOn+RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPg+RA,iB;UACA,IAAK,WAzayD,cAyarD,CAAe,OAAf,CAAJ,C;;QAzaT,OA2aO,W;MA1aX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0aD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3aiD,WA2avC,CAAY,OAAZ,C;UOx/RP,U;UADP,YP0/Re,WO1/RH,WP0/RwB,GO1/RxB,C;UACL,IAAI,aAAJ,C;YACH,aPw/RuC,gB;YAA5B,WOv/RX,aPu/RgC,GOv/RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPo/RA,iB;UACA,IAAK,WA7ayD,cA6arD,CAAe,OAAf,CAAJ,C;;QA7aT,OA+aO,W;MA9aX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8aD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/aiD,WA+avC,CAAY,OAAZ,C;UO5gSP,U;UADP,YP8gSe,WO9gSH,WP8gSwB,GO9gSxB,C;UACL,IAAI,aAAJ,C;YACH,aP4gSuC,gB;YAA5B,WO3gSX,aP2gSgC,GO3gSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwgSA,iB;UACA,IAAK,WAjbyD,cAibrD,CAAe,OAAf,CAAJ,C;;QAjbT,OAmbO,W;MAlbX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkbD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnbiD,WAmbvC,CAAY,OAAZ,C;UOhhSP,U;UADP,YPkhSe,WOlhSH,WPkhSwB,GOlhSxB,C;UACL,IAAI,aAAJ,C;YACH,aPghSuC,gB;YAA5B,WO/gSX,aP+gSgC,GO/gSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4gSA,iB;UACA,IAAK,WArbyD,cAqbrD,CAAe,OAAf,CAAJ,C;;QArbT,OAubO,W;MAtbX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsbD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvbiD,WAubvC,CAAY,OAAZ,C;UOpiSP,U;UADP,YPsiSe,WOtiSH,WPsiSwB,GOtiSxB,C;UACL,IAAI,aAAJ,C;YACH,aPoiSuC,gB;YAA5B,WOniSX,aPmiSgC,GOniSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgiSA,iB;UACA,IAAK,WAzbyD,cAybrD,CAAe,OAAf,CAAJ,C;;QAzbT,OA2bO,W;MA1bX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0bD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3biD,WA2bvC,CAAY,OAAZ,C;UOxjSP,U;UADP,YP0jSe,WO1jSH,WP0jSwB,GO1jSxB,C;UACL,IAAI,aAAJ,C;YACH,aPwjSuC,gB;YAA5B,WOvjSX,aPujSgC,GOvjSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPojSA,iB;UACA,IAAK,WA7byD,cA6brD,CAAe,OAAf,CAAJ,C;;QA7bT,OA+bO,W;MA9bX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8bD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/biD,WA+bvC,CAAY,OAAZ,C;UO5kSP,U;UADP,YP8kSe,WO9kSH,WP8kSwB,GO9kSxB,C;UACL,IAAI,aAAJ,C;YACH,aP4kSuC,gB;YAA5B,WO3kSX,aP2kSgC,GO3kSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwkSA,iB;UACA,IAAK,WAjcyD,cAicrD,CAAe,OAAf,CAAJ,C;;QAjcT,OAmcO,W;MAlcX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkcD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAnciD,WAmcvC,CAAY,OAAZ,C;UOhmSP,U;UADP,YPkmSe,WOlmSH,WPkmSwB,GOlmSxB,C;UACL,IAAI,aAAJ,C;YACH,aPgmSuC,gB;YAA5B,WO/lSX,aP+lSgC,GO/lSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4lSA,iB;UACA,IAAK,WArcyD,cAqcrD,CAAe,OAAf,CAAJ,C;;QArcT,OAucO,W;MAtcX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAscD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvciD,WAucvC,CAAY,OAAZ,C;UOpnSP,U;UADP,YPsnSe,WOtnSH,WPsnSwB,GOtnSxB,C;UACL,IAAI,aAAJ,C;YACH,aPonSuC,gB;YAA5B,WOnnSX,aPmnSgC,GOnnSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgnSA,iB;UACA,IAAK,WAzcyD,cAycrD,CAAe,OAAf,CAAJ,C;;QAzcT,OA2cO,W;MA1cX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0cD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3ciD,WA2cvC,CAAY,OAAZ,C;UOxoSP,U;UADP,YP0oSe,WO1oSH,WP0oSwB,GO1oSxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoSuC,gB;YAA5B,WOvoSX,aPuoSgC,GOvoSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPooSA,iB;UACA,IAAK,WA7cyD,cA6crD,CAAe,OAAf,CAAJ,C;;QA7cT,OA+cO,W;MA9cX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8cD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/ciD,WA+cvC,CAAY,OAAZ,C;UO5pSP,U;UADP,YP8pSe,WO9pSH,WP8pSwB,GO9pSxB,C;UACL,IAAI,aAAJ,C;YACH,aP4pSuC,gB;YAA5B,WO3pSX,aP2pSgC,GO3pSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwpSA,iB;UACA,IAAK,WAjdyD,cAidrD,CAAe,OAAf,CAAJ,C;;QAjdT,OAmdO,W;MAldX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkdD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAndiD,WAmdvC,CAAY,OAAZ,C;UOhrSP,U;UADP,YPkrSe,WOlrSH,WPkrSwB,GOlrSxB,C;UACL,IAAI,aAAJ,C;YACH,aPgrSuC,gB;YAA5B,WO/qSX,aP+qSgC,GO/qSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4qSA,iB;UACA,IAAK,WArdyD,cAqdrD,CAAe,OAAf,CAAJ,C;;QArdT,OAudO,W;MAtdX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsdD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvdiD,WAudvC,CAAY,OAAZ,C;UOpsSP,U;UADP,YPssSe,WOtsSH,WPssSwB,GOtsSxB,C;UACL,IAAI,aAAJ,C;YACH,aPosSuC,gB;YAA5B,WOnsSX,aPmsSgC,GOnsSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgsSA,iB;UACA,IAAK,WAzdyD,cAydrD,CAAe,OAAf,CAAJ,C;;QAzdT,OA2dO,W;MA1dX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA0dD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA3diD,WA2dvC,CAAY,OAAZ,C;UOxtSP,U;UADP,YP0tSe,WO1tSH,WP0tSwB,GO1tSxB,C;UACL,IAAI,aAAJ,C;YACH,aPwtSuC,gB;YAA5B,WOvtSX,aPutSgC,GOvtSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPotSA,iB;UACA,IAAK,WA7dyD,cA6drD,CAAe,OAAf,CAAJ,C;;QA7dT,OA+dO,W;MA9dX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QA8dD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UA/diD,WA+dvC,CAAY,OAAZ,C;UO5uSP,U;UADP,YP8uSe,WO9uSH,WP8uSwB,GO9uSxB,C;UACL,IAAI,aAAJ,C;YACH,aP4uSuC,gB;YAA5B,WO3uSX,aP2uSgC,GO3uSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwuSA,iB;UACA,IAAK,WAjeyD,cAierD,CAAe,OAAf,CAAJ,C;;QAjeT,OAmeO,W;MAleX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAkeD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAneiD,WAmevC,CAAY,OAAZ,C;UOhwSP,U;UADP,YPkwSe,WOlwSH,WPkwSwB,GOlwSxB,C;UACL,IAAI,aAAJ,C;YACH,aPgwSuC,gB;YAA5B,WO/vSX,aP+vSgC,GO/vSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4vSA,iB;UACA,IAAK,WArfyD,cAqfrD,CAAe,OAAf,CAAJ,C;;QArfT,OAufO,W;MAtfX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASW,kBAAU,oB;QAsfD,Q;QAAhB,wB;UAAgB,cAAhB,e;UACI,UAvfiD,WAufvC,CAAY,OAAZ,C;UOpxSP,U;UADP,YPsxSe,WOtxSH,WPsxSwB,GOtxSxB,C;UACL,IAAI,aAAJ,C;YACH,aPoxSuC,gB;YAA5B,WOnxSX,aPmxSgC,GOnxSlC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPgxSA,iB;UACA,IAAK,WAzfyD,cAyfrD,CAAe,OAAf,CAAJ,C;;QAzfT,OA2fO,W

W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxiQP,U;UADP,YP0iQe,WO1iQH,WP0iQwB,GO1iQxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiQuC,gB;YAA5B,WOviQX,aPuiQgC,GOviQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPoiQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzjQP,U;UADP,YP2jQe,WO3jQH,WP2jQwB,GO3jQxB,C;UACL,IAAI,aAAJ,C;YACH,aPyjQuC,gB;YAA5B,WOxjQX,aPwjQgC,GOxjQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPqjQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1kQP,U;UADP,YP4kQe,WO5kQH,WP4kQwB,GO5kQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0kQuC,gB;YAA5B,WOzkQX,aPykQgC,GOzkQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPskQA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5lQP,U;UADP,YP8lQe,WO9lQH,WP8lQwB,GO9lQxB,C;UACL,IAAI,aAAJ,C;YACH,aP4lQuC,gB;YAA5B,WO3lQX,aP2lQgC,GO3lQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPwlQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9mQP,U;UADP,YPgnQe,WOhnQH,WPgnQwB,GOhnQxB,C;UACL,IAAI,aAAJ,C;YACH,aP8mQuC,gB;YAA5B,WO7mQX,aP6mQgC,GO7mQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP0mQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhpQP,U;UADP,YPkpQe,WOlpQH,WPkpQwB,GOlpQxB,C;UACL,IAAI,aAAJ,C;YACH,aPgpQuC,gB;YAA5B,WO/oQX,aP+oQgC,GO/oQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP4oQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlrQP,U;UADP,YPorQe,WOprQH,WPorQwB,GOprQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkrQuC,gB;YAA5B,WOjrQX,aPirQgC,GOjrQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8qQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtsQP,U;UADP,YPwsQe,WOxsQH,WPwsQwB,GOxsQxB,C;UACL,IAAI,aAAJ,C;YACH,aPssQuC,gB;YAA5B,WOrsQX,aPqsQgC,GOrsQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPksQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1tQP,U;UADP,YP4tQe,WO5tQH,WP4tQwB,GO5tQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tQuC,gB;YAA5B,WOztQX,aPytQgC,GOztQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPstQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1uQP,U;UADP,YP4uQe,WO5uQH,WP4uQwB,GO5uQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0uQuC,gB;YAA5B,WOzuQX,aPyuQgC,GOzuQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsuQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlwQP,U;UADP,YPowQe,WOpwQH,WPowQwB,GOpwQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkwQuC,gB;YAA5B,WOjwQX,aPiwQgC,GOjwQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8vQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1xQP,U;UADP,YP4xQe,WO5xQH,WP4xQwB,GO5xQxB,C;UACL,IAAI,aAAJ,C;YACH,aP0xQuC,gB;YAA5B,WOzxQX,aPyxQgC,GOzxQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsxQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlzQP,U;UADP,YPozQe,WOpzQH,WPozQwB,GOpzQxB,C;UACL,IAAI,aAAJ,C;YACH,aPkzQuC,gB;YAA5B,WOjzQX,aPizQgC,GOjzQhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UP8yQA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO10QP,U;UADP,YP40Qe,WO50QH,WP40QwB,GO50QxB,C;UACL,IAAI,aAAJ,C;YACH,aP00QuC,gB;YAA5B,WOz0QX,aPy0QgC,GOz0QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs0QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO12QP,U;UADP,YP42Qe,WO52QH,WP42QwB,GO52QxB,C;UACL,IAAI,aAAJ,C;YACH,aP02QuC,gB;YAA5B,WOz2QX,aPy2QgC,GOz2QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs2QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO14QP,U;UADP,YP44Qe,WO54QH,WP44QwB,GO54QxB,C;UACL,IAAI,aAAJ,C;YACH,aP04QuC,gB;YAA5B,WOz4QX,aPy4QgC,GOz4QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs4QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO16QP,U;UADP,YP46Qe,WO56QH,WP46QwB,GO56QxB,C;UACL,IAAI,aAAJ,C;YACH,aP06QuC,gB;YAA5B,WOz6QX,aPy6QgC,GOz6QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs6QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO18QP,U;UADP,YP48Qe,WO58QH,WP48QwB,GO58QxB,C;UACL,IAAI,aAAJ,C;YACH,aP08QuC,gB;YAA5B,WOz8QX,aPy8QgC,GOz8QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs8QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO19QP,U;UADP,YP49Qe,WO59QH,WP49QwB,GO59QxB,C;UACL,IAAI,aAAJ,C;YACH,aP09QuC,gB;YAA5B,WOz9QX,aPy9QgC,GOz9QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs9QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1+QP,U;UADP,YP4+Qe,WO5+QH,WP4+QwB,GO5+QxB,C;UACL,IAAI,aAAJ,C;YACH,aP0+QuC,gB;YAA5B,WOz+QX,aPy+QgC,GOz+QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs+QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1/QP,U;UADP,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,WOz/QX,aPy/QgC,GOz/QhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs/QA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1gRP,U;UADP,YP4gRe,WO5gRH,WP4gRwB,GO5gRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0gRuC,gB;YAA5B,WOzgRX,aPygRgC,GOzgRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsgRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1hRP,U;UADP,YP4hRe,WO5hRH,WP4hRwB,GO5hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0hRuC,gB;YAA5B,WOzhRX,aPyhRgC,GOzhRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPshRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1iRP,U;UADP,YP4iRe,WO5iRH,WP4iRwB,GO5iRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0iRuC,gB;YAA5B,WOziRX,aPyiRgC,GOziRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsiRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1jRP,U;UADP,YP4jRe,WO5jRH,WP4jRwB,GO5jRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0jRuC,gB;YAA5B,WOzjRX,aPyjRgC,GOzjRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsjRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1kRP,U;UADP,YP4kRe,WO5kRH,WP4kRwB,GO5kRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0kRuC,gB;YAA5B,WOzkRX,aPykRgC,GOzkRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPskRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1lRP,U;UADP,YP4lRe,WO5lRH,WP4lRwB,GO5lRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0lRuC,gB;YAA5B,WOzlRX,aPylRgC,GOzlRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPslRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1mRP,U;UADP,YP4mRe,WO5mRH,WP4mRwB,GO5mRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0mRuC,gB;YAA5B,WOzmRX,aPymRgC,GOzmRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsmRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1nRP,U;UADP,YP4nRe,WO5nRH,WP4nRwB,GO5nRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0nRuC,gB;YAA5B,WOznRX,aPynRgC,GOznRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsnRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1oRP,U;UADP,YP4oRe,WO5oRH,WP4oRwB,GO5oRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0oRuC,gB;YAA5B,WOzoRX,aPyoRgC,GOzoRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsoRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1pRP,U;UADP,YP4pRe,WO5pRH,WP4pRwB,GO5pRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pRuC,gB;YAA5B,WOzpRX,aPypRgC,GOzpRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPspRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1qRP,U;UADP,YP4qRe,WO5qRH,WP4qRwB,GO5qRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0qRuC,gB;YAA5B,WOzqRX,aPyqRgC,GOzqRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsqRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1rRP,U;UADP,YP4rRe,WO5rRH,WP4rRwB,GO5rRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0rRuC,gB;YAA5B,WOzrRX,aPyrRgC,GOzrRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsrRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1sRP,U;UADP,YP4sRe,WO5sRH,WP4sRwB,GO5sRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0sRuC,gB;YAA5B,WOzsRX,aPysRgC,GOzsRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPssRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1tRP,U;UADP,YP4tRe,WO5tRH,WP4tRwB,GO5tRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tRuC,gB;YAA5B,WOztRX,aPytRgC,GOztRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPstRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1uRP,U;UADP,YP4uRe,WO5uRH,WP4uRwB,GO5uRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0uRuC,gB;YAA5B,WOzuRX,aPyuRgC,GOzuRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsuRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1vRP,U;UADP,YP4vRe,WO5vRH,WP4vRwB,GO5vRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0vRuC,gB;YAA5B,WOzvRX,aPyvRgC,GOzvRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsvRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1wRP,U;UADP,YP4wRe,WO5wRH,WP4wRwB,GO5wRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0wRuC,gB;YAA5B,WOzwRX,aPywRgC,GOzwRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPswRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1xRP,U;UADP,YP4xRe,WO5xRH,WP4xRwB,GO5xRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0xRuC,gB;YAA5B,WOzxRX,aPyxRgC,GOzxRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsxRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1yRP,U;UADP,YP4yRe,WO5yRH,WP4yRwB,GO5yRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0yRuC,gB;YAA5B,WOzyRX,aPyyRgC,GOzyRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsyRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1zRP,U;UADP,YP4zRe,WO5zRH,WP4zRwB,GO5zRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0zRuC,gB;YAA5B,WOzzRX,aPyzRgC,GOzzRhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPszRA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO10RP,U;UADP,YP40Re,WO50RH,WP40RwB,GO50RxB,C;UACL,IAAI,aAAJ,C;YACH,aP00RuC,gB;YAA5B,WOz0RX,aPy0RgC,GOz0RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs0RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO11RP,U;UADP,YP41Re,WO51RH,WP41RwB,GO51RxB,C;UACL,IAAI,aAAJ,C;YACH,aP01RuC,gB;YAA5B,WOz1RX,aPy1RgC,GOz1RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs1RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO12RP,U;UADP,YP42Re,WO52RH,WP42RwB,GO52RxB,C;UACL,IAAI,aAAJ,C;YACH,aP02RuC,gB;YAA5B,WOz2RX,aPy2RgC,GOz2RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs2RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO14RP,U;UADP,YP44Re,WO54RH,WP44RwB,GO54RxB,C;UACL,IAAI,aAAJ,C;YACH,aP04RuC,gB;YAA5B,WOz4RX,aPy4RgC,GOz4RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs4RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO16RP,U;UADP,YP46Re,WO56RH,WP46RwB,GO56RxB,C;UACL,IAAI,aAAJ,C;YACH,aP06RuC,gB;YAA5B,WOz6RX,aPy6RgC,GOz6RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs6RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO18RP,U;UADP,YP48Re,WO58RH,WP48RwB,GO58RxB,C;UACL,IAAI,aAAJ,C;YACH,aP08RuC,gB;YAA5B,WOz8RX,aPy8RgC,GOz8RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs8RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO19RP,U;UADP,YP49Re,WO59RH,WP49RwB,GO59RxB,C;UACL,IAAI,aAAJ,C;YACH,aP09RuC,gB;YAA5B,WOz9RX,aPy9RgC,GOz9RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs9RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1+RP,U;UADP,YP4+Re,WO5+RH,WP4+RwB,GO5+RxB,C;UACL,IAAI,aAAJ,C;YACH,aP0+RuC,gB;YAA5B,WOz+RX,aPy+RgC,GOz+RhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPs+RA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1gSP,U;UADP,YP4gSe,WO5gSH,WP4gSwB,GO5gSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0gSuC,gB;YAA5B,WOzgSX,aPygSgC,GOzgShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsgSA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1hSP,U;UADP,YP4hSe,WO5hSH,WP4hSwB,GO5hSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0hSuC,gB;YAA5B,WOzhSX,aPyhSgC,GOzhShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPshSA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1iSP,U;UADP,YP4iSe,WO5iSH,WP4iSwB,GO5iSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0iSuC,gB;YAA5B,WOziSX,aPyiSgC,GOziShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsiSA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1jSP,U;UADP,YP4jSe,WO5jSH,WP4jSwB,GO5jSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0jSuC,gB;YAA5B,WOzjSX,aPyjSgC,GOzjShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPsjSA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1kSP,U;UADP,YP4kSe,WO5kSH,WP4kSwB,GO5kSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0kSuC,gB;YAA5B,WOzkSX,aPykSgC,GOzkShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPskSA,iB;UACA,IAAK,WAAI,eAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1lSP,U;UADP,YP4lSe,WO5lSH,WP4lSwB,GO5lSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0lSuC,gB;YAA5B,WOzlSX,aPylSgC,GOzlShC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UPslSA,iB;UACA,IAAK,WAAI,eA

W;MA9TX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+TA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhUiB,SAgUb,CAAU,IAAV,CAAJ,C;;QAhUhB,OAiUO,W;MAhUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAiUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlUiB,SAkUb,CAAU,IAAV,CAAJ,C;;QAlUhB,OAmUO,W;MAlUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAmUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApUiB,SAoUb,CAAU,IAAV,CAAJ,C;;QApUhB,OAqUO,W;MApUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtUiB,SAsUb,CAAU,IAAV,CAAJ,C;;QAtUhB,OAuUO,W;MAtUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAuUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxUiB,SAwUb,CAAU,IAAV,CAAJ,C;;QAxUhB,OAyUO,W;MAxUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAyUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1UiB,SA0Ub,CAAU,IAAV,CAAJ,C;;QA1UhB,OA2UO,W;MA1UX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5UiB,SA4Ub,CAAU,IAAV,CAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KANA,C;8EAQA,yB;MAAA,gE;MA6UA,oC;MAAA,gC;MA7UA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;MA9UX,C;KANA,C;0FAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgVA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjViB,SAiVb,CAAU,IAAV,CAAJ,C;;QAjVhB,OAkVO,W;MAjVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmVA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApViB,SAoVb,CAAU,IAAV,CAAJ,C;;QApVhB,OAqVO,W;MApVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsVA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvViB,SAuVb,CAAU,IAAV,CAAJ,C;;QAvVhB,OAwVO,W;MAvVX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAyVA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1ViB,SA0Vb,CAAU,IAAV,CAAJ,C;;QA1VhB,OA2VO,W;MA1VX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4VA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7ViB,SA6Vb,CAAU,IAAV,CAAJ,C;;QA7VhB,OA8VO,W;MA7VX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+VA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhWiB,SAgWb,CAAU,IAAV,CAAJ,C;;QAhWhB,OAiWO,W;MAhWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkWA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnWiB,SAmWb,CAAU,IAAV,CAAJ,C;;QAnWhB,OAoWO,W;MAnWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqWA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtWiB,SAsWb,CAAU,IAAV,CAAJ,C;;QAtWhB,OAuWO,W;MAtWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwWA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzWiB,SAyWb,CAAU,IAAV,CAAJ,C;;QAzWhB,OA0WO,W;MAzWX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2WA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5WiB,SA4Wb,CAAU,IAAV,CAAJ,C;;QA5WhB,OA6WO,W;MA5WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4WA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7WiB,SA6Wb,CAAU,IAAV,CAAJ,C;;QA7WhB,OA8WO,W;MA7WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6WA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9WiB,SA8Wb,CAAU,IAAV,CAAJ,C;;QA9WhB,OA+WO,W;MA9WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8WA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/WiB,SA+Wb,CAAU,IAAV,CAAJ,C;;QA/WhB,OAgXO,W;MA/WX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+WA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhXiB,SAgXb,CAAU,IAAV,CAAJ,C;;QAhXhB,OAiXO,W;MAhXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjXiB,SAiXb,CAAU,IAAV,CAAJ,C;;QAjXhB,OAkXO,W;MAjXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAiXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlXiB,SAkXb,CAAU,IAAV,CAAJ,C;;QAlXhB,OAmXO,W;MAlXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnXiB,SAmXb,CAAU,IAAV,CAAJ,C;;QAnXhB,OAoXO,W;MAnXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApXiB,SAoXb,CAAU,IAAV,CAAJ,C;;QApXhB,OAqXO,W;MApXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAoXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WArXiB,SAqXb,CAAU,IAAV,CAAJ,C;;QArXhB,OAsXO,W;MArXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtXiB,SAsXb,CAAU,IAAV,CAAJ,C;;QAtXhB,OAuXO,W;MAtXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvXiB,SAuXb,CAAU,IAAV,CAAJ,C;;QAvXhB,OAwXO,W;MAvXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAuXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxXiB,SAwXb,CAAU,IAAV,CAAJ,C;;QAxXhB,OAyXO,W;MAxXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzXiB,SAyXb,CAAU,IAAV,CAAJ,C;;QAzXhB,OA0XO,W;MAzXX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAyXA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1XiB,SA0Xb,CAAU,IAAV,CAAJ,C;;QA1XhB,OA2XO,W;MA1XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA0XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA3XiB,SA2Xb,CAAU,IAAV,CAAJ,C;;QA3XhB,OA4XO,W;MA3XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5XiB,SA4Xb,CAAU,IAAV,CAAJ,C;;QA5XhB,OA6XO,W;MA5XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7XiB,SA6Xb,CAAU,IAAV,CAAJ,C;;QA7XhB,OA8XO,W;MA7XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9XiB,SA8Xb,CAAU,IAAV,CAAJ,C;;QA9XhB,OA+XO,W;MA9XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/XiB,SA+Xb,CAAU,IAAV,CAAJ,C;;QA/XhB,OAgYO,W;MA/XX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+XA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhYiB,SAgYb,CAAU,IAAV,CAAJ,C;;QAhYhB,OAiYO,W;MAhYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjYiB,SAiYb,CAAU,IAAV,CAAJ,C;;QAjYhB,OAkYO,W;MAjYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAiYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlYiB,SAkYb,CAAU,IAAV,CAAJ,C;;QAlYhB,OAmYO,W;MAlYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnYiB,SAmYb,CAAU,IAAV,CAAJ,C;;QAnYhB,OAoYO,W;MAnYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApYiB,SAoYb,CAAU,IAAV,CAAJ,C;;QApYhB,OAqYO,W;MApYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAoYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WArYiB,SAqYb,CAAU,IAAV,CAAJ,C;;QArYhB,OAsYO,W;MArYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtYiB,SAsYb,CAAU,IAAV,CAAJ,C;;QAtYhB,OAuYO,W;MAtYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvYiB,SAuYb,CAAU,IAAV,CAAJ,C;;QAvYhB,OAwYO,W;MAvYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAuYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxYiB,SAwYb,CAAU,IAAV,CAAJ,C;;QAxYhB,OAyYO,W;MAxYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzYiB,SAyYb,CAAU,IAAV,CAAJ,C;;QAzYhB,OA0YO,W;MAzYX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAyYA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1YiB,SA0Yb,CAAU,IAAV,CAAJ,C;;QA1YhB,OA2YO,W;MA1YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA0YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA3YiB,SA2Yb,CAAU,IAAV,CAAJ,C;;QA3YhB,OA4YO,W;MA3YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5YiB,SA4Yb,CAAU,IAAV,CAAJ,C;;QA5YhB,OA6YO,W;MA5YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7YiB,SA6Yb,CAAU,IAAV,CAAJ,C;;QA7YhB,OA8YO,W;MA7YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9YiB,SA8Yb,CAAU,IAAV,CAAJ,C;;QA9YhB,OA+YO,W;MA9YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/YiB,SA+Yb,CAAU,IAAV,CAAJ,C;;QA/YhB,OAgZO,W;MA/YX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+YA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhZiB,SAgZb,CAAU,IAAV,CAAJ,C;;QAhZhB,OAiZO,W;MAhZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjZiB,SAiZb,CAAU,IAAV,CAAJ,C;;QAjZhB,OAkZO,W;MAjZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAiZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlZiB,SAkZb,CAAU,IAAV,CAAJ,C;;QAlZhB,OAmZO,W;MAlZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnZiB,SAmZb,CAAU,IAAV,CAAJ,C;;QAnZhB,OAoZO,W;MAnZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApZiB,SAoZb,CAAU,IAAV,CAAJ,C;;QApZhB,OAqZO,W;MApZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAoZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WArZiB,SAqZb,CAAU,IAAV,CAAJ,C;;QArZhB,OAsZO,W;MArZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtZiB,SAsZb,CAAU,IAAV,CAAJ,C;;QAtZhB,OAuZO,W;MAtZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvZiB,SAuZb,CAAU,IAAV,CAAJ,C;;QAvZhB,OAwZO,W;MAvZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAuZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxZiB,SAwZb,CAAU,IAAV,CAAJ,C;;QAxZhB,OAyZO,W;MAxZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzZiB,SAyZb,CAAU,IAAV,CAAJ,C;;QAzZhB,OA0ZO,W;MAzZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAyZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1ZiB,SA0Zb,CAAU,IAAV,CAAJ,C;;QA1ZhB,OA2ZO,W;MA1ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA0ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA3ZiB,SA2Zb,CAAU,IAAV,CAAJ,C;;QA3ZhB,OA4ZO,W;MA3ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5ZiB,SA4Zb,CAAU,IAAV,CAAJ,C;;QA5ZhB,OA6ZO,W;MA5ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7ZiB,SA6Zb,CAAU,IAAV,CAAJ,C;;QA7ZhB,OA8ZO,W;MA7ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9ZiB,SA8Zb,CAAU,IAAV,CAAJ,C;;QA9ZhB,OA+ZO,W;MA9ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/ZiB,SA+Zb,CAAU,IAAV,CAAJ,C;;QA/ZhB,OAgaO,W;MA/ZX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+ZA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhaiB,SAgab,CAAU,IAAV,CAAJ,C;;QAhahB,OAiaO,W;MAhaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjaiB,SAiab,CAAU,IAAV,CAAJ,C;;QAjahB,OAkaO,W;MAjaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAiaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlaiB,SAkab,CAAU,IAAV,CAAJ,C;;QAlahB,OAmaO,W;MAlaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnaiB,SAmab,CAAU,IAAV,CAAJ,C;;QAnahB,OAoaO,W;MAnaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApaiB,SAoab,CAAU,IAAV,CAAJ,C;;QApahB,OAqaO,W;MApaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAoaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAraiB,SAqab,CAAU,IAAV,CAAJ,C;;QAragB,OAsaO,W;MAraX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtaiB,SAsab,CAAU,IAAV,CAAJ,C;;QAtahB,OAuaO,W;MAtaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvaiB,SAuab,CAAU,IAAV,CAAJ,C;;QAvahB,OAwaO,W;MAvaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAuaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxaiB,SAwab,CAAU,IAAV,CAAJ,C;;QAxahB,OAyaO,W;MAxaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzaiB,SAyab,CAAU,IAAV,CAAJ,C;;QAzahB,OA0aO,W;MAzaX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAyaA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1aiB,SA0ab,CAAU,IAAV,CAAJ,C;;QA1ahB,OA2aO,W;MA1aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA0aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA3aiB,SA2ab,CAAU,IAAV,CAAJ,C;;QA3ahB,OA4aO,W;MA3aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5aiB,SA4ab,CAAU,IAAV,CAAJ,C;;QA5ahB,OA6aO,W;MA5aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7aiB,SA6ab,CAAU,IAAV,CAAJ,C;;QA7ahB,OA8aO,W;MA7aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9aiB,SA8ab,CAAU,IAAV,CAAJ,C;;QA9ahB,OA+aO,W;MA9aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/aiB,SA+ab,CAAU,IAAV,CAAJ,C;;QA/ahB,OAgbO,W;MA/aX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+aA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhbiB,SAgbb,CAAU,IAAV,CAAJ,C;;QAhbhB,OAibO,W;MAhbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjbiB,SAibb,CAAU,IAAV,CAAJ,C;;QAjbhB,OAkbO,W;MAjbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAibA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlbiB,SAkbb,CAAU,IAAV,CAAJ,C;;QAlbhB,OAmbO,W;MAlbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnbiB,SAmbb,CAAU,IAAV,CAAJ,C;;QAnbhB,OAobO,W;MAnbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApbiB,SAobb,CAAU,IAAV,CAAJ,C;;QApbhB,OAqbO,W;MApbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAobA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WArbiB,SAqbb,CAAU,IAAV,CAAJ,C;;QArbhB,OAsbO,W;MArbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAqbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAtbiB,SAsbb,CAAU,IAAV,CAAJ,C;;QAtbhB,OAubO,W;MAtbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAsbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAvbiB,SAubb,CAAU,IAAV,CAAJ,C;;QAvbhB,OAwbO,W;MAvbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAubA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAxbiB,SAwbb,CAAU,IAAV,CAAJ,C;;QAxbhB,OAybO,W;MAxbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAwbA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAzbiB,SAybb,CAAU,IAAV,CAAJ,C;;QAzbhB,OA0bO,W;MAzbX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAybA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA1biB,SA0bb,CAAU,IAAV,CAAJ,C;;QA1bhB,OA2bO,W;MA1bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA0bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA3biB,SA2bb,CAAU,IAAV,CAAJ,C;;QA3bhB,OA4bO,W;MA3bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA2bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA5biB,SA4bb,CAAU,IAAV,CAAJ,C;;QA5bhB,OA6bO,W;MA5bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA4bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA7biB,SA6bb,CAAU,IAAV,CAAJ,C;;QA7bhB,OA8bO,W;MA7bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9biB,SA8bb,CAAU,IAAV,CAAJ,C;;QA9bhB,OA+bO,W;MA9bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA8bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA/biB,SA+bb,CAAU,IAAV,CAAJ,C;;QA/bhB,OAgcO,W;MA/bX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+bA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhciB,SAgcb,CAAU,IAAV,CAAJ,C;;QAhchB,OAicO,W;MAhcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAgcA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAjciB,SAicb,CAAU,IAAV,CAAJ,C;;QAjchB,OAkcO,W;MAjcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAicA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAlciB,SAkcb,CAAU,IAAV,CAAJ,C;;QAlchB,OAmcO,W;MAlcX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAkcA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAnciB,SAmcb,CAAU,IAAV,CAAJ,C;;QAnchB,OAocO,W;MAncX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAmcA,gB,gB;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WApciB,SAocb,CAAU,IAAV,CAAJ,C;;QApchB,OAqcO,W;MApcX,C;KANA,C;8EAQA,yB;MA

WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,

,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAfA,C;4FAiBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU

AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MA

,OAAvB,C;;MACpC,OAAO,W;IACX,C;;MAOoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OA

B,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,8D;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;MACX,C;KAdA,C;wGAgB

CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAp7IO,qBAAQ,CAo7If,C;QAAe,OA
AO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR
,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAz7IO,qBAAQ,
CAy7If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UA
AK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9
7IO,qBAAQ,CA87If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QAC
I,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,
Q;MAFb,IAn8IO,qBAAQ,CAm8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,C
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IAC
X,C;;MAQiB,Q;MAFb,IAx8IO,qBAAQ,CAw8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;M
AAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;M
AEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IA/8IO,qBAAQ,CA+8If,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,C
AAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ
,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,
MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAx9IO,qBAAQ,CAw9If,C;QAAe,OAAO,I;MACtB,U
AAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,
QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,
MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IAv9IO,qBAAQ,CAu9If,C;QAAe,OAAO,I;MACtB,UAAU
,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;
UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtiJO,qBAAQ,CAsiJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2B
AAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;
MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAljJO,qBAAQ,CAkjJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,S
AAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MA
CX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9jJO,qBAAQ,CA8jJf,C;UAAe,OAAO,I;
QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,U
AAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WA
AW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1kJO,qBAAQ,
CA0kJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,
CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KA
AJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA
,sC;QASiB,Q;QAHb,IAtlJO,qBAAQ,CAslJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS
,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kF
AoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlmJO,qBAAQ,CAkmJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9mJO,qBAAQ,CA8mJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtnJO,qBAAQ,CAsnJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1oJO,qBAAQ,CA0oJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlpJO,qBAAQ,CAkpJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9pJO,qBAAQ,CA8pJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtqJO,qBAAQ,CAsqJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1rJO,qBAAQ,CA0rJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlsJO,qBAAQ,CAksJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9tJO,qBAAQ,CA8tJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtuJO,qBAAQ,CAsuJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1vJO,qBAAQ,CA0vJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlwJO,qBAAQ,CAkwJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA9xJO,qBAAQ,CA8xJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtyJO,qBAAQ,CAsyJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1zJO,qBAAQ,CA0zJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA10JO,qBAAQ,CA00Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA51JO,qBAAQ,CA41Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA92JO,qBAAQ,CA82Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAh4JO,qBAAQ,CAg4Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAl5JO,qBAAQ,CAk5Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAp6JO,qBAAQ,CAo6Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAt7JO,qBAAQ,CAs7Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA18JO,qBAAQ,CA08Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA19JO,qBAAQ,CA09Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA5+JO,qBAAQ,CA4+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAhgKO,qBAAQ,CAggKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlhKO,qBAAQ,CAkhKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAriKO,qBAAQ,CAqiKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvjKO,qBAAQ,CAujKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAzkKO,qBAAQ,CAykKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3lKO,qBAAQ,CA2lKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA7mKO,qBAAQ,CA6mKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA/nKO,qBAAQ,CA+nKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAjpKO,qBAAQ,CAipKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IArqKO,qBAAQ,CAqqKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvrKO,qBAAQ,CAurKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAzsKO,qBAAQ,CAysKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3tKO,qBAAQ,CA2tKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA7uKO,qBAAQ,CA6uKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA5vKO,qBAAQ,CA4vKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAxwKO,qBAAQ,CAwwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAtxKO,qBAAQ,CAsxKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAryKO,qBAAQ,CAqyKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAlzKO,qBAAQ,CAkzKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA1zKO,qBAAQ,CA0zKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA30KO,qBAAQ,CA20Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA51KO,qBAAQ,CA41Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA

AQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;;MA0BiB,Q;MAFb,IAxtJO,qBAAQ,CAwtJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7tJO,qBAAQ,CA6tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAluJO,qBAAQ,CAkuJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvuJO,qBAAQ,CAuuJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA5uJO,qBAAQ,CA4uJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAjvJO,qBAAQ,CAivJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtvJO,qBAAQ,CAsvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3vJO,qBAAQ,CA2vJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhwJO,qBAAQ,CAgwJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvwJO,qBAAQ,CAuwJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9wJO,qBAAQ,CA8wJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtxJO,qBAAQ,CAsxJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3xJO,qBAAQ,CA2xJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhyJO,qBAAQ,CAgyJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvyJO,qBAAQ,CAuyJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9yJO,qBAAQ,CA8yJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtzJO,qBAAQ,CAszJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3zJO,qBAAQ,CA2zJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh0JO,qBAAQ,CAg0Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv0JO,qBAAQ,CAu0Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA90JO,qBAAQ,CA80Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt1JO,qBAAQ,CAs1Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA31JO,qBAAQ,CA21Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh2JO,qBAAQ,CAg2Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv2JO,qBAAQ,CAu2Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA92JO,qBAAQ,CA82Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt3JO,qBAAQ,CAs3Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA33JO,qBAAQ,CA23Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh4JO,qBAAQ,CAg4Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv4JO,qBAAQ,CAu4Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA95JO,qBAAQ,CA85Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt6JO,qBAAQ,CAs6Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA36JO,qBAAQ,CA26Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh7JO,qBAAQ,CAg7Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv7JO,qBAAQ,CAu7Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA97JO,qBAAQ,CA87Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt8JO,qBAAQ,CAs8Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA38JO,qBAAQ,CA28Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAh9JO,qBAAQ,CAg9Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv9JO,qBAAQ,CAu9Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9+JO,qBAAQ,CA8+Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAt/JO,qBAAQ,CAs/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3/JO,qBAAQ,CA2/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhgKO,qBAAQ,CAggKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvgKO,qBAAQ,CAugKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9gKO,qBAAQ,CA8gKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAthKO,qBAAQ,CAshKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3hKO,qBAAQ,CA2hKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhiKO,qBAAQ,CAgiKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAviKO,qBAAQ,CAuiKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9iKO,qBAAQ,CA8iKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtjKO,qBAAQ,CAsjKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3jKO,qBAAQ,CA2jKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhkKO,qBAAQ,CAgkKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvkKO,qBAAQ,CAukKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9kKO,qBAAQ,CA8kKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtlKO,qBAAQ,CAslKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3lKO,qBAAQ,CA2lKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhmKO,qBAAQ,CAgmKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvmKO,qBAAQ,CAumKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9mKO,qBAAQ,CA8mKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtnKO,qBAAQ,CAsnKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3nKO,qBAAQ,CA2nKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhoKO,qBAAQ,CAgoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvoKO,qBAAQ,CAuoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9oKO,qBAAQ,CA8oKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtpKO,qBAAQ,CAspKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3pKO,qBAAQ,CA2pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhqKO,qBAAQ,CAgqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvqKO,qBAAQ,CAuqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9qKO,qBAAQ,CA8qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAtrKO,qBAAQ,CAsrKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3rKO,qBAAQ,CA2rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAhsKO,qBAAQ,CAgsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAvsKO,qBAAQ,CAusKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9sKO,qBAAQ,CA8sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAttKO,qBAAQ,CAstKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA3tKO,qBAAQ,CA2tKf,C

AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;
UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn+JO,qBAA
Q,CAm+Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAA
U,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,
C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC
;QASiB,Q;QAHb,IA/+JO,qBAAQ,CA++Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,
OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kF
AoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3/JO,qBAAQ,CA2/Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAA
K,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UAC
R,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OA
AO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvgKO,qBAAQ,CAugKf,C;UA
Ae,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,
C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAH
b,IAnhKO,qBAAQ,CAmhKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;M
AAA,8D;MAAA,sC;QASiB,Q;QAHb,IA/hKO,qBAAQ,CA+hKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C
;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,S
AAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MA
CX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3iKO,qBAAQ,CA2iKf,C;UAAe,OAAO,I
;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,U
AAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WA
AW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvjKO,qBAAQ,CAujKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aA
AU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,
C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA
5jKO,qBAAQ,CA4jKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,oC;MAAA,sC;QASiB,Q;QAHb,IAnkKO,qBAAQ,CAmkKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvkKO,qBAAQ,CAukKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3lKO,qBAAQ,CA2lKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnmKO,qBAAQ,CAmmKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvmKO,qBAAQ,CAumKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3nKO,qBAAQ,CA2nKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnoKO,qBAAQ,CAmoKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvoKO,qBAAQ,CAuoKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3pKO,qBAAQ,CA2pKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnqKO,qBAAQ,CAmqKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvqKO,qBAAQ,CAuqKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3rKO,qBAAQ,CA2rKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnsKO,qBAAQ,CAmsKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvsKO,qBAAQ,CAusKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3tKO,qBAAQ,CA2tKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnuKO,qBAAQ,CAmuKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvuKO,qBAAQ,CAuuKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3vKO,qBAAQ,CA2vKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnwKO,qBAAQ,CAmwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvwKO,qBAAQ,CAuwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3xKO,qBAAQ,CA2xKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAnyKO,qBAAQ,CAmyKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAvyKO,qBAAQ,CAuyKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA3zKO,qBAAQ,CA2zKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn0KO,qBAAQ,CAm0Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAv0KO,qBAAQ,CAu0Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA31KO,qBAAQ,CA21Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn2KO,qBAAQ,CAm2Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAv2KO,qBAAQ,CAu2Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA33KO,qBAAQ,CA23Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn3KO,qBAAQ,CAm3Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAv3KO,qBAAQ,CAu3Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA34KO,qBAAQ,CA24Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn4KO,qBAAQ,CAm4Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAv4KO,qBAAQ,CAu4Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IA35KO,qBAAQ,CA25Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAn5KO,qBAAQ,CAm5Kf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAlBA,C;kFAoBA,yB;MAAA,8D;MAAA,sC;QASiB,Q;QAHb,IAv5KO,qBAAQ,CAu5

AAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxrKO,qBAAQ,CAwrKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7rKO,qBAAQ,CA6rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9rKO,qBAAQ,CA8rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA+rKO,qBAAQ,CA+rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAgsKO,qBAAQ,CAgsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAisKO,qBAAQ,CAisKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAksKO,qBAAQ,CAksKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAmsKO,qBAAQ,CAmsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAosKO,qBAAQ,CAosKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAqsKO,qBAAQ,CAqsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAssKO,qBAAQ,CAssKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAusKO,qBAAQ,CAusKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAwsKO,qBAAQ,CAwsKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAysKO,qBAAQ,CAysKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA0sKO,qBAAQ,CA0sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA2sKO,qBAAQ,CA3sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA4sKO,qBAAQ,CA5sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA6sKO,qBAAQ,CA7sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA8sKO,qBAAQ,CA9sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA+sKO,qBAAQ,CA/sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAgtKO,qBAAQ,CAhtKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAitKO,qBAAQ,CAjtKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAktKO,qBAAQ,CAltKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAmtKO,qBAAQ,CAntKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAotKO,qBAAQ,CAptKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAqtKO,qBAAQ,CArtKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAstKO,qBAAQ,CAttKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAutKO,qBAAQ,CAvtKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAwtKO,qBAAQ,CAxtKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAytKO,qBAAQ,CAztKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA0tKO,qBAAQ,CA1tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA2tKO,qBAAQ,CA3tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA4tKO,qBAAQ,CA5tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA6tKO,qBAAQ,CA7tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA8tKO,qBAAQ,CA9tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA+tKO,qBAAQ,CA/tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAguKO,qBAAQ,CAhuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAiuKO,qBAAQ,CAjuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAkuKO,qBAAQ,CAluKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAmuKO,qBAAQ,CAnuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAouKO,qBAAQ,CApuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAquKO,qBAAQ,CAruKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAsuKO,qBAAQ,CAtuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAuuKO,qBAAQ,CAvuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAwuKO,qBAAQ,CAxuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAyuKO,qBAAQ,CAzuKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA0uKO,qBAAQ,CA1uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA2uKO,qBAAQ,CA3uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA4uKO,qBAAQ,CA5uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA6uKO,qBAAQ,CA7uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA8uKO,qBAAQ,CA9uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA+uKO,qBAAQ,CA/uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAgvKO,qBAAQ,CAhvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAivKO,qBAAQ,CAjvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAkvKO,qBAAQ,CAlvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAmvKO,qBAAQ,CAnvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAovKO,qBAAQ,CApvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAqvKO,qBAAQ,CArvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAsvKO,qBAAQ,CAtvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAuvKO,qBAAQ,CAvvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAwvKO,qBAAQ,CAxvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAyvKO,qBAAQ,CAzvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA0vKO,qBAAQ,CA1vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA2vKO,qBAAQ,CA3vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA4vKO,qBAAQ,CA5vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA6vKO,qBAAQ,CA7vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA8vKO,qBAAQ,CA9vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA+vKO,qBAAQ,CA/vKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAgwKO,qBAAQ,CAhwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAiwKO,qBAAQ,CAjwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAkwKO,qBAAQ,CAlwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAmwKO,qBAAQ,CAnwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAowKO,qBAAQ,CApwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAqwKO,qBAAQ,CArwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAswKO,qBAAQ,CAtwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAuwKO,qBAAQ,CAvwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAwwKO,qBAAQ,CAxwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAywKO,qBAAQ,CAzwKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb

A8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArjLO,qBAAQ,CAqjLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7jLO,qBAAQ,CA6jLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAkkLO,qBAAQ,CAkkLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAmkLO,qBAAQ,CAmkLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAolLO,qBAAQ,CAolLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAqlLO,qBAAQ,CAqlLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAsmLO,qBAAQ,CAsmLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAumLO,qBAAQ,CAumLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAwmLO,qBAAQ,CAwmLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAymLO,qBAAQ,CAymLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA0mLO,qBAAQ,CA1mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA2mLO,qBAAQ,CA3mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA4mLO,qBAAQ,CA5mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA6mLO,qBAAQ,CA7mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA8mLO,qBAAQ,CA9mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA+mLO,qBAAQ,CA/mLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAgnLO,qBAAQ,CAhnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAinLO,qBAAQ,CAjnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAknLO,qBAAQ,CAlnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAmnLO,qBAAQ,CAnnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAonLO,qBAAQ,CApnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAqnLO,qBAAQ,CArnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAsnLO,qBAAQ,CAtnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAunLO,qBAAQ,CAvnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAwnLO,qBAAQ,CAxnLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAynLO,qBAAQ,CAznLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA0nLO,qBAAQ,CA1nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA2nLO,qBAAQ,CA3nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA4nLO,qBAAQ,CA5nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA6nLO,qBAAQ,CA7nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA8nLO,qBAAQ,CA9nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA+nLO,qBAAQ,CA/nLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAgoLO,qBAAQ,CAhoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAioLO,qBAAQ,CAjoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAkoLO,qBAAQ,CAloLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAmoLO,qBAAQ,CAnoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAooLO,qBAAQ,CApoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAqoLO,qBAAQ,CAroLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAsoLO,qBAAQ,CAtoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAuoLO,qBAAQ,CAvoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAwoLO,qBAAQ,CAxoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAyoLO,qBAAQ,CAzoLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA0oLO,qBAAQ,CA1oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA2oLO,qBAAQ,CA3oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA4oLO,qBAAQ,CA5oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA6oLO,qBAAQ,CA7oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA8oLO,qBAAQ,CA9oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA+oLO,qBAAQ,CA/oLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAgpLO,qBAAQ,CAhpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAipLO,qBAAQ,CAjpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAkpLO,qBAAQ,CAlpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAmpLO,qBAAQ,CAnpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAopLO,qBAAQ,CAppLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAqpLO,qBAAQ,CArpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAspLO,qBAAQ,CAtpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAupLO,qBAAQ,CAvpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAwpLO,qBAAQ,CAxpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAypLO,qBAAQ,CAzpLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA0pLO,qBAAQ,CA1pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA2pLO,qBAAQ,CA3pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA4pLO,qBAAQ,CA5pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA6pLO,qBAAQ,CA7pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA8pLO,qBAAQ,CA9pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA+pLO,qBAAQ,CA/pLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAgqLO,qBAAQ,CAhqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAiqLO,qBAAQ,CAjqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAkqLO,qBAAQ,CAlqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAmqLO,qBAAQ,CAnqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAoqLO,qBAAQ,CApqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IAqqLO,qBAAQ,CArqLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,C

B,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAXA,C;8FAaA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAM0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;MACX,C;KAXA,C;0GAaA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAS6B,QAEzB,Q;QAJJ,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,sBAAJ,SAAlB,EAAgC,wBAAhC,E;;QAElB,OAAO,W;MACX,C;KAXA,C;4

AO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAA

HT,OAkHO,I;IAjHX,C;;MA4HI,WwB/hZO,MAAK,KxB+hZK,gBwB/hZL,ExB46YD,KAmHkB,OwB/hZjB,C;MxBgiZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;MAtHT,OAwHO,I;IAvHX,C;;MAkII,WwB/iZO,MAAK,KxB+iZK,gBwB/iZL,ExBs7YD,KAyHkB,OwB/iZjB,C;MxBgjZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;IA7HX,C;;MAwII,WwB/jZO,MAAK,KxB+jZK,gBwB/jZL,ExB+7YD,KAgIkB,OwB/jZjB,C;MxBgkZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnIqB,GAmIP,UAAK,CAAL,CAnIO,EAAnB,KAmIqB,CAAM,CAAN,CAnIF,CAmIrB,C;;MAnIT,OAqIO,I;IApIX,C;;MAgJI,WwB/kZO,MAAK,KxB+kZK,gBwB/kZL,ExBo9YD,KAwIkB,OwB/kZjB,C;MxBglZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3IqB,GA2IP,UAAK,CAAL,CA3IO,EAAnB,KA2IqB,CAAM,CAAN,CA3IF,CA2IrB,C;;MA3IT,OA6IO,I;IA5IX,C;;MAwJI,WwB/mZO,MAAK,KxB+mZK,gBwB/mZL,ExBy+YD,KAgJkB,OwB/mZjB,C;MxBgnZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnJqB,GAmJP,UAAK,CAAL,CAnJO,EAAnB,KAmJqB,CAAM,CAAN,CAnJF,CAmJrB,C;;MAnJT,OAqJO,I;IApJX,C;;MAgKI,WwB/oZO,MAAK,KxB+oZK,gBwB/oZL,ExBo/YD,KAwJkB,OwB/oZjB,C;MxBgpZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3JqB,GA2JP,UAAK,CAAL,CA3JO,EAAnB,KA2JqB,CAAM,CAAN,CA3JF,CA2JrB,C;;MA3JT,OA6JO,I;IA5JX,C;;MAwKI,WwB/qZO,MAAK,KxB+qZK,gBwB/qZL,ExBy/YD,KAgKkB,OwB/qZjB,C;MxBgrZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnKqB,GAmKP,UAAK,CAAL,CAnKO,EAAnB,KAmKqB,CAAM,CAAN,CAnKF,CAmKrB,C;;MAnKT,OAqKO,I;IApKX,C;;MAgLI,WwB/sZO,MAAK,KxB+sZK,gBwB/sZL,ExBogZD,KAwKkB,OwB/sZjB,C;MxBgtZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3KqB,GA2KP,UAAK,CAAL,CA3KO,EAAnB,KA2KqB,CAAM,CAAN,CA3KF,CA2KrB,C;;MA3KT,OA6KO,I;IA5KX,C;;MAwLI,WwB/uZO,MAAK,KxB+uZK,gBwB/uZL,ExBygZD,KAgLkB,OwB/uZjB,C;MxBgvZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnLqB,GAmLP,UAAK,CAAL,CAnLO,EAAnB,KAmLqB,CAAM,CAAN,CAnLF,CAmLrB,C;;MAnLT,OAqLO,I;IApLX,C;;MAgMI,WwB/wZO,MAAK,KxB+wZK,gBwB/wZL,ExBohZD,KAwLkB,OwB/wZjB,C;MxBgxZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3LqB,GA2LP,UAAK,CAAL,CA3LO,EAAnB,KA2LqB,CAAM,CAAN,CA3LF,CA2LrB,C;;MA3LT,OA6LO,I;IA5LX,C;;MAwMI,WwB/yZO,MAAK,KxB+yZK,gBwB/yZL,ExBygZD,KAgMkB,OwB/yZjB,C;MxBgzZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnMqB,GAmMP,UAAK,CAAL,CAnMO,EAAnB,KAmMqB,CAAM,CAAN,CAnMF,CAmMrB,C;;MAnMT,OAqMO,I;IApMX,C;;MAgNI,WwB/0ZO,MAAK,KxB+0ZK,gBwB/0ZL,ExBohZD,KAwMkB,OwB/0ZjB,C;MxBg1ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3MqB,GA2MP,UAAK,CAAL,CA3MO,EAAnB,KA2MqB,CAAM,CAAN,CA3MF,CA2MrB,C;;MA3MT,OA6MO,I;IA5MX,C;;MAwNI,WwB/2ZO,MAAK,KxB+2ZK,gBwB/2ZL,ExBygZD,KAgNkB,OwB/2ZjB,C;MxBg3ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnNqB,GAmNP,UAAK,CAAL,CAnNO,EAAnB,KAmNqB,CAAM,CAAN,CAnNF,CAmNrB,C;;MAnNT,OAqNO,I;IApNX,C;;MAgOI,WwB/4ZO,MAAK,KxB+4ZK,gBwB/4ZL,ExBohZD,KAwNkB,OwB/4ZjB,C;MxBg5ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3NqB,GA2NP,UAAK,CAAL,CA3NO,EAAnB,KA2NqB,CAAM,CAAN,CA3NF,CA2NrB,C;;MA3NT,OA6NO,I;IA5NX,C;;MAwOI,WwB/6ZO,MAAK,KxB+6ZK,gBwB/6ZL,ExBygZD,KAgOkB,OwB/6ZjB,C;MxBg7ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnOqB,GAmOP,UAAK,CAAL,CAnOO,EAAnB,KAmOqB,CAAM,CAAN,CAnOF,CAmOrB,C;;MAnOT,OAqOO,I;IApOX,C;;MAgPI,WwB/8ZO,MAAK,KxB+8ZK,gBwB/8ZL,ExBohZD,KAwOkB,OwB/8ZjB,C;MxBg9ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3OqB,GA2OP,UAAK,CAAL,CA3OO,EAAnB,KA2OqB,CAAM,CAAN,CA3OF,CA2OrB,C;;MA3OT,OA6OO,I;IA5OX,C;;MAwPI,WwB/+ZO,MAAK,KxB++ZK,gBwB/+ZL,ExBygZD,KAgPkB,OwB/+ZjB,C;MxBg/ZZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnPqB,GAmPP,UAAK,CAAL,CAnPO,EAAnB,KAmPqB,CAAM,CAAN,CAnPF,CAmPrB,C;;MAnPT,OAqPO,I;IApPX,C;;MAgQI,WwBhhaO,MAAK,KxBghaK,gBwBhhaL,ExBohZD,KAwPkB,OwBhhajB,C;MxBiharZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3PqB,GA2PP,UAAK,CAAL,CA3PO,EAAnB,KA2PqB,CAAM,CAAN,CA3PF,CA2PrB,C;;MA3PT,OA6PO,I;IA5PX,C;;MAwQI,WwBhjaO,MAAK,KxBgjaK,gBwBhjaL,ExBygZD,KAgQkB,OwBhjajB,C;MxBijarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnQqB,GAmQP,UAAK,CAAL,CAnQO,EAAnB,KAmQqB,CAAM,CAAN,CAnQF,CAmQrB,C;;MAnQT,OAqQO,I;IApQX,C;;MAgRI,WwBhlaO,MAAK,KxBglaK,gBwBhlaL,ExBohZD,KAwQkB,OwBhlajB,C;MxBilarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3QqB,GA2QP,UAAK,CAAL,CA3QO,EAAnB,KA2QqB,CAAM,CAAN,CA3QF,CA2QrB,C;;MA3QT,OA6QO,I;IA5QX,C;;MAwRI,WwBhnaO,MAAK,KxBgnaK,gBwBhnaL,ExBygZD,KAgRkB,OwBhnajB,C;MxBinarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnRqB,GAmRP,UAAK,CAAL,CAnRO,EAAnB,KAmRqB,CAAM,CAAN,CAnRF,CAmRrB,C;;MAnRT,OAqRO,I;IApRX,C;;MAgSI,WwBhpaO,MAAK,KxBgpaK,gBwBhpaL,ExBohZD,KAwRkB,OwBhpajB,C;MxBipaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3RqB,GA2RP,UAAK,CAAL,CA3RO,EAAnB,KA2RqB,CAAM,CAAN,CA3RF,CA2RrB,C;;MA3RT,OA6RO,I;IA5RX,C;;MAwSI,WwBhraO,MAAK,KxBgraK,gBwBhraL,ExBygZD,KAgSkB,OwBhrajB,C;MxBirarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnSqB,GAmSP,UAAK,CAAL,CAnSO,EAAnB,KAmSqB,CAAM,CAAN,CAnSF,CAmSrB,C;;MAnST,OAqSO,I;IApSX,C;;MAgTI,WwBhtaO,MAAK,KxBgtaK,gBwBhtaL,ExBohZD,KAwSkB,OwBhtajB,C;MxBiuaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3SqB,GA2SP,UAAK,CAAL,CA3SO,EAAnB,KA2SqB,CAAM,CAAN,CA3SF,CA2SrB,C;;MA3ST,OA6SO,I;IA5SX,C;;MAwTI,WwBhvaO,MAAK,KxBgvaK,gBwBhvaL,ExBygZD,KAgTkB,OwBhvajB,C;MxBivarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnTqB,GAmTP,UAAK,CAAL,CAnTO,EAAnB,KAmTqB,CAAM,CAAN,CAnTF,CAmTrB,C;;MAnTT,OAqTO,I;IApTX,C;;MAgUI,WwBhxaO,MAAK,KxBgxaK,gBwBhxaL,ExBohZD,KAwTkB,OwBhxajB,C;MxBiyaZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3TqB,GA2TP,UAAK,CAAL,CA3TO,EAAnB,KA2TqB,CAAM,CAAN,CA3TF,CA2TrB,C;;MA3TT,OA6TO,I;IA5TX,C;;MAwUI,WwBhzaO,MAAK,KxBgzaK,gBwBhzaL,ExBygZD,KAgUkB,OwBhzajB,C;MxBizarZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnUqB,GAmUP,UAAK,CAAL,CAnUO,EAAnB,KAmUqB,CAAM,CAAN,CAnUF,CAmUrB,C;;MAnUT,OAqUO,I;IApUX,C;;MAgVI,WwBh1aO,MAAK,KxBg1aK,gBwBh1aL,ExBohZD,KAwUkB,OwBh1ajB,C;MxBi2aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3UqB,GA2UP,UAAK,CAAL,CA3UO,EAAnB,KA2UqB,CAAM,CAAN,CA3UF,CA2UrB,C;;MA3UT,OA6UO,I;IA5UX,C;;MAwVI,WwBh3aO,MAAK,KxBg3aK,gBwBh3aL,ExBygZD,KAgVkB,OwBh3ajB,C;MxBi3arZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnVqB,GAmVP,UAAK,CAAL,CAnVO,EAAnB,KAmVqB,CAAM,CAAN,CAnVF,CAmVrB,C;;MAnVT,OAqVO,I;IApVX,C;;MAgWI,WwBh5aO,MAAK,KxBg5aK,gBwBh5aL,ExBohZD,KAwVkB,OwBh5ajB,C;MxBi6aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3VqB,GA2VP,UAAK,CAAL,CA3VO,EAAnB,KA2VqB,CAAM,CAAN,CA3VF,CA2VrB,C;;MA3VT,OA6VO,I;IA5VX,C;;MAwWI,WwBh7aO,MAAK,KxBg7aK,gBwBh7aL,ExBygZD,KAgWkB,OwBh7ajB,C;MxBi7arZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnWqB,GAmWP,UAAK,CAAL,CAnWO,EAAnB,KAmWqB,CAAM,CAAN,CAnWF,CAmWrB,C;;MAnWT,OAqWO,I;IApWX,C;;MAgXI,WwBh9aO,MAAK,KxBg9aK,gBwBh9aL,ExBohZD,KAwWkB,OwBh9ajB,C;MxBi+aZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3WqB,GA2WP,UAAK,CAAL,CA3WO,EAAnB,KA2WqB,CAAM,CAAN,CA3WF,CA2WrB,C;;MA3WT,OA6WO,I;IA5WX,C;;MAwXI,WwBh/aO,MAAK,KxBg/aK,gBwBh/aL,ExBygZD,KAgXkB,OwBh/ajB,C;MxBi/arZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnXqB,GAmXP,UAAK,CAAL,CAnXO,EAAnB,KAmXqB,CAAM,CAAN,CAnXF,CAmXrB,C;;MAnXT,OAqXO,I;IApXX,C;;MAgYI,WwBhhbO,MAAK,KxBghbK,gBwBhhbL,ExBohZD,KAwXkB,OwBhhbjB,C;MxBiibZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3XqB,GA2XP,UAAK,CAAL,CA3XO,EAAnB,KA2XqB,CAAM,CAAN,CA3XF,CA2XrB,C;;MA3XT,OA6XO,I;IA5XX,C;;MAwYI,WwBhjbO,MAAK,KxBgjbK,gBwBhjbL,ExBygZD,KAgYkB,OwBhjbjB,C;MxBijbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnYqB,GAmYP,UAAK,CAAL,CAnYO,EAAnB,KAmYqB,CAAM,CAAN,CAnYF,CAmYrB,C;;MAnYT,OAqYO,I;IApYX,C;;MAgZI,WwBhlbO,MAAK,KxBglbK,gBwBhlbL,ExBohZD,KAwYkB,OwBhlbjB,C;MxBimbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3YqB,GA2YP,UAAK,CAAL,CA3YO,EAAnB,KA2YqB,CAAM,CAAN,CA3YF,CA2YrB,C;;MA3YT,OA6YO,I;IA5YX,C;;MAwZI,WwBhnbO,MAAK,KxBgnbK,gBwBhnbL,ExBygZD,KAgZkB,OwBhnbjB,C;MxBinbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnZqB,GAmZP,UAAK,CAAL,CAnZO,EAAnB,KAmZqB,CAAM,CAAN,CAnZF,CAmZrB,C;;MAnZT,OAqZO,I;IApZX,C;;MAgaI,WwBhpbO,MAAK,KxBgpbK,gBwBhpbL,ExBohZD,KAwZkB,OwBhpbjB,C;MxBiqbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3ZqB,GA2ZP,UAAK,CAAL,CA3ZO,EAAnB,KA2ZqB,CAAM,CAAN,CA3ZF,CA2ZrB,C;;MA3ZT,OA6ZO,I;IA5ZX,C;;MAwaI,WwBhrbO,MAAK,KxBgrbK,gBwBhrbL,ExBygZD,KAgakB,OwBhrbjB,C;MxBirbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnaqB,GAmaP,UAAK,CAAL,CAnaO,EAAnB,KAmaqB,CAAM,CAAN,CAnaF,CAmarB,C;;MAnaT,OAqaO,I;IApaX,C;;MAgbI,WwBhtbO,MAAK,KxBgtbK,gBwBhtbL,ExBohZD,KAwakB,OwBhtbjB,C;MxBiubZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3aqB,GA2aP,UAAK,CAAL,CA3aO,EAAnB,KA2aqB,CAAM,CAAN,CA3aF,CA2arB,C;;MA3aT,OA6aO,I;IA5aX,C;;MAwbI,WwBhvbO,MAAK,KxBgvbK,gBwBhvbL,ExBygZD,KAgbkB,OwBhvbjB,C;MxBivbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnbqB,GAmbP,UAAK,CAAL,CAnbO,EAAnB,KAmbqB,CAAM,CAAN,CAnbF,CAmbrB,C;;MAnbT,OAqbO,I;IApbX,C;;MAgcI,WwBhxbO,MAAK,KxBgxbK,gBwBhxbL,ExBohZD,KAwbkB,OwBhxbjB,C;MxBiybZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3bqB,GA2bP,UAAK,CAAL,CA3bO,EAAnB,KA2bqB,CAAM,CAAN,CA3bF,CA2brB,C;;MA3bT,OA6bO,I;IA5bX,C;;MAwcI,WwBhzbO,MAAK,KxBgzbK,gBwBhzbL,ExBygZD,KAgckB,OwBhzbjB,C;MxBizbZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAncqB,GAmcP,UAAK,CAAL,CAncO,EAAnB,KAmcqB,CAAM,CAAN,CAncF,CAmcrB,C;;MAncT,OAqcO,I;IApcX,C;;MAgdI,WwBh1bO,MAAK,KxBg1bK,gBwBh1bL,ExBohZD,KAwckB,OwBh1bjB,C;MxBi2bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WA3cqB,GA2cP,UAAK,CAAL,CA3cO,EAAnB,KA2cqB,CAAM,CAAN,CA3cF,CA2crB,C;;MA3cT,OA6cO,I;IA5cX,C;;MAwdI,WwBh3bO,MAAK,KxBg3bK,gBwBh3bL,ExBygZD,KAgdkB,OwBh3bjB,C;MxBi3bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAndqB,GAmdP,UAAK,CAAL,CAndO,EAAnB,KAmdqB,CAAM,CAAN,CAndF,CAmdrB,C;;MAndT,OAqdO,I;IApdX,C;;MAgeI,WwBh5bO,MAAK,KxBg5bK,gBwBh5bL,ExBohZD,KAwdkB,OwBh5bjB,C;MxBi6bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3dqB,GA2dP,UAAK,CAAL,CA3dO,EAAnB,KA2dqB,CAAM,CAAN,CA3dF,CA2drB,C;;MA3dT,OA6dO,I;IA5dX,C;;MAweI,WwBh7bO,MAAK,KxBg7bK,gBwBh7bL,ExBygZD,KAgekB,OwBh7bjB,C;MxBi7bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAneqB,GAmeP,UAAK,CAAL,CAneO,EAAnB,KAmeqB,CAAM,CAAN,CAneF,CAmerB,C;;MAneT,OAqeO,I;IApeX,C;;MAgfI,WwBh9bO,MAAK,KxBg9bK,gBwBh9bL,ExBohZD,KAwekB,OwBh9bjB,C;MxBi+bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3eqB,GA2eP,UAAK,CAAL,CA3eO,EAAnB,KA2eqB,CAAM,CAAN,CA3eF,CA2erB,C;;MA3eT,OA6eO,I;IA5eX,C;;MAwfI,WwBh/bO,MAAK,KxBg/bK,gBwBh/bL,ExBygZD,KAgfkB,OwBh/bjB,C;MxBi/bZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnfqB,GAmfP,UAAK,CAAL,CAnfO,EAAnB,KAmfqB,CAAM,CAAN,CAnfF,CAmfrB,C;;MAnfT,OAqfO,I;IApfX,C;;MAggBI,WwBhhcO,MAAK,KxBghcK,gBwBhhcL,ExBohZD,KAwfkB,OwBhhcjB,C;MxBiicZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3fqB,GA2fP,UAAK,CAAL,CA3fO,EAAnB,KA2fqB,CAAM,CAAN,CA3fF,CA2frB,C;;MA3fT,OA6fO,I;IA5fX,C;;MAwgBI,WwBhjcO,MAAK,KxBgjcK,gBwBhjcL,ExBygZD,KAggBkB,OwBhjcjB,C;MxBijcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAngBqB,GAmgBP,UAAK,CAAL,CAngBO,EAAnB,KAmgBqB,CAAM,CAAN,CAngBF,CAmgBrB,C;;MAngBT,OAqgBO,I;IApgBX,C;;MAghBI,WwBhlcO,MAAK,KxBglcK,gBwBhlcL,ExBohZD,KAwgBkB,OwBhlcjB,C;MxBimcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3gBqB,GA2gBP,UAAK,CAAL,CA3gBO,EAAnB,KA2gBqB,CAAM,CAAN,CA3gBF,CA2grB,C;;MA3gBT,OA6gBO,I;IA5gBX,C;;MAwhBI,WwBhncO,MAAK,KxBgncK,gBwBhncL,ExBygZD,KAghBkB,OwBhncjB,C;MxBincZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnhBqB,GAmhBP,UAAK,CAAL,CAnhBO,EAAnB,KAmhBqB,CAAM,CAAN,CAnhBF,CAmhBrB,C;;MAnhBT,OAqhBO,I;IAphBX,C;;MAgiBI,WwBhpcO,MAAK,KxBgpcK,gBwBhpcL,ExBohZD,KAwhBkB,OwBhpcjB,C;MxBiqcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3hBqB,GA2hBP,UAAK,CAAL,CA3hBO,EAAnB,KA2hBqB,CAAM,CAAN,CA3hBF,CA2hBrB,C;;MA3hBT,OA6hBO,I;IA5hBX,C;;MAwiBI,WwBhrcO,MAAK,KxBgrcK,gBwBhrcL,ExBygZD,KAgiBkB,OwBhrcjB,C;MxBircZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAniBqB,GAmiBP,UAAK,CAAL,CAniBO,EAAnB,KAmiBqB,CAAM,CAAN,CAniBF,CAmiBrB,C;;MAniBT,OAqiBO,I;IApiBX,C;;MAgjBI,WwBhtcO,MAAK,KxBgtcK,gBwBhtcL,ExBohZD,KAwiBkB,OwBhtcjB,C;MxBiucZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3iBqB,GA2iBP,UAAK,CAAL,CA3iBO,EAAnB,KA2iBqB,CAAM,CAAN,CA3iBF,CA2iBrB,C;;MA3iBT,OA6iBO,I;IA5iBX,C;;MAwjBI,WwBhvcO,MAAK,KxBgvcK,gBwBhvcL,ExBygZD,KAgjBkB,OwBhvcjB,C;MxBivcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnjBqB,GAmjBP,UAAK,CAAL,CAnjBO,EAAnB,KAmjBqB,CAAM,CAAN,CAnjBF,CAmjBrB,C;;MAnjBT,OAqjBO,I;IApjBX,C;;MAgkBI,WwBhxcO,MAAK,KxBgxcK,gBwBhxcL,ExBohZD,KAwjBkB,OwBhxcjB,C;MxBiycZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3jBqB,GA2jBP,UAAK,CAAL,CA3jBO,EAAnB,KA2jBqB,CAAM,CAAN,CA3jBF,CA2jBrB,C;;MA3jBT,OA6jBO,I;IA5jBX,C;;MAwkBI,WwBhzcO,MAAK,KxBgzcK,gBwBhzcL,ExBygZD,KAgkBkB,OwBhzcjB,C;MxBizcZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnkBqB,GAmkBP,UAAK,CAAL,CAnkBO,EAAnB,KAmkBqB,CAAM,CAAN,CAnkBF,CAmkBrB,C;;MAnkBT,OAqkBO,I;IApkBX,C;;MAglBI,WwBh1cO,MAAK,KxBg1cK,gBwBh1cL,ExBohZD,KAwkBkB,OwBh1cjB,C;MxBi2cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3kBqB,GA2kBP,UAAK,CAAL,CA3kBO,EAAnB,KA2kBqB,CAAM,CAAN,CA3kBF,CA2krB,C;;MA3kBT,OA6kBO,I;IA5kBX,C;;MAwlBI,WwBh3cO,MAAK,KxBg3cK,gBwBh3cL,ExBygZD,KAglBkB,OwBh3cjB,C;MxBi3cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnlBqB,GAmlBP,UAAK,CAAL,CAnlBO,EAAnB,KAmlBqB,CAAM,CAAN,CAnlBF,CAmlBrB,C;;MAnlBT,OAqlBO,I;IAplBX,C;;MAgmBI,WwBh5cO,MAAK,KxBg5cK,gBwBh5cL,ExBohZD,KAwlBkB,OwBh5cjB,C;MxBi6cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3lBqB,GA2lBP,UAAK,CAAL,CA3lBO,EAAnB,KA2lBqB,CAAM,CAAN,CA3lBF,CA2lBrB,C;;MA3lBT,OA6lBO,I;IA5lBX,C;;MAwmBI,WwBh7cO,MAAK,KxBg7cK,gBwBh7cL,ExBygZD,KAgmBkB,OwBh7cjB,C;MxBi7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnmBqB,GAmmBP,UAAK,CAAL,CAnmBO,EAAnB,KAmmBqB,CAAM,CAAN,CAnmBF,CAmmBrB,C;;MAnmBT,OAqmBO,I;IApmBX,C;;MAgnBI,WwBh9cO,MAAK,KxBg9cK,gBwBh9cL,ExBohZD,KAwmBkB,OwBh9cjB,C;MxBi+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3mBqB,GA2mBP,UAAK,CAAL,CA3mBO,EAAnB,KA2mBqB,CAAM,CAAN,CA3mBF,CA2mBrB,C;;MA3mBT,OA6mBO,I;IA5mBX,C;;MAwnBI,WwBh/cO,MAAK,KxBg/cK,gBwBh/cL,ExBygZD,KAgnBkB,OwBh/cjB,C;MxBi/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnnBqB,GAmnBP,UAAK,CAAL,CAnnBO,EAAnB,KAmnBqB,CAAM,CAAN,CAnnBF,CAmnBrB,C;;MAnnBT,OAqnBO,I;IApnBX,C;;MAgoBI,WwBhhdO,MAAK,KxBghdK,gBwBhhdL,ExBohZD,KAwnBkB,OwBhhdjB,C;MxBiidZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3nBqB,GA2nBP,UAAK,CAAL,CA3nBO,EAAnB,KA2nBqB,CAAM,CAAN,CA3nBF,CA2nBrB,C;;MA3nBT,OA6nBO,I;IA5nBX,C;;MAwoBI,WwBhjdO,MAAK,KxBgjdK,gBwBhjdL,ExBygZD,KAgoBkB,OwBhjdjB,C;MxBijdZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnoBqB,GAmoBP,UAAK,CAAL,CAnoBO,EAAnB,KAmoBqB,CAAM,CAAN,CAnoBF,CAmoBrB,C;;MAnoBT,OAqoBO,I;IApoBX,C;;MAgpBI,WwBhldO,MAAK,KxBgldK,gBwBhldL,ExBohZD,KAwoBkB,OwBhldjB,C;MxBimdZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA3oBqB,GA2oBP,UAAK,CAAL,CA3oBO,EAAnB,KA2oBqB,CAAM,CAAN,CA3oBF,CA2oBrB,C;;MA3oBT,OA6oBO,I;IA5oBX,C;;MAwpBI,WwBhndO,MAAK,KxBgndK,gBwBhndL,ExBygZD,KAgpBkB,OwBhndjB,C;MxBindZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAnpBqB,GAmpBP,UAAK,CAAL,CAnpBO,EAAnB,KAmpBqB,CAAM,CAAN,CAnpBF,CAmpBrB,C;;MAnpBT,OAqp

GX,C;;MAuHoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwB9uZJ,MAAK,KxB8uZwB,wBA5GzB,KA4GyB
,EAAwB,EAAxB,CwB9uZxB,ExB8uZqD,SwB9uZrD,CxB8uZD,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAgH
P,UAAK,UAAL,EAAK,kBAAL,SAhHO,EAgHI,OAhHJ,CAgHrB,C;;MAhHT,OAkHO,I;IAjHX,C;;MA+HoB,gB;
MAHhB,gBAAgB,gB;MAChB,WAAW,iBwBhwZJ,MAAK,KxBgwZwB,wBApHzB,KAoHyB,EAAwB,EAAxB,C
wBhwZxB,ExBgwZqD,SwBhwZrD,CxBgwZD,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAhB,OAAgB,
cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,
EAAK,kBAAL,SAxHO,EAwHI,OAxHJ,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIoB,gB;MAHhB,gBAAg
B,gB;MAChB,WAAW,iBwBlxZJ,MAAK,KxBkxZwB,wBA5HzB,KA4HyB,EAAwB,EAAxB,CwBlxZxB,ExBkxZqD,
SwBlxZrD,CxBkxZD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAAL,SAhIO,E
AgII,OAhIJ,CAgIrB,C;;MAhIT,OAkIO,I;IAjIX,C;;MA+IoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwBpyZ
J,MAAK,KxBoyZwB,wBApIzB,KAoIyB,EAAwB,EAAxB,CwBpyZxB,ExBoyZqD,SwBpyZrD,CxBoyZD,C;MAC
X,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAA
oB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA
0IO,I;IAzIX,C;;MAuJoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwBtzZJ,MAAK,KxBszZwB,wBA5IzB,K
A4IyB,EAAwB,EAAxB,CwBtzZxB,ExBszZqD,SwBtzZrD,CxBszZD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,
W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,
gJP,UAAK,UAAL,EAAK,kBAAL,SAhJO,EAgJI,OAhJJ,CAgJrB,C;;MAhJT,OAkJO,I;IAjJX,C;;MA+JoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBwBx0ZJ,MAAK,KxBw0ZwB,wBApJzB,KAoJyB,EAAwB,EAAxB,CwBx0Zx
B,ExBw0ZqD,SwBx0ZrD,CxBw0ZD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJO,E
AwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBw11ZJ,MAAK,Kxw11ZwB,wBA5JzB,K
A4JyB,EAAwB,EAAxB,Cw11ZxB,Exw11ZqD,Sw11ZrD,Cxw11ZD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,
W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,
gKP,UAAK,UAAL,EAAK,kBAAL,SAhKO,EAgKI,OAhKJ,CAgKrB,C;;MAhKT,OAkKO,I;IAjKX,C;;MA+KoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBw51ZJ,MAAK,Kx41ZwB,wBApKzB,KAoKyB,EAAwB,EAAxB,Cw51Zx
B,Ex41ZqD,Sw51ZrD,Cx41ZD,C;MACX,QAAQ,C;MACQ,OAtKL,KAsKK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxKqB,GAwKP,UAAK,UAAL,EAAK,kBAAL,SAxKO,E
AwKI,OAxKJ,CAwKrB,C;;MAxKT,OA0KO,I;IAzKX,C;;MAuLoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB85ZJ,MAAK,K
x85ZwB,wBA5KzB,KA4KyB,EAAwB,EAAxB,C85ZxB,Ex85ZqD,S85ZrD,Cx85ZD,C;MACX,QAAQ,C;MACQ,OA9KL,KA
8KK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhLqB,GAgLP,
gLP,UAAK,UAAL,EAAK,kBAAL,SAhLO,EAgLI,OAhLJ,CAgLrB,C;;MAhLT,OAkLO,I;IAjLX,C;;MA+LoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB+9ZJ,MAAK,K+8ZwB,wBApLzB,KAoLyB,EAAwB,EAAxB,C+9Zx
B,E+8ZqD,S+9ZrD,C+8ZD,C;MACX,QAAQ,C;MACQ,OAtLL,KAsLK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxLqB,GAwLP,UAAK,UAAL,EAAK,kBAAL,SAxLO,E
AwLI,OAxLJ,CAwLrB,C;;MAxLT,OA0LO,I;IAzLX,C;;MAuMoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBogaJ,MAAK,K
ngaZwB,wBA5LzB,KA4LyB,EAAwB,EAAxB,CogaxB,EngaqD,SogarD,CngaD,C;MACX,QAAQ,C;MACQ,OA9LL,KA
8LK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhMqB,GAgMP,
gMP,UAAK,UAAL,EAAK,kBAAL,SAhMO,EAgMI,OAhMJ,CAgMrB,C;;MAhMT,OAkMO,I;IAjMX,C;;MA+MoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBsiaJ,MAAK,KrhaZwB,wBApMzB,KAoMyB,EAAwB,EAAxB,CsiaxB,ErhaqD,SsiarD,CrhaD,C;MACX,QAAQ,C;MACQ,OAtML,KAsMK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxMqB,GAwMP,UAAK,UAAL,EAAK,kBAAL,SAxMO,E
AwMI,OAxMJ,CAwMrB,C;;MAxMT,OA0MO,I;IAzMX,C;;MAuNoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwkaJ,MAAK,K
vjaZwB,wBA5MzB,KA4MyB,EAAwB,EAAxB,CwkaxB,EvjaqD,SwkarD,CvjaD,C;MACX,QAAQ,C;MACQ,OA9ML,KA
8MK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhNqB,GAgNP,
gNP,UAAK,UAAL,EAAK,kBAAL,SAhNO,EAgNI,OAhNJ,CAgNrB,C;;MAhNT,OAkNO,I;IAjNX,C;;MA+NoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBmmaJ,MAAK,KlkaZwB,wBApNzB,KAoNyB,EAAwB,EAAxB,CmmaxB,ElkaqD,SmmarD,ClkaD,C;MACX,QAAQ,C;MACQ,OAtNL,KAsNK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxNqB,GAwNP,UAAK,UAAL,EAAK,kBAAL,SAxNO,E
AwNI,OAxNJ,CAwNrB,C;;MAxNT,OA0NO,I;IAzNX,C;;MAuOoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBonaJ,MAAK,K
nlaZwB,wBA5NzB,KA4NyB,EAAwB,EAAxB,ConaxB,EnlaqD,SonarD,CnlaD,C;MACX,QAAQ,C;MACQ,OA9NL,KA
8NK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhOqB,GAgOP,
gOP,UAAK,UAAL,EAAK,kBAAL,SAhOO,EAgOI,OAhOJ,CAgOrB,C;;MAhOT,OAkOO,I;IAjOX,C;;MA+OoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBqpaJ,MAAK,KpnaZwB,wBApOzB,KAoOyB,EAAwB,EAAxB,CqpaxB,EpnaqD,SqparD,CpnaD,C;MACX,QAAQ,C;MACQ,OAtOL,KAsOK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxOqB,GAwOP,UAAK,UAAL,EAAK,kBAAL,SAxOO,E
AwOI,OAxOJ,CAwOrB,C;;MAxOT,OA0OO,I;IAzOX,C;;MAuPoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBsraJ,MAAK,K
rpaZwB,wBA5OzB,KA4OyB,EAAwB,EAAxB,CsraxB,ErpaqD,SsqarD,CrpaD,C;MACX,QAAQ,C;MACQ,OA9OL,KA
8OK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhPqB,GAgPP,
gPP,UAAK,UAAL,EAAK,kBAAL,SAhPO,EAgPI,OAhPJ,CAgPrB,C;;MAhPT,OAkPO,I;IAjPX,C;;MA+PoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBuuaJ,MAAK,KtsaZwB,wBApPzB,KAoPyB,EAAwB,EAAxB,CuuaxB,EtsaqD,SuuarD,CtsaD,C;MACX,QAAQ,C;MACQ,OAtPL,KAsPK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxPqB,GAwPP,UAAK,UAAL,EAAK,kBAAL,SAxPO,E
AwPI,OAxPJ,CAwPrB,C;;MAxPT,OA0PO,I;IAzPX,C;;MAuQoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwxaJ,MAAK,K
vvaZwB,wBA5PzB,KA4PyB,EAAwB,EAAxB,CwxaxB,EvvaqD,SwxarD,CvvaD,C;MACX,QAAQ,C;MACQ,OA9PL,KA
8PK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhQqB,GAgQP,
gQP,UAAK,UAAL,EAAK,kBAAL,SAhQO,EAgQI,OAhQJ,CAgQrB,C;;MAhQT,OAkQO,I;IAjQX,C;;MA+QoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB0zaJ,MAAK,KyxaZwB,wBApQzB,KAoQyB,EAAwB,EAAxB,C0zaxB,EyxaqD,S0zarD,CyxaD,C;MACX,QAAQ,C;MACQ,OAtQL,KAsQK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxQqB,GAwQP,UAAK,UAAL,EAAK,kBAAL,SAxQO,E
AwQI,OAxQJ,CAwQrB,C;;MAxQT,OA0QO,I;IAzQX,C;;MAuRoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB2zaJ,MAAK,K
1xaZwB,wBA5QzB,KA4QyB,EAAwB,EAAxB,C2zaxB,E1xaqD,S2zarD,C1xaD,C;MACX,QAAQ,C;MACQ,OA9QL,KA
8QK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhRqB,GAgRP,
gRP,UAAK,UAAL,EAAK,kBAAL,SAhRO,EAgRI,OAhRJ,CAgRrB,C;;MAhRT,OAkRO,I;IAjRX,C;;MA+RoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB40aJ,MAAK,K3yaZwB,wBApRzB,KAoRyB,EAAwB,EAAxB,C40axB,E3yaqD,S40arD,C3yaD,C;MACX,QAAQ,C;MACQ,OAtRL,KAsRK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxRqB,GAwRP,UAAK,UAAL,EAAK,kBAAL,SAxRO,E
AwRI,OAxRJ,CAwRrB,C;;MAxRT,OA0RO,I;IAzRX,C;;MAuSoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB61aJ,MAAK,K
5zaZwB,wBA5RzB,KA4RyB,EAAwB,EAAxB,C61axB,E5zaqD,S61arD,C5zaD,C;MACX,QAAQ,C;MACQ,OA9RL,KA
8RK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhSqB,GAgSP,
gSP,UAAK,UAAL,EAAK,kBAAL,SAhSO,EAgSI,OAhSJ,CAgSrB,C;;MAhST,OAkSO,I;IAjSX,C;;MA+SoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB83aJ,MAAK,K7zaZwB,wBApSzB,KAoSyB,EAAwB,EAAxB,C83axB,E7zaqD,S83arD,C7zaD,C;MACX,QAAQ,C;MACQ,OAtSL,KAsSK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxSqB,GAwSP,UAAK,UAAL,EAAK,kBAAL,SAxSO,E
AwSI,OAxSJ,CAwSrB,C;;MAxST,OA0SO,I;IAzSX,C;;MAuToB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB+3aJ,MAAK,K
94aZwB,wBA5SzB,KA4SyB,EAAwB,EAAxB,C+3axB,E94aqD,S+3arD,C94aD,C;MACX,QAAQ,C;MACQ,OA9SL,KA
8SK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhTqB,GAgTP,
gTP,UAAK,UAAL,EAAK,kBAAL,SAhTO,EAgTI,OAhTJ,CAgTrB,C;;MAhTT,OAkTO,I;IAjTX,C;;MA+ToB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBg6aJ,MAAK,K/4aZwB,wBApTzB,KAoTyB,EAAwB,EAAxB,Ch6axB,E/4aqD,Sg6arD,C/4aD,C;MACX,QAAQ,C;MACQ,OAtTL,KAsTK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxTqB,GAwTP,UAAK,UAAL,EAAK,kBAAL,SAxTO,E
AwTI,OAxTJ,CAwTrB,C;;MAxTT,OA0TO,I;IAzTX,C;;MAuUoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBi8aJ,MAAK,K
h6aZwB,wBA5TzB,KA4TyB,EAAwB,EAAxB,Ci8axB,Eh6aqD,Si8arD,Ch6aD,C;MACX,QAAQ,C;MACQ,OA9TL,KA
8TK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhUqB,GAgUP,
gUP,UAAK,UAAL,EAAK,kBAAL,SAhUO,EAgUI,OAhUJ,CAgUrB,C;;MAhUT,OAkUO,I;IAjUX,C;;MA+UoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBk+aJ,MAAK,Kj8aZwB,wBApUzB,KAoUyB,EAAwB,EAAxB,Ck+axB,Ej8aqD,Sk+arD,Cj8aD,C;MACX,QAAQ,C;MACQ,OAtUL,KAsUK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxUqB,GAwUP,UAAK,UAAL,EAAK,kBAAL,SAxUO,E
AwUI,OAxUJ,CAwUrB,C;;MAxUT,OA0UO,I;IAzUX,C;;MAuVoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBm/aJ,MAAK,K
l+aZwB,wBA5UzB,KA4UyB,EAAwB,EAAxB,Cm/axB,El+aqD,Sm/arD,Cl+aD,C;MACX,QAAQ,C;MACQ,OA9UL,KA
8UK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhVqB,GAgVP,
gVP,UAAK,UAAL,EAAK,kBAAL,SAhVO,EAgVI,OAhVJ,CAgVrB,C;;MAhVT,OAkVO,I;IAjVX,C;;MA+VoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBogbJ,MAAK,KngbZwB,wBApVzB,KAoVyB,EAAwB,EAAxB,CogbxB,EngbqD,SogbrD,CngbD,C;MACX,QAAQ,C;MACQ,OAtVL,KAsVK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxVqB,GAwVP,UAAK,UAAL,EAAK,kBAAL,SAxVO,E
AwVI,OAxVJ,CAwVrB,C;;MAxVT,OA0VO,I;IAzVX,C;;MAuWoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBqhbJ,MAAK,K
phaZwB,wBA5VzB,KA4VyB,EAAwB,EAAxB,CqhbxB,EphaqD,SqhbrD,CphaD,C;MACX,QAAQ,C;MACQ,OA9VL,KA
8VK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhWqB,GAgWP,
gWP,UAAK,UAAL,EAAK,kBAAL,SAhWO,EAgWI,OAhWJ,CAgWrB,C;;MAhWT,OAkWO,I;IAjWX,C;;MA+WoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBsibJ,MAAK,KrhaZwB,wBApWzB,KAoWyB,EAAwB,EAAxB,CsibxB,ErhaqD,SsibrD,CrhaD,C;MACX,QAAQ,C;MACQ,OAtWL,KAsWK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxWqB,GAwWP,UAAK,UAAL,EAAK,kBAAL,SAxWO,E
AwWI,OAxWJ,CAwWrB,C;;MAxWT,OA0WO,I;IAzWX,C;;MAuXoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBwkbJ,MAAK,K
vjaZwB,wBA5WzB,KA4WyB,EAAwB,EAAxB,CwkbxB,EvjaqD,SwkbrD,CvjaD,C;MACX,QAAQ,C;MACQ,OA9WL,KA
8WK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhXqB,GAgXP,
gXP,UAAK,UAAL,EAAK,kBAAL,SAhXO,EAgXI,OAhXJ,CAgXrB,C;;MAhXT,OAkXO,I;IAjXX,C;;MA+YoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB0mbJ,MAAK,KzkaZwB,wBApXzB,KAoXyB,EAAwB,EAAxB,C0mbxB,EzkaqD,S0mbrD,CzkaD,C;MACX,QAAQ,C;MACQ,OAtXL,KAsXK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxXqB,GAwXP,UAAK,UAAL,EAAK,kBAAL,SAxXO,E
AwXI,OAxXJ,CAwXrB,C;;MAxXT,OA0XO,I;IAzXX,C;;MAuYoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB2mbJ,MAAK,K
1kaZwB,wBA5XzB,KA4XyB,EAAwB,EAAxB,C2mbxB,E1kaqD,S2mbrD,C1kaD,C;MACX,QAAQ,C;MACQ,OA9XL,KA
8XK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhYqB,GAgYP,
gYP,UAAK,UAAL,EAAK,kBAAL,SAhYO,EAgYI,OAhYJ,CAgYrB,C;;MAhYT,OAkYO,I;IAjYX,C;;MA+ZoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB4obJ,MAAK,K3maZwB,wBApYzB,KAoYyB,EAAwB,EAAxB,C4obxB,E3maqD,S4obrD,C3maD,C;MACX,QAAQ,C;MACQ,OAtYL,KAsYK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxYqB,GAwYP,UAAK,UAAL,EAAK,kBAAL,SAxYO,E
AwYI,OAxYJ,CAwYrB,C;;MAxYT,OA0YO,I;IAzYX,C;;MAuZoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB6obJ,MAAK,K
5maZwB,wBA5YzB,KA4YyB,EAAwB,EAAxB,C6obxB,E5maqD,S6obrD,C5maD,C;MACX,QAAQ,C;MACQ,OA9YL,KA
8YK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhZqB,GAgZP,
gZP,UAAK,UAAL,EAAK,kBAAL,SAhZO,EAgZI,OAhZJ,CAgZrB,C;;MAhZT,OAkZO,I;IAjZX,C;;MA+aoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB8qbJ,MAAK,K7oaZwB,wBApZzB,KAoZyB,EAAwB,EAAxB,C8qbxB,E7oaqD,S8qbrD,C7oaD,C;MACX,QAAQ,C;MACQ,OAtZL,KAsZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxZqB,GAwZP,UAAK,UAAL,EAAK,kBAAL,SAxZO,E
AwZI,OAxZJ,CAwZrB,C;;MAxZT,OA0ZO,I;IAzZX,C;;MAuaoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB+qbJ,MAAK,K
9oaZwB,wBA5ZzB,KA4ZyB,EAAwB,EAAxB,C+qbxB,E9oaqD,S+qbrD,C9oaD,C;MACX,QAAQ,C;MACQ,OA9ZL,KA
8ZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhaqB,GAgaP,
gaP,UAAK,UAAL,EAAK,kBAAL,SAhaO,EAgaI,OAhaJ,CAgarB,C;;MAhaT,OAkaO,I;IAjaX,C;;MA+boB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBgtbJ,MAAK,K/qaZwB,wBApazB,KAoayB,EAAwB,EAAxB,ChtbxB,E/qaqD,SgtbrD,C/qaD,C;MACX,QAAQ,C;MACQ,OAtaL,KAsaK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxaqB,GAwaP,UAAK,UAAL,EAAK,kBAAL,SAxaO,E
AwaI,OAxaJ,CAwarB,C;;MAxaT,OA0aO,I;IAzaX,C;;MAucoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBivbJ,MAAK,K
hsaZwB,wBA5azB,KA4ayB,EAAwB,EAAxB,CivbxB,EhsaqD,SivbrD,ChsaD,C;MACX,QAAQ,C;MACQ,OA9aL,KA
8aK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhbqB,GAgbP,
gbP,UAAK,UAAL,EAAK,kBAAL,SAhbO,EAgbI,OAhbJ,CAgbrB,C;;MAhbT,OAkbO,I;IAjbX,C;;MA+coB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBkwbJ,MAAK,KjuaZwB,wBApbzB,KAobyB,EAAwB,EAAxB,ClwbxB,EjuaqD,SkwbrD,CjuaD,C;MACX,QAAQ,C;MACQ,OAtbL,KAsbK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxbqB,GAwbP,UAAK,UAAL,EAAK,kBAAL,SAxbO,E
AwbI,OAxbJ,CAwbrB,C;;MAxbT,OA0bO,I;IAzbX,C;;MAudoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBmybJ,MAAK,K
lwaZwB,wBA5bzB,KA4byB,EAAwB,EAAxB,CmybxB,ElwaqD,SmybrD,ClwaD,C;MACX,QAAQ,C;MACQ,OA9bL,KA
8bK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhcqB,GAgcP,
gcP,UAAK,UAAL,EAAK,kBAAL,SAhcO,EAgcI,OAhcJ,CAgcrB,C;;MAhcT,OAkcO,I;IAjcX,C;;MA+doB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBo0bJ,MAAK,KnyaZwB,wBApczB,KAocyB,EAAwB,EAAxB,Co0bxB,EnyaqD,So0brD,CnyaD,C;MACX,QAAQ,C;MACQ,OAtcL,KAscK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxcqB,GAwcP,UAAK,UAAL,EAAK,kBAAL,SAxcO,E
AwcI,OAxcJ,CAwcrB,C;;MAxcT,OA0cO,I;IAzcX,C;;MAudoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBq2bJ,MAAK,K
pzaZwB,wBA5czB,KA4cyB,EAAwB,EAAxB,Cq2bxB,EpzaqD,Sq2brD,CpzaD,C;MACX,QAAQ,C;MACQ,OA9cL,KA
8cK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhdqB,GAgdP,
gdP,UAAK,UAAL,EAAK,kBAAL,SAhdO,EAgdI,OAhdJ,CAgdrB,C;;MAhdT,OAkdO,I;IAjdX,C;;MA+eoB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBs4bJ,MAAK,KrzaZwB,wBApdzB,KAodyB,EAAwB,EAAxB,Cs4bxB,ErzaqD,Ss4brD,CrzaD,C;MACX,QAAQ,C;MACQ,OAtdL,KAsdK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxdqB,GAwdP,UAAK,UAAL,EAAK,kBAAL,SAxdO,E
AwdI,OAxdJ,CAwdrB,C;;MAxdT,OA0dO,I;IAzdX,C;;MAueoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBu6bJ,MAAK,K
t0aZwB,wBA5dzB,KA4dyB,EAAwB,EAAxB,Cu6bxB,Et0aqD,Su6brD,Ct0aD,C;MACX,QAAQ,C;MACQ,OA9dL,KA
8dK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAheqB,GAgeP,
geP,UAAK,UAAL,EAAK,kBAAL,SAheO,EAgeI,OAheJ,CAgerB,C;;MAheT,OAkeO,I;IAjeX,C;;MA+foB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iBw8bJ,MAAK,Kv1aZwB,wBApezB,KAoeyB,EAAwB,EAAxB,Cw8bxB,Ev1aqD,Sw8brD,Cv1aD,C;MACX,QAAQ,C;MACQ,OAteL,KAseK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxeqB,GAweP,UAAK,UAAL,EAAK,kBAAL,SAxeO,E
AweI,OAxeJ,CAwerB,C;;MAxeT,OA0eO,I;IAzeX,C;;MAugBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBy+bJ,MAAK,K
x3aZwB,wBA5ezB,KA4eyB,EAAwB,EAAxB,Cy+bxB,Ex3aqD,Sy+brD,Cx3aD,C;MACX,QAAQ,C;MACQ,OA9eL,KA
8eK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhfqB,GAgfP,
gfP,UAAK,UAAL,EAAK,kBAAL,SAhfO,EAgfI,OAhfJ,CAgfrB,C;;MAhfT,OAkfO,I;IAjfX,C;;MA+goB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB0gcJ,MAAK,Kz4aZwB,wBApfzB,KAofyB,EAAwB,EAAxB,C0gcxB,Ez4aqD,S1gcrD,Cz4aD,C;MACX,QAAQ,C;MACQ,OAtfL,KAsfK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxfqB,GAwfP,UAAK,UAAL,EAAK,kBAAL,SAxfO,E
AwfI,OAxfJ,CAwfrB,C;;MAxfT,OA0fO,I;IAzfX,C;;MAuhBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB2icJ,MAAK,K
15aZwB,wBA5fzB,KA4fyB,EAAwB,EAAxB,C2icxB,E15aqD,S3icrD,C15aD,C;MACX,QAAQ,C;MACQ,OA9fL,KA
8fK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhgBqB,GAgfP,
gfP,UAAK,UAAL,EAAK,kBAAL,SAhfO,EAgfI,OAhfJ,CAgfrB,C;;MAhfT,OAkfO,I;IAjfX,C;;MA+goB,gB;MA
HhB,gBAAgB,gB;MAChB,WAAW,iB4kcJ,MAAK,K35aZwB,wBApfzB,KAofyB,EAAwB,EAAxB,C4kcxB,E35aqD,S5kcrD,C35aD,C;MACX,QAAQ,C;MACQ,OAtfL,KAsfK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxfqB,GAwfP,UAAK,UAAL,EAAK,kBAAL,SAxfO,E
AwfI,OAxfJ,CAwfrB,C;;MAxfT,OA0fO,I;IAzfX,C;;MAuhBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iB6mcJ,MAAK,K
55aZwB,wBA5fzB,KA4fyB,EAAwB,EAAxB,C6mcxB,E55aqD,S7mcrD,C55aD,C;MACX,QAAQ,C;MACQ,OA9fL,KA
8fK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,

;MxBkyZA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ewBpyZJ,MAAK,KxBoyZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBpyZxB,ExBoyZqD,SwBpyZrD,CxBoyZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBpzZA,iB;MxBozZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBtzZJ,MAAK,KxBszZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBtzZxB,ExBszZqD,SwBtzZrD,CxBszZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBt0ZA,iB;MxBs0ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBx0ZJ,MAAK,KxBw0ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBx0ZxB,ExBw0ZqD,SwBx0ZrD,CxBw0ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB11ZA,iB;MxB01ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB51ZJ,MAAK,KxB41ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwB51ZxB,ExB41ZqD,SwB51ZrD,CxB41ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB92ZA,iB;MxB82ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBh3ZJ,MAAK,KxBg3ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBh3ZxB,ExBg3ZqD,SwBh3ZrD,CxBg3ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl4ZA,iB;MxBk4ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBp4ZJ,MAAK,KxBo4ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBp4ZxB,ExBo4ZqD,SwBp4ZrD,CxBo4ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBt5ZA,iB;MxBs5ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBx5ZJ,MAAK,KxBw5ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBx5ZxB,ExBw5ZqD,SwBx5ZrD,CxBw5ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB16ZA,iB;MxB06ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB56ZJ,MAAK,KxB46ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwB56ZxB,ExB46ZqD,SwB56ZrD,CxB46ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB97ZA,iB;MxB87ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBh8ZJ,MAAK,KxBg8ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBh8ZxB,ExBg8ZqD,SwBh8ZrD,CxBg8ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl9ZA,iB;MxBk9ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBp9ZJ,MAAK,KxBo9ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBp9ZxB,ExBo9ZqD,SwBp9ZrD,CxBo9ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBt+ZA,iB;MxBs+ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBx+ZJ,MAAK,KxBw+ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwBx+ZxB,ExBw+ZqD,SwBx+ZrD,CxBw+ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1/ZA,iB;MxB0/ZA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5/ZJ,MAAK,KxB4/ZwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5/ZxB,ExB4/ZqD,SwB5/ZrD,CxB4/ZD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlhaA,iB;MxBkhaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBphaJ,MAAK,KxBohawB,wBAAN,KAAM,EAAwB,EAAxB,CwBphaxB,ExBohaqD,SwBpharD,CxBohaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1iaA,iB;MxB0iaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5iaJ,MAAK,KxB4iawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5iaxB,ExB4iaqD,SwB5iarD,CxB4iaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlkaA,iB;MxBkkaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpkaJ,MAAK,KxBokawB,wBAAN,KAAM,EAAwB,EAAxB,CwBpkaxB,ExBokaqD,SwBpkarD,CxBokaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1maA,iB;MxB0maA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5maJ,MAAK,KxB4mawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5maxB,ExB4maqD,SwB5marD,CxB4maD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlpaA,iB;MxBkpaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBppaJ,MAAK,KxBopawB,wBAAN,KAAM,EAAwB,EAAxB,CwBppaxB,ExBopaqD,SwBpparD,CxBopaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1qaA,iB;MxB0qaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5qaJ,MAAK,KxB4qawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5qaxB,ExB4qaqD,SwB5qarD,CxB4qaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlsaA,iB;MxBksaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpsaJ,MAAK,KxBosawB,wBAAN,KAAM,EAAwB,EAAxB,CwBpsaxB,ExBosaqD,SwBpsarD,CxBosaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1taA,iB;MxB0taA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5taJ,MAAK,KxB4tawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5taxB,ExB4taqD,SwB5tarD,CxB4taD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlvaA,iB;MxBkvaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpvaJ,MAAK,KxBovawB,wBAAN,KAAM,EAAwB,EAAxB,CwBpvaxB,ExBovaqD,SwBpvarD,CxBovaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1waA,iB;MxB0waA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5waJ,MAAK,KxB4wawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5waxB,ExB4waqD,SwB5warD,CxB4waD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlxaA,iB;MxBkxaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpxaJ,MAAK,KxBoxawB,wBAAN,KAAM,EAAwB,EAAxB,CwBpxaxB,ExBoxaqD,SwBpxarD,CxBoxaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1yaA,iB;MxB0yaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5yaJ,MAAK,KxB4yawB,wBAAN,KAAM,EAAwB,EAAxB,CwB5yaxB,ExB4yaqD,SwB5yarD,CxB4yaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlzaA,iB;MxBkzaA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpzaJ,MAAK,KxBozawB,wBAAN,KAAM,EAAwB,EAAxB,CwBpzaxB,ExBozaqD,SwBpzarD,CxBozaD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB10aA,iB;MxB00aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB50aJ,MAAK,KxB40awB,wBAAN,KAAM,EAAwB,EAAxB,CwB50axB,ExB40aqD,SwB50arD,CxB40aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl2aA,iB;MxBk2aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBp2aJ,MAAK,KxBo2awB,wBAAN,KAAM,EAAwB,EAAxB,CwBp2axB,ExBo2aqD,SwBp2arD,CxBo2aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB13aA,iB;MxB03aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB53aJ,MAAK,KxB43awB,wBAAN,KAAM,EAAwB,EAAxB,CwB53axB,ExB43aqD,SwB53arD,CxB43aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl5aA,iB;MxBk5aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBp5aJ,MAAK,KxBo5awB,wBAAN,KAAM,EAAwB,EAAxB,CwBp5axB,ExBo5aqD,SwBp5arD,CxBo5aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBt6aA,iB;MxBs6aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBx6aJ,MAAK,KxBw6awB,wBAAN,KAAM,EAAwB,EAAxB,CwBx6axB,ExBw6aqD,SwBx6arD,CxBw6aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB17aA,iB;MxB07aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB57aJ,MAAK,KxB47awB,wBAAN,KAAM,EAAwB,EAAxB,CwB57axB,ExB47aqD,SwB57arD,CxB47aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl9aA,iB;MxBk9aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBp9aJ,MAAK,KxBo9awB,wBAAN,KAAM,EAAwB,EAAxB,CwBp9axB,ExBo9aqD,SwBp9arD,CxBo9aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBt+aA,iB;MxBs+aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBx+aJ,MAAK,KxBw+awB,wBAAN,KAAM,EAAwB,EAAxB,CwBx+axB,ExBw+aqD,SwBx+arD,CxBw+aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1/aA,iB;MxB0/aA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5/aJ,MAAK,KxB4/awB,wBAAN,KAAM,EAAwB,EAAxB,CwB5/axB,ExB4/aqD,SwB5/arD,CxB4/aD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlhbA,iB;MxBkhbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBphbJ,MAAK,KxBohbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBphbxB,ExBohbqD,SwBphbrD,CxBohbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1ibA,iB;MxB0ibA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5ibJ,MAAK,KxB4ibwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5ibxB,ExB4ibqD,SwB5ibrD,CxB4ibD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlkbA,iB;MxBkkbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpkbJ,MAAK,KxBokbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBpkbxB,ExBokbqD,SwBpkbrD,CxBokbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1mbA,iB;MxB0mbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5mbJ,MAAK,KxB4mbwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5mbxB,ExB4mbqD,SwB5mbrD,CxB4mbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlpbA,iB;MxBkpbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBppbJ,MAAK,KxBopbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBppbxB,ExBopbqD,SwBppbrD,CxBopbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1qbA,iB;MxB0qbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5qbJ,MAAK,KxB4qbwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5qbxB,ExB4qbqD,SwB5qbrD,CxB4qbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlsbA,iB;MxBksbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpsbJ,MAAK,KxBosbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBpsbxB,ExBosbqD,SwBpsbrD,CxBosbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1tbA,iB;MxB0tbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5tbJ,MAAK,KxB4tbwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5tbxB,ExB4tbqD,SwB5tbrD,CxB4tbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlvbA,iB;MxBkvbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpvbJ,MAAK,KxBovbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBpvbxB,ExBovbqD,SwBpvbrD,CxBovbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1wbA,iB;MxB0wbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5wbJ,MAAK,KxB4wbwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5wbxB,ExB4wbqD,SwB5wbrD,CxB4wbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBlxbA,iB;MxBkxbA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewBpxbJ,MAAK,KxBoxbwB,wBAAN,KAAM,EAAwB,EAAxB,CwBpxbxB,ExBoxbqD,SwBpxbrD,CxBoxbD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwB1ybA,iB;MxB0ybA,8C;QAAWoB,UAAEY,M;QAAL5B,gBAAAgB,gB;QAAChB,WAAW,ewB5ybJ,MAAK,KxB4ybwB,wBAAN,KAAM,EAAwB,EAAxB,CwB5ybxB,ExB4ybqD,SwB5ybrD,CxB4ybD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAAhB A,C;+EAAkB A,yB;MAAA A,kF;MAAA A,gE;MwBl0bA,iB;MxBk0bA,8C;QAAWoB,UAAEY,M;

B2+ZW,KAAM,OwB3+ZjB,C;QxB4+ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB1/ZA,iB;MxB0/ZA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB1/ZA,iBaA,iB;MbA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MwB1/ZA,iBcA,iB;MdA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBeA,iBfA,iB;MeA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBgBA,iBhBA,iB;MgBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBiBA,iBjBA,iB;MiBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBkBA,iBlBA,iB;MkBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBmBA,iBnBA,iB;MmBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBoBA,iBpBA,iB;MoBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBqBA,iBrBA,iB;MqBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBsBA,iBtBA,iB;MsBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBuBA,iBvBA,iB;MuBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBwBA,iBxBA,iB;MwBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iByBA,iBzBA,iB;MyBA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB0BA,iB1BA,iB;M0BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB2BA,iB3BA,iB;M2BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB4BA,iB5BA,iB;M4BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB6BA,iB7BA,iB;M6BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB8BA,iB9BA,iB;M8BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB+BA,iB/BA,iB;M+BA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBgCA,iBhCA,iB;MgCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBiCA,iBjCA,iB;MiCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBkCA,iBlCA,iB;MkCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBmCA,iBnCA,iB;MmCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBoCA,iBpCA,iB;MoCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBqCA,iBrCA,iB;MqCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBsCA,iBtCA,iB;MsCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBuCA,iBvCA,iB;MuCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBwCA,iBxCA,iB;MwCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iByCA,iBzCA,iB;MyCA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB0CA,iB1CA,iB;M0CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB2CA,iB3CA,iB;M2CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB4CA,iB5CA,iB;M4CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB6CA,iB7CA,iB;M6CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB8CA,iB9CA,iB;M8CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB+CA,iB/CA,iB;M+CA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBgDA,iBhDA,iB;MgDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBiDA,iBjDA,iB;MiDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBkDA,iBlDA,iB;MkDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBmDA,iBnDA,iB;MmDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBoDA,iBpDA,iB;MoDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBqDA,iBrDA,iB;MqDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBsDA,iBtDA,iB;MsDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBuDA,iBvDA,iB;MuDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBwDA,iBxDA,iB;MwDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iByDA,iBzDA,iB;MyDA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB0DA,iB1DA,iB;M0DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB2DA,iB3DA,iB;M2DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB4DA,iB5DA,iB;M4DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB6DA,iB7DA,iB;M6DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB8DA,iB9DA,iB;M8DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iB+DA,iB/DA,iB;M+DA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBgEA,iBhEA,iB;MgEA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBiEA,iBjEA,iB;MiEA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBkEA,iBlEA,iB;MkEA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBmEA,iBnEA,iB;MmEA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MwB1/ZA,iBoEA,iBpEA,iB;MoEA,8C;QAQI,WwB3/ZO,MAAK,KxB2/ZK,gBwB3/ZL,ZL,ExB2/ZW,KAAM,OwB3/ZjB,ZjB,C;QxB4/ZZ,ZZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,C

O,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,IAAb,S;UAAmB,IAAI,iBAAJ,C;YAAe,MAAO,gBAAO,UAAP,C;UACzC,MAAO,gBAAO,OAAP,C;QACP,MAAO,gBAAO,SAAP,C;MACX,C;MAAA,OAAO,M;IACX,C;;MAU2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAGpO,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,IAAb,S;UAAmB,IAAI,iBAAJ,C;YAAe,MAAO,gBAAO,UAAP,C;UACzC,MAAO,gBAAO,OAAP,C;QACP,MAAO,gBAAO,SAAP,C;MACX,C;MAAA,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGlO,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,IAAb,S;UAAmB,IAAI,iBAAJ,C;YAAe,MAAO,gBAAO,UAAP,C;UACzC,MAAO,gBAAO,OAAP,C;QACP,MAAO,gBAAO,SAAP,C;MACX,C;MAAA,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGn

ACtB,kCAAgB,4BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhB,IA7zOO,qBAAQ,CA6zOf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wB

BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MyB5+bI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAI,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,OAApB,KAAgC,OAAhC,KAA4C,OAA5C,KAAwD,OAAxD,KAAoE,OAApE,KAAgF,OAAhF,KAA4F,OAA5F,KAAwG,OAAxG,KAAoH,OAApH,KAAgI,OAAhI,KAA4I,OAA5I,KAAwJ,OAAxJ,KAAoK,OAApK,KAAgL,OAAhL,KAA4L,OAA5L,KAAwM,OAAxM,KAAoN,OAApN,KAAgO,OAAhO,KAA4O,OAA5O,KAAwP,OAAxP,KAAoQ,OAApQ,KAAgR,OAAhR,KAA4R,OAA5R,KAAwS,OAAxS,KAAoT,OAApT,KAAgU,OAAhU,KAA4U,OAA5U,KAAwV,OAAxV,KAAoW,OAApW,KAAgX,OAAhX,KAA4X,OAA5X,KAAwY,OAAxY,KAAoZ,OAApZ,KAAga,OAAha,KAA4a,OAA5a,KAAwb,OAAxb,KAAoc,OAApc,KAAgd,OAAhd,KAA4d,OAA5d,KAAwe,OAAxe,KAAof,OAApf,KAAgg,OAAhg,KAA4g,OAA5g,KAAwhB,OAAxhB,KAAoiB,OAApiB,KAAgjB,OAAhjB,KAA4jB,OAA5jB,KAAwkB,OAAxkB,KAAolB,OAAplB,KAAgmB,OAAhmB,KAA4mB,OAA5mB,KAAwnB,OAAxnB,KAAooB,OAApoB,KAAgpB,OAAhpB,KAA4pB,OAA5pB,KAAwqB,OAAxqB,KAAorB,OAAprB,KAAgsB,OAAhsB,KAA4sB,OAA5sB,KAAwtB,OAAxtB,KAAouB,OAApuB,KAAgvB,OAAhvB,KAA4vB,OAA5vB,KAAwwB,OAAxwB,KAAoxB,OAApxB,KAAgyB,OAAhyB,KAA4yB,OAA5yB,KAAwzB,OAAxzB,KAAo0B,OAAp0B,KAAg1B,OAAh1B,KAA41B,OAA51B,KAAw2B,OAAx2B,KAAo3B,OAAp3B,KAAg4B,OAAh4B,KAA44B,OAA54B,KAAw5B,OAAx5B,KAAo6B,OAAp6B,KAAg7B,OAAh7B,KAA47B,OAA57B,KAAw8B,OAAx8B,KAAo9B,OAAp9B,KAAg+B,OAAh+B,KAA4+B,OAA5+B,KAAwgC,OAAxgC,KAAohC,OAAphC,KAAgiC,OAAhiC,KAA4iC,OAA5iC,KAAwjC,OAAxjC,KAAokC,OAApkC,KAAglC,OAAhlC,KAA4lC,OAA5lC,KAAwmC,OAAxmC,KAAonC,OAApnC,KAAgoC,OAAhoC,KAA4oC,OAA5oC,KAAwpC,OAAxpC,KAAoqC,OAApqC,KAAgrC,OAAhrC,KAA4rC,OAA5rC,KAAwsC,OAAxsC,KAAotC,OAAptC,KAAguC,OAAhuC,KAA4uC,OAA5uC,KAAwvC,OAAxvC,KAAowC,OAApwC,KAAgxC,OAAhxC,KAA4xC,OAA5xC,KAAwyC,OAAxyC,KAAozC,OAApzC,KAAg0C,OAAh0C,KAA40C,OAA50C,KAAw1C,OAAx1C,KAAo2C,OAAp2C,KAAg3C,OAAh3C,KAA43C,OAA53C,KAAw4C,OAAx4C,KAAo5C,OAAp5C,KAAg6C,OAAh6C,KAA46C,OAA56C,KAAw7C,OAAx7C,KAAo8C,OAAp8C,KAAg9C,OAAh9C,KAA49C,OAA59C,KAAw+C,OAAx+C,KAAo/C,OAAp/C,KAAggD,OAAhgD,KAA4gD,OAA5gD,KAAwhD,OAAxhD,KAAoiD,OAApiD,KAAgjD,OAAhjD,KAA4jD,OAA5jD,KAAwkD,OAAxkD,KAAolD,OAAplD,KAAgmD,OAAhmD,KAA4mD,OAA5mD,KAAwnD,OAAxnD,KAAooD,OAApoD,KAAgpD,OAAhpD,KAA4pD,OAA5pD,KAAwqD,OAAxqD,KAAorD,OAAprD,KAAgsD,OAAhsD,KAA4sD,OAA5sD,KAAwtD,OAAxtD,KAAouD,OAApuD,KAAgvD,OAAhvD,KAA4vD,OAA5vD,KAAwwD,OAAxwD,KAAoxD,OAApxD,KAAgyD,OAAhyD,KAA4yD,OAA5yD,KAAwzD,OAAxzD,KAAo0D,OAAp0D,KAAg1D,OAAh1D,KAA41D,OAA51D,KAAw2D,OAAx2D,KAAo3D,OAAp3D,KAAg4D,OAAh4D,KAA44D,OAA54D,KAAw5D,OAAx5D,KAAo6D,OAAp6D,KAAg7D,OAAh7D,KAA47D,OAA57D,KAAw8D,OAAx8D,KAAo9D,OAAp9D,KAAg+D,OAAh+D,KAA4+D,OAA5+D,KAAwgE,OAAxgE,KAAohE,OAAphE,KAAgiE,OAAhiE,KAA4iE,OAA5iE,KAAwjE,OAAxjE,KAAokE,OAApkE,KAAglE,OAAhlE,KAA4lE,OAA5lE,KAAwmE,OAAxmE,KAAonE,OAApnE,KAAgoE,OAAhoE,KAA4oE,OAA5oE,KAAwpE,OAAxpE,KAAoqE,OAApqE,KAAgrE,OAAhrE,KAA4rE,OAA5rE,KAAwsE,OAAxsE,KAAotE,OAAptE,KAAguE,OAAhuE,KAA4uE,OAA5uE,KAAwvE,OAAxvE,KAAowE,OAApwE,KAAgxE,OAAhxE,KAA4xE,OAA5xE,KAAwyE,OAAxyE,KAAozE,OAApzE,KAAg0E,OAAh0E,KAA40E,OAA50E,KAAw1E,OAAx1E,KAAo2E,OAAp2E,KAAg3E,OAAh3E,KAA43E,OAA53E,KAAw4E,OAAx4E,KAAo5E,OAAp5E,KAAg6E,OAAh6E,KAA46E,OAA56E,KAAw7E,OAAx7E,KAAo8E,OAAp8E,KAAg9E,OAAh9E,KAA49E,OAA59E,KAAw+E,OAAx+E,KAAo/E,OAAp/E,KAAggF,OAAhgF,KAA4gF,OAA5gF,KAAwhF,OAAxhF,KAAoiF,OAApiF,KAAgjF,OAAhjF,KAA4jF,OAA5jF,KAAwkF,OAAxkF,KAAolF,OAAplF,KAAgmF,OAAhmF,KAA4mF,OAA5mF,KAAwnF,OAAxnF,KAAooF,OAApoF,KAAgpF,OAAhpF,KAA4pF,OAA5pF,KAAwqF,OAAxqF,KAAorF,OAAprF,KAAgsF,OAAhsF,KAA4sF,OAA5sF,KAAwtF,OAAxtF,KAAouF,OAApuF,KAAgvF,OAAhvF,KAA4vF,OAA5vF,KAAwwF,OAAxwF,KAAoxF,OAApxF,KAAgyF,OAAhyF,KAA4yF,OAA5yF,KAAwzF,OAAxzF,KAAo0F,OAAp0F,KAAg1F,OAAh1F,KAA41F,OAA51F,KAAw2F,OAAx2F,KAAo3F,OAAp3F,KAAg4F,OAAh4F,KAA44F,OAA54F,KAAw5F,OAAx5F,KAAo6F,OAAp6F,KAAg7F,OAAh7F,KAA47F,OAA57F,KAAw8F,OAAx8F,KAAo9F,OAAp9F,KAAg+F,OAAh+F,KAA4+F,OAA5+F,KAAwgG,OAAxgG,KAAohG,OAAphG,KAAgiG,OAAhiG,KAA4iG,OAA5iG,KAAwjG,OAAxjG,KAAokG,OAApkG,KAAglG,OAAhlG,KAA4lG,OAA5lG,KAAwmG,OAAxmG,KAAonG,OAApnG,KAAgoG,OAAhoG,KAA4oG,OAA5oG,KAAwpG,OAAxpG,KAAoqG,OAApqG,KAAgrG,OAAhrG,KAA4rG,OAA5rG,KAAwsG,OAAxsG,KAAotG,OAAptG,KAAguG,OAAhuG,KAA4uG,OAA5uG,KAAwvG,OAAxvG,KAAowG,OAApwG,KAAgxG,OAAhxG,KAA4xG,OAA5xG,KAAwyG,OAAxyG,KAAozG,OAApzG,KAAg0G,OAAh0G,KAA40G,OAA50G,KAAw1G,OAAx1G,KAAo2G,OAAp2G,KAAg3G,OAAh3G,KAA43G,OAA53G,KAAw4G,OAAx4G,KAAo5G,OAAp5G,KAAg6G,OAAh6G,KAA46G,OAA56G,KAAw7G,OAAx7G,KAAo8G,OAAp8G,KAAg9G,OAAh9G,KAA49G,OAA59G,KAAw+G,OAAx+G,KAAo/G,OAAp/G,KAAggH,OAAhgH,KAA4gH,OAA5gH,KAAwhH,OAAxhH,KAAoiH,OAApiH,KAAgjH,OAAhjH,KAA4jH,OAA5jH,KAAwkH,OAAxkH,KAAolH,OAAplH,KAAgmH,OAAhmH,KAA4mH,OAA5mH,KAAwnH,OAAxnH,KAAooH,OAApoH,KAAgpH,OAAhpH,KAA4pH,OAA5pH,KAAwqH,OAAxqH,KAAorH,OAAprH,KAAgsH,OAAhsH,KAA4sH,OAA5sH,KAAwtH,OAAxtH,KAAouH,OAApuH,KAAgvH,OAAhvH,KAA4vH,OAA5vH,KAAwwH,OAAxwH,KAAoxH,OAApxH,KAAgyH,OAAhyH,KAA4yH,OAA5yH,KAAwzH,OAAxzH,KAAo0H,OAAp0H,KAAg1H,OAAh1H,KAA41H,OAA51H,KAAw2H,OAAx2H,KAAo3H,OAAp3H,KAAg4H,OAAh4H,KAA44H,OAA54H,KAAw5H,OAAx5H,KAAo6H,OAAp6H,KAAg7H,OAAh7H,KAA47H,OAA57H,KAAw8H,OAAx8H,KAAo9H,OAAp9H,KAAg+H,OAAh+H,KAA4+H,OAA5+H,KAAwgI,OAAxgI,KAAohI,OAAphI,KAAgiI,OAAhiI,KAA4iI,OAA5iI,KAAwjI,OAAxjI,KAAokI,OAApkI,KAAglI,OAAhlI,KAA4lI,OAA5lI,KAAwmI,OAAxmI,KAAonI,OAApnI,KAAgoI,OAAhoI,KAA4oI,OAA5oI,KAAwpI,OAAxpI,KAAoqI,OAApqI,KAAgrI,OAAhrI,KAA4rI,OAA5rI,KAAwsI,OAAxsI,KAAotI,OAAptI,KAAguI,OAAhuI,KAA4uI,OAA5uI,KAAwvI,OAAxvI,KAAowI,OAApwI,KAAgxI,OAAhxI,KAA4xI,OAA5xI,KAAwyI,OAAxyI,KAAozI,OAApzI,KAAg0I,OAAh0I,KAA40I,OAA50I,KAAw1I,OAAx1I,KAAo2I,OAAp2I,KAAg3I,OAAh3I,KAA43I,OAA53I,KAAw4I,OAAx4I,KAAo5I,OAAp5I,KAAg6I,OAAh6I,KAA46I,OAA56I,KAAw7I,OAAx7I,KAAo8I,OAAp8I,KAAg9I,OAAh9I,KAA49I,OAA59I,KAAw+I,OAAx+I,KAAo/I,OAAp/I,KAAggJ,OAAhgJ,KAA4gJ,OAA5gJ,KAAwhJ,OAAxhJ,KAAoiJ,OAApiJ,KAAgjJ,OAAhjJ,KAA4jJ,OAA5jJ,KAAwkJ,OAAxkJ,KAAolJ,OAAplJ,KAAgmJ,OAAhmJ,KAA4mJ,OAA5mJ,KAAwnJ,OAAxnJ,KAAooJ,OAApoJ,KAAgpJ,OAAhpJ,KAA4pJ,OAA5pJ,KAAwqJ,OAAxqJ,KAAorJ,OAAprJ,KAAgsJ,OAAhsJ,KAA4sJ,OAA5sJ,KAAwtJ,OAAxtJ,KAAouJ,OAApuJ,KAAgvJ,OAAhvJ,KAA4vJ,OAA5vJ,KAAwwJ,OAAxwJ,KAAoxJ,OAApxJ,KAAgyJ,OAAhyJ,KAA4yJ,OAA5yJ,KAAwzJ,OAAxzJ,KAAo0J,OAAp0J,KAAg1J,OAAh1J,KAA41J,OAA51J,KAAw2J,OAAx2J,KAAo3J,OAAp3J,KAAg4J,OAAh4J,KAA44J,OAA54J,KAAw5J,OAAx5J,KAAo6J,OAAp6J,KAAg7J,OAAh7J,KAA47J,OAA57J,KAAw8J,OAAx8J,KAAo9J,OAAp9J,KAAg+J,OAAh+J,KAA4+J,OAA5+J,KAAwgK,OAAxgK,KAAohK,OAAphK,KAAgiK,OAAhiK,KAA4iK,OAA5iK,KAAwjK,OAAxjK,KAAokK,OAApkK,KAAglK,OAAhlK,KAA4lK,OAA5lK,KAAwmK,OAAxmK,KAAonK,OAApnK,KAAgoK,OAAhoK,KAA4oK,OAA5oK,KAAwpK,OAAxpK,KAAoqK,OAApqK,KAAgrK,OAAhrK,KAA4rK,OAA5rK,KAAwsK,OAAxsK,KAAotK,OAAptK,KAAguK,OAAhuK,KAA4uK,OAA5uK,KAAwvK,OAAxvK,KAAowK,OAApwK,KAAgxK,OAAhxK,KAA4xK,OAA5xK,KAAwyK,OAAxyK,KAAozK,OAApzK,KAAg0K,OAAh0K,KAA40K,OAA50K,KAAw1K,OAAx1K,KAAo2K,OAAp2K,KAAg3K,OAAh3K,KAA43K,OAA53K,KAAw4K,OAAx4K,KAAo5K,OAAp5K,KAAg6K,OAAh6K,KAA46K,OAA56K,KAAw7K,OAAx7K,KAAo8K,OAAp8K,KAAg9K,OAAh9K,KAA49K,OAA59K,KAAw+K,OAAx+K,KAAo/K,OAAp/K,KAAggL,OAAhgL,KAA4gL,OAA5gL,KAAwhL,OAAxhL,KAAoiL,OAApiL,KAAgjL,OAAhjL,KAA4jL,OAA5jL,KAAwkL,OAAxkL,KAAolL,OAAplL,KAAgmL,OAAhmL,KAA4mL,OAA5mL,KAAwnL,OAAxnL,KAAooL,OAApoL,KAAgpL,OAAhpL,KAA4pL,OAA5pL,KAAwqL,OAAxqL,KAAorL,OAAprL,KAAgsL,OAAhsL,KAA4sL,OAA5sL,KAAwtL,OAAxtL,KAAouL,OAApuL,KAAgvL,OAAhvL,KAA4vL,OAA5vL,KAAwwL,OAAxwL,KAAoxL,OAApxL,KAAgyL,OAAhyL,KAA4yL,OAA5yL,KAAwzL,OAAxzL,KAAo0L,OAAp0L,KAAg1L,OAAh1L,KAA41L,OAA51L,KAAw2L,OAAx2L,KAAo3L,OAAp3L,KAAg4L,OAAh4L,KAA44L,OAA54L,KAAw5L,OAAx5L,KAAo6L,OAAp6L,KAAg7L,OAAh7L,KAA47L,OAA57L,KAAw8L,OAAx8L,KAAo9L,OAAp9L,KAAg+L,OAAh+L,KAA4+L,OAA5+L,KAAwgM,OAAxgM,KAAohM,OAAphM,KAAgiM,OAAhiM,KAA4iM,OAA5iM,KAAwjM,OAAxjM,KAAokM,OAApkM,KAAglM,OAAhlM,KAA4lM,OAA5lM,KAAwmM,OAAxmM,KAAonM,OAApnM,KAAgoM,OAAhoM,KAA4oM,OAA5oM,KAAwpM,OAAxpM,KAAoqM,OAApqM,KAAgrM,OAAhrM,KAA4rM,OAA5rM,KAAwsM,OAAxsM,KAAotM,OAAptM,KAAguM,OAAhuM,KAA4uM,OAA5uM,KAAwvM,OAAxvM,KAAowM,OAApwM,KAAgxM,OAAhxM,KAA4xM,OAA5xM,KAAwyM,OAAxyM,KAAozM,OAApzM,KAAg0M,OAAh0M,KAA40M,OAA50M,KAAw1M,OAAx1M,KAAo2M,OAAp2M,KAAg3M,OAAh3M,KAA43M,OAA53M,KAAw4M,OAAx4M,KAAo5M,OAAp5M,KAAg6M,OAAh6M,KAA46M,OAA56M,KAAw7M,OAAx7M,KAAo8M,OAAp8M,KAAg9M,OAAh9M,KAA49M,OAA59M,KAAw+M,OAAx+M,KAAo/M,OAAp/M,KAAggN,OAAhgN,KAA4gN,OAA5gN,KAAwhN,OAAxhN,KAAoiN,OAApiN,KAAgjN,OAAhjN,KAA4jN,OAA5jN,KAAwkN,OAAxkN,KAAolN,OAAplN,KAAgmN,OAAhmN,KAA4mN,OAA5mN,KAAwnN,OAAxnN,KAAooN,OAApoN,KAAgpN,OAAhpN,KAA4pN,OAA5pN,KAAwqN,OAAxqN,KAAorN,OAAprN,KAAgsN,OAAhsN,KAA4sN,OAA5sN,KAAwtN,OAAxtN,KAAouN,OAApuN,KAAgvN,OAAhvN,KAA4vN,OAA5vN,KAAwwN,OAAxwN,KAAoxN,OAApxN,KAAgyN,OAAhyN,KAA4yN,OAA5yN,KAAwzN,OAAxzN,KAAo0N,OAAp0N,KAAg1N,OAAh1N,KAA41N,OAA51N,KAAw2N,OAAx2N,KAAo3N,OAAp3N,KAAg4N,OAAh4N,KAA44N,OAA54N,KAAw5N,OAAx5N,KAAo6N,OAAp6N,KAAg7N,OAAh7N,KAA47N,OAA57N,KAAw8N,OAAx8N,KAAo9N,OAAp9N,KAAg+N,OAAh+N,KAA4+N,OAA5+N,KAAwgO,OAAxgO,KAAohO,OAAphO,KAAgiO,OAAhiO,KAA4iO,OAA5iO,KAAwjO,OAAxjO,KAAokO,OAApkO,KAAglO,OAAhlO,KAA4lO,OAA5lO,KAAwmO,OAAxmO,KAAonO,OAApnO,KAAgoO,OAAhoO,KAA4oO,OAA5oO,KAAwpO,OAAxpO,KAAoqO,OAApqO,KAAgrO,OAAhrO,KAA4rO,OAA5rO,KAAwsO,OAAxsO,KAAotO,OAAptO,KAAguO,OAAhuO,KAA4uO,OAA5uO,KAAwvO,OAAxvO,KAAowO,OAApwO,KAAgxO,OAAhxO,KAA4xO,OAA5xO,KAAwyO,OAAxyO,KAAozO,OAApzO,KAAg0O,OAAh0O,KAA40O,OAA50O,KAAw1O,OAAx1O,KAAo2O,OAAp2O,KAAg3O,OAAh3O,KAA43O,OAA53O,KAAw4O,OAAx4O,KAAo5O,OAAp5O,KAAg6O,OAAh6O,KAA46O,OAA56O,KAAw7O,OAAx7O,KAAo8O,OAAp8O,KAAg9O,OAAh9O,KAA49O,OAA59O,KAAw+O,OAAx+O,KAAo/O,OAAp/O,KAAggP,OAAhgP,KAA4gP,OAA5gP,KAAwhP,OAAxhP,KAAoiP,OAApiP,KAAgjP,OAAhjP,KAA4jP,OAA5jP,KAAwkP,OAAxkP,KAAolP,OAAplP,KAAgmP,OAAhmP,KAA4mP,OAA5mP,KAAwnP,OAAxnP,KAAooP,OAApoP,KAAgpP,OAAhpP,KAA4pP,OAA5pP,KAAwqP,OAAxqP,KAAorP,OAAprP,KAAgsP,OAAhsP,KAA4sP,OAA5sP,KAAwtP,OAAxtP,KAAouP,OAApuP,KAAgvP,OAAhvP,KAA4vP,OAA5vP,KAAwwP,OAAxwP,KAAoxP,OAApxP,KAAgyP,OAAhyP,KAA4yP,OAA5yP,KAAwzP,OAAxzP,KAAo0P,OAAp0P,KAAg1P,OAAh1P,KAA41P,OAA51P,KAAw2P,OAAx2P,KAAo3P,OAAp3P,KAAg4P,OAAh4P,KAA44P,OAA54P,KAAw5P,OAAx5P,KAAo6P,OAAp6P,KAAg7P,OAAh7P,KAA47P,OAA57P,KAAw8P,OAAx8P,KAAo9P,OAAp9P,KAAg+P,OAAh+P,KAA4+P,OAA5+P,KAAwgQ,OAAxgQ,KAAohQ,OAAphQ,KAAgiQ,OAAhiQ,KAA4iQ,OAA5iQ,KAAwjQ,OAAxjQ,KAAokQ,OAApkQ,KAAglQ,OAAhlQ,KAA4lQ,OAA5lQ,KAAwmQ,OAAxmQ,KAAonQ,OAApnQ,KAAgoQ,OAAhoQ,KAA4oQ,OAA5oQ,KAAwpQ,OAAxpQ,KAAoqQ,OAApqQ,KAAgrQ,OAAhrQ,KAA4rQ,OAA5rQ,KAAwsQ,OAAxsQ,KAAotQ,OAAptQ,KAAguQ,OAAhuQ,KAA4uQ,OAA5uQ,KAAwvQ,OAAxvQ,KAAowQ,OAApwQ,KAAgxQ,OAAhxQ,KAA4xQ,OAA5xQ,KAAwyQ,OAAxyQ,KAAozQ,OAApzQ,KAAg0Q,OAAh0Q,KAA40Q,OAA50Q,KAAw1Q,OAAx1Q,KAAo2Q,OAAp2Q,KAAg3Q,OAAh3Q,KAA43Q,OAA53Q,KAAw4Q,OAAx4Q,KAAo5Q,OAAp5Q,KAAg6Q,OAAh6Q,KAA46Q,OAA56Q,KAAw7Q,OAAx7Q,KAAo8Q,OAAp8Q,KAAg9Q,OAAh9Q,KAA49Q,OAA59Q,KAAw+Q,OAAx+Q,KAAo/Q,OAAp/Q,KAAggR,OAAhgR,KAA4gR,OAA5gR,KAAwhR,OAAxhR,KAAoiR,OAApiR,KAAgjR,OAAhjR,KAA4jR,OAA5jR,KAAwkR,OAAxkR,KAAolR,OAAplR,KAAgmR,OAAhmR,KAA4mR,OAA5mR,KAAwnR,OAAxnR,KAAooR,OAApoR,KAAgpR,OAAhpR,KAA4pR,OAA5pR,KAAwqR,OAAxqR,KAAorR,OAAprR,KAAgsR,OAAhsR,KAA4sR,OAA5sR,KAAwtR,OAAxtR,KAAouR,OAApuR,KAAgvR,OAAhvR,KAA4vR,OAA5vR,KAAwwR,OAAxwR,KAAoxR,OAApxR,KAAgyR,OAAhyR,KAA4yR,OAA5yR,KAAwzR,OAAxzR,KAAo0R,OAAp0R,KAAg1R,OAAh1R,KAA41R,OAA51R,KAAw2R,OAAx2R,KAAo3R,OAAp3R,KAAg4R,OAAh4R,KAA44R,OAA54R,KAAw5R,OAAx5R,KAAo6R,OAAp6R,KAAg7R,OAAh7R,KAA47R,OAA57R,KAAw8R,OAAx8R,KAAo9R,OAAp9R,KAAg+R,OAAh+R,KAA4+R,OAA5+R,KAAwgS,OAAxgS,KAAohS,OAAphS,KAAgiS,OAAhiS,KAA4iS,OAA5iS,KAAwjS,OAAxjS,KAAokS,OAApkS,KAAglS,OAAhlS,KAA4lS,OAA5lS,KAAwmS,OAAxmS,KAAonS,OAApnS,KAAgoS,OAAhoS,KAA4oS,OAA5oS,KAAwpS,OAAxpS,KAAoqS,OAApqS,KAAgrS,OAAhrS,KAA4rS,OAA5rS,KAAwsS,OAAxsS,KAAotS,OAAptS,KAAguS,OAAhuS,KAA4uS,OAA5uS,KAAwvS,OAAxvS,KAAowS,OAApwS,KAAgxS,OAAhxS,KAA4xS,OAA5xS,KAAwyS,OAAxyS,KAAozS,OAApzS,KAAg0S,OAAh0S,KAA40S,OAA50S,KAAw1S,OAAx1S,KAAo2S,OAAp2S,KAAg3S,OAAh3S,KAA43S,OAA53S,KAAw4S,OAAx4S,KAAo5S,OAAp5S,KAAg6S,OAAh6S,KAA46S,OAA56S,KAAw7S,OAAx7S,KAAo8S,OAAp8S,KAAg9S,OAAh9S,KAA49S,OAA59S,KAAw+S,OAAx+S,KAAo/S,OAAp/S,KAAggT,OAAhgT,KAA4gT,OAA5gT,KAAwhT,OAAxhT,KAAoiT,OAApiT,KAAgjT,OAAhjT,KAA4jT,OAA5jT,KAAwkT,OAAxkT,KAAolT,OAAplT,KAAgmT,OAAhmT,KAA4mT,OAA5mT,KAAwnT,OAAxnT,KAAooT,OAApoT,KAAgpT,OAAhpT,KAA4pT,OAA5pT,KAAwqT,OAAxqT,KAAorT,OAAprT,KAAgsT,OAAhsT,KAA4sT,OAA5sT,KAAwtT,OAAxtT,KAAouT,OAApuT,KAAgvT,OAAhvT,KAA4vT,OAA5vT,KAAwwT,OAAxwT,KAAoxT,OAApxT,KAAgyT,OAAhyT,KAA4yT,OAA5yT,KAAwzT,OAAxzT,KAAo0T,OAAp0T,KAAg1T,OAAh1T,KAA41T,OAA51T,KAAw2T,OAAx2T,KAAo3T,OAAp3T,KAAg4T,OAAh4T,KAA44T,OAA54T,KAAw5T,OAAx5T,KAAo6T,OAAp6T,KAAg7T,OAAh7T,KAA47T,OAA57T,KAAw8T,OAAx8T,KAAo9T,OAAp9T,KAAg+T,OAAh+T,KAA4+T,OAA5+T,KAAwgU,OAAxgU,KAAohU,OAAphU,KAAgiU,OAAhiU,KAA4iU,OAA5iU,KAAwjU,OAAxjU,KAAokU,OAApkU,KAAglU,OAAhlU,KAA4lU,OAA5lU,KAAwmU,OAAxmU,KAAonU,OAApnU,KAAgoU,OAAhoU,KAA4oU,OAA5oU,KAAwpU,OAAxpU,KAAoqU,OAApqU,KAAgrU,OAAhrU,KAA4rU,OAA5rU,KAAwsU,OAAxsU,KAAotU,OAAptU,KAAguU,OAAhuU,KAA4uU,OAA5uU,KAAwvU,OAAxvU,KAAowU,OAApwU,KAAgxU,OAAhxU,KAA4xU,OAA5xU,KAAwyU,OAAxyU,KAAozU,OAApzU,KAAg0U,OAAh0U,KAA40U,OAA50U,KAAw1U,OAAx1U,KAAo2U,OAAp2U,KAAg3U,OAAh3U,KAA43U,OAA53U,KAAw4U,OAAx4U,KAAo5U,OAAp5U,KAAg6U,OAAh6U,KAA46U,OAA56U,KAAw7U,OAAx7U,KAAo8U,OAAp8U,KAAg9U,OAAh9U,KAA49U,OAA59U,KAAw+U,OAAx+U,KAAo/U,OAAp/U,KAAggV,OAAhgV,KAA4gV,OAA5gV,KAAwhV,OAAxhV,KAAoiV,OAApiV,KAAgjV,OAAhjV,KAA4jV,OAA5jV,KAAwkV,OAAxkV,KAAolV,OAAplV,KAAgmV,OAAhmV,KAA4mV,OAA5mV,KAAwnV,OAAxnV,KAAooV,OAApoV,KAAgpV,OAAhpV,KAA4pV,OAA5pV,KAAwqV,OAAxqV,KAAorV,OAAprV,KAAgsV,OAAhsV,KAA4sV,OAA5sV,KAAwtV,OAAxtV,KAAouV,OAApuV,KAAgvV,OAAhvV,KAA4vV,OAA5vV,KAAwwV,OAAxwV,KAAoxV,OAApxV,KAAgyV,OAAhyV,KAA4yV,OAA5yV,KAAwzV,OAAxzV,KAAo0V,OAAp0V,KAAg1V,OAAh1V,KAA41V,OAA51V,KAAw2V,OAAx2V,KAAo3V,OAAp3V,KAAg4V,OAAh4V,KAA44V,OAA54V,KAAw5V,OAAx5V,KAAo6V,OAAp6V,KAAg7V,OAAh7V,KAA47V,OAA57V,KAAw8V,OAAx8V,KAAo9V,OAAp9V,KAAg+V,OAAh+V,KAA4+V,OAA5+V,KAAwgW,OAAxgW,KAAohW,OAAphW,KAAgiW,OAAhiW,KAA4iW,OAA5iW,KAAwjW,OAAxjW,KAAokW,OAApkW,KAAglW,OAAhlW,KAA4lW,OAA5lW,KAAwmW,OAAxmW,KAAonW,OAApnW,KAAgoW,OAAhoW,KAA4oW,OAA5oW,KAAwpW,OAAxpW,KAAoqW,OAApqW,KAAgrW,OAAhrW,KAA4rW,OAA5rW,KAAwsW,OAAxsW,KAAotW,OAAptW,KAAguW,OAAhuW,KAA4uW,OAA5uW,KAAwvW,OAAxvW,KAAowW,OAApwW,KAAgxW,OAAhxW,KAA4xW,OAA5xW,KAAwyW,OAAxyW,KAAozW,OAApzW,KAAg0W,OAAh0W,KAA40W,OAA50W,KAAw1W,OAAx1W,KAAo2W,OAAp2W,KAAg3W,OAAh3W,KAA43W,OAA53W,KAAw4W,OAAx4W,KAAo5W,OAAp5W,KAAg6W,OAAh6W,KAA46W,OAA56W,KAAw7W,OAAx7W,KAAo8W,OAAp8W,KAAg9W,OAAh9W,KAA49W,OAA59W,KAAw+W,OAAx+W,KAAo/W,OAAp/W,KAAggX,OAAhgX,KAA4gX,OAA5gX,KAAwhX,OAAxhX,KAAoiX,OAApiX,KAAgjX,OAAhjX,KAA4jX,OAA5jX,KAAwkX,OAAxkX,KAAolX,OAAplX,KAAgmX,OAAhmX,KAA4mX,OAA5mX,KAAwnX,OAAxnX,KAAooX,OAApoX,KAAgpX,OAAhpX,KAA4pX,OAA5pX,KAAwqX,OAAxqX,KAAorX,OAAprX,KAAgsX,OAAhsX,KAA4sX,OAA5sX,KAAwtX,OAAxtX,KAAouX,OAApuX,KAAgvX,OAAhvX,KAA4vX,OAA5vX,KAAwwX,OAAxwX,KAAoxX,OAApxX,KAAgyX,OAAhyX,KAA4yX,OAA5yX,KAAwzX,OAAxzX,KAAo0X,OAAp0X,KAAg1X,OAAh1X,KAA41X,OAA51X,KAAw2X,OAAx2X,KAAo3X,OAAp3X,KAAg4X,OAAh4X,KAA44X,OAA54X,KAAw5X,OAAx5X,KAAo6X,OAAp6X,KAAg7X,OAAh7X,KAA47X,OAA57X,KAAw8X,OAAx8X,KAAo9X,OAAp9X,KAAg+X,OAAh+X,KAA4+X,OAA5+X,KAAwgY,OAAxgY,KAAohY,OAAphY,KAAgiY,OAAhiY,KAA4iY,OAA5iY,KAAwjY,OAAxjY,KAAokY,OAApkY,KAAglY,OAAhlY,KAA4lY,OAA5lY,KAAwmY,OAAxmY,KAAonY,OAApnY,KAAgoY,OAAhoY,KAA4oY,OAA5oY,KAAwpY,OAAxpY,KAAoqY,OAApqY,KAAgrY,OAAhrY,KAA4rY,OAA5rY,KAAwsY,OAAxsY,KAAotY,OAAptY,KAAguY,OAAhuY,KAA4uY,OAA5uY,KAAwvY,OAAxvY,KAAowY,OAApwY,KAAgxY,OAAhxY,KAA4xY,OAA5xY,KAAwyY,OAAxyY,KAAozY,OAApzY,KAAg0Y,OAAh0Y,KAA40Y,OAA50Y,KAAw1Y,OAAx1Y,KAAo2Y,OAAp2Y,KAAg3Y,OAAh3Y,KAA43Y,OAA53Y,KAAw4Y,OAAx4Y,KAAo5Y,OAAp5Y,KAAg6Y,OAAh6Y,KAA46Y,OAA56Y,KAAw7Y,OAAx7Y,KAAo8Y,OAAp8Y,KAAg9Y,OAAh9Y,KAA49Y,OAA59Y,KAAw+Y,OAAx+Y,KAAo/Y,OAAp/Y,KAAggZ,OAAhgZ,KAA4gZ,OAA5gZ,KAAwhZ,OAAxhZ,KAAoiZ,OAApiZ,KAAgjZ,OAAhjZ,KAA4jZ,OAA5jZ,KAAwkZ,OAAxkZ,KAAolZ,OAAplZ,KAAgmZ,OAAhmZ,KAA4mZ,OAA5mZ,KAAwnZ,OAAxnZ,KAAooZ,OAApoZ,KAAgpZ,OAAhpZ,KAA4pZ,OAA5pZ,KAAwqZ,OAAxqZ,KAAorZ,OAAprZ,KAAgsZ,OAAhsZ,KAA4sZ,OAA5sZ,KAAwtZ,OAAxtZ,KAAouZ,OAApuZ,KAAgvZ,OAAhvZ,KAA4vZ,OAA5vZ,KAAwwZ,OAAxwZ,KAAoxZ,OAApxZ,KAAgyZ,OAAhyZ,KAA4yZ

AJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;MACX,C;KAZA,C;;MAmBiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;8FAEA,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QAChB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UAChB,qB;;QAEJ,OAAO,S;MACX,C;KAbA,C;;MAmBI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,B,C;QACI,IAAI,UAAU,QAAS,WAAnB,B,CAAJ,C;UACI,OAAO,QAAS,Y;;;MAGxB,OAAO,E;IACX,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;QAEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO,QAAS,WAAhB,B,C;QAEJ,OAAO,2E

,CAAP,IAAU,EAAc,CAAd,CAAhB,C;IACX,C;kGAEA,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,WAAnB,B,CAAL,C;;cACI,gBAAK,QAAS,YAAT,T,GAAuB,CAAvB,B,CAAyB,QAAzB,InB,OAAO,W;MACX,C;KAfA,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAL,I,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,W,CAAL,C;YACI,IAAK,WAAL,I,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,W,CAAL,C;YACI,IAAK,WAAL,I,IAAJ,C;;;

AMI,IAAI,iBAAO,CAAX,C;UAAc,iDHtwBH,iBGswBsB,QHtwBtB,CGswBG,E;;MAClB,C;KAPA,C;wGASA,yB;MAAA,oD;MH7vBA,sC;MJpGA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIoGA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MGsvBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDH5vBH,2BG4vBgC,QH5vBhC,CG4vBG,E;;MAClB,C;KAPA,C;;MAeI,sBAAS,cAAT,C;IACJ,C;;MAWgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,EAAe,CAAf,C;UAAe,OAAY,SAAL,SAAK,CAAL,C;QAEwB,kBAA3C,sBC13BsD,sBD03BtD,uB;QAAmD,mB;QAA3D,3D,OAAoE,OF9zBjE,WE8zBiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,B,OFh0BO,W;IEi0BX,C;wFAEA,yB;MAAA,wD;MHhzBA,sC;MJjFA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MIiFA,uBAOe,yB;QAArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MGyyBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDH/yBH,2BG+yBgC,QH/yBhC,CG+yBG,E;;MAClB,C;KAPA,C;;MAeI,sBAAS,cAAT,C;IACJ,C;;MAWgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,EAAe,CAAf,C;UAAe,OAAY,SAAL,SAAK,CAAL,C;QAEwB,kBAA3C,sBCl4BsD,sBDk4BtD,uB;QAAmD,mB;QAA3D,3D,OAAoE,OFr0BjE,WEq0BiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,B,OFv1BO,W;IEw1BX,C;wFAEA,yB;MAAA,wD;MHv

Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAXO,MAYP,aAAI,OAAJ,EAZe,aAYF,CAAc,OAAd,CAAb,C;;QAZhB,OAAuB,M;MAC3B,C;KAdA,C;;MAwBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;IACX,C;;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAAxB,CAAAZ,CAAAX,CAAAb,C;IACX,C;;MAOqB,IAAAN,I;MADX,IAAAI,oCAAAJ,C;QACW,WAAAM,cAAAN,C;eAAAM,cAAAN,C;;QAAAM,cAAAN,C;;QAAAM,cAAAN,C;;Q

QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,wBAqNQ,OArNR,W;YAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;IACX,C;;MAM4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IACX,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,eAAf,C;IAC/B,D;MAAA,+D;MAAA,sC;QASc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,CAAU,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAK,CAAL,CAAM,C;YACC,IAAK,WAAI,CAAJ,CAAK,C;;QAEb,Oe;MAAA,I;MAAA,MAAX,C;KAAA,C;;MAAA,OAAW,CAAX,C;KAAA,C;;MAAA,OAAW,CAAX,C;KAAA,C;;MAAA,OAAW,C

B,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UAAa,MAAM,C;;MAEnB,OAAO,O;IACX,C;;MAGI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,uBAAW,SAAX,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAGI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN

A,C;;MAsBI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAZ,GAAuB,OAAvB,C;MACb,SAAP,MAAO,EAAO,QAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAZ,GAAuB,OAAvB,C;QACb,SAAP,MAAO,EAAO,QAAP,C;QACA,SAAP,MAAO,EAAO,QAAP,C;QACP,OAAO,M;;;QAEP,eAAa,iBAAa,SAAb,C;QACN,OAAP,MAAO,EAAO,QAAP,C;QACA,SAAP,MAAO,EAAO,QAAP,C;QACP,OAAO,Q;;IAEf,C;;MAMI,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,SAAZ,GAAwB,OAAxB,C;MACb,SAAP,MAAO,EAAO,QAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,SAAZ,GAAwB,OAAxB,C;MACb,SAAP,MAAO,EAAO,QAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;4FAEA,yB;MAAA,MAAA,4C;MAAA,MAAA,qC;QAAA,KAAA,OAAA,KAAA,OAAA,KAAA,O

B;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,W;QAChC,anBzoEoD,gB;QmB0oEpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAAV,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAEd,OAAO,M;MACX,C;KApBA,C;;MA8B6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAAG,tN,Q;MAAhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,UAAR,EAAoB,MAAO,gBAAO,SAAP,C;QAC/B

W;MA1BX,C;KANA,C;4FAQA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QA4EJ,Q;QAAA,OtBgLoE,iBAAQ,W;QsBhL5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;;QAR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,oD;QAyEoB,Q;QAAA,OtBgLoE,iBAAQ,W;QsBhL5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;MAAA,OAAA,StB2OuE,QAAQ,W;MsB3O5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,StB+NoE,QAAQ,W;MsB/N5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQI,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,StB2MoE,QAAQ,W;MsB3M5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAyB,OAAO,K;MACtD,OAAO,I;IACX,C;;MAcI,Q;MAAA,OAAA,StBqLuE,QAAQ,W;MsBrL5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAyB,OAAO,K;MACtD,OAAO,I;IACX,C;;MAAA,OAAA,I;;MAAA,OAAA,K;IAAA,C;;MAAA,OAAA,K;IAAA,C;;MAAA,OAAA,K;IAAA,C

KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MsB5MW,StBmNM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MsBpNW,StB2NM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAQI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;MAQI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;MAOI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;IACX,C;;MAOI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;IACX,C;;MsB9PW,StBqQM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MAQI,OAAO,2BAAe,KAAM,WAAf,C;IACX,C;;MAQI,OAAO,2BAAe,KAAM,WAAf,C;IACX,C;;MAUI,OAAO,sCAAe,yBAAgB,SAAhB,2BAAgC,EAAhC,yBAAyC,EAAzC,yBAAkD,EAAlD,yBAA2D,EAA3D,yBAAoE,EAApE,yBAA6E,EAA7E,yBAAsF,EAAtF,yBAA+F,EAA/F,yBAAwG,EAAxG,yBAAiH,EAAjH,yBAA0H,EAA1H,yBAAmI,EAAnI,yBAA4I,EAA5I,yBAAqJ,EAArJ,yBAA8J,EAA9J,yBAAuK,EAAvK,yBAAgL,EAAhL,yBAAyL,EAAzL,yBAAkM,EAAlM,yBAA2M,EAA3M,yBAAoN,EAApN,yBAA6N,EAA7N,yBAAsO,EAAtO,yBAA+O,EAA/O,yBAAwP,EAAxP,yBAAiQ,EAAjQ,yBAA0Q,EAA1Q,yBAAmR,EAAnR,yBAA4R,EAA5R,yBAAqS,EAArS,yBAA8S,EAA9S,yBAAuT,EAAvT,yBAAgU,EAAhU,yBAAyU,EAAzU,yBAAkV,EAAlV,yBAA2V,EAA3V,yBAAoW,EAApW,yBAA6W,EAA7W,yBAAsX,EAAtX,yBAA+X,EAA/X,yBAAwY,EAAxY,yBAAiZ,EAAjZ,yBAA0Z,EAA1Z,yBAAma,EAAna,yBAA4a,EAA5a,yBAAqb,EAArb,yBAA8b,EAA9b,yBAAuc,EAAvc,yBAAgd,EAAhd,yBAAyd,EAAzd,yBAAke,EAAle,yBAA2e,EAA3e,yBAAof,EAApf,yBAA6f,EAA7f,yBAAsgB,EAAtgB,yBAA+gB,EAA/gB,yBAAwhB,EAAxhB,yBAAiiB,EAAjiB,yBAA0iB,EAA1iB,yBAAmjB,EAAnjB,yBAA4jB,EAA5jB,yBAAqkB,EAArkB,yBAA8kB,EAA9kB,yBAAulB,EAAvlB,yBAAgmB,EAAhmB,yBAAymB,EAAzmB,yBAAknB,EAAlnB,yBAA2nB,EAA3nB,yBAAooB,EAApoB,yBAA6oB,EAA7oB,yBAAspB,EAAtpB,yBAA+pB,EAA/pB,yBAAwqB,EAAxqB,yBAAirB,EAAjrB,yBAA0rB,EAA1rB,yBAAmsB,EAAnsB,yBAA4sB,EAA5sB,yBAAqtB,EAArtB,yBAA8tB,EAA9tB,yBAAuuB,EAAvuB,yBAAgvB,EAAhvB,yBAAywB,EAAzwB,yBAAkxB,EAAlxB,yBAA2xB,EAA3xB,yBAAoyB,EAApyB,yBAA6yB,EAA7yB,yBAAszB,EAAtzB,yBAA+zB,EAA/zB,yBAAw0B,EAAx0B,yBAAi1B,EAAj1B,yBAA01B,EAA11B,yBAAm2B,EAAn2B,yBAA42B,EAA52B,yBAAq3B,EAAr3B,yBAA83B,EAA93B,yBAAu4B,EAAv4B,yBAAg5B,EAAh5B,yBAAy5B,EAAz5B,yBAAk6B,EAAl6B,yBAA26B,EAA36B,yBAAo7B,EAAp7B,yBAA67B,EAA77B,yBAAs8B,EAAt8B,yBAA+8B,EAA/8B,yBAAw9B,EAAx9B,yBAAi+B,EAAj+B,yBAA0+B,EAA1+B,yBAAm/B,EAAn/B,yBAA4/B,EAA5/B,yBAAqgC,EAArgC,yBAA8gC,EAA9gC,yBAAuhC,EAAvhC,yBAAgiC,EAAhiC,yBAAyiC,EAAziC,yBAAkjC,EAAljC,yBAA2jC,EAA3jC,yBAAokC,EAApkC,yBAA6kC,EAA7kC,yBAAslC,EAAtlC,yBAA+lC,EAA/lC,yBAAwmC,EAAxmC,yBAAinC,EAAjnC,yBAA0nC,EAA1nC,yBAAmoC,EAAnoC,yBAA4oC,EAA5oC,yBAAqpC,EAArpC,yBAA8pC,EAA9pC,yBAAuqC,EAAvqC,yBAAgrC,EAAhrC,yBAAyrC,EAAzrC,yBAAksC,EAAlsC,yBAA2sC,EAA3sC,yBAAotC,EAAptC,yBAA6tC,EAA7tC,yBAAsuC,EAAtuC,yBAA+uC,EAA/uC,yBAAwvC,EAAxvC,yBAAiwC,EAAjwC,yBAA0wC,EAA1wC,yBAAmxC,EAAnxC,yBAA4xC,EAA5xC,yBAAqyC,EAAryC,yBAA8yC,EAA9yC,yBAAuzC,EAAvzC,yBAAg0C,EAAh0C,yBAAy0C,EAAz0C,yBAAk1C,EAAl1C,yBAA21C,EAA31C,yBAAo2C,EAAp2C,yBAA62C,EAA72C,yBAAs3C,EAAt3C,yBAA+3C,EAA/3C,yBAAw4C,EAAx4C,yBAAi5C,EAAj5C,yBAA05C,EAA15C,yBAAm6C,EAAn6C,yBAA46C,EAA56C,yBAAq7C,EAAr7C,yBAA87C,EAA97C,yBAAu8C,EAAv8C,yBAAg9C,EAAh9C,yBAAy9C,EAAz9C,yBAAk+C,EAAl+C,yBAA2+C,EAA3+C,yBAAo/C,EAAp/C,yBAA6/C,EAA7/C,yBAAshD,EAAthD,yBAA+hD,EAA/hD,yBAAwiD,EAAxiD,yBAAijD,EAAjjD,yBAA0jD,EAA1jD,yBAAmkD,EAAnkD,yBAA4kD,EAA5kD,yBAAqlD,EAArlD,yBAA8lD,EAA9lD,yBAAumD,EAAvmD,yBAAgnD,EAAhnD,yBAAynD,EAAznD,yBAAkoD,EAAloD,yBAA2oD,EAA3oD,yBAAopD,EAAppD,yBAA6pD,EAA7pD,yBAAsqD,EAAtqD,yBAA+qD,EAA/qD,yBAAwrD,EAAxrD,yBAAisD,EAAjsD,yBAA0sD,EAA1sD,yBAAmtD,EAAntD,yBAA4tD,EAA5tD,yBAAquD,EAAruD,yBAA8uD,EAA9uD,yBAAuvD,EAAvvD,yBAAgwD,EAAhwD,yBAAywD,EAAzwD,yBAAkxD,EAAlxD,yBAA2xD,EAA3xD,yBAAoyD,EAApyD,yBAA6yD,EAA7yD,yBAAszD,EAAtzD,yBAA+zD,EAA/zD,yBAAw0D,EAAx0D,yBAAi1D,EAAj1D,yBAA01D,EAA11D,yBAAm2D,EAAn2D,yBAA42D,EAA52D,yBAAq3D,EAAr3D,yBAA83D,EAA93D,yBAAu4D,EAAv4D,yBAAg5D,EAAh5D,yBAAy5D,EAAz5D,yBAAk6D,EAAl6D,yBAA26D,EAA36D,yBAAo7D,EAAp7D,yBAA67D,EAA77D,yBAAs8D,EAAt8D,yBAA+8D,EAA/8D,yBAAw9D,EAAx9D,yBAAi+D,EAAj+D,yBAA0+D,EAA1+D,yBAAm/D,EAAn/D,yBAA4/D,EAA5/D,yBAAqgE,EAArgE,yBAA8gE,EAA9gE,yBAAuhE,EAAvhE,yBAAgiE,EAAhiE,yBAAyiE,EAAziE,yBAAkjE,EAAljE,yBAA2jE,EAA3jE,yBAAokE,EAApkE,yBAA6kE,EAA7kE,yBAAslE,EAAtlE,yBAA+lE,EAA/lE,yBAAwmE,EAAxmE,yBAAinE,EAAjnE,yBAA0nE,EAA1nE,yBAAmoE,EAAnoE,yBAA4oE,EAA5oE,yBAAqpE,EAArpE,yBAA8pE,EAA9pE,yBAAuqE,EAAvqE,yBAAgrE,EAAhrE,yBAAyrE,EAAzrE,yBAAksE,EAAlsE,yBAA2sE,EAA3sE,yBAAotE,EAAptE,yBAA6tE,EAA7tE,yBAAsuE,EAAtuE,yBAA+uE,EAA/uE,yBAAwvE,EAAxvE,yBAAiwE,EAAjwE,yBAA0wE,EAA1wE,yBAAmxE,EAAnxE,yBAA4xE,EAA5xE,yBAAqyE,EAAryE,yBAA8yE,EAA9yE,yBAAuzE,EAAvzE,yBAAg0E,EAAh0E,yBAAy0E,EAAz0E,yBAAk1E,EAAl1E,yBAA21E,EAA31E,yBAAo2E,EAAp2E,yBAA62E,EAA72E,yBAAs3E,EAAt3E,yBAA+3E,EAA/3E,yBAAw4E,EAAx4E,yBAAi5E,EAAj5E,yBAA05E,EAA15E,yBAAm6E,EAAn6E,yBAA46E,EAA56E,yBAAq7E,EAAr7E,yBAA87E,EAA97E,yBAAu8E,EAAv8E,yBAAg9E,EAAh9E,yBAAy9E,EAAz9E,yBAAk+E,EAAl+E,yBAA2+E,EAA3+E,yBAAo/E,EAAp/E,yBAA6/E,EAA7/E,yBAAshF,EAAthF,yBAA+hF,EAA/hF,yBAAwiF,EAAxiF,yBAAijF,EAAjjF,yBAA0jF,EAA1jF,yBAAmkF,EAAnkF,yBAA4kF,EAA5kF,yBAAqlF,EAArlF,yBAA8lF,EAA9lF,yBAAumF,EAAvmF,yBAAgnF,EAAhnF,yBAAynF,EAAznF,yBAAkoF,EAAloF,yBAA2oF,EAA3oF,yBAAopF,EAAppF,yBAA6pF,EAA7pF,yBAAsqF,EAAtqF,yBAA+qF,EAA/qF,yBAAwrF,EAAxrF,yBAAisF,EAAjsF,yBAA0sF,EAA1sF,yBAAmtF,EAAntF,yBAA4tF,EAA5tF,yBAAquF,EAAruF,yBAA8uF,EAA9uF,yBAAuvF,EAAvvF,yBAAgwF,EAAhwF,yBAAywF,EAAzwF,yBAAkxF,EAAlxF,yBAA2xF,EAA3xF,yBAAoyF,EAApyF,yBAA6yF,EAA7yF,yBAAszF,EAAtzF,yBAA+zF,EAA/zF,yBAAw0F,EAAx0F,yBAAi1F,EAAj1F,yBAA01F,EAA11F,yBAAm2F,EAAn2F,yBAA42F,EAA52F,yBAAq3F,EAAr3F,yBAA83F,EAA93F,yBAAu4F,EAAv4F,yBAAg5F,EAAh5F,yBAAy5F,EAAz5F,yBAAk6F,EAAl6F,yBAA26F,EAA36F,yBAAo7F,EAAp7F,yBAA67F,EAA77F,yBAAs8F,EAAt8F,yBAA+8F,EAA/8F,yBAAw9F,EAAx9F,yBAAi+F,EAAj+F,yBAA0+F,EAA1+F,yBAAm/F,EAAn/F,yBAA4/F,EAA5/F,yBAAqgG,EAArgG,yBAA8gG,EAA9gG,yBAAuhG,EAAvhG,yBAAgiG,EAAhiG,yBAAyiG,EAAziG,yBAAkjG,EAAljG,yBAA2jG,EAA3jG,yBAAokG,EAApkG,yBAA6kG,EAA7kG,yBAAslG,EAAtlG,yBAA+lG,EAA/lG,yBAAwmG,EAAxmG,yBAAinG,EAAjnG,yBAA0nG,EAA1nG,yBAAmoG,EAAnoG,yBAA4oG,EAA5oG,yBAAqpG,EAArpG,yBAA8pG,EAA9pG,yBAAuqG,EAAvqG,yBAAgrG,EAAhrG,yBAAyrG,EAAzrG,yBAAksG,EAAlsG,yBAA2sG,EAA3sG,yBAAotG,EAAptG,yBAA6tG,EAA7tG,yBAAsuG,EAAtuG,yBAA+uG,EAA/uG,yBAAwvG,EAAxvG,yBAAiwG,EAAjwG,yBAA0wG,EAA1wG,yBAAmxG,EAAnxG,yBAA4xG,EAA5xG,yBAAqyG,EAAryG,yBAA8yG,EAA9yG,yBAAuzG,EAAvzG,yBAAg0G,EAAh0G,yBAAy0G,EAAz0G,yBAAk1G,EAAl1G,yBAA21G,EAA31G,yBAAo2G,EAAp2G,yBAA62G,EAA72G,yBAAs3G,EAAt3G,yBAA+3G,EAA/3G,yBAAw4G,EAAx4G,yBAAi5G,EAAj5G,yBAA05G,EAA15G,yBAAm6G,EAAn6G,yBAA46G,EAA56G,yBAAq7G,EAAr7G,yBAA87G,EAA97G,yBAAu8G,EAAv8G,yBAAg9G,EAAh9G,yBAAy9G,EAAz9G,yBAAk+G,EAAl+G,yBAA2+G,EAA3+G,yBAAo/G,EAAp/G,yBAA6/G,EAA7/G,yBAAshH,EAAthH,yBAA+hH,EAA/hH,yBAAwiH,EAAxiH,yBAAijH,EAAjjH,yBAA0jH,EAA1jH,yBAAmkH,EAAnkH,yBAA4kH,EAA5kH,yBAAqlH,EAArlH,yBAA8lH,EAA9lH,yBAAumH,EAAvmH,yBAAgnH,EAAhnH,yBAAynH,EAAznH,yBAAkoH,EAAloH,yBAA2oH,EAA3oH,yBAAopH,EAAppH,yBAA6pH,EAA7pH,yBAAsqH,EAAtqH,yBAA+qH,EAA/qH,yBAAwrH,EAAxrH,yBAAisH,EAAjsH,yBAA0sH,EAA1sH,yBAAmtH,EAAntH,yBAA4tH,EAA5tH,yBAAquH,EAAruH,yBAA8uH,EAA9uH,yBAAuvH,EAAvvH,yBAAgwH,EAAhwH,yBAAywH,EAAzwH,yBAAkxH,EAAlxH,yBAA2xH,EAA3xH,yBAAoyH,EAApyH,yBAA6yH,EAA7yH,yBAAszH,EAAtzH,yBAA+zH,EAA/zH,yBAAw0H,EAAx0H,yBAAi1H,EAAj1H,yBAA01H,EAA11H,yBAAm2H,EAAn2H,yBAA42H,EAA52H,yBAAq3H,EAAr3H,yBAA83H,EAA93H,yBAAu4H,EAAv4H,yBAAg5H,EAAh5H,yBAAy5H,EAAz5H,yBAAk6H,EAAl6H,yBAA26H,EAA36H,yBAAo7H,EAAp7H,yBAA67H,EAA77H,yBAAs8H,EAAt8H,yBAA+8H,EAA/8H,yBAAw9H,EAAx9H,yBAAi+H,EAAj+H,yBAA0+H,EAA1+H,yBAAm/H,EAAn/H,yBAA4/H,EAA5/H,yBAAqgI,EAArgI,yBAA8gI,EAA9gI,yBAAuhI,EAAvhI,yBAAgiI,EAAhiI,yBAAyiI,EAAziI,yBAAkjI,EAAljI,yBAA2jI,EAA3jI,yBAAokI,EAApkI,yBAA6kI,EAA7kI,yBAAslI,EAAtlI,yBAA+lI,EAA/lI,yBAAwmI,EAAxmI,yBAAinI,EAAjnI,yBAA0nI,EAA1nI,yBAAmoI,EAAnoI,yBAA4oI,EAA5oI,yBAAqpI,EAArpI,yBAA8pI,EAA9pI,yBAAuqI,EAAvqI,yBAAgrI,EAAhrI,yBAAyrI,EAAzrI,yBAAksI,EAAlsI,yBAA2sI,EAA3sI,yBAAotI,EAAptI,yBAA6tI,EAA7tI,yBAAsuI,EAAtuI,yBAA+uI,EAA/uI,yBAAwvI,EAAxvI,yBAAiwI,EAAjwI,yBAA0wI,EAA1wI,yBAAmxI,EAAnxI,yBAA4xI,EAA5xI,yBAAqyI,EAAryI,yBAA8yI,EAA9yI,yBAAuzI,EAAvzI,yBAAg0I,EAAh0I,yBAAy0I,EAAz0I,yBAAk1I,EAAl1I,yBAA21I,EAA31I,yBAAo2I,EAAp2I,yBAA62I,EAA72I,yBAAs3I,EAAt3I,yBAA+3I,EAA/3I,yBAAw4I,EAAx4I,yBAAi5I,EAAj5I,yBAA05I,EAA15I,yBAAm6I,EAAn6I,yBAA46I,EAA56I,yBAAq7I,EAAr7I,yBAA87I,EAA97I,yBAAu8I,EAAv8I,yBAAg9I,EAAh9I,yBAAy9I,EAAz9I,yBAAk+I,EAAl+I,yBAA2+I,EAA3+I,yBAAo/I,EAAp/I,yBAA6/I,EAA7/I,yBAAshJ,EAAthJ,yBAA+hJ,EAA/hJ,yBAAwiJ,EAAxiJ,yBAAijJ,EAAjjJ,yBAA0jJ,EAA1jJ,yBAAmkJ,EAAnkJ,yBAA4kJ,EAA5kJ,yBAAqlJ,EAArlJ,yBAA8lJ,EAA9lJ,yBAAumJ,EAAvmJ,yBAAgnJ,EAAhnJ,yBAAynJ,EAAznJ,yBAAkoJ,EAAloJ,yBAA2oJ,EAA3oJ,yBAAopJ,EAAppJ,yBAA6pJ,EAA7pJ,yBAAsqJ,EAAtqJ,yBAA+qJ,EAA/qJ,yBAAwrJ,EAAxrJ,yBAAisJ,EAAjsJ,yBAA0sJ,EAA1sJ,yBAAmtJ,EAAntJ,yBAA4tJ,EAA5tJ,yBAAquJ,EAAruJ,yBAA8uJ,EAA9uJ,yBAAuvJ,EAAvvJ,yBAAgwJ,EAAhwJ,yBAAywJ,EAAzwJ,yBAAkxJ,EAAlxJ,yBAA2xJ,EAA3xJ,yBAAoyJ,EAApyJ,yBAA6yJ,EAA7yJ,yBAAszJ,EAAtzJ,yBAA+zJ,EAA/zJ,yBAAw0J,EAAx0J,yBAAi1J,EAAj1J,yBAA01J,EAA11J,yBAAm2J,EAAn2J,yBAA42J,EAA52J,yBAAq3J,EAAr3J,yBAA83J,EAA93J,yBAAu4J,EAAv4J,yBAAg5J,EAAh5J,yBAAy5J,EAAz5J,yBAAk6J,EAAl6J,yBAA26J,EAA36J,yBAAo7J,EAAp7J,yBAA67J,EAA77J,yBAAs8J,EAAt8J,yBAA+8J,EAA/8J,yBAAw9J,EAAx9J,yBAAi+J,EAAj+J,yBAA0+J,EAA1+J,yBAAm/J,EAAn/J,yBAA4/J,EAA5/J,yBAAqgK,EAArgK,yBAA8gK,EAA9gK,yBAAuhK,EAAvhK,yBAAgiK,EAAhiK,yBAAyiK,EAAziK,yBAAkjK,EAAljK,yBAA2jK,EAA3jK,yBAAokK,EAApkK,yBAA6kK,EAA7kK,yBAAslK,EAAtlK,yBAA+lK,EAA/lK,yBAAwmK,EAAxmK,yBAAinK,EAAjnK,yBAA0nK,EAA1nK,yBAAmoK,EAAnoK,yBAA4oK,EAA5oK,yBAAqpK,EAArpK,yBAA8pK,EAA9pK,yBAAuqK,EAAvqK,yBAAgrK,EAAhrK,yBAAyrK,EAAzrK,yBAAksK,EAAlsK,yBAA2sK,EAA3sK,yBAAotK,EAAptK,yBAA6tK,EAA7tK,yBAAsuK,EAAtuK,yBAA+uK,EAA/uK,yBAAwvK,EAAxvK,yBAAiwK,EAAjwK,yBAA0wK,EAA1wK,yBAAmxK,EAAnxK,yBAA4xK,EAA5xK,yBAAqyK,EAAryK,yBAA8yK,EAA9yK,yBAAuzK,EAAvzK,yBAAg0K,EAAh0K,yBAAy0K,EAAz0K,yBAAk1K,EAAl1K,yBAA21K,EAA31K,yBAAo2K,EAAp2K,yBAA62K,EAA72K,yBAAs3K,EAAt3K,yBAA+3K,EAA/3K,yBAAw4K,EAAx4K,yBAAi5K,EAAj5K,yBAA05K,EAA15K,yBAAm6K,EAAn6K,yBAA46K,EAA56K,yBAAq7K,EAAr7K,yBAA87K,EAA97K,yBAAu8K,EAAv8K,yBAAg9K,EAAh9K,yBAAy9K,EAAz9K,yBAAk+K,EAAl+K,yBAA2+K,EAA3+K,yBAAo/K,EAAp/K,yBAA6/K,EAA7/K,yBAAshL,EAAthL,yBAA+hL,EAA/hL,yBAAwiL,EAAxiL,yBAAijL,EAAjjL,yBAA0jL,EAA1jL,yBAAmkL,EAAnkL,yBAA4kL,EAA5kL,yBAAqlL,EAArlL,yBAA8lL,EAA9lL,yBAAumL,EAAvmL,yBAAgnL,EAAhnL,yBAAynL,EAAznL,yBAAkoL,EAAloL,yBAA2oL,EAA3oL,yBAAopL,EAAppL,yBAA6pL,EAA7pL,yBAAsqL,EAAtqL,yBAA+qL,EAA/qL,yBAAwrL,EAAxrL,yBAAisL,EAAjsL,yBAA0sL,EAA1sL,yBAAmtL,EAAntL,yBAA4tL,EAA5tL,yBAAquL,EAAruL,yBAA8uL,EAA9uL,yBAAuvL,EAAvvL,yBAAgwL,EAAhwL,yBAAywL,EAAzwL,yBAAkxL,EAAlxL,yBAA2xL,EAA3xL,yBAAoyL,EAApyL,yBAA6yL,EAA7yL,yBAAszL,EAAtzL,yBAA+zL,EAA/zL,yBAAw0L,EAAx0L,yBAAi1L,EAAj1L,yBAA01L,EAA11L,yBAAm2L,EAAn2L,yBAA42L,EAA52L,yBAAq3L,EAAr3L,yBAA83L,EAA93L,yBAAu4L,EAAv4L,yBAAg5L,EAAh5L,yBAAy5L,EAAz5L,yBAAk6L,EAAl6L,yBAA26L,EAA36L,yBAAo7L,EAAp7L,yBAA67L,EAA77L,yBAAs8L,EAAt8L,yBAA+8L,EAA/8L,yBAAw9L,EAAx9L,yBAAi+L,EAAj+L,yBAA0+L,EAA1+L,yBAAm/L,EAAn/L,yBAA4/L,EAA5/L,yBAAqgM,EAArgM,yBAA8gM,EAA9gM,yBAAuhM,EAAvhM,yBAAgiM,EAAhiM,yBAAyiM,EAAziM,yBAAkjM,EAAljM,yBAA2jM,EAA3jM,yBAAokM,EAApkM,yBAA6kM,EAA7kM,yBAAslM,EAAtlM,yBAA+lM,EAA/lM,yBAAwmM,EAAxmM,yBAAinM,EAAjnM,yBAA0nM,EAA1nM,yBAAmoM,EAAnoM,yBAA4oM,EAA5oM,yBAAqpM,EAArpM,yBAA8pM,EAA9pM,yBAAuqM,EAAvqM,yBAAgrM,EAAhrM,yBAAyrM,EAAzrM,yBAAksM,EAAlsM,yBAA2sM,EAA3sM,yBAAotM,EAAptM,yBAA6tM,EAA7tM,yBAAsuM,EAAtuM,yBAA+uM,EAA/uM,yBAAwvM,EAAxvM,yBAAiwM,EAAjwM,yBAA0wM,EAA1wM,yBAAmxM,EAAnxM,yBAA4xM,EAA5xM,yBAAqyM,EAAryM,yBAA8yM,EAA9yM,yBAAuzM,EAAvzM,yBAAg0M,EAAh0M,yBAAy0M,EAAz0M,yBAAk1M,EAAl1M,yBAA21M,EAA31M,yBAAo2M,EAAp2M,yBAA62M,EAA72M,yBAAs3M,EAAt3M,yBAA+3M,EAA/3M,yBAAw4M,EAAx4M,yBAAi5M,EAAj5M,yBAA05M,EAA15M,yBAAm6M,EAAn6M,yBAA46M,EAA56M,yBAAq7M,EAAr7M,yBAA87M,EAA97M,yBAAu8M,EAAv8M,yBAAg9M,EAAh9M,yBAAy9M,EAAz9M,yBAAk+M,EAAl+M,yBAA2+M,EAA3+M,yBAAo/M,EAAp/M,yBAA6/M,EAA7/M,yBAAshN,EAAthN,yBAA+hN,EAA/hN,yBAAwiN,EAAxiN,yBAAijN,EAAjjN,yBAA0jN,EAA1jN,yBAAmkN,EAAnkN,yBAA4kN,EAA5kN,yBAAqlN,EAArlN,yBAA8lN,EAA9lN,yBAAumN,EAAvmN,yBAAgnN,EAAhnN,yBAAynN,EAAznN,yBAAkoN,EAAloN,yBAA2oN,EAA3oN,yBAAopN,EAAppN,yBAA6pN,EAA7pN,yBAAsqN,EAAtqN,yBAA+qN,EAA/qN,yBAAwrN,EAAxrN,yBAAisN,EAAjsN,yBAA0sN,EAA1sN,yBAAmtN,EAAntN,yBAA4tN,EAA5tN,yBAAquN,EAAruN,yBAA8uN,EAA9uN,yBAAuvN,EAAvvN,yBAAgwN,EAAhwN,yBAAywN,EAAzwN,yBAAkxN,EAAlxN,yBAA2xN,EAA3xN,yBAAoyN,EAApyN,yBAA6yN,EAA7yN,yBAAszN,EAAtzN,yBAA+zN,EAA/zN,yBAAw0N,EAAx0N,yBAAi1N,EAAj1N,yBAA01N,EAA11N,yBAAm2N,EAAn2N,yBAA42N,EAA52N,yBAAq3N,EAAr3N,yBAA83N,EAA93N,yBAAu4N,EAAv4N,yBAAg5N,EAAh5N,yBAAy5N,EAAz5N,yBAAk6N,EAAl6N,yBAA26N,EAA36N,yBAAo7N,EAAp7N,yBAA67N,EAA77N,yBAAs8N,EAAt8N,yBAA+8N,EAA/8N,yBAAw9N,EAAx9N,yBAAi+N,EAAj+N,yBAA0+N,EAA1+N,yBAAm/N,EAAn/N,yBAA4/N,EAA5/N,yBAAqgO,EAArgO,yBAA8gO,EAA9gO,yBAAuhO,EAAvhO,yBAAgiO,EAAhiO,yBAAyiO,EAAziO,yBAAkjO,EAAljO,yBAA2jO,EAA3jO,yBAAokO,EAApkO,yBAA6kO,EAA7kO,yBAAslO,EAAtlO,yBAA+lO,EAA/lO,yBAAwmO,EAAxmO,yBAAinO,EAAjnO,yBAA0nO,EAA1nO,yBAAmoO,EAAnoO,yBAA4oO,EAA5oO,yBAAqpO,EAArpO,yBAA8pO,EAA9pO,yBAAuqO,EAAvqO,yBAAgrO,EAAhrO,yBAAyrO,EAAzrO,yBAAksO,EAAlsO,yBAA2sO,EAA3sO,yBAAotO,EAAptO,yBAA6tO,EAA7tO,yBAAsuO,EAAtuO,yBAA+uO,EAA/uO,yBAAwvO,EAAxvO,yBAAiwO,EAAjwO,yBAA0wO,EAA1wO,yBAAmxO,EAAnxO,yBAA4xO,EAA5xO,yBAAqyO,EAAryO,yBAA8yO,EAA9yO,yBAAuzO,EAAvzO,yBAAg0O,EAAh0O,yBAAy0O,EAAz0O,yBAAk1O,EAAl1O,yBAA21O,EAA31O,yBAAo2O,EAAp2O,yBAA62O,EAA72O,yBAAs3O,EAAt3O,yBAA+3O,EAA/3O,yBAAw4O,EAAx4O,yBAAi5O,EAAj5O,yBAA05O,EAA15O,yBAAm6O,EAAn6O,yBAA46O,EAA56O,yBAAq7O,EAAr7O,yBAA87O,EAA97O,yBAAu8O,EAAv8O,yBAAg9O,EAAh9O,yBAAy9O,EAAz9O,yBAAk+O,EAAl+O,yBAA2+O,EAA3+O,yBAAo/O,EAAp/O,yBAA6/O,EAA7/O,yBAAshP,EAAthP,yBAA+hP,EAA/hP,yBAAwiP,EAAxiP,yBAAijP,EAAjjP,yBAA0jP,EAA1jP,yBAAmkP,EAAnkP,yBAA4kP,EAA5kP,yBAAqlP,EAArlP,yBAA8lP,EAA9lP,yBAAumP,EAAvmP,yBAAgnP,EAAhnP,yBAAynP,EAAznP,yBAAkoP,EAAloP,yBAA2oP,EAA3oP,yBAAopP,EAAppP,yBAA6pP,EAA7pP,yBAAsqP,EAAtqP,yBAA+qP,EAA/qP,yBAAwrP,EAAxrP,yBAAisP,EAAjsP,yBAA0sP,EAA1sP,yBAAmtP,EAAntP,yBAA4tP,EAA5tP,yBAAquP,EAAruP,yBAA8uP,EAA9uP,yBAAuvP,EAAvvP,yBAAgwP,EAAhwP,yBAAywP,EAAzwP,yBAAkxP,EAAlxP,yBAA2xP,EAA3xP,yBAAoyP,EAApyP,yBAA6yP,EAA7yP,yBAAszP,EAAtzP,yBAA+zP,EAA/zP,yBAAw0P,EAAx0P,yBAAi1P,EAAj1P,yBAA01P,EAA11P,yBAAm2P,EAAn2P,yBAA42P,EAA52P,yBAAq3P,EAAr3P,yBAA83P,EAA93P,yBAAu4P,EAAv4P,yBAAg5P,EAAh5P,yBAAy5P,EAAz5P,yBAAk6P,EAAl6P,yBAA26P,EAA36P,yBAAo7P,EAAp7P,yBAA67P,EAA77P,yBAAs8P,EAAt8P,yBAA+8P,EAA/8P,yBAAw9P,EAAx9P,yBAAi+P,EAAj+P,yBAA0+P,EAA1+P,yBAAm/P,EAAn/P,yBAA4/P,EAA5/P,yBAAqgQ,EAArgQ,yBAA8gQ,EAA9gQ,yBAAuhQ,EAAvhQ,yBAAgiQ,EAAhiQ,yBAAyiQ,EAAziQ,yBAAkjQ,EAAljQ,yBAA2jQ,EAA3jQ,yBAAokQ,EAApkQ,yBAA6kQ,EAA7kQ,yBAAslQ,EAAtlQ,yBAA+lQ,EAA/lQ,yBAAwmQ,EAAxmQ,yBAAinQ,EAAjnQ,yBAA0nQ,EAA1nQ,yBAAmoQ,EAAnoQ,yBAA4oQ,EAA5oQ,yBAAqpQ,EAArpQ,yBAA8pQ,EAA9pQ,yBAAuqQ,EAAvqQ,yBAAgrQ,EAAhrQ,yBAAyrQ,EAAzrQ,yBAAksQ,EAAlsQ,yBAA2sQ,EAA3sQ,yBAAotQ,EAAptQ,yBAA6tQ,EAA7tQ,yBAAsuQ,EAAtuQ,yBAA+uQ,EAA/uQ,yBAAwvQ,EAAxvQ,yBAAiwQ,EAAjwQ,yBAA0wQ,EAA1wQ,yBAAmxQ,EAAnxQ,yBAA4xQ,EAA5xQ,yBAAqyQ,EAAryQ,yBAA8yQ,EAA9yQ,yBAAuzQ,EAAvzQ,yBAAg0Q,EAAh0Q,yBAAy0Q,EAAz0Q,yBAAk1Q,EAAl1Q,yBAA21Q,EAA31Q,yBAAo2Q,EAAp2Q,yBAA62Q,EAA72Q,yBAAs3Q,EAAt3Q,yBAA+3Q,EAA/3Q,yBAAw4Q,EAAx4Q,yBAAi5Q,EAAj5Q,yBAA05Q,EAA15Q,yBAAm6Q,EAAn6Q,yBAA46Q,EAA56Q,yBAAq7Q,EAAr7Q,yBAA87Q,EAA97Q,yBAAu8Q,EAAv8Q,yBAAg9Q,EAAh9Q,yBAAy9Q,EAAz9Q,yBAAk+Q,EAAl+Q,yBAA2+Q,EAA3+Q,yBAAo/Q,EAAp/Q,yBAA6/Q,EAA7/Q,yBAAshR,EAAthR,yBAA+hR,EAA/hR,yBAAwiR,EAAxiR,yBAAijR,EAAjjR,yBAA0jR,EAA1jR,yBAAmkR,EAAnkR,yBAA4kR,EAA5kR,yBAAqlR,EAArlR,yBAA8lR,EAA9lR,yBAAumR,EAAvmR,yBAAgnR,EAAhnR,yBAAynR,EAAznR,yBAAkoR,EAAloR,yBAA2oR,EAA3oR,yBAAopR,EAAppR,yBAA6pR,EAA7pR,yBAAsqR,EAAtqR,yBAA+qR,EAA/qR,yBAAwrR,EAAxrR,yBAAisR,EAAjsR,yBAA0sR,EAA1sR,yBAAmtR,EAAntR,yBAA4tR,EAA5tR,yBAAquR,EAAruR,yBAA8uR,EAA9uR,yBAAuvR,EAAvvR,yBAAgwR,EAAhwR,yBAAywR,EAAzwR,yBAAkxR,EAAlxR,yBAA2xR,EAA3xR,yBAAoyR,EAApyR,yBAA6yR,EAA7yR,yBAAszR,EAAtzR,yBAA+zR,EAA/zR,yBAAw0R,EAAx0R,yBAAi1R,EAAj1R,yBAA01R,EAA11R,yBAAm2R,EAAn2R,yBAA42R,EAA52R,yBAAq3R,EAAr3R,yBAA83R,EAA93R,yBAAu4R,EAAv4R,yBAAg5R,EAAh5R,yBAAy5R,EAAz5R,yBAAk6R,EAAl6R,yBAA26R,EAA36R,yBAAo7R,EAAp7R,yBAA67R,EAA77R,yBAAs8R,EAAt8R,yBAA+8R,EAA/8R,yBAAw9R,EAAx9R,yBAAi+R,EAAj+R,yBAA0+R,EAA1+R,yBAAm/R,EAAn/R,yBAA4/R,EAA5/R,yBAAqgS,EAArgS,yBAA8gS,EAA9gS,yBAAuhS,EAAvhS,yBAAgiS,EAAhiS,yBAAyiS,EAAziS,yBAAkjS,EAAljS,yBAA2jS,EAA3jS,yBAAokS,EAApkS,yBAA6kS,EAA7kS,yBAAslS,EAAtlS,yBAA+lS,EAA/lS,yBAAwmS,EAAxmS,yBAAinS,EAAjnS,yBAA0nS,EAA1nS,yBAAmoS,EAAnoS,yBAA4oS,EAA5oS,yBAAqpS,EAArpS,yBAA8pS,EAA9pS,yBAAuqS,EAAvqS,yBAAgrS,EAAhrS,yBAAyrS,EAAzrS,yBAAksS,EAAlsS,yBAA2sS,EAA3sS,yBAAotS,EAAptS,yBAA6tS,EAA7tS,yBAAsuS,EAAtuS,yBAA+uS,EAA/uS,yBAAwvS,EAAxvS,yBAAiwS,EAAjwS,yBAA0wS,EAA1wS,yBAAmxS,EAAnxS,yBAA4xS,EAA5xS,yBAAqyS,EAAryS,yBAA8yS,EAA9yS,yBAAuzS,EAAvzS,yBAAg0S,EAAh0S,yBAAy0S,EAAz0S,yBAAk1S,EAAl1S,yBAA21S,EAA31S,yBAAo2S,EAAp2S,yBAA62S,EAA72S,yBAAs3S,EAAt3S,yBAA+3S,EAA/3S,yBAAw4S,EAAx4S,yBAAi5S,EAAj5S,yBAA05S,EAA15S,yBAAm6S,EAAn6S,yBAA

B,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;IACX,C;;MAQI,IAAI
,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAz
B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAY,oBAAL,SAAK,CAAL,SAAkB,E
AAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBA
AS,EAAQ,8BAAH,CAAG,EAAjB,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAY,
oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,IAAI,iDAAJ,C;QAA0B,OAAO
,iCAAU,M;MAC3C,OAAY,oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;IACX,C;;MAQI,O
AAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;IACX,C;;MAQI,OAAO,kBAAY,oBAAH,EAAG,EAAa,8BAAH,C
AAG,EAA1B,C;IACX,C;;MAQI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAQI,O
AAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;IACX,C;;MAUI,OAAW,4BAAO,YAAP,KAAO,GAAY
B,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAA
W,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAY,YAAzB,GAA2C,
S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAO,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,Y
AAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;
MAUI,OAAW,4BAAO,YAAP,KAAO,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAA
W,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,0BAAO,YAAP,KAAO,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,YAAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,OAAW,YAAO,Y
AAX,GAAY,YAAzB,GAA2C,S;IACtD,C;;MAUI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QAAmD,IAAI,+
BAAe,YAAf,KAAe,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QAAmD,IAAI,4B
AAO,YAAP,KAAO,C;UAAyB,OAAO,Y;QAAhC,C,IAAI,4BAAO,YAAP,KAAO,C;UAAyB,OAAO,Y;;;QAAhC,C,IAA
I,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAAO,GAAY,KAA7B,C;UAAkC,OAAO,Y;QAAzC,C,IAAI,iBAAiB,IAAjB,IAAyB,4B
AO,YAAP,KAAO,GAAY,KAA7B,C;UAAkC,OAAO,Y;;MAA7C,E,OAAO,S;IACX,C;;MAUI,IAAI,eAAe,YAAnB,C;QAAiC,IAAI,eAAiB,YAAjB,KAAiB,C;UAAyB,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAz

B;MAHZ,W;IAKJ,C;;M8BlmCI,OAAO,sBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAUkC,qB;QAAE,MAAM,8BAA0B,+CAA4C,aAA5C,MAA1B,C;MAAR,C;IAAA,C;;MAA9B,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;IACX,C;;MAgBqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;;MAgBqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;IACX,C;;MASW,sB;;QAuDS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAvDH,IAAvDH,SAAuDH,CAAvDH,CAAuDH,CAAvDH,CAAuDH,CAAvDH,C

B,sBAAnB,UAjrBlB,EAirB+C,IAjrB/C,CAAJ,C;YAA2C,sBAirBQ,IAjrBR,C;;QAE/C,OAAO,W;MACX,C;KAZA,C;sGAcA,yB;MAAA,8C;MAAA,0C;MAAA,8B;;QAOkB,qB;UAAE,c;QAAF,C;MAAA,C;MAPlB,sC;QAOW,Q;QAAP,OAAO,uCAAO,iCAAP,gC;MACX,C;KARA,C;;MAgBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,KAAxB,B,C;IACX,C;;MASuB,iB;IAAW,C;;MAAvB,Q;MAAP,OAAO,4CAAU,oBAAV,kC;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,KAAxB,B,C

AgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UxB3gBP,U;UADP,YwB6gBe,WxB7gBH,WwB6gBwB,GxB7gBxB,C;UACL,IAAI,aAAJ,C;YACH,awB2gBuC,gB;YAA5B,WxB1gBX,awB0gBgC,GxB1gBhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UwBugBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;MAtCX,C;KAbA,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UxBvfP,U;UADP,YwByfe,WxBzfH,WwByfwB,GxBzfxB,C;UACL,IAAI,aAAJ,C;YACH,awBufuC,gB;YAA5B,WxBtfX,awBsfgC,GxBtfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UwBmfA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAjBA,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UxB3gBP,U;UADP,YwB6gBe,WxB7gBH,WwB6gBwB,GxB7gBxB,C;UACL,IAAI,aAAJ,C;YACH,awB2gBuC,gB;YAA5B,WxB1gBX,awB0gBgC,GxB1gBhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UwBugBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KAlBA,C;0FAoBA,yB;MAAA,kC;MAAA,4C;;QAAuW,sC;QAAvW,8C;MAAA,C;MAAA,gE;QAAwZ,oBAAgB,W;MAAhB,C;MAAA,C;MAAA,gE;QAAwb,oE;QAAxb,4C,gCAAwb,OAAxb,C;MAAA,C;MAAA,C;MAAA

AAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2B
AAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;;MAGnB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,I
AAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QAC
I,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,
C;;MAE9C,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,
UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QAC
I,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sB
AAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS
,UAAd,C;QAAyB,OAAO,I;MAChC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAh
B,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,
C;UACV,WAAW,C;;;MAGnB,OAAO,O;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,
OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAA
W,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUI,
OAAO,CAAC,oBAAW,U;IACvB,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAA
I,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MASe,qB;QACP,eAAO,EAAP,C;QAAA
A,OACA,E;MAFO,C;IAAA,C;;MAAX,OAAO,kBAAI,qBAAJ,C;IAIX,C;kFAEA,yB;MAAA,4F;MAAA,uC;QAM
I,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,
QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAElB,OAA
O,W;MACX,C;KAbA,C;gGAeA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAcmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IA
AI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS
,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuC,
WAAvC,EAAoD,QAAS,OAA7D,C;;QAElB,OAAO,W;MACX,C;KAjBA,C;gBAmBA,yB;MAAA,2B;QAAA,IAAI,C;
MAAJ,2B;QAAA,IAAI,C;MAAJ,2B;QAAA,IAAI,C;MAAJ,2B;QAAA,IAAI,C;

3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;IACtC,C;4FAEA,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;MACX,C;KARA,C;;MA0B+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;IACX,C;;MAoBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAO,8BAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,C;IAAiE,C;;MAAjE,C;IAAiE,C;;MAAjE,C;IAAiE,C;;MAAjE

AgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CQxqBwB,qBRwqBb,OQxqBa,CRwqB5B,C;YAAyB,WAAY,WAAI,OAAJ,C;;QQxqBvD,ORyqBG,W;;MQxqBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;IACX,C;;MAWI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;gGAEA,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;MACX,C;KARA,C;;MAgBI,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;MASI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,rB,IAAA,Z,CAAA,Z,CAAA,Z,C

MoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YAClB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;MACX,C;KAfA,C;;MdrMI,IAAI,Ec8NI,KAAK,Cd9NT,CAAJ,C;QACI,cc6Nc,wD;Qd5Nd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;Mc6NV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAa,EAAoC,gBAAA,pC,C,IAAC,CAAX,C,C;;MdhOhE,IAAI,Ec0OI,KAAK,Cd1OT,CAAJ,C;QACI,ccyOc,wD;QdxOd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;McyOV,OE3M6E,oBF2M1D,eAAF,CAAE,EAAa,gBAAb,CE3M0D,C;IF4MjF,C,C;;Md5OI,IAAI,EcsPI,KAAK,CdtPT,CAAJ,C;QACI,ccqPc,wD;QdpPd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;McqPV,OAAO,mBAAkB,gBAAlB,CAAkB,EAAS,CAAT,CAAS,EAAa,CAAb,CAAa,EAAO,C;IACX,C,C;;MdxPtD,IAAI,EckQI,KAAK,CdlQT,CAAJ,C;QACI,cciQc,wD;QdhQd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MciQV,OAAO,mBAAkB,gBAAlB,CAAkB,EAAS,CAAT,CAAS,EAAa,CAAb,CAAa,EAAO,C;IACX,C,C;;MAAtD,2BAAS,EAAT,CAAS,EAAa,CAAb,CAAa,EAAO,C;IAAC,C;;MAAtB

MACjD,C;KANA,C;;MdhaI,IAAI,EcgbI,KAAK,CdhbT,CAAJ,C;QACI,cc+ac,wD;Qd9ad,MAAM,gCAAyB,OAAAQ,WAAjC,C;;Mc+aV,OAAO,8BAAY,CAAAZ,EAAAiB,eAAAF,CAAAE,EAAAa,gBAAAb,CAAAjB,C;IACX,C;;MdlbI,IAAAI,Ec4bI,KAAAK,Cd5bT,CAAAJ,C;QACI,cc2bc,wD;Qd1bd,MAAAM,gCAAAyB,OAAAQ,WAAAjC,C;;Mc2bV,OE1Z4F,oBF0Z3E,CE1Z2E,EF0ZtE,eAAAF,CAAAE,EAAAa,gBAAAb,CE1ZsE,C;IF2ZhG,C;;Md9bI,IAAAI,EcwcI,KAAAK,CdxcT,CAAAJ,C;QACI,ccucc,wD;Qdtcd,MAAAM,gCAAAyB,OAAAQ,WAAAjC,C;;McucV,aAAAa,gB;MACb,OAAO,8BAAY,SAAAW,eAAAF,CAAAE,EAAAa,gBAAAb,CAAAjB,C;IACX,C;;Md3cI,IAAAI,EcqdI,KAAAK,CdrdT,CAAAJ,C;QACI,ccodc,wD;Qdndd,MAAAM,gCAAAyB,OAAAQ,WAAAjC,C;;McodV,aAAAa,gB;MACb,OEvb6E,oBFub5D,SAAAW,eAAAF,CAAAE,EAAAa,gBAAAb,CAAAjB,C;IFwbjF,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAAMI,iBAAAc,wBAAAd,WA+B+C,C;QAAAA,iBAAAc,wBAAAd,WAAAA,+BAAAA,CAAAA,EAAAA,gBAAAA,CAAAA,EAAAA,gBAAAA,CAAAA,EAAAA,gB

ThB,OAWO,W;MAVX,C;KALA,C;oFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAyBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;U3BneP,U;UADP,Y2Bqee,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BoD,WA+B1C,CAAY,oBAAZ,C;U3BrfP,U;UADP,Y2Bufe,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAjCT,OAmCO,W;MAlCX,C;KAXA,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QAWoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAtCT,OAwCO,W;MAvCX,C;KAZA,C;oFAcA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAYoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA3CT,OA6CO,W;MA5CX,C;KAbA,C;oFAeA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAaoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAhDT,OAkDO,W;MAjDX,C;KAdA,C;oFAgBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAcoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAxDT,OA0DO,W;MAzDX,C;KAfA,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAeoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA7DT,OA+DO,W;MA9DX,C;KAhBA,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAgBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QArET,OAuEO,W;MAtEX,C;KAjBA,C;oFAmBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAiBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1ET,OA4EO,W;MA3EX,C;KAlBA,C;oFAoBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAkBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlFT,OAoFO,W;MAnFX,C;KAnBA,C;oFAqBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAmBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvFT,OAyFO,W;MAxFX,C;KApBA,C;oFAsBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAoBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5GT,OA8GO,W;MA7GX,C;KArBA,C;oFAuBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAqBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAjHT,OAmHO,W;MAlHX,C;KAtBA,C;oFAwBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAsBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAtHT,OAwHO,W;MAvHX,C;KAvBA,C;oFAyBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAuBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA3HT,OA6HO,W;MA5HX,C;KAxBA,C;oFA0BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAwBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlIT,OAoIO,W;MAnIX,C;KAzBA,C;oFA2BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAyBoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvIT,OAyIO,W;MAxIX,C;KA1BA,C;oFA4BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA0BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA9IT,OAgJO,W;MA/IX,C;KA3BA,C;oFA6BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA2BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAnJT,OAqJO,W;MApJX,C;KA5BA,C;oFA8BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA4BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1JT,OA4JO,W;MA3JX,C;KA7BA,C;oFA+BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA6BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvKT,OAyKO,W;MAxKX,C;KA9BA,C;oFAgCA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA8BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA9KT,OAgLO,W;MA/KX,C;KAhCA,C;oFAkCA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA+BoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAnLT,OAqLO,W;MApLX,C;KAlCA,C;oFAoCA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAgCoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAtLT,OAwLO,W;MAvLX,C;KApCA,C;oFAsCA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAqCoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA3LT,OA6LO,W;MA5LX,C;KAtCA,C;oFAwCA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAsCoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlMT,OAoMO,W;MAnMX,C;KAxCA,C;oFA0CA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAuCoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvMT,OAyMO,W;MAxMX,C;KA1CA,C;oFA4CA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAwCoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA9MT,OAgNO,W;MA/MX,C;KA5CA,C;oFA8CA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA2CoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAnNT,OAqNO,W;MApNX,C;KA9CA,C;oFAgDA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA4CoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAtNT,OAwNO,W;MAvNX,C;KAhDA,C;oFAkDA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA6CoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA3NT,OA6NO,W;MA5NX,C;KAlDA,C;oFAoDA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA8CoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlOT,OAoOO,W;MAnOX,C;KApDA,C;oFAsDA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA+CoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvOT,OAyOO,W;MAxOX,C;KAtDA,C;oFAwDA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAgDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA9OT,OAgPO,W;MA/OX,C;KAxDA,C;oFA0DA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAiDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA3OT,OA6OO,W;MA5OX,C;KA1DA,C;oFA4DA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAkDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlPT,OAoPO,W;MAnPX,C;KA5DA,C;oFA8DA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAmDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvPT,OAyPO,W;MAxPX,C;KA9DA,C;oFAgEA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAoDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1PT,OA4PO,W;MA3PX,C;KAhEA,C;oFAkEA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAqDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA/PT,OAiQO,W;MAhQX,C;KAlEA,C;oFAoEA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAsDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlQT,OAoQO,W;MAnQX,C;KApEA,C;oFAsEA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAuDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvQT,OAyQO,W;MAxQX,C;KAtEA,C;oFAwEA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAwDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1QT,OA4QO,W;MA3QX,C;KAxEA,C;oFA0EA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAyDoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA/QT,OAiRO,W;MAhRX,C;KA1EA,C;oFA4EA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA0DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlRT,OAoRO,W;MAnRX,C;KA5EA,C;oFA8EA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA2DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvRT,OAyRO,W;MAxRX,C;KA9EA,C;oFAgFA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA4DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1RT,OA4RO,W;MA3RX,C;KAhFA,C;oFAkFA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA6DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA/RT,OAiSO,W;MAhSX,C;KAlFA,C;oFAoFA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA8DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAlST,OAoSO,W;MAnSX,C;KApFA,C;oFAsFA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QA+DoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BneP,U;UADP,Y2BqeO,W3BreH,W2BqewB,G3BrexB,C;UACL,IAAI,aAAJ,C;YACH,a2BmeuC,gB;YAA5B,W3BleX,a2BkegC,G3BlehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2B+dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAvST,OAySO,W;MAxSX,C;KAtFA,C;oFAwFA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAgEoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;U3BrfP,U;UADP,Y2BufO,W3BvfH,W2BufwB,G3BvfxB,C;UACL,IAAI,aAAJ,C;YACH,a2BqfuC,gB;YAA5B,W3BpfX,a2BofgC,G3BpfhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U2BifA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAxFA,C;oFA0FA,yB;MAAA,6C;MAAA,oC;MAAA,+D;

C;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,OAAO,W;MACX,C;KAPA,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QACZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;mFAaA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ,SAAS,EAAT,WAAsB,wBAAtB,B,C;;QAElB,OAAO,W;MACX,C;KAVA,C;iGAYA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAU,iBAAV,iCAAI,YAAJ,EAAI,oBAAJ,KAAS,EAAT,WAAsB,wBAAtB,B,C;;QAElB,OAAO,W;MACX,C;KAVA,C;iFAYA,yB;MAAA,6C;MAAA,oC;MAAA,g

;KATA,C;;MAsBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,E
AAe,IAAf,EAAsC,IAAtC,EAAwD,SAAxD,C;IACX,C;;MAamC,OAAA,EAAG,W;IAAW,C;;MAA7C,OAAO,6B
AAgB,IAAhB,EAAsB,sBAAtB,C;IACX,C;;MAkBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAA
gE,SAAhE,C;IACX,C;oFAEA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,
Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oB
AAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,
EAAY,MAAZ,C;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MA
AA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,
IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAA
O,cAAK,KAAM,WAAX,EAAuB,MAAO,WA9B,C;MACX,C;KAhBA,C;;MAmCkD,OAAA,EAAG,W;IAAW,C
;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,
cAArB,EAAqC,eAArC,C;IACX,C;;MAoBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOhE,Q;MA
NrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GA
AkB,CAAlB,IAAD,IAAwB,IAAxB,C;MACb,YAAY,C;MACZ,OAAO,QAAQ,QAAf,C;QACI,UAAU,QAA
Q,IAAR,I;QACO,IAAI,MAAM,QAAV,C;UAAsB,IAAI,cAAJ,C;YAAoB,oB,e;;YAAc,K;;;UAAa,U;QAAtF,yB;QAC
A,MAAO,WAAI,UAAU,8BAAY,KAAZ,EAAmB,UAAnB,CAAV,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO
,M;IACX,C;;MAmB0D,OAAA,EAAG,W;IAAW,C;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;
MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;IACX,C;;MAuBoC,wB;QA
AW,yBAAU,0CAAY,KAAZ,EAAmB,eAAnB,EAAoC,4BAApC,EAAkD,CAAlD,C,CAAV,C;QAAoE,OAAO,IAAP,C;
MAAX,C;IAAA,C;;MAHoB,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAC7F,OAAO,cAAK,KAAL,
EAAY,MAAZ,C;MACX,C;KAhBA,C;;MAmCkD,OAAA,EAAG,W;IAAW,C;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;
MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,

Ac,gBAq7FT,cAAR,iBAAQ,C;;QAr7FhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KAVA,C;uGAYA,yB;MA07FI,8D;MA17FJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAi7FT,cAAR,iBAAQ,C;;QAj7FhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KAVA,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,C;KAVA,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,C;KAVA,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,C;KAVA,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;;MAmBW,sB;;QAgNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,iBAAgB,C;UAAA,yB;UAAA,M,IAhNT,NAgNS,SAhNT,CAgNS,O;YAhNT,uB;;;MAAA,O;;;MAAA,O;;;MAAA,O

AAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KARA,C;2FAUA,yB;MAsmFI,8D;MAtmFJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBA+lFT,cAAR,iBAAAQ,C;;QA/lFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KARA,C;;MAgBe,oBAAS,C;MAAT,S;QAAc,gBA4jFT,gBAAR,iBAAAQ,C;;MA5jFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,IAAI,KAAJ,CAAtD,GAAsE,IAAI,KAAJ,CAAtE,GAAsF,IAAI,KAAJ,CAAtF,GAAsG,aAAa,KAAb,C;MACjH,C;KARA,C;;MAae,oBAAS,C;MAAT,S;QAAc,gBA2jFT,gBAAR,iBAAAQ,C;;MA3jFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,IAAI,KAAJ,CAAtD,GAAsE,IAAI,KAAJ,CAAtE,GAAsF,IAAI,KAAJ,CAAtF,GAAsG,aAAa,KAAb,C;MACjH,C;KARA,C;;MAUe,oBAAS,C;MAAT,S;QAAc,gBAwjFT,gBAAR,iBAAAQ,C;;MAxjFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,IAAI,KAAJ,CAAtD,GAAsE,IAAI,KAAJ,CAAtE,GAAsF,IAAI,KAAJ,CAAtF,GAAsG,aAAa,KAAb,C;MACjH,C;KARA,C;;MAOe,oBAAS,C;MAAT,S;QAAc,gBAqjFT,gBAAR,iBAAAQ,C;;MArjFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,IAAI,KAAJ,CAAtD,GAAsE,IAAI,KAAJ,CAAtE,GAAsF,IAAI,KAAJ,CAAtF,GAAsG,aAAa,KAAb,C;MACjH,C;KARA,C;;MAIe,oBAAS,C;MAAT,S;QAAc,gBAkjFT,gBAAR,iBAAAQ,C;;MAljFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,IAAI,KAAJ,CAAtD,GAAsE,IAAI,KAAJ,CAAtE,GAAsF,IAAI,KAAJ,CAAtF,GAAsG,aAAa,KAAb,C;MACjH,C;KARA,C;uFAUA,yB;MAAA

CljByC,gBiCkjB1B,KAAR,iBAAQ,CjCljB0B,C;MiCmjB7C,C;KATA,C;iFAWA,yB;MAAA,oD;MAAA,iE;MA01EI,0D;MA11EJ,uC;QAQkB,Q;QAAA,OAAa,SAk1EX,YAl1EF,SAk1EN,QAAQ,CAl1EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MAm1EI,0D;MAn1EJ,uC;QAQkB,Q;QAAA,OAAa,SA20EX,YA30EF,SA20EN,QAAQ,CA30EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MA40EI,0D;MA50EJ,uC;QAQkB,Q;QAAA,OAAa,SAo0EX,YAp0EF,SAo0EN,QAAQ,CAp0EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MAq0EI,0D;MAr0EJ,uC;QAQkB,Q;QAAA,OAAa,SA60EX,YA70EF,SA60EN,QAAQ,CA70EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MA00EI,0D;MA10EJ,uC;QAQkB,Q;QAAA,OAAa,SAk0EX,YAl0EF,SAk0EN,QAAQ,CAl0EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAbA,C;iFAeA,yB;MAAA,oD;MAAA,iE;MA+0EI,0D;MA/0EJ,uC;QAQkB,Q;QAAA,OAAa,SAu0EX,YAv0EF,SAu0EN,QAAQ,CAv0

J,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4

,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAwOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAyOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA0OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA4OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA6OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA8OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA+OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAgPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAiPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAkPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAmPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAoPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAqPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAsPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAuPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAwPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAyPA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA0PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA2PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA4PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA6PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA8PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA+PA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAgQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAiQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAkQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAmQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAoQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAqQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAsQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAuQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAwQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAyQA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA0QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA2QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA4QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA6QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA8QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA+QA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAiRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAkRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAoRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAqRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAsRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAuRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAwRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAyRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA0RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA2RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA4RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA6RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA8RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA+RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAgSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAiSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAkSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAmSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAoSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAqSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAsSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAuSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAwSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QAySA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA0SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA2SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA4SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA6SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA8SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,OAAJ,C;YAAI,WAAI,IAAJ,C;eAAJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAAK,WAAI,IAAJ,C;YAAL,WAAW,I;;;QAEnB,OAAO,I;MACX,C;KAnBA,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kB;QAAS,gB;QA+SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI

B,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAs

O,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MjBjmEI,IAAI,EiB6mEI,KAAK,CjB7mET,CAAJ,C;QACI,ciB4mEc,sD;QjB3mEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB4mEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBtoEI,IAAI,EiBupEI,KAAK,CjBvpET,CAAJ,C;QACI,ciBspEc,sD;QjBrpEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBspEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBhsEI,IAAI,EiBitEI,KAAK,CjBjtET,CAAJ,C;QACI,ciBgtEc,sD;QjB/sEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBgtEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB1vEI,IAAI,EiB2wEI,KAAK,CjB3wET,CAAJ,C;QACI,ciB0wEc,sD;QjBzwEd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB0wEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBpzEI,IAAI,EiBq0EI,KAAK,CjBr0ET,CAAJ,C;QACI,ciBo0Ec,sD;QjBn0Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBo0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB93EI,IAAI,EiB+4EI,KAAK,CjB/4ET,CAAJ,C;QACI,ciB84Ec,sD;QjB74Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB84EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBx8EI,IAAI,EiBy9EI,KAAK,CjBz9ET,CAAJ,C;QACI,ciBw9Ec,sD;QjBv9Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBw9EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBlhFI,IAAI,EiBmiFI,KAAK,CjBniFT,CAAJ,C;QACI,ciBkiFc,sD;QjBjiFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBkiFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB1lFI,IAAI,EiB2mFI,KAAK,CjB3mFT,CAAJ,C;QACI,ciB0mFc,sD;QjBzmFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB0mFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBpqFI,IAAI,EiBqrFI,KAAK,CjBrrFT,CAAJ,C;QACI,ciBorFc,sD;QjBnrFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBorFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB5uFI,IAAI,EiB6vFI,KAAK,CjB7vFT,CAAJ,C;QACI,ciB4vFc,sD;QjB3vFd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB4vFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBtzFI,IAAI,EiBu0FI,KAAK,CjBv0FT,CAAJ,C;QACI,ciBs0Fc,sD;QjBr0Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBs0FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB34FI,IAAI,EiB45FI,KAAK,CjB55FT,CAAJ,C;QACI,ciB25Fc,sD;QjB15Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB25FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBh9FI,IAAI,EiBi+FI,KAAK,CjBj+FT,CAAJ,C;QACI,ciBg+Fc,sD;QjB/9Fd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBg+FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBrhGI,IAAI,EiBsiGI,KAAK,CjBtiGT,CAAJ,C;QACI,ciBqiGc,sD;QjBpiGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBqiGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBvlGI,IAAI,EiBwmGI,KAAK,CjBxmGT,CAAJ,C;QACI,ciBumGc,sD;QjBtmGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBumGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBzpGI,IAAI,EiB0qGI,KAAK,CjB1qGT,CAAJ,C;QACI,ciByqGc,sD;QjBxqGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiByqGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB3tGI,IAAI,EiB4uGI,KAAK,CjB5uGT,CAAJ,C;QACI,ciB2uGc,sD;QjB1uGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB2uGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB7xGI,IAAI,EiB8yGI,KAAK,CjB9yGT,CAAJ,C;QACI,ciB6yGc,sD;QjB5yGd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB6yGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB/1GI,IAAI,EiBg3GI,KAAK,CjBh3GT,CAAJ,C;QACI,ciB+2Gc,sD;QjB92Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB+2GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBj6GI,IAAI,EiBk7GI,KAAK,CjBl7GT,CAAJ,C;QACI,ciBi7Gc,sD;QjBh7Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBi7GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBn+GI,IAAI,EiBo/GI,KAAK,CjBp/GT,CAAJ,C;QACI,ciBm/Gc,sD;QjBl/Gd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBm/GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBrhHI,IAAI,EiBsiHI,KAAK,CjBtiHT,CAAJ,C;QACI,ciBqiHc,sD;QjBpiHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBqiHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBvlHI,IAAI,EiBwmHI,KAAK,CjBxmHT,CAAJ,C;QACI,ciBumHc,sD;QjBtmHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBumHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBzpHI,IAAI,EiB0qHI,KAAK,CjB1qHT,CAAJ,C;QACI,ciByqHc,sD;QjBxqHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiByqHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB3tHI,IAAI,EiB4uHI,KAAK,CjB5uHT,CAAJ,C;QACI,ciB2uHc,sD;QjB1uHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB2uHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB7xHI,IAAI,EiB8yHI,KAAK,CjB9yHT,CAAJ,C;QACI,ciB6yHc,sD;QjB5yHd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB6yHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB/1HI,IAAI,EiBg3HI,KAAK,CjBh3HT,CAAJ,C;QACI,ciB+2Hc,sD;QjB92Hd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB+2HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBj6HI,IAAI,EiBk7HI,KAAK,CjBl7HT,CAAJ,C;QACI,ciBi7Hc,sD;QjBh7Hd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBi7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBn+HI,IAAI,EiBo/HI,KAAK,CjBp/HT,CAAJ,C;QACI,ciBm/Hc,sD;QjBl/Hd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBm/HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBrhII,IAAI,EiBsiII,KAAK,CjBtiIT,CAAJ,C;QACI,ciBqiIc,sD;QjBpiId,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBqiIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBvlII,IAAI,EiBwmII,KAAK,CjBxmIT,CAAJ,C;QACI,ciBumIc,sD;QjBtmId,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBumIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBzpII,IAAI,EiB0qII,KAAK,CjB1qIT,CAAJ,C;QACI,ciByqIc,sD;QjBxqId,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiByqIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB3tII,IAAI,EiB4uII,KAAK,CjB5uIT,CAAJ,C;QACI,ciB2uIc,sD;QjB1uId,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB2uIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB7xII,IAAI,EiB8yII,KAAK,CjB9yIT,CAAJ,C;QACI,ciB6yIc,sD;QjB5yId,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB6yIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB/1II,IAAI,EiBg3II,KAAK,CjBh3IT,CAAJ,C;QACI,ciB+2Ic,sD;QjB92Id,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB+2IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBj6II,IAAI,EiBk7II,KAAK,CjBl7IT,CAAJ,C;QACI,ciBi7Ic,sD;QjBh7Id,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBi7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBn+II,IAAI,EiBo/II,KAAK,CjBp/IT,CAAJ,C;QACI,ciBm/Ic,sD;QjBl/Id,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBm/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBrhJI,IAAI,EiBsiJI,KAAK,CjBtiJT,CAAJ,C;QACI,ciBqiJc,sD;QjBpiJd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBqiJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBvlJI,IAAI,EiBwmJI,KAAK,CjBxmJT,CAAJ,C;QACI,ciBumJc,sD;QjBtmJd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiBumJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjBzpJI,IAAI,EiB0qJI,KAAK,CjB1qJT,CAAJ,C;QACI,ciByqJc,sD;QjBxqJd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiByqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB3tJI,IAAI,EiB4uJI,KAAK,CjB5uJT,CAAJ,C;QACI,ciB2uJc,sD;QjB1uJd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB2uJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB7xJI,IAAI,EiB8yJI,KAAK,CjB9yJT,CAAJ,C;QACI,ciB6yJc,sD;QjB5yJd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB6yJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;UACI,MACT,OAAO,I;IACX,C;;MjB/1JI,IAAI,EiBg3JI,KAAK,CjBh3JT,CAAJ,C;QACI,ciB+2Jc,sD;QjB92Jd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MiB+2JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;

CAApB,C;MACX,C;KARA,C;;MAgBI,IAAI,iBAAO,CAAX,C;QACI,iB;QAhII,UAAR,iBAAQ,C;;IAmIZ,C;;MA
QI,IAAI,iBAAO,CAAX,C;QACI,iB;QAlII,UAAR,iBAAQ,C;;IAqIZ,C;;MAQI,IAAI,iBAAO,CAAX,C;QACI,iB;Q
ApII,UAAR,iBAAQ,C;;IAuIZ,C;;MAQI,IAAI,iBAAO,CAAX,C;QACI,iB;QAtII,UAAR,iBAAQ,C;;IAyIZ,C;;MA
QoB,kBA+eT,cAAU,iBhBnwEO,QgBmwEjB,C;MA/eiB,mB;MAAxB,OAAiC,Sdj9E1B,Wci9E0B,C;IACrC,C;;M
AQoB,kBAkfT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAlfiB,mB;MAAxB,OAAiC,Sd19E1B,Wc09E0B,C;IACrC,C;
;MAQoB,kBAqfT,eAAW,iBhB/yEM,QgB+yEjB,C;MArfiB,mB;MAAxB,OAAiC,Udn+E1B,Wcm+E0B,C;IACrC,
C;;MAQoB,kBAwfT,gBAAY,iBhBjzEK,QgBizEjB,C;MAxfiB,mB;MAAxB,OAAiC,Ud5+E1B,Wc4+E0B,C;IACr
C,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QhBnwEO,QgBmwEjB,C;MA1csB,
mB;MAA7B,Odt/EO,W;Icu/EX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAmB,UA5cnB,SA
4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OdhgFO,W;IcigFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MA
CD,kBA8cd,eA9cA,SA8cW,QhB/yEM,QgB+yEjB,C;MA9csB,mB;MAA7B,Od1gFO,W;Ic2gFX,C;;MAQI,IAAI,m
BAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAhdA,SAgdY,QhBjzEK,QgBizEjB,C;MAhdsB,mB;MAA7B,OdphF
O,W;IcqhFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkad,cAlaA,SAkaU,QhBnwEO,QgBmwEjB,C
;MAlasB,6B;MAA7B,Od9hFO,W;Ic+hFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoad,eAAmB,U
ApanB,SAoaW,QAAQ,CAAnB,C;MApasB,6B;MAA7B,OdxiFO,W;IcyiFX,C;;MAQI,IAAI,mBAAJ,C;QAAe,OA
AO,S;MACD,kBAsad,eAtaA,SAsaW,QhB/yEM,QgB+yEjB,C;MAtasB,8B;MAA7B,OdljFO,W;IcmjFX,C;;MAQI,I
AAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwad,gBAxaA,SAwaY,QhBjzEK,QgBizEjB,C;MAxasB,8B;MAA7B,
Od5jFO,W;Ic6jFX,C;;MAUoB,kBAyXT,cAAU,iBhBnwEO,QgBmwEjB,C;MAzXiB,mB;MAAxB,OAAiC,YdvkF1
B,WcukF0B,C;IACrC,C;;MAUoB,kBA0XT,eAAmB,UAAR,iBAAQ,CAAnB,C;MA1XiB,mB;MAAxB,OAAiC,Yd
llF1B,WcklF0B,C;IACrC,C;;MAUoB,kBA2XT,eAAW,iBhBjzEM,QgBizEjB,C;MA3XiB,mB;MAAxB,OAAiC,Y
d7lF1B,Wc6lF0B,C;IACrC,C;;MAUoB,kBA4XT,gBAAY,iBhBlzEK,QgBkzEjB,C;MA5XiB,mB;MAAxB,OAAiC,
YdxmF1B,WcwmF0B,C;IACrC,C;;MAUI,OAAO,iB;IACX,C;;MAUI,OAAO,iB;IACX,C;;MAsCI,OAAO,iB;IAC
X,C;;MAUI,OAAO,iB;IACX,C;8FAEA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;MACX,C;KA
TA,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;MACX,C;KATA,C;8FAWA,yB;MAA
A,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;MACX,C;KATA,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,
OAAO,qBAAY,SAAZ,C;MACX,C;KATA,C;;MAkBI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAApB,C;IACnB,C;;
MASI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAApB,C;IACnB,C;;MASI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAA
pB,C;IACnB,C;;MASI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAApB,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C
;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAQI,OAAe,gBAAR,iBAAQ,C;IACnB,C;;MAQI,OAAe,
gBAAR,iBAAQ,C;IACnB,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,EAA6B,GAA7B,C;IACX,C;;MAUI,
OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,EAA6B,GAA7B,C;IACX,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB
B,EAAwB,GAAxB,EAA6B,GAA7B,C;IACX,C;;MAUI,OAAO,0BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,EAA6B,GAA7B,C;IACX,C;sFAE
A,yB;MhB/0EA,8C;MgB+0EA,kF;QAmB6D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UA
AA,WAAgB,c;QhB90E1H,UgB+0EA,iBhB/0EA,EgB+0EiB,WAAY,QhB/0E7B,EgB+0EsC,iBhB/0EtC,EgB+0Ey
D,UhB/0EzD,EgB+0EqE,QhB/0ErE,C;QgBg1EA,OAAO,W;MACX,C;KAtBA,C;wFAwBA,yB;MhB/0EA,8C;Mg
B+0EA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB90E
5H,UgB+0EA,iBhB/0EA,EgB+0EiB,WAAY,QhB/0E7B,EgB+0EsC,iBhB/0EtC,EgB+0EyD,UhB/0EzD,EgB+0Eq
E,QhB/0ErE,C;QgBg1EA,OAAO,W;MACX,C;KAtBA,C;wFAwBA,yB;MhB/0EA,6E;MgB+0EA,8C;MgB+0EA,kF;
QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB96E5H,UgB+6E
A,iBhB/6EA,EgB+6EiB,WAAY,QhB/6E7B,EgB+6EsC,iBhB/6EtC,EgB+6EyD,UhB/6EzD,EgB+6EqE,QhB/6ErE,C
;QgBg7EA,OAAO,W;MACX,C;KAtBA,C;wFAwBA,yB;MhB/6EA,8C;MgB+6EA,kF;QAmBiE,iC;UAAA,oBAAyB,
C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QhB96E9H,UgB+6EA,iBhB/6EA,EgB+6EiB,WAAY,Qh
B/6E7B,EgB+6EsC,iBhB/6EtC,EgB+6EyD,UhB/6EzD,EgB+6EqE,QhB/6ErE,C;QgBg7EA,OAAO,W;MACX,C;KAt
BA,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,SAAV,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,UAAnB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBhBjzEM,QgBizEjB,C;MACX,C;KAVA,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBhBlzEK,QgBkzEjB

,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;MACX,C;KAZA,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;MACX,C;KAZA,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;MACX,C;KAZA,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAUI,OAAO,mBAAkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAlB,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;MACX,C;KAXA,C;6FAaA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAUI,OAAO,qBAAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;MACX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,4B;QAAA,OAAA,EAAA,OAAA,EAAA,YAAA,iBAAA,C;MAAA,C;KAAA,C;8FAAA,yB;MAAA,0D;MAAA,4B;QAAA,OAAA,EAAA,OAAA,EAAA,YAAA,iBAAA,C;MAAA,C;KAAA,C;+FAAA,yB;MAAA,0D;MAAA,4B;QAAA,OAAA,EAAA,OAAA,EAAA,YAAA,iBAAA,C;MAAA,C;KAAA,C;+FAAA,yB;MAAA,0D;MAAA,4B;QAAA,OAAA,EAAA,OAAA,EAAA,YAAA,iBAAA,C;MAAA,C;KAAA,C;iFAEJ,yB;MAAA,uC;MhBjiEA,iD;MgBiiEA,qC;QAOI,OAAqB,4B;UAAA,OAAA,iBAAA,C;QAAA,C;QAAA,gBAAA,OAAA,EAAA,OAAA,CAAA,C;MAAA,C;KAAA,C;mFAAA

iB2B,wB;QAAW,wBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAvB,OvBx6GO,cAAU,gCuBw6GA,gBvBx6GA,GA
Ae,iBuBw6GT,6BvBx6GS,CAAf,CAAV,C;IuBy6GX,C;8FAEA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAA
U,ShB/uFO,QgB+uFjB,C;MACX,C;KATA,C;;MAiB4B,wB;QAAW,yBAAK,KAAL,C;MAAX,C;IAAA,C;;MAAx
B,OtB57GO,eAAW,kBsB47GA,gBtB57GA,EAAgB,kBsB47GV,8BtB57GU,CAAhB,CAAX,C;IsB67GX,C;gGAE
A,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAgB,OAAL,SAAK,CAAhB,C;MACX,C;KATA,C;;M
AiB6B,wB;QAAW,0BAAK,KAAL,C;MAAX,C;IAAA,C;;MAAzB,OpBh9GO,gBAAY,gCoBg9GA,gBpBh9GA,G
AAiB,mBoBg9GX,+BpBh9GW,CAAjB,CAAZ,C;IoBi9GX,C;kGAEA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,q
BAAY,ShBjyFK,QgBiyFjB,C;MACX,C;KATA,C;uFAWA,yB;MAAA,+D;MAwCA,gD;MAxCA,uC;QAOW,kBA
AU,gB;QAwCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzC6B,SAyClB,CAAU,OAAV,C
;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ChB,OA4CO,W;MA3CX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4C
A,gD;MA5CA,uC;QAOW,kBAAU,gB;QA4CD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA
7C6B,SA6ClB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ChB,OAgDO,W;MA/CX,C;KARA,C
;uFAUA,yB;MAAA,+D;MAgDA,gD;MAhDA,uC;QAOW,kBAAU,gB;QAgDD,Q;QAAA,2B;QAAhB,OAAgB,cA
AhB,C;UAAgB,yB;UACZ,WAjD6B,SAiDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlDhB,OAoDO,W;MAnDX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoDA,gD;MApDA,uC;QAOW,kBAAU,gB;QAoDD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArD6B,SAqDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtDhB,OAwDO,W;MAvDX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwDA,gD;MAxDA,uC;QAOW,kBAAU,gB;QAwDD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzD6B,SAyDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1DhB,OA4DO,W;MA3DX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAOW,kBAAU,gB;QA4DD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7D6B,SA6DlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9DhB,OAgEO,W;MA/DX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgEA,gD;MAhEA,uC;QAOW,kBAAU,gB;QAgED,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjE6B,SAiElB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlEhB,OAoEO,W;MAnEX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoEA,gD;MApEA,uC;QAOW,kBAAU,gB;QAoED,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArE6B,SAqElB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtEhB,OAwEO,W;MAvEX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwEA,gD;MAxEA,uC;QAOW,kBAAU,gB;QAwED,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzE6B,SAyElB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1EhB,OA4EO,W;MA3EX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4EA,gD;MA5EA,uC;QAOW,kBAAU,gB;QA4ED,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7E6B,SA6ElB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9EhB,OAgFO,W;MA/EX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgFA,gD;MAhFA,uC;QAOW,kBAAU,gB;QAgFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjF6B,SAiFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlFhB,OAoFO,W;MAnFX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoFA,gD;MApFA,uC;QAOW,kBAAU,gB;QAoFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArF6B,SAqFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtFhB,OAwFO,W;MAvFX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwFA,gD;MAxFA,uC;QAOW,kBAAU,gB;QAwFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzF6B,SAyFlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1FhB,OA4FO,W;MA3FX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4FA,gD;MA5FA,uC;QAOW,kBAAU,gB;QA4FD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7F6B,SA6FlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9FhB,OAgGO,W;MA/FX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgGA,gD;MAhGA,uC;QAOW,kBAAU,gB;QAgGD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjG6B,SAiGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlGhB,OAoGO,W;MAnGX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoGA,gD;MApGA,uC;QAOW,kBAAU,gB;QAoGD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArG6B,SAqGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtGhB,OAwGO,W;MAvGX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwGA,gD;MAxGA,uC;QAOW,kBAAU,gB;QAwGD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzG6B,SAyGlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1GhB,OA4GO,W;MA3GX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4GA,gD;MA5GA,uC;QAOW,kBAAU,gB;QA4GD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7G6B,SA6GlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9GhB,OAgHO,W;MA/GX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgHA,gD;MAhHA,uC;QAOW,kBAAU,gB;QAgHD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjH6B,SAiHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlHhB,OAoHO,W;MAnHX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoHA,gD;MApHA,uC;QAOW,kBAAU,gB;QAoHD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArH6B,SAqHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtHhB,OAwHO,W;MAvHX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwHA,gD;MAxHA,uC;QAOW,kBAAU,gB;QAwHD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzH6B,SAyHlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1HhB,OA4HO,W;MA3HX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4HA,gD;MA5HA,uC;QAOW,kBAAU,gB;QA4HD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7H6B,SA6HlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9HhB,OAgIO,W;MA/HX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgIA,gD;MAhIA,uC;QAOW,kBAAU,gB;QAgID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjI6B,SAiIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlIhB,OAoIO,W;MAnIX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoIA,gD;MApIA,uC;QAOW,kBAAU,gB;QAoID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArI6B,SAqIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtIhB,OAwIO,W;MAvIX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwIA,gD;MAxIA,uC;QAOW,kBAAU,gB;QAwID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzI6B,SAyIlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1IhB,OA4IO,W;MA3IX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4IA,gD;MA5IA,uC;QAOW,kBAAU,gB;QA4ID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7I6B,SA6IlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9IhB,OAgJO,W;MA/IX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgJA,gD;MAhJA,uC;QAOW,kBAAU,gB;QAgJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjJ6B,SAiJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlJhB,OAoJO,W;MAnJX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoJA,gD;MApJA,uC;QAOW,kBAAU,gB;QAoJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArJ6B,SAqJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtJhB,OAwJO,W;MAvJX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwJA,gD;MAxJA,uC;QAOW,kBAAU,gB;QAwJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzJ6B,SAyJlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4JO,W;MA3JX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAOW,kBAAU,gB;QA4JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7J6B,SA6JlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9JhB,OAgKO,W;MA/JX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgKA,gD;MAhKA,uC;QAOW,kBAAU,gB;QAgKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjK6B,SAiKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlKhB,OAoKO,W;MAnKX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoKA,gD;MApKA,uC;QAOW,kBAAU,gB;QAoKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArK6B,SAqKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;MAvKX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwKA,gD;MAxKA,uC;QAOW,kBAAU,gB;QAwKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzK6B,SAyKlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1KhB,OA4KO,W;MA3KX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4KA,gD;MA5KA,uC;QAOW,kBAAU,gB;QA4KD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7K6B,SA6KlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9KhB,OAgLO,W;MA/KX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgLA,gD;MAhLA,uC;QAOW,kBAAU,gB;QAgLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjL6B,SAiLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlLhB,OAoLO,W;MAnLX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QAOW,kBAAU,gB;QAoLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArL6B,SAqLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtLhB,OAwLO,W;MAvLX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QAOW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzL6B,SAyLlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1LhB,OA4LO,W;MA3LX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4LA,gD;MA5LA,uC;QAOW,kBAAU,gB;QA4LD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7L6B,SA6LlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9LhB,OAgMO,W;MA/LX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgMA,gD;MAhMA,uC;QAOW,kBAAU,gB;QAgMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjM6B,SAiMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlMhB,OAoMO,W;MAnMX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoMA,gD;MApMA,uC;QAOW,kBAAU,gB;QAoMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArM6B,SAqMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtMhB,OAwMO,W;MAvMX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwMA,gD;MAxMA,uC;QAOW,kBAAU,gB;QAwMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzM6B,SAyMlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1MhB,OA4MO,W;MA3MX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4MA,gD;MA5MA,uC;QAOW,kBAAU,gB;QA4MD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7M6B,SA6MlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9MhB,OAgNO,W;MA/MX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgNA,gD;MAhNA,uC;QAOW,kBAAU,gB;QAgND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjN6B,SAiNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlNhB,OAoNO,W;MAnNX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoNA,gD;MApNA,uC;QAOW,kBAAU,gB;QAoND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArN6B,SAqNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtNhB,OAwNO,W;MAvNX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwNA,gD;MAxNA,uC;QAOW,kBAAU,gB;QAwND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzN6B,SAyNlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1NhB,OA4NO,W;MA3NX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4NA,gD;MA5NA,uC;QAOW,kBAAU,gB;QA4ND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7N6B,SA6NlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9NhB,OAgOO,W;MA/NX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgOA,gD;MAhOA,uC;QAOW,kBAAU,gB;QAgOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjO6B,SAiOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlOhB,OAoOO,W;MAnOX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoOA,gD;MApOA,uC;QAOW,kBAAU,gB;QAoOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArO6B,SAqOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtOhB,OAwOO,W;MAvOX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwOA,gD;MAxOA,uC;QAOW,kBAAU,gB;QAwOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzO6B,SAyOlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1OhB,OA4OO,W;MA3OX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4OA,gD;MA5OA,uC;QAOW,kBAAU,gB;QA4OD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7O6B,SA6OlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9OhB,OAgPO,W;MA/OX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgPA,gD;MAhPA,uC;QAOW,kBAAU,gB;QAgPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjP6B,SAiPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlPhB,OAoPO,W;MAnPX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoPA,gD;MApPA,uC;QAOW,kBAAU,gB;QAoPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArP6B,SAqPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtPhB,OAwPO,W;MAvPX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwPA,gD;MAxPA,uC;QAOW,kBAAU,gB;QAwPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzP6B,SAyPlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1PhB,OA4PO,W;MA3PX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4PA,gD;MA5PA,uC;QAOW,kBAAU,gB;QA4PD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7P6B,SA6PlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9PhB,OAgQO,W;MA/PX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgQA,gD;MAhQA,uC;QAOW,kBAAU,gB;QAgQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjQ6B,SAiQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlQhB,OAoQO,W;MAnQX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoQA,gD;MApQA,uC;QAOW,kBAAU,gB;QAoQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArQ6B,SAqQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtQhB,OAwQO,W;MAvQX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwQA,gD;MAxQA,uC;QAOW,kBAAU,gB;QAwQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzQ6B,SAyQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1QhB,OA4QO,W;MA3QX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4QA,gD;MA5QA,uC;QAOW,kBAAU,gB;QA4QD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7Q6B,SA6QlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9QhB,OAgRO,W;MA/QX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgRA,gD;MAhRA,uC;QAOW,kBAAU,gB;QAgRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjR6B,SAiRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlRhB,OAoRO,W;MAnRX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoRA,gD;MApRA,uC;QAOW,kBAAU,gB;QAoRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArR6B,SAqRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtRhB,OAwRO,W;MAvRX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwRA,gD;MAxRA,uC;QAOW,kBAAU,gB;QAwRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzR6B,SAyRlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1RhB,OA4RO,W;MA3RX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4RA,gD;MA5RA,uC;QAOW,kBAAU,gB;QA4RD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7R6B,SA6RlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9RhB,OAgSO,W;MA/RX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgSA,gD;MAhSA,uC;QAOW,kBAAU,gB;QAgSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjS6B,SAiSlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlShB,OAoSO,W;MAnSX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoSA,gD;MApSA,uC;QAOW,kBAAU,gB;QAoSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArS6B,SAqSlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtShB,OAwSO,W;MAvSX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwSA,gD;MAxSA,uC;QAOW,kBAAU,gB;QAwSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzS6B,SAySlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ShB,OA4SO,W;MA3SX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4SA,gD;MA5SA,uC;QAOW,kBAAU,gB;QA4SD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7S6B,SA6SlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ShB,OAgTO,W;MA/SX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgTA,gD;MAhTA,uC;QAOW,kBAAU,gB;QAgTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjT6B,SAiTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlThB,OAoTO,W;MAnTX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoTA,gD;MApTA,uC;QAOW,kBAAU,gB;QAoTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArT6B,SAqTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtThB,OAwTO,W;MAvTX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwTA,gD;MAxTA,uC;QAOW,kBAAU,gB;QAwTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzT6B,SAyTlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ThB,OA4TO,W;MA3TX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4TA,gD;MA5TA,uC;QAOW,kBAAU,gB;QA4TD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7T6B,SA6TlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ThB,OAgUO,W;MA/TX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgUA,gD;MAhUA,uC;QAOW,kBAAU,gB;QAgUD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjU6B,SAiUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlUhB,OAoUO,W;MAnUX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoUA,gD;MApUA,uC;QAOW,kBAAU,gB;QAoUD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArU6B,SAqUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtUhB,OAwUO,W;MAvUX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwUA,gD;MAxUA,uC;QAOW,kBAAU,gB;QAwUD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzU6B,SAyUlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1UhB,OA4UO,W;MA3UX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4UA,gD;MA5UA,uC;QAOW,kBAAU,gB;QA4UD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7U6B,SA6UlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9UhB,OAgVO,W;MA/UX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgVA,gD;MAhVA,uC;QAOW,kBAAU,gB;QAgVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjV6B,SAiVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlVhB,OAoVO,W;MAnVX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoVA,gD;MApVA,uC;QAOW,kBAAU,gB;QAoVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArV6B,SAqVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtVhB,OAwVO,W;MAvVX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwVA,gD;MAxVA,uC;QAOW,kBAAU,gB;QAwVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzV6B,SAyVlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1VhB,OA4VO,W;MA3VX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4VA,gD;MA5VA,uC;QAOW,kBAAU,gB;QA4VD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7V6B,SA6VlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9VhB,OAgWO,W;MA/VX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgWA,gD;MAhWA,uC;QAOW,kBAAU,gB;QAgWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjW6B,SAiWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlWhB,OAoWO,W;MAnWX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoWA,gD;MApWA,uC;QAOW,kBAAU,gB;QAoWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArW6B,SAqWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtWhB,OAwWO,W;MAvWX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwWA,gD;MAxWA,uC;QAOW,kBAAU,gB;QAwWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzW6B,SAyWlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1WhB,OA4WO,W;MA3WX,C;KARA,C;uFAUA,yB;MAAA,+D;MA4WA,gD;MA5WA,uC;QAOW,kBAAU,gB;QA4WD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA7W6B,SA6WlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9WhB,OAgXO,W;MA/WX,C;KARA,C;uFAUA,yB;MAAA,+D;MAgXA,gD;MAhXA,uC;QAOW,kBAAU,gB;QAgXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjX6B,SAiXlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlXhB,OAoXO,W;MAnXX,C;KARA,C;uFAUA,yB;MAAA,+D;MAoXA,gD;MApXA,uC;QAOW,kBAAU,gB;QAoXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArX6B,SAqXlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtXhB,OAwXO,W;MAvXX,C;KARA,C;uFAUA,yB;MAAA,+D;MAwXA,gD;MAxXA,uC;QAOW,kBAAU,gB;QAwXD,

O,W;MAzJX,C;KAdA,C;uFAgBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U9BrlHP,U;UADP,Y8BulHe,W9BvlHH,W8BulHwB,G9BvlHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BqlHuC,gB;YAA5B,W9BplHX,a8BolHgC,G9BplHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BilHA,iB;UACA,IAAK,WA7JyD,cA6Ae,OAAf,CAAJ,C;;QA7JT,OA+JO,W;MA9JX,C;KAdA,C;uFAgBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U9B1mHP,U;UADP,Y8B4mHe,W9B5mHH,W8B4mHwB,G9B5mHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B0mHuC,gB;YAA5B,W9BzmHX,a8BymHgC,G9BzmHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BsmHA,iB;UACA,IAAK,WAlKyD,cAkKe,OAAf,CAAJ,C;;QAlKT,OAoKO,W;MAnKX,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B19GP,U;UADP,Y8B49Ge,W9B59GH,W8B49GwB,G9B59GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B09GuC,gB;YAA5B,W9Bz9GX,a8By9GgC,G9Bz9GhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bs9GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B9+GP,U;UADP,Y8Bg/Ge,W9Bh/GH,W8Bg/GwB,G9Bh/GxB,C;UACL,IAAI,aAAJ,C;YACH,a8B8+GuC,gB;YAA5B,W9B7+GX,a8B6+GgC,G9B7+GhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B0+GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BlgHP,U;UADP,Y8BogHe,W9BpgHH,W8BogHwB,G9BpgHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BkgHuC,gB;YAA5B,W9BjgHX,a8BigHgC,G9BjgHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B8/GA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BthHP,U;UADP,Y8BwhHe,W9BxhHH,W8BwhHwB,G9BxhHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BshHuC,gB;YAA5B,W9BrhHX,a8BqhHgC,G9BrhHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BkhHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B1iHP,U;UADP,Y8B4iHe,W9B5iHH,W8B4iHwB,G9B5iHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B0iHuC,gB;YAA5B,W9BziHX,a8ByiHgC,G9BziHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BsiHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BtjHP,U;UADP,Y8BwjHe,W9BxjHH,W8BwjHwB,G9BxjHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BsjHuC,gB;YAA5B,W9BrjHX,a8BqjHgC,G9BrjHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BkjHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BlkHP,U;UADP,Y8BokHe,W9BpkHH,W8BokHwB,G9BpkHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BkkHuC,gB;YAA5B,W9BjkHX,a8BikHgC,G9BjkHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B8jHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BtlHP,U;UADP,Y8BwlHe,W9BxlHH,W8BwlHwB,G9BxlHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BslHuC,gB;YAA5B,W9BrlHX,a8BqlHgC,G9BrlHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BklHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B1mHP,U;UADP,Y8B4mHe,W9B5mHH,W8B4mHwB,G9B5mHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B0mHuC,gB;YAA5B,W9BzmHX,a8BymHgC,G9BzmHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BsmHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BnnHP,U;UADP,Y8BqnHe,W9BrnHH,W8BqnHwB,G9BrnHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BmnHuC,gB;YAA5B,W9BlnHX,a8BknHgC,G9BlnHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B+mHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BvoHP,U;UADP,Y8ByoHe,W9BzoHH,W8ByoHwB,G9BzoHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BuoHuC,gB;YAA5B,W9BtoHX,a8BsoHgC,G9BtoHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BmoHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BppHP,U;UADP,Y8BspHe,W9BtpHH,W8BspHwB,G9BtpHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BopHuC,gB;YAA5B,W9BnpHX,a8BmpHgC,G9BnpHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgpHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BhqHP,U;UADP,Y8BkqHe,W9BlqHH,W8BkqHwB,G9BlqHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BgqHuC,gB;YAA5B,W9B/pHX,a8B+pHgC,G9B/pHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B4pHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B5rHP,U;UADP,Y8B8rHe,W9B9rHH,W8B8rHwB,G9B9rHxB,C;UACL,IAAI,aAAJ,C;YACH,a8B4rHuC,gB;YAA5B,W9B3rHX,a8B2rHgC,G9B3rHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BwrHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxsHP,U;UADP,Y8B0sHe,W9B1sHH,W8B0sHwB,G9B1sHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwsHuC,gB;YAA5B,W9BvsHX,a8BusHgC,G9BvsHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BosHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpuHP,U;UADP,Y8BsuHe,W9BtuHH,W8BsuHwB,G9BtuHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BouHuC,gB;YAA5B,W9BnuHX,a8BmuHgC,G9BnuHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BguHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BhvHP,U;UADP,Y8BkvHe,W9BlvHH,W8BkvHwB,G9BlvHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BgvHuC,gB;YAA5B,W9B/uHX,a8B+uHgC,G9B/uHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B4uHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxwHP,U;UADP,Y8B0wHe,W9B1wHH,W8B0wHwB,G9B1wHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwwHuC,gB;YAA5B,W9BvwHX,a8BuwHgC,G9BvwHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BowHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpxHP,U;UADP,Y8BsxHe,W9BtxHH,W8BsxHwB,G9BtxHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BoxHuC,gB;YAA5B,W9BnxHX,a8BmxHgC,G9BnxHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgxHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BhyHP,U;UADP,Y8BkyHe,W9BlyHH,W8BkyHwB,G9BlyHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BgyHuC,gB;YAA5B,W9B/xHX,a8B+xHgC,G9B/xHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B4xHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxzHP,U;UADP,Y8B0zHe,W9B1zHH,W8B0zHwB,G9B1zHxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwzHuC,gB;YAA5B,W9BvzHX,a8BuzHgC,G9BvzHhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BozHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B50HP,U;UADP,Y8B80He,W9B90HH,W8B80HwB,G9B90HxB,C;UACL,IAAI,aAAJ,C;YACH,a8B40HuC,gB;YAA5B,W9B30HX,a8B20HgC,G9B30HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bw0HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bh2HP,U;UADP,Y8Bk2He,W9Bl2HH,W8Bk2HwB,G9Bl2HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bg2HuC,gB;YAA5B,W9B/1HX,a8B+1HgC,G9B/1HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B41HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bp3HP,U;UADP,Y8Bs3He,W9Bt3HH,W8Bs3HwB,G9Bt3HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bo3HuC,gB;YAA5B,W9Bn3HX,a8Bm3HgC,G9Bn3HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bg3HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bx4HP,U;UADP,Y8B04He,W9B14HH,W8B04HwB,G9B14HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bw4HuC,gB;YAA5B,W9Bv4HX,a8Bu4HgC,G9Bv4HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bo4HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B56HP,U;UADP,Y8B86He,W9B96HH,W8B86HwB,G9B96HxB,C;UACL,IAAI,aAAJ,C;YACH,a8B46HuC,gB;YAA5B,W9B36HX,a8B26HgC,G9B36HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bw6HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bh8HP,U;UADP,Y8Bk8He,W9Bl8HH,W8Bk8HwB,G9Bl8HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bg8HuC,gB;YAA5B,W9B/7HX,a8B+7HgC,G9B/7HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B47HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bp9HP,U;UADP,Y8Bs9He,W9Bt9HH,W8Bs9HwB,G9Bt9HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bo9HuC,gB;YAA5B,W9Bn9HX,a8Bm9HgC,G9Bn9HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bg9HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9Bx+HP,U;UADP,Y8B0+He,W9B1+HH,W8B0+HwB,G9B1+HxB,C;UACL,IAAI,aAAJ,C;YACH,a8Bw+HuC,gB;YAA5B,W9Bv+HX,a8Bu+HgC,G9Bv+HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bo+HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9B5/HP,U;UADP,Y8B8/He,W9B9/HH,W8B8/HwB,G9B9/HxB,C;UACL,IAAI,aAAJ,C;YACH,a8B4/HuC,gB;YAA5B,W9B3/HX,a8B2/HgC,G9B3/HhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8Bw/HA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BhhIP,U;UADP,Y8BkhIe,W9BlhIH,W8BkhIwB,G9BlhIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BghIuC,gB;YAA5B,W9B/gIX,a8B+gIgC,G9B/gIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8B4gIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpiIP,U;UADP,Y8BsiIe,W9BtiIH,W8BsiIwB,G9BtiIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BoiIuC,gB;YAA5B,W9BniIX,a8BmiIgC,G9BniIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgiIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxjIP,U;UADP,Y8B0jIe,W9B1jIH,W8B0jIwB,G9B1jIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwjIuC,gB;YAA5B,W9BvjIX,a8BujIgC,G9BvjIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BojIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BplIP,U;UADP,Y8BslIe,W9BtlIH,W8BslIwB,G9BtlIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BolIuC,gB;YAA5B,W9BnlIX,a8BmlIgC,G9BnlIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BglIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxmIP,U;UADP,Y8B0mIe,W9B1mIH,W8B0mIwB,G9B1mIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwmIuC,gB;YAA5B,W9BvmIX,a8BumIgC,G9BvmIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BomIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpnIP,U;UADP,Y8BsnIe,W9BtnIH,W8BsnIwB,G9BtnIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BonIuC,gB;YAA5B,W9BnnIX,a8BmnIgC,G9BnnIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgnIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxoIP,U;UADP,Y8B0oIe,W9B1oIH,W8B0oIwB,G9B1oIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwoIuC,gB;YAA5B,W9BvoIX,a8BuoIgC,G9BvoIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BooIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BppIP,U;UADP,Y8BspIe,W9BtpIH,W8BspIwB,G9BtpIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BopIuC,gB;YAA5B,W9BnpIX,a8BmpIgC,G9BnpIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgpIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxqIP,U;UADP,Y8B0qIe,W9B1qIH,W8B0qIwB,G9B1qIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwqIuC,gB;YAA5B,W9BvqIX,a8BuqIgC,G9BvqIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BoqIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BprIP,U;UADP,Y8BsrIe,W9BtrIH,W8BsrIwB,G9BtrIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BorIuC,gB;YAA5B,W9BnrIX,a8BmrIgC,G9BnrIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgrIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxsIP,U;UADP,Y8B0sIe,W9B1sIH,W8B0sIwB,G9B1sIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwsIuC,gB;YAA5B,W9BvsIX,a8BusIgC,G9BvsIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BosIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BptIP,U;UADP,Y8BstIe,W9BttIH,W8BstIwB,G9BttIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BotIuC,gB;YAA5B,W9BntIX,a8BmtIgC,G9BntIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgtIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxuIP,U;UADP,Y8B0uIe,W9B1uIH,W8B0uIwB,G9B1uIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwuIuC,gB;YAA5B,W9BvuIX,a8BuuIgC,G9BvuIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BouIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpvIP,U;UADP,Y8BsvIe,W9BtvIH,W8BsvIwB,G9BtvIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BovIuC,gB;YAA5B,W9BnvIX,a8BmvIgC,G9BnvIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgvIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxwIP,U;UADP,Y8B0wIe,W9B1wIH,W8B0wIwB,G9B1wIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwwIuC,gB;YAA5B,W9BvwIX,a8BuwIgC,G9BvwIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BowIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpxIP,U;UADP,Y8BsxIe,W9BtxIH,W8BsxIwB,G9BtxIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BoxIuC,gB;YAA5B,W9BnxIX,a8BmxIgC,G9BnxIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgxIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxyIP,U;UADP,Y8B0yIe,W9B1yIH,W8B0yIwB,G9B1yIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwyIuC,gB;YAA5B,W9BvyIX,a8BuyIgC,G9BvyIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BoyIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpzIP,U;UADP,Y8BszIe,W9BtzIH,W8BszIwB,G9BtzIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BozIuC,gB;YAA5B,W9BnzIX,a8BmzIgC,G9BnzIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgzIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxzIP,U;UADP,Y8B0zIe,W9B1zIH,W8B0zIwB,G9B1zIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwzIuC,gB;YAA5B,W9BvzIX,a8BuzIgC,G9BvzIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BozIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BpzIP,U;UADP,Y8BszIe,W9BtzIH,W8BszIwB,G9BtzIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BozIuC,gB;YAA5B,W9BnzIX,a8BmzIgC,G9BnzIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BgzIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U9BxzIP,U;UADP,Y8B0zIe,W9B1zIH,W8B0zIwB,G9B1zIxB,C;UACL,IAAI,aAAJ,C;YACH,a8BwzIuC,gB;YAA5B,W9BvzIX,a8BuzIgC,G9BvzIhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U8BozIA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAAT,OAAO,W;MAAP,C;KAlBA,C;2FAoBA,yB;MAAA,+D;MAAA,sD;Q

;;QAtDhB,OAuDO,W;MAtDX,C;KAXA,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzDwB,SAyDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzDhB,OA0DO,W;MAzDX,C;KAXA,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;MA5DX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;MA/DX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlEwB,SAkEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlEhB,OAmEO,W;MAlEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArEwB,SAqEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArEhB,OAsEO,W;MArEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxEwB,SAwEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxEhB,OAyEO,W;MAxEX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3EwB,SA2EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3EhB,OA4EO,W;MA3EX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9EwB,SA8EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9EhB,OA+EO,W;MA9EX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjFwB,SAiFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjFhB,OAkFO,W;MAjFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApFwB,SAoFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApFhB,OAqFO,W;MApFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvFwB,SAuFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvFhB,OAwFO,W;MAvFX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1FwB,SA0FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1FhB,OA2FO,W;MA1FX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7FwB,SA6FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7FhB,OA8FO,W;MA7FX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhGwB,SAgGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhGhB,OAiGO,W;MAhGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnGwB,SAmGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnGhB,OAoGO,W;MAnGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtGwB,SAsGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtGhB,OAuGO,W;MAtGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzGwB,SAyGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzGhB,OA0GO,W;MAzGX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5GwB,SA4GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5GhB,OA6GO,W;MA5GX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/GwB,SA+GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/GhB,OAgHO,W;MA/GX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlHwB,SAkHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlHhB,OAmHO,W;MAlHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArHwB,SAqHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArHhB,OAsHO,W;MArHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxHwB,SAwHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxHhB,OAyHO,W;MAxHX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3HwB,SA2HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3HhB,OA4HO,W;MA3HX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9HwB,SA8HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9HhB,OA+HO,W;MA9HX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjIwB,SAiIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjIhB,OAkIO,W;MAjIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApIwB,SAoIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApIhB,OAqIO,W;MApIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvIwB,SAuIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvIhB,OAwIO,W;MAvIX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1IwB,SA0IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1IhB,OA2IO,W;MA1IX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7IwB,SA6IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7IhB,OA8IO,W;MA7IX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhJwB,SAgJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhJhB,OAiJO,W;MAhJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnJwB,SAmJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnJhB,OAoJO,W;MAnJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtJwB,SAsJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtJhB,OAuJO,W;MAtJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzJwB,SAyJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzJhB,OA0JO,W;MAzJX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5JwB,SA4JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5JhB,OA6JO,W;MA5JX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/JwB,SA+JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/JhB,OAgKO,W;MA/JX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlKwB,SAkKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlKhB,OAmKO,W;MAlKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArKwB,SAqKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArKhB,OAsKO,W;MArKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxKwB,SAwKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxKhB,OAyKO,W;MAxKX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3KwB,SA2KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3KhB,OA4KO,W;MA3KX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9KwB,SA8KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9KhB,OA+KO,W;MA9KX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjLwB,SAiLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjLhB,OAkLO,W;MAjLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApLwB,SAoLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApLhB,OAqLO,W;MApLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvLwB,SAuLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvLhB,OAwLO,W;MAvLX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1LwB,SA0LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1LhB,OA2LO,W;MA1LX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7LwB,SA6LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7LhB,OA8LO,W;MA7LX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhMwB,SAgMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhMhB,OAiMO,W;MAhMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnMwB,SAmMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnMhB,OAoMO,W;MAnMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtMwB,SAsMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtMhB,OAuMO,W;MAtMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzMwB,SAyMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzMhB,OA0MO,W;MAzMX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5MwB,SA4MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5MhB,OA6MO,W;MA5MX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/MwB,SA+MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/MhB,OAgNO,W;MA/MX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlNwB,SAkNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlNhB,OAmNO,W;MAlNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArNwB,SAqNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArNhB,OAsNO,W;MArNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxNwB,SAwNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxNhB,OAyNO,W;MAxNX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3NwB,SA2NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3NhB,OA4NO,W;MA3NX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9NwB,SA8NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9NhB,OA+NO,W;MA9NX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjOwB,SAiOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjOhB,OAkOO,W;MAjOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApOwB,SAoOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApOhB,OAqOO,W;MApOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvOwB,SAuOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvOhB,OAwOO,W;MAvOX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1OwB,SA0OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1OhB,OA2OO,W;MA1OX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7OwB,SA6OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7OhB,OA8OO,W;MA7OX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhPwB,SAgPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhPhB,OAiPO,W;MAhPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnPwB,SAmPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnPhB,OAoPO,W;MAnPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtPwB,SAsPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtPhB,OAuPO,W;MAtPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzPwB,SAyPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzPhB,OA0PO,W;MAzPX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5PwB,SA4PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5PhB,OA6PO,W;MA5PX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/PwB,SA+PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/PhB,OAgQO,W;MA/PX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlQwB,SAkQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlQhB,OAmQO,W;MAlQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArQwB,SAqQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArQhB,OAsQO,W;MArQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxQwB,SAwQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxQhB,OAyQO,W;MAxQX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3QwB,SA2QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3QhB,OA4QO,W;MA3QX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9QwB,SA8QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9QhB,OA+QO,W;MA9QX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjRwB,SAiRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjRhB,OAkRO,W;MAjRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApRwB,SAoRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApRhB,OAqRO,W;MApRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvRwB,SAuRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvRhB,OAwRO,W;MAvRX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1RwB,SA0RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1RhB,OA2RO,W;MA1RX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7RwB,SA6RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7RhB,OA8RO,W;MA7RX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhSwB,SAgSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhShB,OAiSO,W;MAhSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnSwB,SAmSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnShB,OAoSO,W;MAnSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtSwB,SAsSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtShB,OAuSO,W;MAtSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzSwB,SAySpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzShB,OA0SO,W;MAzSX,C;KAXA,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2SP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5SwB,SA4SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5ShB,OA6SO,W;MA5SX,C;KAXA,C;4

F9C,YAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;IACX,C;;MAcoB,UAA8B,M;MAF

CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1jDG,cAAR,iBAAQ,C;QA0jDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA7jDI,8D;MA6jDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAzkDG,cAAR,iBAAQ,C;QAykDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA5kDI,8D;MA4kDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAnlDG,cAAR,iBAAQ,C;QAmlDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAnlDI,8D;MAmlDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1mDG,cAAR,iBAAQ,C;QA0mDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA1mDI,8D;MA0mDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAjnDG,cAAR,iBAAQ,C;QAinDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAjnDI,8D;MAinDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAxoDG,cAAR,iBAAQ,C;QAwoDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAxoDI,8D;MAwoDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA/pDG,cAAR,iBAAQ,C;QA+pDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA/pDI,8D;MA+pDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAtqDG,cAAR,iBAAQ,C;QAsqDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAtqDI,8D;MAsqDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA7rDG,cAAR,iBAAQ,C;QA6rDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MArrDI,8D;MAqrDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA5sDG,cAAR,iBAAQ,C;QA4sDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA5sDI,8D;MA4sDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAnuDG,cAAR,iBAAQ,C;QAmuDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAnuDI,8D;MAmuDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1vDG,cAAR,iBAAQ,C;QA0vDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAvvDI,8D;MAuvDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA9wDG,cAAR,iBAAQ,C;QA8wDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3wDI,8D;MA2wDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAlyDG,cAAR,iBAAQ,C;QAkyDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhyDI,8D;MAgyDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAvzDG,cAAR,iBAAQ,C;QAuzDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAzzDI,8D;MAyzDJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAh1DG,cAAR,iBAAQ,C;QAg1DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAl1DI,8D;MAk1DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAz2DG,cAAR,iBAAQ,C;QAy2DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA32DI,8D;MA22DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAl4DG,cAAR,iBAAQ,C;QAk4DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAp4DI,8D;MAo4DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA35DG,cAAR,iBAAQ,C;QA25DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA75DI,8D;MA65DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAp7DG,cAAR,iBAAQ,C;QAo7DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAt7DI,8D;MAs7DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA78DG,cAAR,iBAAQ,C;QA68DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA98DI,8D;MA88DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAr+DG,cAAR,iBAAQ,C;QAq+DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAn+DI,8D;MAm+DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1/DG,cAAR,iBAAQ,C;QA0/DhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3/DI,8D;MA2/DJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAlhEG,cAAR,iBAAQ,C;QAkhEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhhEI,8D;MAghEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAviEG,cAAR,iBAAQ,C;QAuiEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAriEI,8D;MAqiEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA5jEG,cAAR,iBAAQ,C;QA4jEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA1jEI,8D;MA0jEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAjlEG,cAAR,iBAAQ,C;QAilEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAllEI,8D;MAklEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAznEG,cAAR,iBAAQ,C;QAynEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAvnEI,8D;MAunEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA9oEG,cAAR,iBAAQ,C;QA8oEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA5oEI,8D;MA4oEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAnqEG,cAAR,iBAAQ,C;QAmqEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAjqEI,8D;MAiqEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAxrEG,cAAR,iBAAQ,C;QAwrEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAtrEI,8D;MAsrEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA7sEG,cAAR,iBAAQ,C;QA6sEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3sEI,8D;MA2sEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAluEG,cAAR,iBAAQ,C;QAkuEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhuEI,8D;MAguEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAvvEG,cAAR,iBAAQ,C;QAuvEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAvvEI,8D;MAuvEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA9wEG,cAAR,iBAAQ,C;QA8wEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3wEI,8D;MA2wEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAlyEG,cAAR,iBAAQ,C;QAkyEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhyEI,8D;MAgyEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAvzEG,cAAR,iBAAQ,C;QAuzEhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAzzEI,8D;MAyzEJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAh1EG,cAAR,iBAAQ,C;QAg1EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAl1EI,8D;MAk1EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAz2EG,cAAR,iBAAQ,C;QAy2EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA32EI,8D;MA22EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAl4EG,cAAR,iBAAQ,C;QAk4EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAp4EI,8D;MAo4EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA35EG,cAAR,iBAAQ,C;QA25EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA75EI,8D;MA65EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAp7EG,cAAR,iBAAQ,C;QAo7EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAt7EI,8D;MAs7EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA78EG,cAAR,iBAAQ,C;QA68EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA98EI,8D;MA88EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAr+EG,cAAR,iBAAQ,C;QAq+EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAn+EI,8D;MAm+EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA1/EG,cAAR,iBAAQ,C;QA0/EhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3/EI,8D;MA2/EJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAlhFG,cAAR,iBAAQ,C;QAkhFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhhFI,8D;MAghFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAviFG,cAAR,iBAAQ,C;QAuiFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAriFI,8D;MAqiFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA5jFG,cAAR,iBAAQ,C;QA4jFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA1jFI,8D;MA0jFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAjlFG,cAAR,iBAAQ,C;QAilFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAllFI,8D;MAklFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAznFG,cAAR,iBAAQ,C;QAynFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAvnFI,8D;MAunFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA9oFG,cAAR,iBAAQ,C;QA8oFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA5oFI,8D;MA4oFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAnqFG,cAAR,iBAAQ,C;QAmqFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAjqFI,8D;MAiqFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAxrFG,cAAR,iBAAQ,C;QAwrFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAtrFI,8D;MAsrFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA7sFG,cAAR,iBAAQ,C;QA6sFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MA3sFI,8D;MA2sFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAluFG,cAAR,iBAAQ,C;QAkuFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAhuFI,8D;MAguFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OAvvFG,cAAR,iBAAQ,C;QAuvFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;mFAuBA,yB;MAvvFI,8D;MAuvFJ,sC;QAYiB,Q;QAHb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,OA9wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2B

C;QA2zDhB,aAAU,CAAV,iB;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KArBA,C;;MA+BiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAt2DG,gBAAR,iBAAQ,Q;MAs2DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA72DG,GAAR,iBAAQ,Q;MA62DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp3DG,iBAAR,iBAAQ,Q;MAo3DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA33DG,iBAAR,iBAAQ,Q;MA23DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAl4DG,iBAAR,iBAAQ,Q;MAk4DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAz4DG,iBAAR,iBAAQ,Q;MAy4DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAh5DG,iBAAR,iBAAQ,Q;MAg5DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAv5DG,iBAAR,iBAAQ,Q;MAu5DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA96DG,iBAAR,iBAAQ,Q;MA86DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAr7DG,iBAAR,iBAAQ,Q;MAq7DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA58DG,iBAAR,iBAAQ,Q;MA48DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn9DG,iBAAR,iBAAQ,Q;MAm9DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA1+DG,iBAAR,iBAAQ,Q;MA0+DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAz/DG,iBAAR,iBAAQ,Q;MAy/DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAhhEG,iBAAR,iBAAQ,Q;MAghEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvhEG,iBAAR,iBAAQ,Q;MAuhEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAtiEG,iBAAR,iBAAQ,Q;MAsiEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjjEG,iBAAR,iBAAQ,Q;MAijEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA5jEG,iBAAR,iBAAQ,Q;MA4jEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvkEG,iBAAR,iBAAQ,Q;MAukEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAllEG,iBAAR,iBAAQ,Q;MAklEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA7lEG,iBAAR,iBAAQ,Q;MA6lEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAxmEG,iBAAR,iBAAQ,Q;MAwmEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3nEG,iBAAR,iBAAQ,Q;MA2nEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9oEG,iBAAR,iBAAQ,Q;MA8oEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjqEG,iBAAR,iBAAQ,Q;MAiqEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApqEG,iBAAR,iBAAQ,Q;MAoqEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3rEG,iBAAR,iBAAQ,Q;MA2rEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9sEG,iBAAR,iBAAQ,Q;MA8sEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjuEG,iBAAR,iBAAQ,Q;MAiuEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApuEG,iBAAR,iBAAQ,Q;MAouEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3vEG,iBAAR,iBAAQ,Q;MA2vEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9wEG,iBAAR,iBAAQ,Q;MA8wEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjyEG,iBAAR,iBAAQ,Q;MAiyEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApyEG,iBAAR,iBAAQ,Q;MAoyEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3zEG,iBAAR,iBAAQ,Q;MA2zEhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA90EG,iBAAR,iBAAQ,Q;MA80EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj2EG,iBAAR,iBAAQ,Q;MAi2EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp2EG,iBAAR,iBAAQ,Q;MAo2EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA33EG,iBAAR,iBAAQ,Q;MA23EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA94EG,iBAAR,iBAAQ,Q;MA84EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj5EG,iBAAR,iBAAQ,Q;MAi5EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp5EG,iBAAR,iBAAQ,Q;MAo5EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA36EG,iBAAR,iBAAQ,Q;MA26EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA97EG,iBAAR,iBAAQ,Q;MA87EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8EG,iBAAR,iBAAQ,Q;MAi8EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp8EG,iBAAR,iBAAQ,Q;MAo8EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA38EG,iBAAR,iBAAQ,Q;MA28EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA99EG,iBAAR,iBAAQ,Q;MA89EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj/EG,iBAAR,iBAAQ,Q;MAi/EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAp/EG,iBAAR,iBAAQ,Q;MAo/EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3/EG,iBAAR,iBAAQ,Q;MA2/EhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9gFG,iBAAR,iBAAQ,Q;MA8gFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvhFG,iBAAR,iBAAQ,Q;MAuhFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAtiFG,iBAAR,iBAAQ,Q;MAsiFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjjFG,iBAAR,iBAAQ,Q;MAijFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA5jFG,iBAAR,iBAAQ,Q;MA4jFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvkFG,iBAAR,iBAAQ,Q;MAukFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAllFG,iBAAR,iBAAQ,Q;MAklFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA7lFG,iBAAR,iBAAQ,Q;MA6lFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAxmFG,iBAAR,iBAAQ,Q;MAwmFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3nFG,iBAAR,iBAAQ,Q;MA2nFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9oFG,iBAAR,iBAAQ,Q;MA8oFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjqFG,iBAAR,iBAAQ,Q;MAiqFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApqFG,iBAAR,iBAAQ,Q;MAoqFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3rFG,iBAAR,iBAAQ,Q;MA2rFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9sFG,iBAAR,iBAAQ,Q;MA8sFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAjuFG,iBAAR,iBAAQ,Q;MAiuFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApuFG,iBAAR,iBAAQ,Q;MAouFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3vFG,iBAAR,iBAAQ,Q;MA2vFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAX,CAAW,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAA

SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;+FAgBA,yB;MAAA,4F;MA1pEI,8D;MA0pEJ,uC;QAS0B,UAEU,M;QAJhC,YAjqEgB,cAAR,iBAAQ,C;QAkqEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;+FAgBA,yB;MAAA,4F;MAlqEI,8D;MAkqEJ,uC;QAS0B,UAEU,M;QAJhC,YAzqEgB,cAAR,iBAAQ,C;QA0qEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1sEI,8D;MA0sEJ,uC;QAS0B,UAEU,M;QAJhC,YAjtEgB,cAAR,iBAAQ,C;QAktEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAltEI,8D;MAktEJ,uC;QAS0B,UAEU,M;QAJhC,YAztEgB,cAAR,iBAAQ,C;QA0tEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAttEI,8D;MAstEJ,uC;QAS0B,UAEU,M;QAJhC,YA7tEgB,cAAR,iBAAQ,C;QA8tEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1uEI,8D;MA0uEJ,uC;QAS0B,UAEU,M;QAJhC,YAjvEgB,cAAR,iBAAQ,C;QAkvEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlwEI,8D;MAkwEJ,uC;QAS0B,UAEU,M;QAJhC,YAzwEgB,cAAR,iBAAQ,C;QA0wEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtxEI,8D;MAsxEJ,uC;QAS0B,UAEU,M;QAJhC,YA7xEgB,cAAR,iBAAQ,C;QA8xEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1yEI,8D;MA0yEJ,uC;QAS0B,UAEU,M;QAJhC,YAjzEgB,cAAR,iBAAQ,C;QAkzEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl0EI,8D;MAk0EJ,uC;QAS0B,UAEU,M;QAJhC,YAz0EgB,cAAR,iBAAQ,C;QA00EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA11EI,8D;MA01EJ,uC;QAS0B,UAEU,M;QAJhC,YAj2EgB,cAAR,iBAAQ,C;QAk2EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl3EI,8D;MAk3EJ,uC;QAS0B,UAEU,M;QAJhC,YAz3EgB,cAAR,iBAAQ,C;QA03EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA14EI,8D;MA04EJ,uC;QAS0B,UAEU,M;QAJhC,YAj5EgB,cAAR,iBAAQ,C;QAk5EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl6EI,8D;MAk6EJ,uC;QAS0B,UAEU,M;QAJhC,YAz6EgB,cAAR,iBAAQ,C;QA06EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA17EI,8D;MA07EJ,uC;QAS0B,UAEU,M;QAJhC,YAj8EgB,cAAR,iBAAQ,C;QAk8EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl9EI,8D;MAk9EJ,uC;QAS0B,UAEU,M;QAJhC,YAz9EgB,cAAR,iBAAQ,C;QA09EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1+EI,8D;MA0+EJ,uC;QAS0B,UAEU,M;QAJhC,YAj/EgB,cAAR,iBAAQ,C;QAk/EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl/EI,8D;MAk/EJ,uC;QAS0B,UAEU,M;QAJhC,YAz/EgB,cAAR,iBAAQ,C;QA0/EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtgFI,8D;MAsgFJ,uC;QAS0B,UAEU,M;QAJhC,YA7gFgB,cAAR,iBAAQ,C;QA8gFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1hFI,8D;MA0hFJ,uC;QAS0B,UAEU,M;QAJhC,YAjiFgB,cAAR,iBAAQ,C;QAkiFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAljFI,8D;MAkjFJ,uC;QAS0B,UAEU,M;QAJhC,YAzjFgB,cAAR,iBAAQ,C;QA0jFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtkFI,8D;MAskFJ,uC;QAS0B,UAEU,M;QAJhC,YA7kFgB,cAAR,iBAAQ,C;QA8kFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1lFI,8D;MA0lFJ,uC;QAS0B,UAEU,M;QAJhC,YAjmFgB,cAAR,iBAAQ,C;QAkmFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlnFI,8D;MAknFJ,uC;QAS0B,UAEU,M;QAJhC,YAznFgB,cAAR,iBAAQ,C;QA0nFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtoFI,8D;MAsoFJ,uC;QAS0B,UAEU,M;QAJhC,YA7oFgB,cAAR,iBAAQ,C;QA8oFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1pFI,8D;MA0pFJ,uC;QAS0B,UAEU,M;QAJhC,YAjqFgB,cAAR,iBAAQ,C;QAkqFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlrFI,8D;MAkrFJ,uC;QAS0B,UAEU,M;QAJhC,YAzrFgB,cAAR,iBAAQ,C;QA0rFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtsFI,8D;MAssFJ,uC;QAS0B,UAEU,M;QAJhC,YA7sFgB,cAAR,iBAAQ,C;QA8sFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1tFI,8D;MA0tFJ,uC;QAS0B,UAEU,M;QAJhC,YAjuFgB,cAAR,iBAAQ,C;QAkuFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlvFI,8D;MAkvFJ,uC;QAS0B,UAEU,M;QAJhC,YAzvFgB,cAAR,iBAAQ,C;QA0vFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtwFI,8D;MAswFJ,uC;QAS0B,UAEU,M;QAJhC,YA7wFgB,cAAR,iBAAQ,C;QA8wFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1xFI,8D;MA0xFJ,uC;QAS0B,UAEU,M;QAJhC,YAjyFgB,cAAR,iBAAQ,C;QAkyFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlzFI,8D;MAkzFJ,uC;QAS0B,UAEU,M;QAJhC,YAzzFgB,cAAR,iBAAQ,C;QA0zFhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAt0FI,8D;MAs0FJ,uC;QAS0B,UAEU,M;QAJhC,YA70FgB,cAAR,iBAAQ,C;QA80FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA11FI,8D;MA01FJ,uC;QAS0B,UAEU,M;QAJhC,YAj2FgB,cAAR,iBAAQ,C;QAk2FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl3FI,8D;MAk3FJ,uC;QAS0B,UAEU,M;QAJhC,YAz3FgB,cAAR,iBAAQ,C;QA03FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA14FI,8D;MA04FJ,uC;QAS0B,UAEU,M;QAJhC,YAj5FgB,cAAR,iBAAQ,C;QAk5FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl6FI,8D;MAk6FJ,uC;QAS0B,UAEU,M;QAJhC,YAz6FgB,cAAR,iBAAQ,C;QA06FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA17FI,8D;MA07FJ,uC;QAS0B,UAEU,M;QAJhC,YAj8FgB,cAAR,iBAAQ,C;QAk8FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl9FI,8D;MAk9FJ,uC;QAS0B,UAEU,M;QAJhC,YAz9FgB,cAAR,iBAAQ,C;QA09FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1+FI,8D;MA0+FJ,uC;QAS0B,UAEU,M;QAJhC,YAj/FgB,cAAR,iBAAQ,C;QAk/FhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlgGI,8D;MAkgGJ,uC;QAS0B,UAEU,M;QAJhC,YAzgGgB,cAAR,iBAAQ,C;QA0gGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAthGI,8D;MAshGJ,uC;QAS0B,UAEU,M;QAJhC,YA7hGgB,cAAR,iBAAQ,C;QA8hGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1iGI,8D;MA0iGJ,uC;QAS0B,UAEU,M;QAJhC,YAjjGgB,cAAR,iBAAQ,C;QAkjGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlkGI,8D;MAkkGJ,uC;QAS0B,UAEU,M;QAJhC,YAzkGgB,cAAR,iBAAQ,C;QA0kGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtlGI,8D;MAslGJ,uC;QAS0B,UAEU,M;QAJhC,YA7lGgB,cAAR,iBAAQ,C;QA8lGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1mGI,8D;MA0mGJ,uC;QAS0B,UAEU,M;QAJhC,YAjnGgB,cAAR,iBAAQ,C;QAknGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAloGI,8D;MAkoGJ,uC;QAS0B,UAEU,M;QAJhC,YAzoGgB,cAAR,iBAAQ,C;QA0oGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtpGI,8D;MAspGJ,uC;QAS0B,UAEU,M;QAJhC,YA7pGgB,cAAR,iBAAQ,C;QA8pGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1qGI,8D;MA0qGJ,uC;QAS0B,UAEU,M;QAJhC,YAjrGgB,cAAR,iBAAQ,C;QAkrGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlsGI,8D;MAksGJ,uC;QAS0B,UAEU,M;QAJhC,YAzsGgB,cAAR,iBAAQ,C;QA0sGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAttGI,8D;MAstGJ,uC;QAS0B,UAEU,M;QAJhC,YA7tGgB,cAAR,iBAAQ,C;QA8tGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1uGI,8D;MA0uGJ,uC;QAS0B,UAEU,M;QAJhC,YAjvGgB,cAAR,iBAAQ,C;QAkvGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAlwGI,8D;MAkwGJ,uC;QAS0B,UAEU,M;QAJhC,YAzwGgB,cAAR,iBAAQ,C;QA0wGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAtxGI,8D;MAsxGJ,uC;QAS0B,UAEU,M;QAJhC,YA7xGgB,cAAR,iBAAQ,C;QA8xGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MA1yGI,8D;MA0yGJ,uC;QAS0B,UAEU,M;QAJhC,YAjzGgB,cAAR,iBAAQ,C;QAkzGhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;MACX,C;KAdA,C;6FAgBA,yB;MAAA,4F;MAl0GI,8D;MAk0GJ,uC;QAS0B,UAEU,M;QAJhC,YAz0GgB,cAAR,iBAAQ,C;QA00GhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,hB,C;U

AAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;Mb/9KA,iB;Ma+9KA,8C;QAWI,Wbn+KO,MAAK,Kam+KK,cbn+KL,Eam+KW,KAAM,Obn+KjB,C;Qao+KZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;Mbl/KA,iB;Mak/KA,8C;QAWI,Wbt/KO,MAAK,Kas/KK,cbt/KL,Eas/KW,KAAM,Obt/KjB,C;Qau/KZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MbrgLA,iB;MaqgLA,8C;QAWI,WbzgLO,MAAK,KaygLK,cbzgLL,EaygLW,KAAM,ObzgLjB,C;Qa0gLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;;MAiFoB,gB;MAAA,gE;MAAA,gE;MAAA,gE

EO,I;IApEX,C;;MAkFI,WbzwLO,MAAK,KaywLK,cbzwLL,EaksLD,KAuEkB,KbzwLjB,C;Ma0wLZ,WAAW,iBA
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EA
AnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;IA3EX,C;+EAEA,yB;MAAA,gE;Mb5sLA,iB
;Ma4sLA,8C;QAWI,WbhtLO,MAAK,KagtLK,cbhtLL,EagtLW,KAAM,KbhtLjB,C;QaitLZ,WAAW,eAAa,IAAb,C
;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,C
AAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;Mb/tLA,8C;QAWI,WbnuLO,MAAK,KamuLK,cbnuLL,EamuLW,KAAM,KbnuLjB,C;QaouLZ,WAAW,eAAa,IAAb,C;QACX,a
AAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CA
AnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MblvLA,iB;MakvLA,8C;QAWI,Wbt
vLO,MAAK,KasvLK,cbtvLL,EasvLW,KAAM,KbtvLjB,C;QauvLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,
MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;
;QAET,OAAO,I;MACX,C;KAjBA,C;+EAmBA,yB;MAAA,gE;MbrwLA,iB;MaqwLA,8C;QAWI,WbzwLO,MAA
K,KaywLK,cbzwLL,EaywLW,KAAM,KbzwLjB,C;Qa0wLZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB
B,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAE
T,OAAO,I;MACX,C;KAjBA,C;;MA2BoB,Q;MADhB,UAAgB,W;MAChB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,MlCp4LiD,SkCo4LjD,GlCp4L2D,KAAK,GkCo4LzD,OlCp4LoE,KAAX,IAAf,C;;MkCs4LrD,O
AAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI
,MrB/4LmD,UqB+4LnD,GrB/4L8D,KAAK,KqB+4LD,OrB/4LuE,KAAX,CAAhB,C;;MqBi5LvD,OAAO,G;IAC
X,C;;MAUoB,Q;MADhB,UAAgB,W;MAChB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MlCh6LiD,
SkCg6LjD,GlCh6L2D,KAAK,GAAW,CDgJ5C,SmCgxLxB,OnChxLkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,I
AAf,C;;MkCk6LrD,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAgB,W;MAChB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,MlC96LiD,SkC86LjD,GlC96L2D,KAAK,GAAW,CCiJ5C,SiC6xLxB,OjC7xLkC,KAAL,G
AAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MkCg7LrD,OAAO,G;IACX,C;+EAEA,yB;MAAA,0C;MlCluLA,6B;MkC
kuLA,4B;QAOI,OlC/tLmC,ckC+tLpB,IAAR,iBAAQ,ClC/tLoB,C;MkCguLvC,C;KARA,C;+EAUA,yB;MAAA,0C
;MrB7tLA,+B;MqB6tLA,4B;QAOI,OrB1tLsC,eqB0tLvB,IAAR,iBAAQ,CrB1tLuB,C;MqB2tL1C,C;KARA,C;+EA
UA,yB;MAAA,sC;MA5hBA,wB;MA4hBA,iBAOiB,yB;QnCv0Lb,6B;;UmCu0Le,OnC9zLoB,cmC8zLpB,EnC9zL
8B,KAAL,GAAiB,GAAtB,C;QmC8zLR,C;OAAd,C;MAPjB,4B;QAphBoB,Q;QADhB,UAAgB,W;QACA,2B;QA
AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MlCp7KiD,SkCo7KjD,GlCp7K2D,KAAK,GAAW,CDgJ5C,SmCoyKf
,OnCpyKyB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;QkC88LrD,OAxhBO,G;MAyhBX,BX,C;KARA,C;+EA
UA,yB;MAAA,sC;MAxhBA,wB;MAwhBA,iBAOiB,yB;QjCh1Lb,6B;;UiCg1Le,OjCv0LoB,ciCu0LpB,EjCv0L8B,
KAAL,GAAiB,GAAtB,C;QiCu0LR,C;OAAd,C;MAPjB,4B;QAhhBoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UACZ,MlCl8KiD,SkCk8KjD,GlCl8K2D,KAAK,GAAW,CCiJ5C,SiCizKf,OjCjzKyB,KAAL,G
AAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;QkCw9LrD,OAthBO,G;MAuhBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;
MAqhBA,8B;QAOI,OAphBO,G;MAqhBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAohBA,8B;QAOI,OAhhBO,G;
MAihBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAghBA,8B;QAOI,OA5gBO,G;MA6gBX,BX,C;KARA,C;+EAUA,
yB;MAAA,0C;MA4gBA,8B;QAOI,OAxgBO,G;MAygBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwgBA,8B;QAOI
,OApgBO,G;MAqgBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAogBA,8B;QAOI,OAhgBO,G;MAigBX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAggBA,8B;QAOI,OA5fO,G;MA6fX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4fA,8B;
QAOI,OAxfO,G;MAyfX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwfA,8B;QAOI,OApfO,G;MAqfX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAofA,8B;QAOI,OAhfO,G;MAifX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgfA,8B;
QAOI,OA5eO,G;MA6eX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4eA,8B;QAOI,OAxeO,G;MAyeX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAweA,8B;QAOI,OApeO,G;MAqeX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoeA,8B;
QAOI,OAheO,G;MAieX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgeA,8B;QAOI,OA5dO,G;MA6dX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4dA,8B;QAOI,OAxdO,G;MAydX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwdA,8B;
QAOI,OApdO,G;MAqdX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAodA,8B;QAOI,OAhdO,G;MAidX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgdA,8B;QAOI,OA5cO,G;MA6cX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4cA,8B;
QAOI,OAxcO,G;MAycX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwcA,8B;QAOI,OApcO,G;MAqcX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAocA,8B;QAOI,OAhcO,G;MAicX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgcA,8B;
QAOI,OA5bO,G;MA6bX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4bA,8B;QAOI,OAxbO,G;MAybX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwbA,8B;QAOI,OApbO,G;MAqbX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAobA,8B;
QAOI,OAhbO,G;MAibX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgbA,8B;QAOI,OA5aO,G;MA6aX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4aA,8B;QAOI,OAxaO,G;MAyaX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwaA,8B;
QAOI,OApaO,G;MAqaX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoaA,8B;QAOI,OAhaO,G;MAiaX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgaA,8B;QAOI,OA5ZO,G;MA6ZX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4ZA,8B;
QAOI,OAxZO,G;MAyZX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwZA,8B;QAOI,OApZO,G;MAqZX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoZA,8B;QAOI,OAhZO,G;MAiZX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgZA,8B;
QAOI,OA5YO,G;MA6YX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4YA,8B;QAOI,OAxYO,G;MAyYX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwYA,8B;QAOI,OApYO,G;MAqYX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoYA,8B;
QAOI,OAhYO,G;MAiYX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgYA,8B;QAOI,OA5XO,G;MA6XX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4XA,8B;QAOI,OAxXO,G;MAyXX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwXA,8B;
QAOI,OApXO,G;MAqXX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoXA,8B;QAOI,OAhXO,G;MAiXX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgXA,8B;QAOI,OA5WO,G;MA6WX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4WA,8B;
QAOI,OAxWO,G;MAyWX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwWA,8B;QAOI,OApWO,G;MAqWX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoWA,8B;QAOI,OAhWO,G;MAiWX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgWA,8B;
QAOI,OA5VO,G;MA6VX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4VA,8B;QAOI,OAxVO,G;MAyVX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwVA,8B;QAOI,OApVO,G;MAqVX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoVA,8B;
QAOI,OAhVO,G;MAiVX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgVA,8B;QAOI,OA5UO,G;MA6UX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4UA,8B;QAOI,OAxUO,G;MAyUX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwUA,8B;
QAOI,OApUO,G;MAqUX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoUA,8B;QAOI,OAhUO,G;MAiUX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgUA,8B;QAOI,OA5TO,G;MA6TX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4TA,8B;
QAOI,OAxTO,G;MAyTX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwTA,8B;QAOI,OApTO,G;MAqTX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoTA,8B;QAOI,OAhTO,G;MAiTX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgTA,8B;
QAOI,OA5SO,G;MA6SX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4SA,8B;QAOI,OAxSO,G;MAySX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwSA,8B;QAOI,OApSO,G;MAqSX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoSA,8B;
QAOI,OAhSO,G;MAiSX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgSA,8B;QAOI,OA5RO,G;MA6RX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4RA,8B;QAOI,OAxRO,G;MAyRX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwRA,8B;
QAOI,OApRO,G;MAqRX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoRA,8B;QAOI,OAhRO,G;MAiRX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgRA,8B;QAOI,OA5QO,G;MA6QX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4QA,8B;
QAOI,OAxQO,G;MAyQX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwQA,8B;QAOI,OApQO,G;MAqQX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoQA,8B;QAOI,OAhQO,G;MAiQX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgQA,8B;
QAOI,OA5PO,G;MA6PX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4PA,8B;QAOI,OAxPO,G;MAyPX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwPA,8B;QAOI,OApPO,G;MAqPX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoPA,8B;
QAOI,OAhPO,G;MAiPX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgPA,8B;QAOI,OA5OO,G;MA6OX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4OA,8B;QAOI,OAxOO,G;MAyOX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwOA,8B;
QAOI,OApOO,G;MAqOX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoOA,8B;QAOI,OAhOO,G;MAiOX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgOA,8B;QAOI,OA5NO,G;MA6NX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4NA,8B;
QAOI,OAxNO,G;MAyNX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwNA,8B;QAOI,OApNO,G;MAqNX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoNA,8B;QAOI,OAhNO,G;MAiNX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgNA,8B;
QAOI,OA5MO,G;MA6MX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4MA,8B;QAOI,OAxMO,G;MAyMX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwMA,8B;QAOI,OApMO,G;MAqMX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoMA,8B;
QAOI,OAhMO,G;MAiMX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgMA,8B;QAOI,OA5LO,G;MA6LX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4LA,8B;QAOI,OAxLO,G;MAyLX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwLA,8B;
QAOI,OApLO,G;MAqLX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoLA,8B;QAOI,OAhLO,G;MAiLX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgLA,8B;QAOI,OA5KO,G;MA6KX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4KA,8B;
QAOI,OAxKO,G;MAyKX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwKA,8B;QAOI,OApKO,G;MAqKX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoKA,8B;QAOI,OAhKO,G;MAiKX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgKA,8B;
QAOI,OA5JO,G;MA6JX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4JA,8B;QAOI,OAxJO,G;MAyJX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwJA,8B;QAOI,OApJO,G;MAqJX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoJA,8B;
QAOI,OAhJO,G;MAiJX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgJA,8B;QAOI,OA5IO,G;MA6IX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4IA,8B;QAOI,OAxIO,G;MAyIX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwIA,8B;
QAOI,OApIO,G;MAqIX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoIA,8B;QAOI,OAhIO,G;MAiIX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgIA,8B;QAOI,OA5HO,G;MA6HX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4HA,8B;
QAOI,OAxHO,G;MAyHX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwHA,8B;QAOI,OApHO,G;MAqHX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoHA,8B;QAOI,OAhHO,G;MAiHX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgHA,8B;
QAOI,OA5GO,G;MA6GX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4GA,8B;QAOI,OAxGO,G;MAyGX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwGA,8B;QAOI,OApGO,G;MAqGX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoGA,8B;
QAOI,OAhGO,G;MAiGX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgGA,8B;QAOI,OA5FO,G;MA6FX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4FA,8B;QAOI,OAxFO,G;MAyFX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwFA,8B;
QAOI,OApFO,G;MAqFX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoFA,8B;QAOI,OAhFO,G;MAiFX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgFA,8B;QAOI,OA5EO,G;MA6EX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4EA,8B;
QAOI,OAxEO,G;MAyEX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwEA,8B;QAOI,OApEO,G;MAqEX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoEA,8B;QAOI,OAhEO,G;MAiEX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgEA,8B;
QAOI,OA5DO,G;MA6DX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4DA,8B;QAOI,OAxDO,G;MAyDX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwDA,8B;QAOI,OApDO,G;MAqDX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoDA,8B;
QAOI,OAhDO,G;MAiDX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgDA,8B;QAOI,OA5CO,G;MA6CX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4CA,8B;QAOI,OAxCO,G;MAyCX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwCA,8B;
QAOI,OApCO,G;MAqCX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoCA,8B;QAOI,OAhCO,G;MAiCX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgCA,8B;QAOI,OA5BO,G;MA6BX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4BA,8B;
QAOI,OAxBO,G;MAyBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwBA,8B;QAOI,OApBO,G;MAqBX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoBA,8B;QAOI,OAhBO,G;MAiBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgBA,8B;
QAOI,OA5AO,G;MA6AX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4AA,8B;QAOI,OAxAO,G;MAyAX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwAA,8B;QAOI,OApAO,G;MAqAX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoAA,8B;
QAOI,OAhAO,G;MAiAX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgAA,8B;QAOI,OA5ZO,G;MA6ZX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4ZA,8B;QAOI,OAxZO,G;MAyZX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwZA,8B;
QAOI,OApZO,G;MAqZX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoZA,8B;QAOI,OAhZO,G;MAiZX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgZA,8B;QAOI,OA5YO,G;MA6YX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4YA,8B;
QAOI,OAxYO,G;MAyYX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwYA,8B;QAOI,OApYO,G;MAqYX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoYA,8B;QAOI,OAhYO,G;MAiYX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgYA,8B;
QAOI,OA5XO,G;MA6XX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4XA,8B;QAOI,OAxXO,G;MAyXX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwXA,8B;QAOI,OApXO,G;MAqXX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoXA,8B;
QAOI,OAhXO,G;MAiXX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgXA,8B;QAOI,OA5WO,G;MA6WX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4WA,8B;QAOI,OAxWO,G;MAyWX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwWA,8B;
QAOI,OApWO,G;MAqWX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoWA,8B;QAOI,OAhWO,G;MAiWX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgWA,8B;QAOI,OA5VO,G;MA6VX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4VA,8B;
QAOI,OAxVO,G;MAyVX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwVA,8B;QAOI,OApVO,G;MAqVX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoVA,8B;QAOI,OAhVO,G;MAiVX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgVA,8B;
QAOI,OA5UO,G;MA6UX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4UA,8B;QAOI,OAxUO,G;MAyUX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwUA,8B;QAOI,OApUO,G;MAqUX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoUA,8B;
QAOI,OAhUO,G;MAiUX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgUA,8B;QAOI,OA5TO,G;MA6TX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4TA,8B;QAOI,OAxTO,G;MAyTX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwTA,8B;
QAOI,OApTO,G;MAqTX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoTA,8B;QAOI,OAhTO,G;MAiTX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgTA,8B;QAOI,OA5SO,G;MA6SX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4SA,8B;
QAOI,OAxSO,G;MAySX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwSA,8B;QAOI,OApSO,G;MAqSX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoSA,8B;QAOI,OAhSO,G;MAiSX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgSA,8B;
QAOI,OA5RO,G;MA6RX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4RA,8B;QAOI,OAxRO,G;MAyRX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwRA,8B;QAOI,OApRO,G;MAqRX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoRA,8B;
QAOI,OAhRO,G;MAiRX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgRA,8B;QAOI,OA5QO,G;MA6QX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4QA,8B;QAOI,OAxQO,G;MAyQX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwQA,8B;
QAOI,OApQO,G;MAqQX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoQA,8B;QAOI,OAhQO,G;MAiQX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgQA,8B;QAOI,OA5PO,G;MA6PX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4PA,8B;
QAOI,OAxPO,G;MAyPX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwPA,8B;QAOI,OApPO,G;MAqPX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoPA,8B;QAOI,OAhPO,G;MAiPX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgPA,8B;
QAOI,OA5OO,G;MA6OX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4OA,8B;QAOI,OAxOO,G;MAyOX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwOA,8B;QAOI,OApOO,G;MAqOX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoOA,8B;
QAOI,OAhOO,G;MAiOX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgOA,8B;QAOI,OA5NO,G;MA6NX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4NA,8B;QAOI,OAxNO,G;MAyNX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwNA,8B;
QAOI,OApNO,G;MAqNX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoNA,8B;QAOI,OAhNO,G;MAiNX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgNA,8B;QAOI,OA5MO,G;MA6MX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4MA,8B;
QAOI,OAxMO,G;MAyMX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwMA,8B;QAOI,OApMO,G;MAqMX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoMA,8B;QAOI,OAhMO,G;MAiMX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgMA,8B;
QAOI,OA5LO,G;MA6LX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4LA,8B;QAOI,OAxLO,G;MAyLX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwLA,8B;QAOI,OApLO,G;MAqLX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoLA,8B;
QAOI,OAhLO,G;MAiLX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgLA,8B;QAOI,OA5KO,G;MA6KX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4KA,8B;QAOI,OAxKO,G;MAyKX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwKA,8B;
QAOI,OApKO,G;MAqKX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoKA,8B;QAOI,OAhKO,G;MAiKX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgKA,8B;QAOI,OA5JO,G;MA6JX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4JA,8B;
QAOI,OAxJO,G;MAyJX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwJA,8B;QAOI,OApJO,G;MAqJX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoJA,8B;QAOI,OAhJO,G;MAiJX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgJA,8B;
QAOI,OA5IO,G;MA6IX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4IA,8B;QAOI,OAxIO,G;MAyIX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwIA,8B;QAOI,OApIO,G;MAqIX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoIA,8B;
QAOI,OAhIO,G;MAiIX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgIA,8B;QAOI,OA5HO,G;MA6HX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4HA,8B;QAOI,OAxHO,G;MAyHX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwHA,8B;
QAOI,OApHO,G;MAqHX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoHA,8B;QAOI,OAhHO,G;MAiHX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgHA,8B;QAOI,OA5GO,G;MA6GX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4GA,8B;
QAOI,OAxGO,G;MAyGX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwGA,8B;QAOI,OApGO,G;MAqGX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoGA,8B;QAOI,OAhGO,G;MAiGX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgGA,8B;
QAOI,OA5FO,G;MA6FX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4FA,8B;QAOI,OAxFO,G;MAyFX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwFA,8B;QAOI,OApFO,G;MAqFX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoFA,8B;
QAOI,OAhFO,G;MAiFX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgFA,8B;QAOI,OA5EO,G;MA6EX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4EA,8B;QAOI,OAxEO,G;MAyEX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwEA,8B;
QAOI,OApEO,G;MAqEX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoEA,8B;QAOI,OAhEO,G;MAiEX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgEA,8B;QAOI,OA5DO,G;MA6DX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4DA,8B;
QAOI,OAxDO,G;MAyDX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwDA,8B;QAOI,OApDO,G;MAqDX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAoDA,8B;QAOI,OAhDO,G;MAiDX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgDA,8B;
QAOI,OA5CO,G;MA6CX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MA4CA,8B;QAOI,OAxCO,G;MAyCX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAwCA,8B;QAOI,OApCO,G;MAqCX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoCA,8B;
QAOI,OAhCO,G;MAiCX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAgCA,8B;QAOI,OA5BO,G;MA6BX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MA4BA,8B;QAOI,OAxBO,G;MAyBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAwBA,8B;
QAOI,OApBO,G;MAqBX,BX,C;KARA,C;+EAUA,yB;MAAA,0C;MAoBA,8B;QAOI,OAhBO,G;MAiBX,BX,C;KARA,
C;+EAUA,yB;MAAA,0C;MAgBA,8B;QAOI,OA5AO,G;MA6AX,BX,

C;;MCpGI,OpCsCkE,YoCtCvD,CpCsCwE,KAAjB,EoCtClD,CpCsC+E,KAA7B,CoCtCvD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OvBqCmE,auBrCxD,CvBqC0E,KAAlB,EuBrCnD,CvBqCiF,KAA9B,CuBrCxD,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OrCIgF,0BqCJrE,CrCoJ2B,KAAL,GAAiB,GAAhJ8B,EqCJhE,CrCoJsB,KAAL,GAAiB,GAAhJ8B,CqCJrE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;;MAQI,OnCGiF,0BmCHtE,CnC4I2B,KAAL,GAAiB,KAAzI+B,EmCHhE,CnC4IsB,KAAL,GAAiB,KAAzI+B,CmCHtE,KAAJ,GAAY,CAAZ,GAAmB,C;IAC9B,C;kFAEA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,C;MACX,C;KAAR

BsM/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OxB3H+D,iBwB2HxD,SxB3HwD,EAlDP,UwB6KxC,ExB7KmD,KAAK,UAAY,CbkJ/C,UAAW,oBAAL,CqC2BtB,WrC3BsB,MAAK,CAAL,iBAAN,CalJ+C,MAAZ,CAAhB,CAkDO,C;IwB4HnE,C;;MAUI,IpClOiF,0BoCkO7E,EpCzFkC,KAAL,GAAiB,KAzI+B,EoCkOvE,8BAAO,UpCzFqB,KAAL,GAAiB,KAzI+B,CoCkO7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WpCxDuB,SoCwD5B,SpCxDsC,KAAL,GAAiB,KAAtB,CAAT,CAAV,CAAT,CAAV,CAAT,CAAV

iJ5C,SqCpJxB,OrCoJkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MsCDrD,OAAO,G;IACX,C;;;

CI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;IAFlC,C;;;;MAAA,0C;QAAA,yB;;MA
AA,mC;IAAA,C;;;MA0BA,gC;MAjBmD,0BAAe,KAAf,EAAsB,YAAtB,EAAoC,CAApC,C;IAAlC,C;;MACe,iB;I
AAA,C;;MACO,gB;IAAA,C;;MAEM,qBAAS,KAAT,IAAkB,SAAS,S;IAA3B,C;;MAEX,oBAAQ,S;IAAR,C;;MA
G9B,0CAAsB,kBAAa,KAAM,UAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;I
AAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,QAAa,SAAb,I;IAAxB,C;;MAE8B,OAAE,UA
AF,qBAAU,S;IAAV,C;;MAElC,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;IAFjC,C;;;;MAAA,yC;QAAA,w
B;;MAAA,kC;IAAA,C;;;MA0BA,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,K;IAApC,C;;MACe,iB;IAAA,
C;;MACO,gB;IAAA,C;;MAEM,kCAAS,SAAT,M;IAAlB,C;;MAEZ,kCAAQ,SAAR,K;IAAA,C;;MAG9B,2CAAuB,kBAAa,KAAM,UAAnB,KACvB,mBAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,iCAAW,8BAAX,EAAwC,CAAxC,
Ad,CADD,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAW,eAAX,,8BAAwC,CAAxC,C;IAAtC,C;;MAIA,OAAE,UAAF,qBAAU,SA
AV,W;IAAA,C;;MAElC,mC;MACI,aAC8B,qB;IAFlC,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;;M0C/DJ,
oB;IAAA,C;;MAI8B,oB;IAAA,C;;;;MAJ9B,2B;QAAA,U;;MAAA,oB;IAAA,C;;MCEA,e;MAAA,iB;MAAA,uB;I
AAA,C;;MAAA,0C;MAAA,C;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAE
A,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;IAhCJ,C;;;MAII,6B;MAAA,sC
;IAAA,C;;;MAEA,6B;MAAA,iD;IAAA,C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,yC;IAAA,C;;;M
AEA,6B;MAAA,sC;IAAA,C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MA
AA,4C;IAAA,C;;;MAEA,6B;MAAA,yC;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA
,C;;;MAEA,6B;MAAA,qC;IAAA,C;;;MAEA,6B;MAAA,2C;IAAA,C;;;MAEA,6B;MAAA,qC;IAAA,C;;;MAEA,6
B;MAAA,0C;IAAA,C;;;MAhCJ,+oB;IAAA,C;;;MAAA,a;aAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UA
AA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;a
AAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;
UAAA,0C;aAAA,W;UAAA,+C;gBAAA,uE;;IAAA,C;;;MAqCA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;M
AAA,C;MAMI,0E;MAEA,0E;MAEA,4E;IAVJ,C;;;MAMI,gC;MAAA,0C;IAAA,C;;;MAEA,gC;MAAA,0C;IAAA,
C;;;MAEA,gC;MAAA,2C;IAAA,C;;;MAVJ,sI;IAAA,C;;;MAAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAA
A,S;UAAA,gD;gBAAA,0E;;IAAA,C;;;MAwB+B,oC;IAAD,C;;;MAQI,qB;QAAA,iD;MAAA,kB;IAAD,C;;;IAEjC,
C;;;IAMA,C;;;IC/EA,C;;;IAQA,C;;;MCjBI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,GAAd,GAAuB,
MAAM,CAAN,I;IAClC,C;;MAGI,UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,GAAd,GAAuB,
QAAM,CAAN,C;IAClC,C;;MAII,OAAO,IAAI,IAAI,CAAJ,EAAO,EAAO,CAAP,EAAY,IAAY,IAAI,CAAJ,EAAO,EAAO,CAAP,EAAY,CAA
Z,IAAJ,EAA2B,CAA3B,C;IACX,C;;MAGI,OAAO,MAAI,MAAI,CAAJ,EAAO,EAAO,CAAP,EAAY,WAAY,MAAI,CAAJ,EAAO,EA
AO,CAAP,EAAY,CAAZ,CAAJ,EAA2B,CAA3B,C;IACX,C;;MAoBI,WAAO,CAAP,EAAY,C;QAAD2E,OAC3D,SAAS,GAAb,EAG
P,C;QAF2E,OAE3D,SAAS,GAAb,EAGP,GAAO,MAAM,iBAAiB,KAAjB,EAAwB,EAAxB,GAAwB,EAAxB,CAAN,EAAiC,CAAjC,C;IAAA,C;;MAAA,
QAAA,CAAA,EAAA,CAAA,EAAA,CAAA,E

B;MAAA,uB;IAAA,C;;MAAA,qC;MAAA,C;MAYI,0D;MAKA,gE;MAKA,8D;MAKA,4D;IA3BJ,C;;;MAYI,wB;MAAA,kC;IAAA,C;;;MAKA,wB;MAAA,qC;IAAA,C;;;MAKA,wB;MAAA,oC;IAAA,C;;;MAKA,wB;MAAA,mC;IAAA,C;;;MA3BJ,qJ;IAAA,C;;;MAAA,a;aAAA,Q;UAAA,uC;aAAA,W;UAAA,0C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;IAAA,C;;;MtD4eW,Q;MAAA,IqBxegB,KrBweZ,IAAS,CAAT,IqBxeY,KrBweE,IAAS,wBAA3B,C;QAAA,OAAsC,UqBxetB,KrBwesB,C;;QqBxeb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBifW,Q;MAAA,IqBzegB,KrByeZ,IAAS,CAAT,IqBzeY,KrByeE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBzetB,KrByesB,C;;QqBzeb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkfW,Q;MAAA,IqB1egB,KrB0eZ,IAAS,CAAT,IqB1eY,KrB0eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1etB,KrB0esB,C;;QqB1eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmfW,Q;MAAA,IqB3egB,KrB2eZ,IAAS,CAAT,IqB3eY,KrB2eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3etB,KrB2esB,C;;QqB3eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBofW,Q;MAAA,IqB5egB,KrB4eZ,IAAS,CAAT,IqB5eY,KrB4eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5etB,KrB4esB,C;;QqB5eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqfW,Q;MAAA,IqB7egB,KrB6eZ,IAAS,CAAT,IqB7eY,KrB6eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7etB,KrB6esB,C;;QqB7eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsfW,Q;MAAA,IqB9egB,KrB8eZ,IAAS,CAAT,IqB9eY,KrB8eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9etB,KrB8esB,C;;QqB9eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBufW,Q;MAAA,IqB/egB,KrB+eZ,IAAS,CAAT,IqB/eY,KrB+eE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/etB,KrB+esB,C;;QqB/eb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwfW,Q;MAAA,IqBhfgB,KrBgfZ,IAAS,CAAT,IqBhfY,KrBgfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhftB,KrBgfsB,C;;QqBhfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrByfW,Q;MAAA,IqBjfgB,KrBifZ,IAAS,CAAT,IqBjfY,KrBifE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjftB,KrBisB,C;;QqBjfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB0fW,Q;MAAA,IqBlfgB,KrBkfZ,IAAS,CAAT,IqBlfY,KrBkfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBlftB,KrBksB,C;;QqBlfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB2fW,Q;MAAA,IqBnfgB,KrBmfZ,IAAS,CAAT,IqBnfY,KrBmfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBnftB,KrBmfsB,C;;QqBnfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB4fW,Q;MAAA,IqBpfgB,KrBofZ,IAAS,CAAT,IqBpfY,KrBofE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBpftB,KrBosB,C;;QqBpfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB6fW,Q;MAAA,IqBrfgB,KrBqfZ,IAAS,CAAT,IqBrfY,KrBqfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBrftB,KrBqfsB,C;;QqBrfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB8fW,Q;MAAA,IqBtfgB,KrBsfZ,IAAS,CAAT,IqBtfY,KrBsfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBtftB,KrBssB,C;;QqBtfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB+fW,Q;MAAA,IqBvfgB,KrBufZ,IAAS,CAAT,IqBvfY,KrBufE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBvftB,KrBusB,C;;QqBvfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBggBW,Q;MAAA,IqBxfgB,KrBwfZ,IAAS,CAAT,IqBxfY,KrBwfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBxftB,KrBwfsB,C;;QqBxfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBigBW,Q;MAAA,IqBzfgB,KrByfZ,IAAS,CAAT,IqBzfY,KrByfE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBzftB,KrBysB,C;;QqBzfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkgBW,Q;MAAA,IqB1fgB,KrB0fZ,IAAS,CAAT,IqB1fY,KrB0fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1ftB,KrB0fsB,C;;QqB1fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmgBW,Q;MAAA,IqB3fgB,KrB2fZ,IAAS,CAAT,IqB3fY,KrB2fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3ftB,KrB2fsB,C;;QqB3fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBogBW,Q;MAAA,IqB5fgB,KrB4fZ,IAAS,CAAT,IqB5fY,KrB4fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5ftB,KrB4fsB,C;;QqB5fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqgBW,Q;MAAA,IqB7fgB,KrB6fZ,IAAS,CAAT,IqB7fY,KrB6fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7ftB,KrB6fsB,C;;QqB7fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsgBW,Q;MAAA,IqB9fgB,KrB8fZ,IAAS,CAAT,IqB9fY,KrB8fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9ftB,KrB8fsB,C;;QqB9fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBugBW,Q;MAAA,IqB/fgB,KrB+fZ,IAAS,CAAT,IqB/fY,KrB+fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/ftB,KrB+fsB,C;;QqB/fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwgBW,Q;MAAA,IqBhgBgB,KrBggBZ,IAAS,CAAT,IqBhgBY,KrBggBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhgBtB,KrBggBsB,C;;QqBhgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrByfW,Q;MAAA,IqBjfgB,KrBifZ,IAAS,CAAT,IqBjfY,KrBifE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjftB,KrBisB,C;;QqBjfb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkgBW,Q;MAAA,IqB1fgB,KrB0fZ,IAAS,CAAT,IqB1fY,KrB0fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1ftB,KrB0fsB,C;;QqB1fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmgBW,Q;MAAA,IqB3fgB,KrB2fZ,IAAS,CAAT,IqB3fY,KrB2fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3ftB,KrB2fsB,C;;QqB3fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBogBW,Q;MAAA,IqB5fgB,KrB4fZ,IAAS,CAAT,IqB5fY,KrB4fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5ftB,KrB4fsB,C;;QqB5fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqgBW,Q;MAAA,IqB7fgB,KrB6fZ,IAAS,CAAT,IqB7fY,KrB6fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7ftB,KrB6fsB,C;;QqB7fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsgBW,Q;MAAA,IqB9fgB,KrB8fZ,IAAS,CAAT,IqB9fY,KrB8fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9ftB,KrB8fsB,C;;QqB9fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBugBW,Q;MAAA,IqB/fgB,KrB+fZ,IAAS,CAAT,IqB/fY,KrB+fE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/ftB,KrB+fsB,C;;QqB/fb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwgBW,Q;MAAA,IqBhgBgB,KrBggBZ,IAAS,CAAT,IqBhgBY,KrBggBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhgBtB,KrBggBsB,C;;QqBhgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBygBW,Q;MAAA,IqBjgBgB,KrBigBZ,IAAS,CAAT,IqBjgBY,KrBigBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjgBtB,KrBigBsB,C;;QqBjgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB0gBW,Q;MAAA,IqBlgBgB,KrBkgBZ,IAAS,CAAT,IqBlgBY,KrBkgBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBlgBtB,KrBkgBsB,C;;QqBlgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB2gBW,Q;MAAA,IqBngBgB,KrBmgBZ,IAAS,CAAT,IqBngBY,KrBmgBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBngBtB,KrBmgBsB,C;;QqBngBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB4gBW,Q;MAAA,IqBpgBgB,KrBogBZ,IAAS,CAAT,IqBpgBY,KrBogBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBpgBtB,KrBogBsB,C;;QqBpgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB6gBW,Q;MAAA,IqBrgBgB,KrBqgBZ,IAAS,CAAT,IqBrgBY,KrBqgBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBrgBtB,KrBqgBsB,C;;QqBrgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB8gBW,Q;MAAA,IqBtgBgB,KrBsgBZ,IAAS,CAAT,IqBtgBY,KrBsgBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBtgBtB,KrBsgBsB,C;;QqBtgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB+gBW,Q;MAAA,IqBvgBgB,KrBugBZ,IAAS,CAAT,IqBvgBY,KrBugBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBvgBtB,KrBugBsB,C;;QqBvgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBghBW,Q;MAAA,IqBxgBgB,KrBwgBZ,IAAS,CAAT,IqBxgBY,KrBwgBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBxgBtB,KrBwgBsB,C;;QqBxgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBihBW,Q;MAAA,IqBzgBgB,KrBygBZ,IAAS,CAAT,IqBzgBY,KrBygBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBzgBtB,KrBygBsB,C;;QqBzgBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkhBW,Q;MAAA,IqB1gBgB,KrB0gBZ,IAAS,CAAT,IqB1gBY,KrB0gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1gBtB,KrB0gBsB,C;;QqB1gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmhBW,Q;MAAA,IqB3gBgB,KrB2gBZ,IAAS,CAAT,IqB3gBY,KrB2gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3gBtB,KrB2gBsB,C;;QqB3gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBohBW,Q;MAAA,IqB5gBgB,KrB4gBZ,IAAS,CAAT,IqB5gBY,KrB4gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5gBtB,KrB4gBsB,C;;QqB5gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqhBW,Q;MAAA,IqB7gBgB,KrB6gBZ,IAAS,CAAT,IqB7gBY,KrB6gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7gBtB,KrB6gBsB,C;;QqB7gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBshBW,Q;MAAA,IqB9gBgB,KrB8gBZ,IAAS,CAAT,IqB9gBY,KrB8gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9gBtB,KrB8gBsB,C;;QqB9gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBuhBW,Q;MAAA,IqB/gBgB,KrB+gBZ,IAAS,CAAT,IqB/gBY,KrB+gBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/gBtB,KrB+gBsB,C;;QqB/gBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwhBW,Q;MAAA,IqBhhBgB,KrBghBZ,IAAS,CAAT,IqBhhBY,KrBghBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhhBtB,KrBghBsB,C;;QqBhhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrByhBW,Q;MAAA,IqBjhBgB,KrBihBZ,IAAS,CAAT,IqBjhBY,KrBihBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjhBtB,KrBihBsB,C;;QqBjhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB0hBW,Q;MAAA,IqBlhBgB,KrBkhBZ,IAAS,CAAT,IqBlhBY,KrBkhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBlhBtB,KrBkhBsB,C;;QqBlhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB2hBW,Q;MAAA,IqBnhBgB,KrBmhBZ,IAAS,CAAT,IqBnhBY,KrBmhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBnhBtB,KrBmhBsB,C;;QqBnhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB4hBW,Q;MAAA,IqBphBgB,KrBohBZ,IAAS,CAAT,IqBphBY,KrBohBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBphBtB,KrBohBsB,C;;QqBphBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB6hBW,Q;MAAA,IqBrhBgB,KrBqhBZ,IAAS,CAAT,IqBrhBY,KrBqhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBrhBtB,KrBqhBsB,C;;QqBrhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB8hBW,Q;MAAA,IqBthBgB,KrBshBZ,IAAS,CAAT,IqBthBY,KrBshBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBthBtB,KrBshBsB,C;;QqBthBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB+hBW,Q;MAAA,IqBvhBgB,KrBuhBZ,IAAS,CAAT,IqBvhBY,KrBuhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBvhBtB,KrBuhBsB,C;;QqBvhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBgiBW,Q;MAAA,IqBxhBgB,KrBwhBZ,IAAS,CAAT,IqBxhBY,KrBwhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBxhBtB,KrBwhBsB,C;;QqBxhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBiiBW,Q;MAAA,IqBzhBgB,KrByhBZ,IAAS,CAAT,IqBzhBY,KrByhBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBzhBtB,KrByhBsB,C;;QqBzhBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkiBW,Q;MAAA,IqB1hBgB,KrB0hBZ,IAAS,CAAT,IqB1hBY,KrB0hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1hBtB,KrB0hBsB,C;;QqB1hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmiBW,Q;MAAA,IqB3hBgB,KrB2hBZ,IAAS,CAAT,IqB3hBY,KrB2hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3hBtB,KrB2hBsB,C;;QqB3hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBoiBW,Q;MAAA,IqB5hBgB,KrB4hBZ,IAAS,CAAT,IqB5hBY,KrB4hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5hBtB,KrB4hBsB,C;;QqB5hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqiBW,Q;MAAA,IqB7hBgB,KrB6hBZ,IAAS,CAAT,IqB7hBY,KrB6hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7hBtB,KrB6hBsB,C;;QqB7hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsiBW,Q;MAAA,IqB9hBgB,KrB8hBZ,IAAS,CAAT,IqB9hBY,KrB8hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9hBtB,KrB8hBsB,C;;QqB9hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBuiBW,Q;MAAA,IqB/hBgB,KrB+hBZ,IAAS,CAAT,IqB/hBY,KrB+hBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/hBtB,KrB+hBsB,C;;QqB/hBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwiBW,Q;MAAA,IqBhiBgB,KrBgiBZ,IAAS,CAAT,IqBhiBY,KrBgiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhiBtB,KrBgiBsB,C;;QqBhiBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrByiBW,Q;MAAA,IqBjiBgB,KrBiiBZ,IAAS,CAAT,IqBjiBY,KrBiiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjiBtB,KrBiiBsB,C;;QqBjiBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB0iBW,Q;MAAA,IqBliBgB,KrBkiBZ,IAAS,CAAT,IqBliBY,KrBkiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBliBtB,KrBkiBsB,C;;QqBliBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB2iBW,Q;MAAA,IqBniBgB,KrBmiBZ,IAAS,CAAT,IqBniBY,KrBmiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBniBtB,KrBmiBsB,C;;QqBniBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB4iBW,Q;MAAA,IqBpiBgB,KrBoiBZ,IAAS,CAAT,IqBpiBY,KrBoiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBpiBtB,KrBoiBsB,C;;QqBpiBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB6iBW,Q;MAAA,IqBriBgB,KrBqiBZ,IAAS,CAAT,IqBriBY,KrBqiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBriBtB,KrBqiBsB,C;;QqBriBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB8iBW,Q;MAAA,IqBtiBgB,KrBsiBZ,IAAS,CAAT,IqBtiBY,KrBsiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBtiBtB,KrBsiBsB,C;;QqBtiBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB+iBW,Q;MAAA,IqBviBgB,KrBuiBZ,IAAS,CAAT,IqBviBY,KrBuiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBviBtB,KrBuiBsB,C;;QqBviBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBgjBW,Q;MAAA,IqBxiBgB,KrBwiBZ,IAAS,CAAT,IqBxiBY,KrBwiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBxiBtB,KrBwiBsB,C;;QqBxiBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBijBW,Q;MAAA,IqBziBgB,KrByiBZ,IAAS,CAAT,IqBziBY,KrByiBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBziBtB,KrByiBsB,C;;QqBziBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkjBW,Q;MAAA,IqB1iBgB,KrB0iBZ,IAAS,CAAT,IqB1iBY,KrB0iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1iBtB,KrB0iBsB,C;;QqB1iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmjBW,Q;MAAA,IqB3iBgB,KrB2iBZ,IAAS,CAAT,IqB3iBY,KrB2iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3iBtB,KrB2iBsB,C;;QqB3iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBojBW,Q;MAAA,IqB5iBgB,KrB4iBZ,IAAS,CAAT,IqB5iBY,KrB4iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5iBtB,KrB4iBsB,C;;QqB5iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqjBW,Q;MAAA,IqB7iBgB,KrB6iBZ,IAAS,CAAT,IqB7iBY,KrB6iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7iBtB,KrB6iBsB,C;;QqB7iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBsjBW,Q;MAAA,IqB9iBgB,KrB8iBZ,IAAS,CAAT,IqB9iBY,KrB8iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9iBtB,KrB8iBsB,C;;QqB9iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBujBW,Q;MAAA,IqB/iBgB,KrB+iBZ,IAAS,CAAT,IqB/iBY,KrB+iBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/iBtB,KrB+iBsB,C;;QqB/iBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwjBW,Q;MAAA,IqBhjBgB,KrBgjBZ,IAAS,CAAT,IqBhjBY,KrBgjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhjBtB,KrBgjBsB,C;;QqBhjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrByjBW,Q;MAAA,IqBjjBgB,KrBijBZ,IAAS,CAAT,IqBjjBY,KrBijBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjjBtB,KrBijBsB,C;;QqBjjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB0jBW,Q;MAAA,IqBljBgB,KrBkjBZ,IAAS,CAAT,IqBljBY,KrBkjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBljBtB,KrBkjBsB,C;;QqBljBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB2jBW,Q;MAAA,IqBnjBgB,KrBmjBZ,IAAS,CAAT,IqBnjBY,KrBmjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBnjBtB,KrBmjBsB,C;;QqBnjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB4jBW,Q;MAAA,IqBpjBgB,KrBojBZ,IAAS,CAAT,IqBpjBY,KrBojBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBpjBtB,KrBojBsB,C;;QqBpjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB6jBW,Q;MAAA,IqBrjBgB,KrBqjBZ,IAAS,CAAT,IqBrjBY,KrBqjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBrjBtB,KrBqjBsB,C;;QqBrjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB8jBW,Q;MAAA,IqBtjBgB,KrBsjBZ,IAAS,CAAT,IqBtjBY,KrBsjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBtjBtB,KrBsjBsB,C;;QqBtjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrB+jBW,Q;MAAA,IqBvjBgB,KrBujBZ,IAAS,CAAT,IqBvjBY,KrBujBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBvjBtB,KrBujBsB,C;;QqBvjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBgkBW,Q;MAAA,IqBxjBgB,KrBwjBZ,IAAS,CAAT,IqBxjBY,KrBwjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBxjBtB,KrBwjBsB,C;;QqBxjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBikBW,Q;MAAA,IqBzjBgB,KrByjBZ,IAAS,CAAT,IqBzjBY,KrByjBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBzjBtB,KrByjBsB,C;;QqBzjBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBkkBW,Q;MAAA,IqB1jBgB,KrB0jBZ,IAAS,CAAT,IqB1jBY,KrB0jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB1jBtB,KrB0jBsB,C;;QqB1jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBmkBW,Q;MAAA,IqB3jBgB,KrB2jBZ,IAAS,CAAT,IqB3jBY,KrB2jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB3jBtB,KrB2jBsB,C;;QqB3jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBokBW,Q;MAAA,IqB5jBgB,KrB4jBZ,IAAS,CAAT,IqB5jBY,KrB4jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB5jBtB,KrB4jBsB,C;;QqB5jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBqkBW,Q;MAAA,IqB7jBgB,KrB6jBZ,IAAS,CAAT,IqB7jBY,KrB6jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB7jBtB,KrB6jBsB,C;;QqB7jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBskBW,Q;MAAA,IqB9jBgB,KrB8jBZ,IAAS,CAAT,IqB9jBY,KrB8jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB9jBtB,KrB8jBsB,C;;QqB9jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBukBW,Q;MAAA,IqB/jBgB,KrB+jBZ,IAAS,CAAT,IqB/jBY,KrB+jBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqB/jBtB,KrB+jBsB,C;;QqB/jBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBwkBW,Q;MAAA,IqBhkBgB,KrBgkBZ,IAAS,CAAT,IqBhkBY,KrBgkBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBhkBtB,KrBgkBsB,C;;QqBhkBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;IACJ,C;;MrBykBW,Q;MAAA,IqBjkBgB,KrBikBZ,IAAS,CAAT,IqBjkBY,KrBikBE,IAAS,0BAA3B,C;QAAA,OAAsC,UqBjkBtB,KrBikBsB,C;;QqBjkB

AU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsH,QAAtH,C;QACA,OAAO,W;MACX,C;KAtBA,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;MACX,C;KAtBA,C;;MA+BI,OAAY,SAAY,Q;IAC5B,C;;MASI,OAAY,SAAY,Q;IAC5B,C;;MASI,OAAY,SAAY,Q;IAC5B,C;;MASI,OAAY,SAAY,Q;IAC5B,C;;MAQW,WAAS,W;MAAT,YAA2B,SAAY,Q;MkC/jB9C,eAAiB,I;MlC+jBnB,jBjB,OkC9jBO,K;IlC+jBX,jBX,C;;MASI,OAAY,SAAY,Q;IAC5B,C;;MASI,OAAY,SAAY,Q;IAC5B,C;;MAQW,WAAS,c;MAAT,YAA8B,SAAY,Q;MkC5kBjD,eAAiB,I;MlC4kBnB,4lBjB,OkC3kBO,K;IlC4kBX,4lBX,C;;MAQW,WAAS,W;MAAT,YAA2B,SAAY,Q;MkCrlB9C,eAAiB,I;MlCqlBnB,qmBjB,OkCplBO,K;IlCqlBX,qmBX,C;;MDrxBI,IAAI,ECiyBI,WAAW,CDjyBf,CAAJ,C;QACI,cCgyBoB,0C;QD/xBxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MCgyBV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,C;IACnB,C;;MDnyBI,IAAI,EC+yBI,yBAAW,CAAX,EAAc,WAAW,CD/yB7B,CAAJ,C;QACI,cC8yBoB,0C;QD7yBxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MC8yBV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MDjzBI,IAAI,EC6zBI,yBAAW,CAAX,EAAc,WAAW,CD7zB7B,CAAJ,C;QACI,cC4zBoB,0C;QD3zBxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MC4zBV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MD/zBI,IAAI,EC20BI,yBAAW,CAAX,EAAc,WAAW,CD30B7B,CAAJ,C;QACI,cC00BoB,0C;QDz0BxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MC00BV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCr1BzC,eAAiB,I;MlCq1BnB,6pBjB,OkCp1BO,K;IlCq1BX,6pBX,C;;MDv1BI,IAAI,EC+1BI,yBAAW,CAAX,EAAc,WAAW,CD/1B7B,CAAJ,C;QACI,cC81BoB,0C;QD71BxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MCg2BV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MDn2BI,IAAI,EC+2BI,yBAAW,CAAX,EAAc,WAAW,CD/2B7B,CAAJ,C;QACI,cC82BoB,0C;QD72BxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MCg3BV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MDn3BI,IAAI,EC+3BI,yBAAW,CAAX,EAAc,WAAW,CD/3B7B,CAAJ,C;QACI,cC83BoB,0C;QD73BxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MCg4BV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MDn4BI,IAAI,EC+4BI,yBAAW,CAAX,EAAc,WAAW,CD/4B7B,CAAJ,C;QACI,cC84BoB,0C;QD74BxB,pB,MAAM,gCAAyB,OAAO,Q,WAAjC,C,C;;MCg5BV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,EAAkB,CAAlB,EAAqB,OAArB,EAA8B,CAA9B,C;IACnB,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv5BzC,eAAiB,I;MlCu5BnB,6pBjB,OkCt5BO,K;IlCu5BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/5BzC,eAAiB,I;MlC+5BnB,6pBjB,OkC95BO,K;IlC+5BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv6BzC,eAAiB,I;MlCu6BnB,6pBjB,OkCt6BO,K;IlCu6BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/6BzC,eAAiB,I;MlC+6BnB,6pBjB,OkC96BO,K;IlC+6BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv7BzC,eAAiB,I;MlCu7BnB,6pBjB,OkCt7BO,K;IlCu7BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/7BzC,eAAiB,I;MlC+7BnB,6pBjB,OkC97BO,K;IlC+7BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv8BzC,eAAiB,I;MlCu8BnB,6pBjB,OkCt8BO,K;IlCu8BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/8BzC,eAAiB,I;MlC+8BnB,6pBjB,OkC98BO,K;IlC+8BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv9BzC,eAAiB,I;MlCu9BnB,6pBjB,OkCt9BO,K;IlCu9BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/9BzC,eAAiB,I;MlC+9BnB,6pBjB,OkC99BO,K;IlC+9BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv+BzC,eAAiB,I;MlCu+BnB,6pBjB,OkCt+BO,K;IlCu+BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/+BzC,eAAiB,I;MlC++BnB,6pBjB,OkC9+BO,K;IlC++BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv/BzC,eAAiB,I;MlCu/BnB,6pBjB,OkCt/BO,K;IlCu/BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC//BzC,eAAiB,I;MlC+/BnB,6pBjB,OkC9/BO,K;IlC+/BX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvgCzC,eAAiB,I;MlCugCnB,6pBjB,OkCtgCO,K;IlCugCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/gCzC,eAAiB,I;MlC+gCnB,6pBjB,OkC9gCO,K;IlC+gCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvhCzC,eAAiB,I;MlCuhCnB,6pBjB,OkCthCO,K;IlCuhCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/hCzC,eAAiB,I;MlC+hCnB,6pBjB,OkC9hCO,K;IlC+hCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCviCzC,eAAiB,I;MlCuiCnB,6pBjB,OkCtiCO,K;IlCuiCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/iCzC,eAAiB,I;MlC+iCnB,6pBjB,OkC9iCO,K;IlC+iCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvjCzC,eAAiB,I;MlCujCnB,6pBjB,OkCtjCO,K;IlCujCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/jCzC,eAAiB,I;MlC+jCnB,6pBjB,OkC9jCO,K;IlC+jCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvkCzC,eAAiB,I;MlCukCnB,6pBjB,OkCtkCO,K;IlCukCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/kCzC,eAAiB,I;MlC+kCnB,6pBjB,OkC9kCO,K;IlC+kCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvlCzC,eAAiB,I;MlCulCnB,6pBjB,OkCtlCO,K;IlCulCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/lCzC,eAAiB,I;MlC+lCnB,6pBjB,OkC9lCO,K;IlC+lCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvmCzC,eAAiB,I;MlCumCnB,6pBjB,OkCtmCO,K;IlCumCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/mCzC,eAAiB,I;MlC+mCnB,6pBjB,OkC9mCO,K;IlC+mCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvnCzC,eAAiB,I;MlCunCnB,6pBjB,OkCtnCO,K;IlCunCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/nCzC,eAAiB,I;MlC+nCnB,6pBjB,OkC9nCO,K;IlC+nCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvoCzC,eAAiB,I;MlCuoCnB,6pBjB,OkCtoCO,K;IlCuoCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/oCzC,eAAiB,I;MlC+oCnB,6pBjB,OkC9oCO,K;IlC+oCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvpCzC,eAAiB,I;MlCupCnB,6pBjB,OkCtpCO,K;IlCupCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/pCzC,eAAiB,I;MlC+pCnB,6pBjB,OkC9pCO,K;IlC+pCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvqCzC,eAAiB,I;MlCuqCnB,6pBjB,OkCtqCO,K;IlCuqCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/qCzC,eAAiB,I;MlC+qCnB,6pBjB,OkC9qCO,K;IlC+qCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvrCzC,eAAiB,I;MlCurCnB,6pBjB,OkCtrCO,K;IlCurCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/rCzC,eAAiB,I;MlC+rCnB,6pBjB,OkC9rCO,K;IlC+rCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvsCzC,eAAiB,I;MlCusCnB,6pBjB,OkCtsCO,K;IlCusCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/sCzC,eAAiB,I;MlC+sCnB,6pBjB,OkC9sCO,K;IlC+sCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvtCzC,eAAiB,I;MlCutCnB,6pBjB,OkCttCO,K;IlCutCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/tCzC,eAAiB,I;MlC+tCnB,6pBjB,OkC9tCO,K;IlC+tCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvuCzC,eAAiB,I;MlCuuCnB,6pBjB,OkCtuCO,K;IlCuuCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/uCzC,eAAiB,I;MlC+uCnB,6pBjB,OkC9uCO,K;IlC+uCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvvCzC,eAAiB,I;MlCuvCnB,6pBjB,OkCtvCO,K;IlCuvCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/vCzC,eAAiB,I;MlC+vCnB,6pBjB,OkC9vCO,K;IlC+vCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvwCzC,eAAiB,I;MlCuwCnB,6pBjB,OkCtwCO,K;IlCuwCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/wCzC,eAAiB,I;MlC+wCnB,6pBjB,OkC9wCO,K;IlC+wCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvxCzC,eAAiB,I;MlCuxCnB,6pBjB,OkCtxCO,K;IlCuxCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/xCzC,eAAiB,I;MlC+xCnB,6pBjB,OkC9xCO,K;IlC+xCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvyCzC,eAAiB,I;MlCuyCnB,6pBjB,OkCtyCO,K;IlCuyCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/yCzC,eAAiB,I;MlC+yCnB,6pBjB,OkC9yCO,K;IlC+yCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvzCzC,eAAiB,I;MlCuzCnB,6pBjB,OkCtzCO,K;IlCuzCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/zCzC,eAAiB,I;MlC+zCnB,6pBjB,OkC9zCO,K;IlC+zCX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv0CzC,eAAiB,I;MlCu0CnB,6pBjB,OkCt0CO,K;IlCu0CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/0CzC,eAAiB,I;MlC+0CnB,6pBjB,OkC90CO,K;IlC+0CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv1CzC,eAAiB,I;MlCu1CnB,6pBjB,OkCt1CO,K;IlCu1CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/1CzC,eAAiB,I;MlC+1CnB,6pBjB,OkC91CO,K;IlC+1CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv2CzC,eAAiB,I;MlCu2CnB,6pBjB,OkCt2CO,K;IlCu2CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/2CzC,eAAiB,I;MlC+2CnB,6pBjB,OkC92CO,K;IlC+2CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv3CzC,eAAiB,I;MlCu3CnB,6pBjB,OkCt3CO,K;IlCu3CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/3CzC,eAAiB,I;MlC+3CnB,6pBjB,OkC93CO,K;IlC+3CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv4CzC,eAAiB,I;MlCu4CnB,6pBjB,OkCt4CO,K;IlCu4CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/4CzC,eAAiB,I;MlC+4CnB,6pBjB,OkC94CO,K;IlC+4CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv5CzC,eAAiB,I;MlCu5CnB,6pBjB,OkCt5CO,K;IlCu5CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/5CzC,eAAiB,I;MlC+5CnB,6pBjB,OkC95CO,K;IlC+5CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv6CzC,eAAiB,I;MlCu6CnB,6pBjB,OkCt6CO,K;IlCu6CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/6CzC,eAAiB,I;MlC+6CnB,6pBjB,OkC96CO,K;IlC+6CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv7CzC,eAAiB,I;MlCu7CnB,6pBjB,OkCt7CO,K;IlCu7CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/7CzC,eAAiB,I;MlC+7CnB,6pBjB,OkC97CO,K;IlC+7CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv8CzC,eAAiB,I;MlCu8CnB,6pBjB,OkCt8CO,K;IlCu8CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/8CzC,eAAiB,I;MlC+8CnB,6pBjB,OkC98CO,K;IlC+8CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv9CzC,eAAiB,I;MlCu9CnB,6pBjB,OkCt9CO,K;IlCu9CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/9CzC,eAAiB,I;MlC+9CnB,6pBjB,OkC99CO,K;IlC+9CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv+CzC,eAAiB,I;MlCu+CnB,6pBjB,OkCt+CO,K;IlCu+CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/+CzC,eAAiB,I;MlC++CnB,6pBjB,OkC9+CO,K;IlC++CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv/CzC,eAAiB,I;MlCu/CnB,6pBjB,OkCt/CO,K;IlCu/CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC//CzC,eAAiB,I;MlC+/CnB,6pBjB,OkC9/CO,K;IlC+/CX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvgDzC,eAAiB,I;MlCugDnB,6pBjB,OkCtgDO,K;IlCugDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/gDzC,eAAiB,I;MlC+gDnB,6pBjB,OkC9gDO,K;IlC+gDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvhDzC,eAAiB,I;MlCuhDnB,6pBjB,OkCthDO,K;IlCuhDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/hDzC,eAAiB,I;MlC+hDnB,6pBjB,OkC9hDO,K;IlC+hDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCviDzC,eAAiB,I;MlCuiDnB,6pBjB,OkCtiDO,K;IlCuiDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/iDzC,eAAiB,I;MlC+iDnB,6pBjB,OkC9iDO,K;IlC+iDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvjDzC,eAAiB,I;MlCujDnB,6pBjB,OkCtjDO,K;IlCujDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/jDzC,eAAiB,I;MlC+jDnB,6pBjB,OkC9jDO,K;IlC+jDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvkDzC,eAAiB,I;MlCukDnB,6pBjB,OkCtkDO,K;IlCukDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/kDzC,eAAiB,I;MlC+kDnB,6pBjB,OkC9kDO,K;IlC+kDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvlDzC,eAAiB,I;MlCulDnB,6pBjB,OkCtlDO,K;IlCulDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/lDzC,eAAiB,I;MlC+lDnB,6pBjB,OkC9lDO,K;IlC+lDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvmDzC,eAAiB,I;MlCumDnB,6pBjB,OkCtmDO,K;IlCumDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/mDzC,eAAiB,I;MlC+mDnB,6pBjB,OkC9mDO,K;IlC+mDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvnDzC,eAAiB,I;MlCunDnB,6pBjB,OkCtnDO,K;IlCunDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/nDzC,eAAiB,I;MlC+nDnB,6pBjB,OkC9nDO,K;IlC+nDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvoDzC,eAAiB,I;MlCuoDnB,6pBjB,OkCtoDO,K;IlCuoDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/oDzC,eAAiB,I;MlC+oDnB,6pBjB,OkC9oDO,K;IlC+oDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvpDzC,eAAiB,I;MlCupDnB,6pBjB,OkCtpDO,K;IlCupDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/pDzC,eAAiB,I;MlC+pDnB,6pBjB,OkC9pDO,K;IlC+pDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvqDzC,eAAiB,I;MlCuqDnB,6pBjB,OkCtqDO,K;IlCuqDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/qDzC,eAAiB,I;MlC+qDnB,6pBjB,OkC9qDO,K;IlC+qDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvrDzC,eAAiB,I;MlCurDnB,6pBjB,OkCtrDO,K;IlCurDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/rDzC,eAAiB,I;MlC+rDnB,6pBjB,OkC9rDO,K;IlC+rDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvsDzC,eAAiB,I;MlCusDnB,6pBjB,OkCtsDO,K;IlCusDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/sDzC,eAAiB,I;MlC+sDnB,6pBjB,OkC9sDO,K;IlC+sDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvtDzC,eAAiB,I;MlCutDnB,6pBjB,OkCttDO,K;IlCutDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/tDzC,eAAiB,I;MlC+tDnB,6pBjB,OkC9tDO,K;IlC+tDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvuDzC,eAAiB,I;MlCuuDnB,6pBjB,OkCtuDO,K;IlCuuDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/uDzC,eAAiB,I;MlC+uDnB,6pBjB,OkC9uDO,K;IlC+uDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvvDzC,eAAiB,I;MlCuvDnB,6pBjB,OkCtvDO,K;IlCuvDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/vDzC,eAAiB,I;MlC+vDnB,6pBjB,OkC9vDO,K;IlC+vDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvwDzC,eAAiB,I;MlCuwDnB,6pBjB,OkCtwDO,K;IlCuwDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/wDzC,eAAiB,I;MlC+wDnB,6pBjB,OkC9wDO,K;IlC+wDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvxDzC,eAAiB,I;MlCuxDnB,6pBjB,OkCtxDO,K;IlCuxDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/xDzC,eAAiB,I;MlC+xDnB,6pBjB,OkC9xDO,K;IlC+xDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvyDzC,eAAiB,I;MlCuyDnB,6pBjB,OkCtyDO,K;IlCuyDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/yDzC,eAAiB,I;MlC+yDnB,6pBjB,OkC9yDO,K;IlC+yDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvzDzC,eAAiB,I;MlCuzDnB,6pBjB,OkCtzDO,K;IlCuzDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/zDzC,eAAiB,I;MlC+zDnB,6pBjB,OkC9zDO,K;IlC+zDX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv0DzC,eAAiB,I;MlCu0DnB,6pBjB,OkCt0DO,K;IlCu0DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/0DzC,eAAiB,I;MlC+0DnB,6pBjB,OkC90DO,K;IlC+0DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv1DzC,eAAiB,I;MlCu1DnB,6pBjB,OkCt1DO,K;IlCu1DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/1DzC,eAAiB,I;MlC+1DnB,6pBjB,OkC91DO,K;IlC+1DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv2DzC,eAAiB,I;MlCu2DnB,6pBjB,OkCt2DO,K;IlCu2DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/2DzC,eAAiB,I;MlC+2DnB,6pBjB,OkC92DO,K;IlC+2DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv3DzC,eAAiB,I;MlCu3DnB,6pBjB,OkCt3DO,K;IlCu3DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/3DzC,eAAiB,I;MlC+3DnB,6pBjB,OkC93DO,K;IlC+3DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv4DzC,eAAiB,I;MlCu4DnB,6pBjB,OkCt4DO,K;IlCu4DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/4DzC,eAAiB,I;MlC+4DnB,6pBjB,OkC94DO,K;IlC+4DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv5DzC,eAAiB,I;MlCu5DnB,6pBjB,OkCt5DO,K;IlCu5DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/5DzC,eAAiB,I;MlC+5DnB,6pBjB,OkC95DO,K;IlC+5DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv6DzC,eAAiB,I;MlCu6DnB,6pBjB,OkCt6DO,K;IlCu6DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/6DzC,eAAiB,I;MlC+6DnB,6pBjB,OkC96DO,K;IlC+6DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv7DzC,eAAiB,I;MlCu7DnB,6pBjB,OkCt7DO,K;IlCu7DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/7DzC,eAAiB,I;MlC+7DnB,6pBjB,OkC97DO,K;IlC+7DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv8DzC,eAAiB,I;MlCu8DnB,6pBjB,OkCt8DO,K;IlCu8DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/8DzC,eAAiB,I;MlC+8DnB,6pBjB,OkC98DO,K;IlC+8DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv9DzC,eAAiB,I;MlCu9DnB,6pBjB,OkCt9DO,K;IlCu9DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/9DzC,eAAiB,I;MlC+9DnB,6pBjB,OkC99DO,K;IlC+9DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCv+DzC,eAAiB,I;MlCu+DnB,6pBjB,OkCt+DO,K;IlCu+DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/+DzC,eAAiB,I;MlC++DnB,6pBjB,OkC9+DO,K;IlC++DX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvgEzC,eAAiB,I;MlCugEnB,6pBjB,OkCtgEO,K;IlCugEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/gEzC,eAAiB,I;MlC+gEnB,6pBjB,OkC9gEO,K;IlC+gEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvhEzC,eAAiB,I;MlCuhEnB,6pBjB,OkCthEO,K;IlCuhEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/hEzC,eAAiB,I;MlC+hEnB,6pBjB,OkC9hEO,K;IlC+hEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCviEzC,eAAiB,I;MlCuiEnB,6pBjB,OkCtiEO,K;IlCuiEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/iEzC,eAAiB,I;MlC+iEnB,6pBjB,OkC9iEO,K;IlC+iEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvjEzC,eAAiB,I;MlCujEnB,6pBjB,OkCtjEO,K;IlCujEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/jEzC,eAAiB,I;MlC+jEnB,6pBjB,OkC9jEO,K;IlC+jEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvkEzC,eAAiB,I;MlCukEnB,6pBjB,OkCtkEO,K;IlCukEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/kEzC,eAAiB,I;MlC+kEnB,6pBjB,OkC9kEO,K;IlC+kEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvlEzC,eAAiB,I;MlCulEnB,6pBjB,OkCtlEO,K;IlCulEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/lEzC,eAAiB,I;MlC+lEnB,6pBjB,OkC9lEO,K;IlC+lEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvmEzC,eAAiB,I;MlCumEnB,6pBjB,OkCtmEO,K;IlCumEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkC/mEzC,eAAiB,I;MlC+mEnB,6pBjB,OkC9mEO,K;IlC+mEX,6pBX,C;;MAQW,WAAS,W;MAAT,YAAsB,SAAY,Q;MkCvnEzC,eAAiB,I;MlCunEnB,6pBjB,OkCtnEO,K;IlCunEX,6pBX,C;

KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAApB,EAA0B,QAA1B

;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;MAChB,C;KARA,C;;MAeI,OAAO,QAAM,CAAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;IACX,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAAK,KAAM,CAAN,EAAAiB,CAAAjB,EAAAkB,CAAAlB,B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAAiB,CAAAjB,EAAAkB,CAAAlB,B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAAiB,CAAAjB,EAAAkB,CAAAlB,B,C;MAChB,C;KARA,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAAiB,CAAAjB,EAAAkB,CAAAlB,EAAAmB,CAAAnB,EAAAoB,CAAApB,B,C;MAChB,C;KARA,C;;MAgBW,UAAe,CAAf,EAAAqB,CAAArB,EAAAsB,CAAAtB,B,C;MAChB,C;KARA,iBAAmB,CAAnB,EAAAuB,CAAAvB,EAAAwB,CAAAxB,EAAAyB,CAAAzB,B,C;;MAgBW,UAAe,CAAf,EAAA0B,CAAA1B,EAAA2B,CAAA3B,B,C;MAChB,C;KARA,C;;MAUI,OAAO,MAAK,KAAM,CAAN,EAAAiB,CAAAjB,EAAAkB,CAAAlB,EAAAmB,CAAAnB,EAAAoB,CAAApB

I,aAAY,C;IADhB,C;;MAE6B,oBAAQ,gBAAI,O;IAAZ,C;;MACuB,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAAsB,iBAAI,iBAAJ,EAAI,yBAAJ,O;;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;IAA9C,C;;;MAL9B,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KArB,C;eAClB,W;YAVwD,OAUzC,kBAAkB,KAAlB,C;eACf,Y;YAXwD,OAWxC,mBAAmB,KAAnB,C;eAChB,W;YAZwD,OAYzC,kBAAkB,KAAlB,C;eACf,U;YAbwD,OAa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAczC,kBAAkB,KAAlB,C;eACf,Y;YAfwD,OAexC,mBAAmB,KAAnB,C;eAChB,a;YAhBwD,OAgBvC,oBAAoB,KAApB,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,C/C,CAAtB,C;;IAjB0C,C;;MAqBH,kC;MAAS,0B;MAC9D,aAAY,C;IADyC,C;;MAE5B,oBAAQ,kBAAM,O;IAAd,C;;MACkC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAlD,D;;MAAwE,OAAxE,IAAwE,IAAxE,C;;MAAwE,OAAxE,IAAwE,IAAxE,C;;MAAwE,OAAxE,IAAwE,IAAxE,C

MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;MAXW,OAYrB,K;IAZqB,C;;MAGH,WAAS,W;MAAT,Y
AAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASlB,
K;IATkB,C;;MAGA,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MA
LQ,OAMlB,K;IANkB,C;;MAKzB,eAAiB,I;MACjB,OAAO,K;IACX,C;;MS5MiD,OAAW,QAAX,8BAAW,EAAQ
,YAAR,C;IAAX,C;qFAEjD,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,
cAAc,YAAW,CAAX,CAAgC,C;MAAjF,C;KADpD,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAArI,
MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C;MAAjF,C;KADpD,C;;MAMoD,QAAQ,cAAA
,sCAAK,mBAAAL,EAAAyB,sCAAK,mBAA9B,6B;IAAA,C;;MAKD,QAAQ,cAAA,sCAAK,kBAAAL,EAAAw
B,sCAAK,kBAA7B,6B;IAAA,C;;MtCZkB,uCqCAtB,E;IrCAsB,C;iGAErE,yB;MAAA,kD;MAAA,4B;QA
CsE,mBAAY,SAAZ,C;MAAA,C;KADtE,C;;MAMI,OAAsB,UAAY,QAAvB,KAAmC,SA9C,GACe,UAAY,UA
D3B,GAGI,gBAAgB,UAAhB,C;IACR,C;;MAII,YqChB2C,E;MrCiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,
UAAhB,C;QACU,KAAY,MAAK,QAAS,OAAd,C;MACtB,OAAO,K;IACX,C;;MAUc,Q;MANV,IAAI,KAAM,O
AAN,GAAa,UAAW,KA5B,C;QACI,OAAO,gBAAgB,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAY,C;
MACZ,OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,
KAAM,OAAlB,C;QACI,MAAM,KAAN,IAAe,I;;MAEnB,OAAO,K;IACX,C;;MAK6C,sBAAY,OAAZ,E;IAAa,C
;;MAKF,oBAAU,OAAV,E;IAAa,C;;MAMY,oBAAU,IAAV,E;IAAa,C;;MASlC,Q;MAAa,kC;MAAjB,iBAAc,C
AAd,yB;QACI,sBAAK,KAAL,EAAc,KAAd,C;;IAER,C;;MAQuD,qBAAQ,4BAAR,C;IAAa,C;;MAMiB,kBAAh
B,0B;MAAwB,oB;MAAxB,OHhB7C,W;IGgB6C,C;;MAQpD,gBAAgB,SAAhB,EAAsB,cAAtB,C;IACJ,C;;MAQI,
gBAAgB,SAAhB,EAAsB,UAAtB,C;IACJ,C;;MAGI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YA
AY,YAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAAqB,UAAR,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;
QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,C;;MAGI,OAAO,gBAAkB,IAAlB,O;IACX,C;;MAMI,oCAAa,2
BAAkB,UAAlB,E8B8A8B,WAAW,UAAX,I;MAC9B,ChBAb,oCAAa,2BAAkB,iBAAlB,EAAqC,oBAAoB,SAApB,IAAiC,IAAjC,
rC;MAAqC,OAAO,aAAa,KAAb,EAAoB,KAAM,OAAhC,C;IAAyC,C;;MAMlF,OAAO,KAAM,OAAb,C;IAAsB,C;;MAM
1B,OAAO,KAAM,OAAb,C;IAAsB,C;;MAM

AO,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;MAK+B,OAAA,oCAAa,yBAAgB,IAAhB,C;IAAb,C;;MAG/B,oB;MACI,eACsB,C;MACtB,cAIqB,E;IAPzB,C;;MASsC,sBAAQ,gB;IAAR,C;;MAIvB,Q;MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;M9C7BJ,IAAI,E8CgCU,gBAAQ,E9ChClB,CAAJ,C;QACI,c8C+BwB,sE;Q9C9BxB,MAAM,6BAAsB,OAAQ,WA9B,C;;M8CgCF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;IACX,C;;;MAGJ,oB;MAGmD,wD;MAG3C,oCAAa,4BAAmB,B,KAAnB,EAA0B,WAAyB,K,KAAnD,C;MACb,eAAa,K;IAJe,C;;MAOM,sBAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,2BAAP,EAAO,WAAP,C;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGhC,wBAAI,WAAJ,EAAI,WAAJ,EAAI,WAAJ,C;MACA,mC;MACA,cAAO,E;IACX,C;;M9CnEJ,IAAI,E8CsEU,gBAAQ,E9CtElB,CAAJ,C;QACI,c8CqEwB,4E;Q9CpExB,MAAM,6BAAsB,OAAQ,WAAyB,C;;M8CqEF,wBAAyB,WAAzB,EAAyB,WAAzB,EAAyB,WAAzB,E

MACA,qC;MACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAc,CAAd,C
AAlB,CAAmC,CAAnC,C;IACR,C;;MAGkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,OA
AhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAc,CAAd,C;UAClB,qC;UACA,OAAO,I;;;MAGf,OAAO,K;IAC
X,C;;MAGI,qC;MACM,oBAAY,QAAO,SAAP,EAAkB,UAAU,SAAV,IAAlB,C;IACtB,C;;MAGI,uBNhGuC,E;M
MiGvC,qC;IACJ,C;;MAG+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;IAAN,C;;MAEI,OAAM,YAAN,oBAAM,
EAAY,OAAZ,C;IAAN,C;;MAEzB,qBAAc,oBAAd,C;IAAA,C;;MACY,OAAA,EAAS,MAAM,MAAK,oBAAL,C;
IAAf,C;;MAIlC,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;IAAA,C;;MAKjC,oCAAa,mCAA0B,SAA1B,C;MAD6B,
Y;IAAA,C;;;MA7G9C,mD;MAG8B,sBNPa,EMOb,C;MAH9B,Y;IAAA,C;;MAU0B,+B;QAAA,kBAAuB,C;MALj
D,mD;MAKsD,sBNdX,EMcW,C;MALtD,Y;IAAA,C;;MAOA,mD;MAGqD,sB3ChBa,Y2CgBR,Q3ChBQ,C2CgBb
,C;MAHrD,Y;IAAA,C;;MCpBA,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;;QAElB,UAAU,KAAV,EAAw
C,CAAxC,EAAiD,cAAN,KAAM,CAAjD,+B;BAAuE,UAAvE,E;;IAER,C;;MAIyB,uB;QAAgB,OAAA,kBAAW,SA
AQ,CAAR,EAAW,CAAX,C;MAA3B,C;;MAA3B,C;IAAA,C;;MADrB,IAAI,6BAAJ,C;QACU,KAAI,iBAAiB,gC;QACX,KAAY,MAK,UAAL,C;;;QAElB,UAAU,KAAV,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EAA4D,UAA5D,C;UAAuE,UAAvE,E;;IAER,C;;MAIyB,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAA3B,C;;MAA3B,C;IAAA,C;;MADrB,IAAI,6BAAJ,C;QACU,KAAI,iBAAiB,gB;QACX,KAAY,MA

D;MASqE,qB;MrDlCrE,IAAI,EqDoCQ,mBAAmB,CrDpC3B,CAAJ,C;QACI,cqDmCgC,+C;QrDlChC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MAFV,IAAI,EqDqCQ,cAAc,CrDrCtB,CAAJ,C;QACI,gBqDoC2B,yC;QrDnC3B,MAAM,gCAAyB,SAAQ,WAAjC,C;;MqDuBV,Y;IAAA,C;;MAeA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAGA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;IAAA,C;;MA0C0E,gBAAnE,aAAmB,gEAAnB,C;MAA2E,wB;MAAlF,OlD7CO,S;IkD8CX,C;;MCzGI,yB;;;MA2CI,UAAU,kBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;IACX,C;;MAGI,kBAAI,Q;IACR,C;;MAM6D,OAAA,kBAAI,mBAAJ,OAAA,Z,C;IAAA,C;;MAEpB,kBAAI,U;IAAJ,C;;MAEY,kBAAI,KAAK,W;IAAT,C;;MAEH,kBAAI,cAAO,OAAP,EAAgB,kBAAI,mBAAJ,OAAA,Z,CAAhB,C;IAAA,C;;MAEA,kBAAI,Q;IAAJ,C;;MAEA

IAAkB,K;MAElB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;;QAGP,OAAO,Q;;IAEf,C;;MAGI,IAAI,0BA
AJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QFrDJ,OEsDuB,iBFtDj
B,CEsD6B,GFtD7B,C;QEuDE,6B;QAEA,OAAO,K;;;QAGP,OAAO,I;;IAEf,C;;MAII,oBAAa,kB;MACb,YAAO,C
;IACX,C;;MAIW,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iB
AA+B,I;IAH5B,C;;MAK+B,OAAA,eAAS,U;IAAT,C;;MAMX,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;
MAES,+E;MAAnB,OAAO,iD;IACX,C;;MAIkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;M1DchD,uB;MAeP,IAf
oB,KAehB,QAAJ,C;QACI,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WA9B,C;;;QAEN,sBAnBgB,K;;M0D
de,oBAAO,sFAAP,C;IAC3B,C;;;MAJBJ,yD;IAmBJ,C;;MAEsD,8B;MAAA,oD;IAAA,C;;MACtB,uB;IAAA,C;;M
ACE,6CAAuB,gBAAvB,C;IAAA,C;;MAEU,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;IAAvB,C;;MAET,O
AAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;MACU,OAAA,mCA
AY,qBAAY,IAAZ,EAAkB,KAAlB,C;IAAZ,C;;;MARM,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;;MArHmD
,0CAAqC,GAArC,EAA0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;I
AA/B,C;;MAEI,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGlC,cAAO,iC;IARf,C;;MAaQ,OAAO,gBAAS,I;IACpB,
C;;MAII,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;
MAAf,cxDkDS,SwDlDoB,KAAO,iCxDkDzC,GAAqB,SAArB,GAA+B,I;MwDjD1B,OAAO,O;IACX,C;;M3DgCR
,IAAI,E2D7Bc,eAAQ,I3D6BtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WA9B,C;;M2D5BS,oC
AAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,0BAAO,IAAI,C;IACX,C;;;MAGqD,MAAM,qCAA8B,iCA
A9B,C;IAAN,C;;MAErD,WAAmB,Q;IACvB,C;;MAEuE,yCAAc,OAAd,C;IAAA,C;;MAEC,qD;IAAA,C;;MAGp
E,IAAI,oBAAS,OAAT,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;IACX
,C;;MAE+B,OAAA,WAAmB,K;IAAnB,C;;;M3DEnC,IAAI,E2DgBM,0BAAQ,IAAR,EAAgB,0BAAQ,I3DhBhC,B9B,C
AAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WA9B,C;;M2DgBN,YAAY,mB;MACZ,IAAI,SAAS,IA
Ab,C;QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;;QAGK,YAAa,KAAM,a;Q3DRhC,uB;QAeP,IAfoB,K
AehB,QAAJ,C;UACI,gBAhByB,0B;UAiBzB,MAAM,6BAAsB,SAAQ,WA9B,C;;;UAEN,sBAnBgB,K;;Q2DQZ,
+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;IAErB,C;;MAMI,IAAI,SAAK,KAAL,C;IAAJ,C;;MAEA,
KAAc,SAAlB,C;QAEI,sBAAO,I;;;QAGP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;;QAEX,sBAAO,I;;;MAGX,sBAAO,
sB;;QAEX,qDAAc,sB;QACd,qDAAc,sB;;MAElB,yBAAO,I;MACP,yBAAO,I;IACX,C;;MA6CI,kBAAI,Q;MACJ,sBAAO,I;
MACP,sBAAO,I;IACX,C;;MAQmD,OAAA,kBAAI,Q;MAAJ,C;;MAEnD,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAGI,
OAAA,kBAAI,Q;MAAJ,C;;MAEA,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAGI,OAAA,kBAAI,Q;MAAJ,C;;MAEA,kBAAI,Q;MACJ,
sBAAO,I;IACX,C;;MAGI,OAAA,kBAAI,Q;MAAJ,C;;MAEA,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAGI,OAAA,kBAAI,Q;MAAJ,C;;MAEA,
kBAAI,Q;MACJ,

,yB;IAF5C,C;;MAIQ,QAwByC,OAxB1B,OAwB0B,C;MAvBzC,QAAU,eAAF,CAAE,EAAY,EAAZ,C;MACV,IAAI,KAAK,CAAT,C;QACI,4BAAU,C9CK0E,W8CL9D,C9CK8D,E8CL3D,C9CK2D,C;Q8CJpF,Y;QACA,IAAI,C9CAiE,W8CArD,IAAI,CAAJ,I9CAqD,C;;M8CEzE,4BAAU,C;IACd,C;;MAGI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;IACb,C;;;;MAW6C,cAAa,KAAb,C;IAAA,C;;MAI7C,MAAO,U;IACX,C;;MAII,MAAO,iBAAQ,OAAR,C;IACX,C;;MAII,MAAO,eAAM,OAAN,C;IACX,C;;MC1FsC,8C;MAClC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MACtC,qBAAyC,I;MAEzC,yBAAgD,yBAAmB,Q;MAEnE,sBAAgD,I;IATf,C;;MAOjC,6B;IAAA,C;;MAMY,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACzE,sB5D8Dd,S;Q4DhEF,S5DiEG,S;;M4DjEH,a;IAAA,C;;MAKA,kBAAc,IAAd,C;MACiC,oB;MCqBrB,Q;MADR,IDpBsB,MCoBtB,W;QADJ,mBACiB,I;;;QADjB,mBAEY,QDrBc,MCqBd,+D;;MDrBZ,yC;MACA,2BAAmC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q5D8BY,gB4D7BH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ,C;UACI,qBAAc,e;;;UAEd,oBAAQ,0B;UACR,wBAAY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,B,C;YAAqC,M;UACrC,kBAAgB,O;UAChB,qBAAmB,I;;;UAEnB,kBAAgB,I;UAChB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;;UAGV,U;UAAA,0C;YAAA,YhEVhB,8BiE2CQ,WAAO,qBAAP,CjE3CR,C;YgEUgB,a;;;YAAA,a;UAAA,mB;YAEA,UhErBrB,oBiE6CQ,WDxB+B,eCwB/B,CjE7CR,C;;UgEsBgB,M;;;IAIhB,C;;MAGI,kBAAkB,mB;MAClB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAAnC,+B,WAAA/B,C;;MAEA,sBAAoB,mC;MACpB,IACI,cAAc,C;;;MAGd,KAAK,qC;IAAA,C;;M/D4DD,MAAM,6B+D5DL,iBAAA,C;IAAA,C;;MAGA,MAAM,6BAAN,iBAAA,C;IAAA,C;;MAGA,MAAM,6BAAN,iBAAA,C;IAAA,C;;MAGA,MAAM,6BAAN,iBAAA,C;IAAA,C;;;;MAIA,MAAM,6BAAN,iBAAA,C;IAAA,C;;MAG

AGX,OAAO,K;IACX,C;;MGlCY,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;IAA/C,C;;MAMA,8BAAY,IAAK,a;IAAjB,C;;MCZwD,gCAAqB,OAArB,C;IAAA,C;;MAEjC,wB;IAAD,C;;MAE1B,eAAQ,KAAR,C;IACJ,C;;MAEyC,iCAAuB,cAAvB,M;IAAA,C;;;MCCO,8B;MAAS,uB;IAAT,C;;MACjB,OAAA,gBAAY,O;IAAZ,C;;MAG3B,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAmC,sBAAnC,C,MAA1B,C;IAFgB,C;;MAHc,4C;IAAA,C;;MCJhD,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;IAER,C;;MAQI,sBAAY,sCAAgB,gBAAe,IAAf,CAAoB,5B,C,OAAhC,C;IAAA,C;;MCAhB,OAAO,S;IACX,C;;MCb8C,gB;IAAA,C;;MAMwB,OAAK,S;IAAL,C;;MAQG,gB;IAAA,C;;MAmB5D,UAAP,F;MAFP,QAAA,c,S;MAGO,cAAK,UAAL,U;QACI,mBAAK,UAAL,G;WACJ,IAAA,MAAA,a,YAAW,CAAX,IAAA,G;IAAA,C;;MAEC,8BAAA,gBAAA,yB,OAAA,C;QAAA,6BAAA,C;;MAAA,C;;MAAA

C;;MAOA,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;IAAnB,C;;MxC3FA,cAAvC,C;IAAuC,C;;My
C4CpB,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EA
AO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;IACX,C;;MAQgB,Q;MADZ,WAA0B,MAAa,MAAK,KA
AL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAY,gBAAe,GAAf,CAAtB,C;UACI,U
AAK,GAAL,IAAY,MAAM,GAAN,C;;;MAGpB,OAAO,S;IACX,C;;MxC9D+C,S;IAAA,C;;MAgCa,0BAAe,WAA
f,C;IAAA,C;;MAM4B,0BAAe,WAAf,C;IAAA,C;;MAOhB,0BAAe,WAAf,C;IAAA,C;;MAOV,Q;MAH1D,aAAkB
,GAAI,O;MACtB,aAAkB,GAAI,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;
QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;IACX,C;;MASuC,Q;MALnC,aAAa,
MAAO,OAAM,CAAN,EAAS,OAAT,CAAS,C;MA0BpB,IAAzBc,MAAyBL,OAAL,KAAK,kB,SAAtB,B;C;QAAzBqB,MA0BlB,U
A1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,C;QACI,gBAAgB,O;QAChB,OAAO
,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;;MAE9C,OAAO,M;IACX,C;;MAOoB,UAA
mB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAAbc,KAAa,kB,SAAb,B;C;QAAbqB,
MAAaL,OAAL,KAAK,kB,SAAb,B;C;QAAaqB,MAAaL,OAAL,KAAK,kB,SAAb,B;C;QAAaqB,MAAaL,OAAL,KAAK,kB,S
AAtB,C;QAAqB,MAAjB,cAAiB,UAAd,KAAc,S,O;;MAAqB,YAAiB,KAAM,O;MAAC,4B;MAAhB,cAAgB,cAAhB,
gB,yB;QAAgB,YAAA,OAAA,cAAA,EAAA,sBAAA,YAAA,kBAAA,O;;MAAhB,cAAgB,cAAhB,

MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;MAAX,C;KAAR,C;;MASzC,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAnB,GAA+B,SAA/B,GAAyC,CAAC,S;IACrD,C;iFAEA,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAc,IAAd,C;MAAL,C;KAL9D,C;;MAmBI,gBAAO,CAAP,C;QADyC,OACrB,B,QAAP,CAAO,W,CAAP,C;QAAF,yC,OAAE,C,C,C

AY,C;MAA1C,C;KAP9D,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;MAA1C,C;KAL5D,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAX,SAAW,C;MAAX,C;KAZnD,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;MAAX,C;KAZrD,C;;MA8BqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAlB,GAAA0B,C;IAA1B,C;wEAErC,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,CAAM,IAAN,EAAO,CAAP,CAAX,GAAsB,CAAtB,CAAA,CAAA,CAAA

C;;MAGW,cAAgB,W;MAAvB,O/CqCuD,MAAa,Q+CrCpD,K/CqCoD,EAAY,OAAZ,C;I+CpCxE,C;;;MAOA,sBA
Ac,MAAd,C;MAFA,wC;MACA,8C;IAHuC,C;;MAMnC,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAA
O,KAAP,CAAN,IAAuB,+BAAmB,KAAM,kBAAzB,C;IAClC,C;;MAEyC,6B;IAAA,C;;MAGrC,OAAO,0BAAmB
,KAAnB,C;IACX,C;;;MAGJ,iC;MAAoC,sBAAoB,MAApB,C;MAChC,4BAAkC,S;IADtC,C;;MACI,gC;IAAA,C;;
MAEgD,Y;IAAA,C;;MAGpC,MAAM,qCAA8B,6CAA9B,C;IAAN,C;;MAEgC,iBAAU,I;IAAV,C;;MAEb,Q;IAA
A,C;;;;MAVnC,wC;QAAA,uB;;MAAA,iC;IAAA,C;;MC5EA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA
7D,EAAoE,gCAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,oBAC
mB,+B;MAEnB,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,M
AApB,EAA8D,MAA9D,EAAsE,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAA
xE,C;MAEjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB
,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C
;MAElB,kBACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,E
AAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,sBACqB,wBAAoB,KAApB,EAAkE,WAAlE,EAA+E,sCAA/E,C;MA
ErB,yBACwB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAw
E,WAAxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAAsE,WAAtE,EAAmF,sCAAnF,C;MAErB,u
BACsB,wBAAoB,UAApB,EAAwE,YAAxE,EAAsF,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAAsE,UA
AtE,EAAkF,qCAAlF,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAlE,EAA+E,sCAA/E,C;MAErB,uBACs
B,wBAAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,
EAA0F,wCAA1F,C;IA5D3B,C;;MAkE6C,qB;QAAE,OjD/DD,OiD+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,O
AAf,IAAyB,a;MAA1D,C;IAAA,C;;MAFd,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,
U;QAAA,a;;QACH,aAAa,wBAAoB,QAApB,EAA+B,EAA+D,kBAA/D,EAAoF,mDADpB,C;QAEG,eAAhB,UAAqC,M;Q
AHlC,SAIH,M;;MAJJ,a;IAMJ,C;;MAnEqF,6B;IAAU,C;;MAGD,0B;IAAa,C;;MAMT,8B;IAAc,C;;MAGxB,6B;IA
AW,C;;MAGR,6B;IAAY,C;;MAGlB,6B;IAAU,C;;MAGJ,6B;IAAY,C;;MAGT,6B;IAAa,C;;MAGd,yB;IAAe,C;;M
AGd,6B;IAAa,C;;MAGL,mC;IAAgB,C;;MAGP,gC;IAAmB,C;;MAGtB,6B;IAAgB,C;;MAGlB,6B;IAAgB,C;;MA
GZ,8B;IAAiB,C;;MAGvB,4B;IAAe,C;;MAGjB,6B;IAAgB,C;;MAGN,8B;IAAiB,C;;MAGd,+B;IAAkB,C;;;;MA5
DzI,uC;QAAA,sB;;MAAA,gC;IAAA,C;;;MCEkE,yBAAkB,MAAlB,C;IAAA,C;;MAIxD,IAAN,I;MAAA,QlDH0C
,OkDG3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UA7B,K;aACA,Q;UAAY,OAAI,CAAxB,CAAwB,GA
ApB,CAAoB,MAAgB,CAApB,GAAuB,8BAAiB,SAAxC,GAAsD,8BAAiB,Y;UAAnF,K;aACA,S;UA8B,OAAj
B,8BAAiB,a;UA9B,K;aACA,U;UA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YA
AsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,
2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;e
ACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,O
AAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAa,gBAAe,CAAf,CAAkB,Y;YAE7C,oBAAgB,MAAhB,C;cAAiD,OAAjB
B,8BAAiB,S;iBACjD,oBAAgB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,yBAAkB,OAAlB
B,C;;;;UAxBxB,K;;MAAA,W;IAAA,C;;MAqCO,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;;M
AErD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MA
AjB,C;UACb,oBAAsB,M;UACtB,a;;;UAES,OAAT,QAAS,S;;;;QAGb,4BAAiB,MAAjB,C;;MATJ,W;IAWJ,C;;MC
tDA,e;MAGqC,kB;MAHrC,iB;MAAA,uB;IAGoC,C;;MAHpC,qC;MAAA,C;MAII,qEACY,GADZ,C;MAEA,iEA
IU,GAJV,C;IANJ,C;;;MAII,wB;MAAA,uC;IAAA,C;;;MAEA,wB;MAAA,qC;IAAA,C;;;MANJ,mF;IAAA,C;;;MA
AA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;IAAA,C;;;MAmBoC,kB;IAAD,C;;;MAAC,iB;IALpC,
C;;MAAA,sBAKoC,qCALpC,C;IAAA,C;;MAAA,OAKoC,iDALpC,M;IAAA,C;;MAAA,c;MAKoC,sD;MALpC,a;
IAAA,C;;MAAA,2IAKoC,sCALpC,G;IAAA,C;;MAoJI,6B;MA1HA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;
MxFwuC/C,kBAAM,iBAAa,wBwFvuC0B,OxFuuC1B,EAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,OwF5yCuC,
OxF4yCvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QAAT,WAAS,WAAc,IwF7yCuC,MxF6yCrD,C;;MwF7yChB,uB
AAoC,WAAO,OAAP,EAAyB,exF8yCtE,WwF9yCsE,EAAyB,EAAzB,CAAzB,CAAyB,GAAwD,GAAxE,C;IAbd,C;;MAi
BJ,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAX,C;MAC1B,1B,OAAO,iBAAiB,KAAM,MAAN,K
AAe,CAAhC,IAAqC,oBAAc,UAAd,KAA2B,KAAM,O;IACjF,C;;MAIkB,kBAAlB,oBAAc,C;MAAI,OAAO,oBAA
c,MAAK,KAAM,WAAX,C;MAAzB,OAAO,OAAP,C;IAAyB,C;;MAIzB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,IAAI
,WAAJ,C;QAAe,OAAO,C;;MACtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MACtB,
IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MACtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,
IAAI,WAAJ,C;QAAe,OAAO,C;;MACtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MA
tB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAAtB,IAAI,WAAJ,C;QAAe,OAAO,C;;MAC

M,WAAf,EAA2B,UAA3B,C;IAAd,C;;MAS5D,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;MAAF,C;IAAA,C;;MAAwC,OAAA,KAAM,O;IAAO,C;;MAD3B,0B;QAAA,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;IAAA,C;;MAQA,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,EAAa,CAAb,vC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEP,OAAkE,CAA3D,UAAM,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAc,EAAd,qBAAqB,EAAR,EAAY,EAAZ,EAAgB,EAAhB,qBAAuB,EAAV,EAAc,EAAd,EAAkB,EAAlB,qBAAyB,EAAZ,EAAgB,EAAhB,EAAoB,EAApB,qBAA2B,EAAd,EAAkB,EAAlB,EAAsB,EAAtB,qBAA6B,EAAhB,EAAoB,EAApB,EAAwB,EAAxB,qBAA+B,EAAlB,EAAsB,EAAtB,EAA0B,EAA1B,qBAAiC,EAApB,EAAwB,EAAxB,EAA4B,EAA5B,qBAAmC,EAAtB,EAA0B,EAA1B,EAA8B,EAA9B,qBAAqC,EAAxB,EAA4B,EAA5B,EAAgC,EAAhC,qBAAuC,EAA1B,EAA8B,EAA9B,EAAkC,EAAlC,qBAAyC,EAA5B,EAAgC,EAAhC,EAAoC,EAApC,qBAA2C,EAA9B,EAAkC,EAAlC,EAAsC,EAAtC,qBAA6C,EAAhC,EAAoC,EAApC,EAAwC,EAAxC,qBAA+C,EAAlC,EAAsC,EAAtC,EAA0C,EAA1C,qBAAiD,EAApC,EAAwC,EAAxC,EAA4C,EAA5C,qBAAmD,EAAtC,EAA0C,EAA1C,EAA8C,EAA9C,qBAAqD,EAAxC,EAA4C,EAA5C,EAAgD,EAAhD,qBAAuD,EAA1C,EAA8C,EAA9C,EAAkD,EAAlD,qBAAyD,EAA5C,EAAgD,EAAhD,EAAoD,EAApD,qBAA2D,EAA9C,EAAkD,EAAlD,EAAsD,EAAtD,qBAA6D,EAAhD,EAAoD,EAApD,EAAwD,EAAxD,qBAA+D,EAAlD,EAAsD,EAAtD,EAA0D,EAA1D,qBAAiE,EAApD,EAAwD,EAAxD,EAA4D,EAA5D,qBAAmE,EAAtD,EAA0D,EAA1D,EAA8D,EAA9D,qBAAqE,EAAxD,EAA4D,EAA5D,EAAgE,EAAhE,qBAAuE,EAA1D,EAA8D,EAA9D,EAAkE,EAAlE,qBAAyE,EAA5D,EAAgE,EAAhE,EAAoE,EAApE,qBAA2E,EAA9D,EAAkE,EAAlE,EAAsE,EAAtE,qBAA6E,EAAhE,EAAoE,EAApE,EAAwE,EAAxE,qBAA+E,EAAlE,EAAsE,EAAtE,EAA0E,EAA1E,qBAAiF,EAApE,EAAwE,EAAxE,EAA4E,EAA5E,qBAAmF,EAAtE,EAA0E,EAA1E,EAA8E,EAA9E,qBAAqF,EAAxE,EAA4E,EAA5E,EAAgF,EAAhF,qBAAuF,EAA1E,EAA8E,EAA9E,EAAkF,EAAlF,qBAAyF,EAA5E,EAAgF,EAAhF,EAAoF,EAApF,qBAA2F,EAA9E,EAAkF,EAAlF,EAAsF,EAAtF,qBAA6F,EAAhF,EAAoF,EAApF,EAAwF,EAAxF,qBAA+F,EAAlF,EAAsF,EAAtF,EAA0F,EAA1F,qBAAiG,EAApF,EAAwF,EAAxF,EAA4F,EAA5F,qBAAmG,EAAtF,EAA0F,EAA1F,EAA8F,EAA9F,qBAAqG,EAAxF,EAA4F,EAA5F,EAAgG,EAAhG,qBAAuG,EAA1F,EAA8F,EAA9F,EAAkG,EAAlG,qBAAyG,EAA5F,EAAgG,EAAhG,EAAoG,EAApG,qBAA2G,EAA9F,EAAkG,EAAlG,EAAsG,EAAtG,qBAA6G,EAAhG,EAAoG,EAApG,EAAwG,EAAxG,qBAA+G,EAAlG,EAAsG,EAAtG,EAA0G,EAA1G,qBAAiH,EAApG,EAAwG,EAAxG,EAA4G,EAA5G,qBAAmH,EAAtG,EAA0G,EAA1G,EAA8G,EAA9G,qBAAqH,EAAxG,EAA4G,EAA5G,EAAgH,EAAhH,qBAAuH,EAA1G,EAA8G,EAA9G,EAAkH,EAAlH,qBAAyH,EAA5G,EAAgH,EAAhH,EAAoH,EAApH,qBAA2H,EAA9G,EAAkH,EAAlH,EAAsH,EAAtH,qBAA6H,EAAhH,EAAoH,EAApH,EAAwH,EAAxH,qBAA+H,EAAlH,EAAsH,EAAtH,EAA0H,EAA1H,qBAAiI,EAApH,EAAwH,EAAxH,EAA4H,EAA5H,qBAAmI,EAAtH,EAA0H,EAA1H,EAA8H,EAA9H,qBAAqI,EAAxH,EAA4H,EAA5H,EAAgI,EAAhI,qBAAuI,EAA1H,EAA8H,EAA9H,EAAkI,EAAlI,qBAAyI,EAA5H,EAAgI,EAAhI,EAAoI,EAApI,qBAA2I,EAA9H,EAAkI,EAAlI,EAAsI,EAAtI,qBAA6I,EAAhI,EAAoI,EAApI,EAAwI,EAAxI,qBAA+I,EAAlI,EAAsI,EAAtI,EAA0I,EAA1I,qBAAiJ,EAApI,EAAwI,EAAxI,EAA4I,EAA5I,qBAAmJ,EAAtI,EAA0I,EAA1I,EAA8I,EAA9I,qBAAqJ,EAAxI,EAA4I,EAA5I,EAAgJ,EAAhJ,qBAAuJ,EAA1I,EAA8I,EAA9I,EAAkJ,EAAlJ,qBAAyJ,EAA5I,EAAgJ,EAAhJ,EAAoJ,EAApJ,qBAA2J,EAA9I,EAAkJ,EAAlJ,EAAsJ,EAAtJ,qBAA6J,EAAhJ,EAAoJ,EAApJ,EAAwJ,EAAxJ,qBAA+J,EAAlJ,EAAsJ,EAAtJ,EAA0J,EAA1J,qBAAiK,EAApJ,EAAwJ,EAAxJ,EAA4J,EAA5J,qBAAmK,EAAtJ,EAA0J,EAA1J,EAA8J,EAA9J,qBAAqK,EAAxJ,EAA4J,EAA5J,EAAgK,EAAhK,qBAAuK,EAA1J,EAA8J,EAA9J,EAAkK,EAAlK,qBAAyK,EAA5J,EAAgK,EAAhK,EAAoK,EAApK,qBAA2K,EAA9J,EAAkK,EAAlK,EAAsK,EAAtK,qBAA6K,EAAhK,EAAoK,EAApK,EAAwK,EAAxK,qBAA+K,EAAlK,EAAsK,EAAtK,EAA0K,EAA1K,qBAAiL,EAApK,EAAwK,EAAxK,EAA4K,EAA5K,qBAAmL,EAAtK,EAA0K,EAA1K,EAA8K,EAA9K,qBAAqL,EAAxK,EAA4K,EAA5K,EAAgL,EAAhL,qBAAuL,EAA1K,EAA8K,EAA9K,EAAkL,EAAlL,qBAAyL,EAA5K,EAAgL,EAAhL,EAAoL,EAApL,qBAA2L,EAA9K,EAAkL,EAAlL,EAAsL,EAAtL,qBAA6L,EAAhL,EAAoL,EAApL,EAAwL,EAAxL,qBAA+L,EAAlL,EAAsL,EAAtL,EAA0L,EAA1L,qBAAiM,EAApL,EAAwL,EAAxL,EAA4L,EAA5L,qBAAmM,EAAtL,EAA0L,EAA1L,EAA8L,EAA9L,qBAAqM,EAAxL,EAA4L,EAA5L,EAAgM,EAAhM,qBAAuM,EAA1L,EAA8L,EAA9L,EAAkM,EAAlM,qBAAyM,EAA5L,EAAgM,EAAhM,EAAoM,EAApM,qBAA2M,EAA9L,EAAkM,EAAlM,EAAsM,EAAtM,qBAA6M,EAAhM,EAAoM,EAApM,EAAwM,EAAxM,qBAA+M,EAAlM,EAAsM,EAAtM,EAA0M,EAA1M,qBAAiN,EAApM,EAAwM,EAAxM,EAA4M,EAA5M,qBAAmN,EAAtM,EAA0M,EAA1M,EAA8M,EAA9M,qBAAqN,EAAxM,EAA4M,EAA5M,EAAgN,EAAhN,qBAAuN,EAA1M,EAA8M,EAA9M,EAAkN,EAAlN,qBAAyN,EAA5M,EAAgN,EAAhN,EAAoN,EAApN,qBAA2N,EAA9M,EAAkN,EAAlN,EAAsN,EAAtN,qBAA6N,EAAhN,EAAoN,EAApN,EAAwN,EAAxN,qBAA+N,EAAlN,EAAsN,EAAtN,EAA0N,EAA1N,qBAAiO,EAApN,EAAwN,EAAxN,EAA4N,EAA5N,qBAAmO,EAAtN,EAA0N,EAA1N,EAA8N,EAA9N,qBAAqO,EAAxN,EAA4N,EAA5N,EAAgO,EAAhO,qBAAuO,EAA1N,EAA8N,EAA9N,EAAkO,EAAlO,qBAAyO,EAA5N,EAAgO,EAAhO,EAAoO,EAApO,qBAA2O,EAA9N,EAAkO,EAAlO,EAAsO,EAAtO,qBAA6O,EAAhO,EAAoO,EAApO,EAAwO,EAAxO,qBAA+O,EAAlO,EAAsO,EAAtO,EAA0O,EAA1O,qBAAiP,EAApO,EAAwO,EAAxO,EAA4O,EAA5O,qBAAmP,EAAtO,EAA0O,EAA1O,EAA8O,EAA9O,qBAAqP,EAAxO,EAA4O,EAA5O,EAAgP,EAAhP,qBAAuP,EAA1O,EAA8O,EAA9O,EAAkP,EAAlP,qBAAyP,EAA5O,EAAgP,EAAhP,EAAoP,EAApP,qBAA2P,EAA9O,EAAkP,EAAlP,EAAsP,EAAtP,qBAA6P,EAAhP,EAAoP,EAApP,EAAwP,EAAxP,qBAA+P,EAAlP,EAAsP,EAAtP,EAA0P,EAA1P,qBAAiQ,EAApP,EAAwP,EAAxP,EAA4P,EAA5P,qBAAmQ,EAAtP,EAA0P,EAA1P,EAA8P,EAA9P,qBAAqQ,EAAxP,EAA4P,EAA5P,EAAgQ,EAAhQ,qBAAuQ,EAA1P,EAA8P,EAA9P,EAAkQ,EAAlQ,qBAAyQ,EAA5P,EAAgQ,EAAhQ,EAAoQ,EAApQ,qBAA2Q,EAA9P,EAAkQ,EAAlQ,EAAsQ,EAAtQ,qBAA6Q,EAAhQ,EAAoQ,EAApQ,EAAwQ,EAAxQ,qBAA+Q,EAAlQ,EAAsQ,EAAtQ,EAA0Q,EAA1Q,qBAAiR,EAApQ,EAAwQ,EAAxQ,EAA4Q,EAA5Q,qBAAmR,EAAtQ,EAA0Q,EAA1Q,EAA8Q,EAA9Q,qBAAqR,EAAxQ,EAA4Q,EAA5Q,EAAgR,EAAhR,qBAAuR,EAA1Q,EAA8Q,EAA9Q,EAAkR,EAAlR,qBAAyR,EAA5Q,EAAgR,EAAhR,EAAoR,EAApR,qBAA2R,EAA9Q,EAAkR,EAAlR,EAAsR,EAAtR,qBAA6R,EAAhR,EAAoR,EAApR,EAAwR,EAAxR,qBAA+R,EAAlR,EAAsR,EAAtR,EAA0R,EAA1R,qBAAiS,EAApR,EAAwR,EAAxR,EAA4R,EAA5R,qBAAmS,EAAtR,EAA0R,EAA1R,EAA8R,EAA9R,qBAAqS,EAAxR,EAA4R,EAA5R,EAAgS,EAAhS,qBAAuS,EAA1R,EAA8R,EAA9R,EAAkS,EAAlS,qBAAyS,EAA5R,EAAgS,EAAhS,EAAoS,EAApS,qBAA2S,EAA9R,EAAkS,EAAlS,EAAsS,EAAtS,qBAA6S,EAAhS,EAAoS,EAApS,EAAwS,EAAxS,qBAA+S,EAAlS,EAAsS,EAAtS,EAA0S,EAA1S,qBAAiT,EAApS,EAAwS,EAAxS,EAA4S,EAA5S,qBAAmT,EAAtS,EAA0S,EAA1S,EAA8S,EAA9S,qBAAqT,EAAxS,EAA4S,EAA5S,EAAgT,EAAhT,qBAAuT,EAA1S,EAA8S,EAA9S,EAAkT,EAAlT,qBAAyT,EAA5S,EAAgT,EAAhT,EAAoT,EAApT,qBAA2T,EAA9S,EAAkT,EAAlT,EAAsT,EAAtT,qBAA6T,EAAhT,EAAoT,EAApT,EAAwT,EAAxT,qBAA+T,EAAlT,EAAsT,EAAtT,EAA0T,EAA1T,qBAAiU,EAApT,EAAwT,EAAxT,EAA4T,EAA5T,qBAAmU,EAAtT,EAA0T,EAA1T,EAA8T,EAA9T,qBAAqU,EAAxT,EAA4T,EAA5T,EAAgU,EAAhU,qBAAuU,EAA1T,EAA8T,EAA9T,EAAkU,EAAlU,qBAAyU,EAA5T,EAAgU,EAAhU,EAAoU,EAApU,qBAA2U,EAA9T,EAAkU,EAAlU,EAAsU,EAAtU,qBAA6U,EAAhU,EAAoU,EAApU,EAAwU,EAAxU,qBAA+U,EAAlU,EAAsU,EAAtU,EAA0U,EAA1U,qBAAiV,EAApU,EAAwU,EAAxU,EAA4U,EAA5U,qBAAmV,EAAtU,EAA0U,EAA1U,EAA8U,EAA9U,qBAAqV,EAAxU,EAA4U,EAA5U,EAAgV,EAAhV,qBAAuV,EAA1U,EAA8U,EAA9U,EAAkV,EAAlV,qBAAyV,EAA5U,EAAgV,EAAhV,EAAoV,EAApV,qBAA2V,EAA9U,EAAkV,EAAlV,EAAsV,EAAtV,qBAA6V,EAAhV,EAAoV,EAApV,EAAwV,EAAxV,qBAA+V,EAAlV,EAAsV,EAAtV,EAA0V,EAA1V,qBAAiW,EAApV,EAAwV,EAAxV,EAA4V,EAA5V,qBAAmW,EAAtV,EAA0V,EAA1V,EAA8V,EAA9V,qBAAqW,EAAxV,EAA4V,EAA5V,EAAgW,EAAhW,qBAAuW,EAA1V,EAA8V,EAA9V,EAAkW,EAAlW,qBAAyW,EAA5V,EAAgW,EAAhW,EAAoW,EAApW,qBAA2W,EAA9V,EAAkW,EAAlW,EAAsW,EAAtW,qBAA6W,EAAhW,EAAoW,EAApW,EAAwW,EAAxW,qBAA+W,EAAlW,EAAsW,EAAtW,EAA0W,EAA1W,qBAAiX,EAApW,EAAwW,EAAxW,EAA4W,EAA5W,qBAAmX,EAAtW,EAA0W,EAA1W,EAA8W,EAA9W,qBAAqX,EAAxW,EAA4W,EAA5W,EAAgX,EAAhX,qBAAuX,EAA1W,EAA8W,EAA9W,EAAkX,EAAlX,qBAAyX,EAA5W,EAAgX,EAAhX,EAAoX,EAApX,qBAA2X,EAA9W,EAAkX,EAAlX,EAAsX,EAAtX,qBAA6X,EAAhX,EAAoX,EAApX,EAAwX,EAAxX,qBAA+X,EAAlX,EAAsX,EAAtX,EAA0X,EAA1X,qBAAiY,EAApX,EAAwX,EAAxX,EAA4X,EAA5X,qBAAmY,EAAtX,EAA0X,EAA1X,EAA8X,EAA9X,qBAAqY,EAAxX,EAA4X,EAA5X,EAAgY,EAAhY,qBAAuY,EAA1X,EAA8X,EAA9X,EAAkY,EAAlY,qBAAyY,EAA5X,EAAgY,EAAhY,EAAoY,EAApY,qBAA2Y,EAA9X,EAAkY,EAAlY,EAAsY,EAAtY,qBAA6Y,EAAhY,EAAoY,EAApY,EAAwY,EAAxY,qBAA+Y,EAAlY,EAAsY,EAAtY,EAA0Y,EAA1Y,qBAAiZ,EAApY,EAAwY,EAAxY,EAA4Y,EAA5Y,qBAAmZ,EAAtY,EAA0Y,EAA1Y,EAA8Y,EAA9Y,qBAAqZ,EAAxY,EAA4Y,EAA5Y,EAAgZ,EAAhZ,qBAAuZ,EAA1Y,EAA8Y,EAA9Y,EAAkZ,EAAlZ,qBAAyZ,EAA5Y,EAAgZ,EAAhZ,EAAoZ,EAApZ,qBAA2Z,EAA9Y,EAAkZ,EAAlZ,EAAsZ,EAAtZ,qBAA6Z,EAAhZ,EAAoZ,EAApZ,EAAwZ,EAAxZ,qBAA+Z,EAAlZ,EAAsZ,EAAtZ,EAA0Z,EAA1Z,qBAAia,EAApZ,EAAwZ,EAAxZ,EAA4Z,EAA5Z,qBAAma,EAAtZ,EAA0Z,EAA1Z,EAA8Z,EAA9Z,qBAAqa,EAAxZ,EAA4Z,EAA5Z,EAAga,EAAha,qBAAua,EAA1Z,EAA8Z,EAA9Z,EAAka,EAAla,qBAAya,EAA5Z,EAAga,EAAha,EAAoa,EAApa,qBAA2a,EAA9Z,EAAka,EAAla,EAAsa,EAAta,qBAA6a,EAAha,EAAoa,EAApa,EAAwa,EAAxa,qBAA+a,EAAla,EAAsa,EAAta,EAA0a,EAA1a,qBAAib,EAApa,EAAwa,EAAxa,EAA4a,EAA5a,qBAAmb,EAAta,EAA0a,EAA1a,EAA8a,EAA9a,qBAAqb,EAAxa,EAA4a,EAA5a,EAAgb,EAAhb,qBAAub,EAA1a,EAA8a,EAA9a,EAAkb,EAAlb,qBAAyb,EAA5a,EAAgb,EAAhb,EAAob,EAApb,qBAA2b,EAA9a,EAAkb,EAAlb,EAAsb,EAAtb,qBAA6b,EAAhb,EAAob,EAApb,EAAwb,EAAxb,qBAA+b,EAAlb,EAAsb,EAAtb,EAA0b,EAA1b,qBAAic,EAApb,EAAwb,EAAxb,EAA4b,EAA5b,qBAAmc,EAAtb,EAA0b,EAA1b,EAA8b,EAA9b,qBAAqc,EAAxb,EAA4b,EAA5b,EAAgc,EAAhc,qBAAuc,EAA1b,EAA8b,EAA9b,EAAkc,EAAlc,qBAAyc,EAA5b,EAAgc,EAAhc,EAAoc,EAApc,qBAA2c,EAA9b,EAAkc,EAAlc,EAAsc,EAAtc,qBAA6c,EAAhc,EAAoc,EAApc,EAAwc,EAAxc,qBAA+c,EAAlc,EAAsc,EAAtc,EAA0c,EAA1c,qBAAid,EAApc,EAAwc,EAAxc,EAA4c,EAA5c,qBAAmd,EAAtc,EAA0c,EAA1c,EAA8c,EAA9c,qBAAqd,EAAxc,EAA4c,EAA5c,EAAgd,EAAhd,qBAAud,EAA1c,EAA8c,EAA9c,EAAkd,EAAld,qBAAyd,EAA5c,EAAgd,EAAhd,EAAod,EAApd,qBAA2d,EAA9c,EAAkd,EAAld,EAAsd,EAAtd,qBAA6d,EAAhd,EAAod,EAApd,EAAwd,EAAxd,qBAA+d,EAAld,EAAsd,EAAtd,EAA0d,EAA1d,qBAAie,EAApd,EAAwd,EAAxd,EAA4d,EAA5d,qBAAme,EAAtd,EAA0d,EAA1d,EAA8d,EAA9d,qBAAqe,EAAxd,EAA4d,EAA5d,EAAge,EAAhe,qBAAue,EAA1d,EAA8d,EAA9d,EAAke,EAAle,qBAAye,EAA5d,EAAge,EAAhe,EAAoe,EAApe,qBAA2e,EAA9d,EAAke,EAAle,EAAse,EAAte,qBAA6e,EAAhe,EAAoe,EAApe,EAAwe,EAAxe,qBAA+e,EAAle,EAAse,EAAte,EAA0e,EAA1e,qBAAif,EAApe,EAAwe,EAAxe,EAA4e,EAA5e,qBAAmf,EAAte,EAA0e,EAA1e,EAA8e,EAA9e,qBAAqf,EAAxe,EAA4e,EAA5e,EAAgf,EAAhf,qBAAuf,EAA1e,EAA8e,EAA9e,EAAkf,EAAlf,qBAAyf,EAA5e,EAAgf,EAAhf,EAAof,EAApf,qBAA2f,EAA9e,EAAkf,EAAlf,EAAsf,EAAtf,qBAA6f,EAAhf,EAAof,EAApf,EAAwf,EAAxf,qBAA+f,EAAlf,EAAsf,EAAtf,EAA0f,EAA1f,qBAAig,EAApf,EAAwf,EAAxf,EAA4f,EAA5f,qBAAmg,EAAtf,EAA0f,EAA1f,EAA8f,EAA9f,qBAAqg,EAAxf,EAA4f,EAA5f,EAAgg,EAAhg,qBAAug,EAA1f,EAA8f,EAA9f,EAAkg,EAAlg,qBAAyg,EAA5f,EAAgg,EAAhg,EAAog,EAApg,qBAA2g,EAA9f,EAAkg,EAAlg,EAAsg,EAAtg,qBAA6g,EAAhg,EAAog,EAApg,EAAwg,EAAxg,qBAA+g,EAAlg,EAAsg,EAAtg,EAA0g,EAA1g,qBAAih,EAApg,EAAwg,EAAxg,EAA4g,EAA5g,qBAAmh,EAAtg,EAA0g,EAA1g,EAA8g,EAA9g,qBAAqh,EAAxg,EAA4g,EAA5g,EAAgh,EAAhh,qBAAuh,EAA1g,EAA8g,EAA9g,EAAkh,EAAlh,qBAAyh,EAA5g,EAAgh,EAAhh,EAAoh,EAAph,qBAA2h,EAA9g,EAAkh,EAAlh,EAAsh,EAAth,qBAA6h,EAAhh,EAAoh,EAAph,EAAwh,EAAxh,qBAA+h,EAAlh,EAAsh,EAAth,EAA0h,EAA1h,qBAAii,EAAph,EAAwh,EAAxh,EAA4h,EAA5h,qBAAmi,EAAth,EAA0h,EAA1h,EAA8h,EAA9h,qBAAqi,EAAxh,EAA4h,EAA5h,EAAgi,EAAhi,qBAAui,EAA1h,EAA8h,EAA9h,EAAki,EAAli,qBAAyi,EAA5h,EAAgi,EAAhi,EAAoi,EAApi,qBAA2i,EAA9h,EAAki,EAAli,EAAsi,EAAti,qBAA6i,EAAhi,EAAoi,EAApi,EAAwi,EAAxi,qBAA+i,EAAli,EAAsi,EAAti,EAA0i,EAA1i,qBAAij,EAApi,EAAwi,EAAxi,EAA4i,EAA5i,qBAAmj,EAAti,EAA0i,EAA1i,EAA8i,EAA9i,qBAAqj,EAAxi,EAA4i,EAA5i,EAAgj,EAAhj,qBAAuj,EAA1i,EAA8i,EAA9i,EAAkj,EAAlj,qBAAyj,EAA5i,EAAgj,EAAhj,EAAoj,EAApj,qBAA2j,EAA9i,EAAkj,EAAlj,EAAsj,EAAtj,qBAA6j,EAAhj,EAAoj,EAApj,EAAwj,EAAxj,qBAA+j,EAAlj,EAAsj,EAAtj,EAA0j,EAA1j,qBAAik,EAApj,EAAwj,EAAxj,EAA4j,EAA5j,qBAAmk,EAAtj,EAA0j,EAA1j,EAA8j,EAA9j,qBAAqk,EAAxj,EAA4j,EAA5j,EAAgk,EAAhk,qBAAuk,EAA1j,EAA8j,EAA9j,EAAkk,EAAlk,qBAAyk,EAA5j,EAAgk,EAAhk,EAAok,EAApk,qBAA2k,EAA9j,EAAkk,EAAlk,EAAsk,EAAtk,qBAA6k,EAAhk,EAAok,EAApk,EAAwk,EAAxk,qBAA+k,EAAlk,EAAsk,EAAtk,EAA0k,EAA1k,qBAAil,EAApk,EAAwk,EAAxk,EAA4k,EAA5k,qBAAml,EAAtk,EAA0k,EAA1k,EAA8k,EAA9k,qBAAql,EAAxk,EAA4k,EAA5k,EAAgl,EAAhl,qBAAul,EAA1k,EAA8k,EAA9k,EAAkl,EAAll,qBAAyl,EAA5k,EAAgl,EAAhl,EAAol,EAApl,qBAA2l,EAA9k,EAAkl,EAAll,EAAsl,EAAtl,qBAA6l,EAAhl,EAAol,EAApl,EAAwl,EAAxl,qBAA+l,EAAll,EAAsl,EAAtl,EAA0l,EAA1l,qBAAim,EAApl,EAAwl,EAAxl,EAA4l,EAA5l,qBAAmm,EAAtl,EAA0l,EAA1l,EAA8l,EAA9l,qBAAqm,EAAxl,EAA4l,EAA5l,EAAgm,EAAhm,qBAAum,EAA1l,EAA8l,EAA9l,EAAkm,EAAlm,qBAAym,EAA5l,EAAgm,EAAhm,EAAom,EAApm,qBAA2m,EAA9l,EAAkm,EAAlm,EAAsm,EAAtm,qBAA6m,EAAhm,EAAom,EAApm,EAAwm,EAAxm,qBAA+m,EAAlm,EAAsm,EAAtm,EAA0m,EAA1m,qBAAin,EAApm,EAAwm,EAAxm,EAA4m,EAA5m,qBAAmn,EAAtm,EAA0m,EAA1m,EAA8m,EAA9m,qBAAqn,EAAxm,EAA4m,EAA5m,EAAgn,EAAhn,qBAAun,EAA1m,EAA8m,EAA9m,EAAkn,EAAln,qBAAyn,EAA5m,EAAgn,EAAhn,EAAon,EAApn,qBAA2n,EAA9m,EAAkn,EAAln,EAAsn,EAAtn,qBAA6n,EAAhn,EAAon,EAApn,EAAwn,EAAxn,qBAA+n,EAAln,EAAsn,EAAtn,EAA0n,EAA1n,qBAAio,EAApn,EAAwn,EAAxn,EAA4n,EAA5n,qBAAmo,EAAtn,EAA0n,EAA1n,EAA8n,EAA9n,qBAAqo,EAAxn,EAA4n,EAA5n,EAAgo,EAAho,qBAAuo,EAA1n,EAA8n,EAA9n,EAAko,EAAlo,qBAAyo,EAA5n,EAAgo,EAAho,EAAoo,EAApo,qBAA2o,EAA9n,EAAko,EAAlo,EAAso,EAAto,qBAA6o,EAAho,EAAoo,EAApo,EAAwo,EAAxo,qBAA+o,EAAlo,EAAso,EAAto,EAA0o,EAA1o,qBAAip,EAApo,EAAwo,EAAxo,EAA4o,EAA5o,qBAAmp,EAAto,EAA0o,EAA1o,EAA8o,EAA9o,qBAAqp,EAAxo,EAA4o,EAA5o,EAAgp,EAAhp,qBAAup,EAA1o,EAA8o,EAA9o,EAAkp,EAAlp,qBAAyp,EAA5o,EAAgp,EAAhp,EAAop,EAApp,qBAA2p,EAA9o,EAAkp,EAAlp,EAAsp,EAAtp,qBAA6p,EAAhp,EAAop,EAApp,EAAwp,EAAxp,qBAA+p,EAAlp,EAAsp,EAAtp,EAA0p,EAA1p,qBAAiq,EAApp,EAAwp,EAAxp,EAA4p,EAA5p,qBAAmq,EAAtp,EAA0p,EAA1p,EAA8p,EAA9p,qBAAqq,EAAxp,EAA4p,EAA5p,EAAgq,EAAhq,qBAAuq,EAA1p,EAA8p,EAA9p,EAAkq,EAAlq,qBAAyq,EAA5p,EAAgq,EAAhq,EAAoq,EAApq,qBAA2q,EAA9p,EAAkq,EAAlq,EAAsq,EAAtq,qBAA6q,EAAhq,EAAoq,EAApq,EAAwq,EAAxq,qBAA+q,EAAlq,EAAsq,EAAtq,EAA0q,EAA1q,qBAAir,EAApq,EAAwq,EAAxq,EAA4q,EAA5q,qBAAmr,EAAtq,EAA0q,EAA1q,EAA8q,EAA9q,qBAAqr,EAAxq,EAA4q,EAA5q,EAAgr,EAAhr,qBAAur,EAA1q,EAA8q,EAA9q,EAAkr,EAAlr,qBAAyr,EAA5q,EAAgr,EAAhr,EAAor,EAApr,qBAA2r,EAA9q,EAAkr,EAAlr,EAAsr,EAAtr,qBAA6r,EAAhr,EAAor,EAApr,EAAwr,EAAxr,qBAA+r,EAAlr,EAAsr,EAAtr,EAA0r,EAA1r,qBAAis,EAApr,EAAwr,EAAxr,EAA4r,EAA5r,qBAAms,EAAtr,EAA0r,EAA1r,EAA8r,EAA9r,qBAAqs,EAAxr,EAA4r,EAA5r,EAAgs,EAAhs,qBAAus,EAA1r,EAA8r,EAA9r,EAAks,EAAls,qBAAys,EAA5r,EAAgs,EAAhs,EAAos

AAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;IAAZ,C;;MAIvC,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UZ+FG,MAAK,KY/FQ,EZ+FR,EY/FY,EZ+FZ,C;QY9FR,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAAY,C;QACZ,OAAO,IAAP,C;UACI,UZ2FD,MAAK,KY3FY,QAAQ,EAAR,IZ2FZ,EY3FwB,GZ2FxB,C;UY1FJ,SAAS,SAAzB2E,WAAyB5D,KAAzBqD,EAAAA,GAAzBqD,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1BoD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,CAAC,C;cAAc,KAAK,EAAL,CAAK,C;YAAnB,CAAC,C;cAAuB,KAAK,EAAL,CAAK,C;YAC7B,IAAI,YAAM,EAAN,CAAJ,C;cACI,CAAC,C;gBAAc,KAAK,EAAL,CAAK,C;cAAnB,CAAC,C;gBAAuB,KAAK,EAAL,CAAK,C;cAC7B,cAAc,KAAK,EAAL,CAAK,C;YAAnB,cAAc,C;cAAuB,KAAK,EAAL,CAAK,C;YAC1C

C;;MCtBvB,qB;QAAA,QAAkB,I;MAAM,qB;QAAA,QAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAAkC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MACtT,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MAEpC,OAAO,C;IACX,C;;MAy0BwC,6B;QAAA,gBAAyB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,C/I,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA2BsD,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,yB;QAAA,YAAs

AF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA6B,K;MAAO,gC;QAAA,mBA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBA2B,I;MAAM,6B;QAAA,gBA0B,K;MAAO,+B;QAAA,kBA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,8B;QAAA,iBA2B,I;MAAM,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC70B,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,qC;QAAA,QAAkB,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAqBiC,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAsB,C;MAAG,sB;QAAA,SAAe,C;MAAG,2B;QAAA,cAAwB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA6B,K;MAAO,gC;QAAA,mBA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBA2B,I;MAAM,6B;QAAA,gBA0B,K;MAAO,+B;QAAA,kBA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBA0B,K;MAAO,8B;QAAA,iBA2B,I;MAAM,kC;QAAA,qBA+B

Z,C;IAAA,C;;MACsB,iBAAY,IAAZ,C;IAAA,C;;MAgIpB,iBAAY,KAAZ,C;IAAA,C;;MACwB,UAAY,KAAZ,IA
AqB,M;IAAQ,C;;MAsThH,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;M
AAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MA
Cf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAmDuC,uB;QAAA,U
AAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAoBmD,qB;QAAA,QAAk
B,I;MACjE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAsMmC,oB;QAAA,OAAgB,I;M
AAM,wB;QAAA,WAorE4B,S;;MAprEwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,S
AAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ
,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,IAAF,IAAU,I;MACV,EAAE,U
AAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAC
b,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAuDsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAkB2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MAER,EAAE,SAAF,IAAe,S;MAEf,OAAO,C;IACX,C;;MAgC0B1E,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gBAAC;QAAA,mBAAgC,K;MAAO,gBAAC;QAAA,mBAAgC,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kBAAC;QAAA,qBAAkC,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kBAAC;QAAA,qBAAkC,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAmB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtX,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,IAAF,IAAU,I;MACV,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf

AAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAoC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnQ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4BkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MAER,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C;;MAoDiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAa,C;MAAC,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/L,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4FgC,+B;QAAA,kBAA4B,K;MAC5D,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0F0B,0B;QAAA,aAAuB,K;MAAO,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnL,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiBiC,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/L

E,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAYiC,mB;QAAA,MA+P0C,Q;;MA/PJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;MAElB,OAAO,C;IACX,C;;MAY2C,uB;QAAA,UA4OgC,Q;;MA5OU,qB;QAAA,QA4OV,Q;;MA3OvE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAiDmF,OAAU,S;IAAV,C;;MACI,OAAc,a;IAAd,C;;MACH,OAAW,U;IAAX,C;;MAML,OAAG,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MAMR,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MAME,OAAY,W;IAAZ,C;;MACD,OAAW,U;IAAX,C;;MACI,OAAe,c;IAAf,C;;MACJ,OAAW,U;IAAX,C;;MACA,OAAW,U;IAAX,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACF,OAAO,K;IAAP,C;;MACC,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACA,OAAQ,O;IAAR,C;;MAMA,OAAS,Q;IAAT,C;;MACC,OAAQ,O;IAAR,C;;MAMA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAME,OAAQ,O;IAAR,C;;MACF,OAAO,K;IAAP,C;;MACC,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACA,OAAQ,O;IAAR,C;;MAMC,OAAU,S;IAAV,C;;MAMG,OAAO,K;IAAP,C;;MACA,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MACI,OAAU,S;IAAV,C;;MACJ,OAAS,Q;IAAT,C;;MAMA,OAAO,K;IAAP,C;;MACA,OAAO,K;IAAP,C;;MACI,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAMJ,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAMD,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MAMK,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MAMZ,OAAW,U;IAAX,C;;MACN,OAAO,K;IAAP,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMN,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MAMJ,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAMF,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MAMD,OAAS,Q;IAAT,C;;MAMA,OAAO,K;IAAP,C;;MACA,OAAO,K;IAAP,C;;MACI,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAMJ,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAMD,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MAM

B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAA
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAsD0C,
qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;M
AAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB
,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAA
A,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAA
W,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,
EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF
,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MACl
B,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAA
E,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;
MAEf,OAAO,C;IACX,C;;MAyDqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,SAAe,S;MAAW,2B;QAAA,cAAuB,
S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,S
AAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B
;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;
MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;
MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,Y
AAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;
MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,E
AAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAgBsE,uB;QAAA,UAAoB,K;MAAO,0B;QA
AA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAA
F,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAgBqD,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACjB,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF
,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAgBsE,uB;QAAA,UAAoB,K;MAAO,0B;QAA

,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC19B,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,a,K;MACb,EAAE,QAAF,IAAc,c,M;MACd,EAAE,UAAF,IAAgB,gB,Q;MAChB,EAAE,oBAAF,IAA0B,0B,kB;MAC1B,EAAE,OAAF,IAAa,a,K;MACb,EAAE,OAAF,IAAa,a,K;MACb,EAAE,OAAF,IAAa,a,K;MACb,EAAE,aAAF,IAAmB,mB,W;MACnB,EAAE,WAAF,IAAiB,iB,S;MACjB,EAAE,SAAF,IAAe,e,O;MACf,EAAE,SAAF,IAAe,e,O;MACf,EAAE,SAAF,IAAe,e,O;MACf,EAAE,SAAF,IAAe,e,O;MACf,EAAE,QAAF,IAAc,c,M;MACd,EAAE,SAAF,IAAe,e,O;MACf,EAAE,eAAF,IAAqB,qB,a;MACrB,EAAE,SAAF,IAAe,e,O;MACf,EAAE,UAAF,IAAgB,gB,Q;MAChB,EAAE,QAAF,IAAc,c,M;MACd,EAAE,SAAF,IAAe,e,O;MACf,EAAE,kBAAF,IAAwB,wB,gB;MACxB,EAAE,kBAAF,IAAwB,wB,gB;MACxB,EAAE,YAAF,IAAkB,kB,U;MAClB,EAAE,gBAAF,IAAsB,sB,c;MACtB,EAAE,eAAF,IAAqB,qB,a;MACrB,EAAE,iBAAF,IAAuB,uB,e;MACvB,EAAE,oBAAF,IAA0B,0B,kB;MAC1B,EAAE,eAAF,IAAqB,qB,a;MACrB,EAAE,gBAAF,IAAsB,sB,c;MACtB,EAAE,oBAAF,IAA0B,0B,kB;MAC1B,EAAE,MAAF,IAAY,Y,I;MACZ,EAAE,QAAF,IAAc,c,M;MACd,EAAE,SAAF,IAAe,e,O;MACf,EAAE,YAAF,IAAkB,kB,U;MAClB,EAAE,UAAF,IAAgB,gB,Q;MAEhB,EAAE,OAAF,IAAa,a,K;IACb,CAAC,C;;MC/CwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MAER,EAAE,MAAF,IAAY,Y,I;MACZ,EAAE,QAAF,IAAc,c,M;MACd,EAAE,SAAF,IAAe,e,O;MACf,EAAE,SAAF,IAAe,e,O;MAEf,OAAO,C;IACX,C;;MAuFuF,iBAAY,KAAZ,C;IAAA,C;;MACe,UAAY,KAAZ,IAAqB,qB,O;IAAS,C;;MAgBxC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,qB,O;IAAS,C;;MAgB5B5C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,qB,O;IAAS,C;;MAgBpG/C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,qB,O;IAAS,C;;MAgBnD,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAY,KAAZ,IAAqB,qB,O;IAAS,C;;MAgBpE

QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAsC,E;MAC/gB,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAesE,oB;QAAA,OAAgB,S;MAClF,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MAER,EAAE,cAAF,IAAoB,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,IAAkB,U;MACpB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAM2F,OAAU,S;IAAW,C;;MAMhH,OAAU,S;IAAW,C;;MAMrB,OAAO,M;IAAY,C;;MAMnB,OAAO,K;IAAY,C;;MAMnB,OAAO,K;IAAY,C;;MAMC,qB;QAAA,QAAiB,iB;QAAA,QAAA,OAAA,qIAAA,S;;MAOtD,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IACX,C;;MAgCgD,oB;QAAA,OAAA,OAAA,sBAAA,S;MAAA,sB;QAAA,SAAA,OAAA,sBAAA,S;MAAA,qB;QAAA,QAAA,OAAA,sBAAA,S;MAAA,uB;QAAA,UAAA,OAAA,sBAAA,S;MAAA,qB;QAAA,QAAA,OAAA,sBAAA,S;MAAA,uB;QAAA,UAAA,OAAA,sBAAA,S;MAAA,0B;QAAA,aAAA,OAAA,sBAAA,S;MAAA,wB;QAAA,W

F,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,OAAG,E;IAAH,C;;MACM,OAAc,a;IAAd,C;;MACP,OAAO,M;IAAP,C;;MACI,OAAW,U;IAAX,C;;MACJ,OAAO,M;IAAP,C;;MACA,OAAO,M;IAAP,C;;MC7G3D,qB;QAAA,8C;MAAA,kB;IAAD,C;;MAChC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;;MAKI,+B;MAAA,0C;IAAA,C;;;MAEA,+B;MAAA,wC;IAAA,C;;;MAPJ,yF;IAAA,C;;;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;IAAA,C;;;;MAyBA,8B;IADmC,C;;;MAQnC,8B;IADqC,C;;;IClDzC,C;;;ICCA,C;;;IAyBA,C;;;ICxBgD,C;;MAIiB,c;;Q7Gk8C7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAgB,cAAhB,hB,C;UAAgB,2B;UAAA,I6Gl8C6C,O7Gk8C/B,S6Gl8C+B,U7Gk8C7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M6Gn8CsD,iB;IAAA,C;;MAAhD,c;;Q7G06CG,Q;QADhB,IAAI,c6Gz6CA,Q7Gy6CA,iB6Gz6CA,Q7Gy6CsB,UA1B1B,C;UA2BqC,aAAO,I;UAAP,e;;QACrB,O6G16CZ,Q7G06CY,W;QAAhB,OAAgB,cAAhB,hB,C;UAAgB,yB;UAAA,IAAI,C6G16CP,oB7G06CkB,O6G16ClB,C7G06CG,C;YAAwB,aAAO,K;YAAP,e;;;QAC9C,aAAO,I;;;M6G36CH,iB;IAAA,C;;MAAA,8B;QAAA,qB;QAAA,C;QAAA,C;;MAAA,6B;QAAA,qB;QAAA,C;QAAA,C;;MAAA,uB;QAAA,gB;QAAA,C;QAAA,C;;MAAA,6B;QAAA,qB;QAAA,C;QAAA,C;;MAAA,kB;QAAA,W;QAAA,C;QAAA,C;;MAAA,6B;QAAA,qB

C,aAAO,K;;;MgHz7CyD,iB;IAAA,C;;MAI5D,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MAChB,YAAY,KAAM,M;MlI8JO,Q;MkI7JzB,elI6J4C,CAAnB,mDAAmB,YkI7JzB,GlI6JyB,C;MkI3J5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QlIuKqB,U;QkIvKD,UlIuKoB,CAAnB,uDAAmB,oBkIvKP,GlIuKO,C;;MkIvK5C,W;QACI,OAAO,K;;MAGX,OAAO,I;IACX,C;;MASI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MAChC,IAAI,cAAQ,KAAM,KAAlB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;QhHm4CT,Q;QADhB,IAAI,wCAAsB,mBAA1B,1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAhB,IAAI,CgHn4CK,2BhHm4CM,OgHn4CN,ChHm4CT,C;YAAyB,aAAO,K;YAAP,e;;;QAAzB,C/C,aAAO,I;;;MgHp4CH,iB;IACJ,C;;MAEwC,Q;MAAA,4CAAc,GAAd,8B;IAAA,C;;MAQT,OAAQ,SAAR,EAAmB,YAAQ,K;IAAR,C;;MAAnB,qBAAQ,K;IAAR,C;;MAEG,qBAAQ,K;IAAR,C;;MACH,OAAA,YAAQ,K;IAAR,C;;MAWX,wC;MAAS,sB;IAAT,C;;MACkD,+CAAY,OAAZ,C;IAAA,C;;MAAI,kD;IAAA,C;;MAAC,+B,OAAA,0BAAc,U;IAAd,C;;MAAA,OAAA,0BAAc,O,IAAd,CAAA

A4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;;cAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;IACX,C;;MAOI,aAAa,CAAK,eAAL,,gBAAK,K,EAAa,SAAb,,CAAL,,GAA6C,CAA7C,,QAAAiD,CAAJjD,I;M/C3FW,kBAAxB,mB+C4FmB,M/C5FnB,C;M+C6FI,oDrI7BgD,gBqI6BhD,C;MADJ,OpH1CO,WqElDsC,W;I+C+FjD,C;;MAII,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;;MAEJ,SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAO,IAAP,C;UACP,cAAc,UAAK,CAAL,C;UACd

W,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAiB8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,B,EAA4B,EAA5B,B,EAAgC,OAAhC,B,EAAyC,C;MAEzC

A4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;;YA6J/C,mBACkB,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W7FzCZ,a6FnHgB,G7FmHhB,mB;;Q6FyCA,OAAY,W;MAAZ,C;KAvBJ,C;;MAxIc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAY,GAAZ,C;QA2GgE,U;QAoE/E,W7F3DP,a6FnHgB,G7FmHhB,E6F2DmC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CApEqC,GAA6B,UA1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I7F3DnC,C;;M6F2DA,OAAO,W;IAAP,C;;MwCnPkC,kB;MAAuB,kB;IAAxB,C;;;MAAC,iB;IANtC,C;;MAM6D,iB;IAN7D,C;;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;IAAA,C;;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;IAAA,C;;MAAA,c;MAMsC,sD;MAAuB,sD;MAN7D,a;IAAA,C;;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;IAAA,C;wFjIEA,yB;MAAA,kC;MAAA,4C;;QAMuF,wC;MANvF,C;MAAA,wD;QAO2C,8B;MAAA,C;MAP3C,8E;MAAA,2B;QAMuF,2C;MAAA,C;KANvF,C;;MAcuC,wC;IAAA,D,C;;MAcC,4BAAiB,B,wBAAjB,C;IAAA,C;;;MAQG,oCAAA,oCAAA,kCAAA,kCAAA,C;IAAA,C;;;MAAA,oCAAA,oCAAA,kCAAA,kCAAA,S;IAAA,C;;MAAA,wBAAA,wBAAA,sBAAA,sBAAA,c;MAAA,wBAAA,wBAAA,sBAAA,sBAAA,C;MAAA,wBAAA,wBAAA,sBAAA,sBAAA,C;IAAA,C;

C,+B;QAAA,c;;MAAA,wB;IAAA,C;;MA0BuE,Q;MAA7B,OAA6B,uE;IAA7B,C;;MAetC,OAAI,KAAM,OAAN,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAlB,CAAd,CAAN,CAA1B,GAA6E,U;IAA7E,C;kFAEJ,yB;MAAA,oD;MAAA,mB;QAAO8C,iB;MAAA,C;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAAQ4D,2B;MAAA,C;KAR5D,C;;MAsBiD,gBAA7C,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBXO,S;IhBWP,C;wFAEJ,yB;MAAA,4D;MAAA,mB;QAAKsD,qB;MAAA,C;KALtD,C;;MAa8G,gBAAvC,eAAc,YAAY,KAAM,OAAlB,CAAd,C;MAA+B,wB;MAA/C,OgB1B5D,S;IhB0B4D,C;4FAEvE,yB;MAAA,wE;MAAA,mB;QAAK8D,2B;MAAA,C;KAL9D,C;;MAiB+E,qBAA5E,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjBnB,S;IhBiBmB,C;;MAEX,I;IAAA,C;;MAAS3E,iBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnBlE,S;IhBmBkE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrBzH,S;IhBqByH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvBhM,S;IhBuBgM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzBvQ,S;IhByBuQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3B9U,S;IhB2B8U,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7BrZ,S;IhB6BqZ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/B5d,S;IhB+B4d,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjCnhB,S;IhBiCmhB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnC1lB,S;IhBmC0lB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrCjqB,S;IhBqCiqB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvCxuB,S;IhBuCwuB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzC/yB,S;IhByC+yB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3CtC,S;IhB2CsC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7C7G,S;IhB6C6G,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/CpL,S;IhB+CoL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjDzP,S;IhBiDyP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnD9T,S;IhBmD8T,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrDnY,S;IhBqDmY,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvDxc,S;IhBuDwc,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzD7gB,S;IhByD6gB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3DlkB,S;IhB2DkkB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7DvoB,S;IhB6DuoB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/D5sB,S;IhB+D4sB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjEjxB,S;IhBiEixB,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnEt1B,S;IhBmEs1B,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrE35B,S;IhBqE25B,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvEh+B,S;IhBuEg+B,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzEriC,S;IhByEqiC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3E1mC,S;IhB2E0mC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7E/qC,S;IhB6E+qC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/EpvC,S;IhB+EovC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjFzzC,S;IhBiFyzC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnF93C,S;IhBmF83C,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrFn8C,S;IhBqFm8C,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvFx7D,S;IhBuFw7D,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzF7gE,S;IhByF6gE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3FlmE,S;IhB2FkmE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7FvqE,S;IhB6FuqE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/F5uE,S;IhB+F4uE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjGjzE,S;IhBiGizE,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnGt3E,S;IhBmGs3E,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrG37E,S;IhBqG27E,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvGhhF,S;IhBuGghF,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzGrlF,S;IhBylFC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3GvqF,S;IhB2GuqF,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7G5uF,S;IhB6G4uF,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/GjzF,S;IhB+GizF,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjHt3F,S;IhBiHs3F,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnH37F,S;IhBmH27F,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrHhhG,S;IhBqHghG,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvHrlG,S;IhBulGC,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzHvqG,S;IhByHuqG,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3H5uG,S;IhB2H4uG,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7HjzG,S;IhB6HizG,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/Ht3G,S;IhB+Hs3G,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjI37G,S;IhBiI27G,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnIhhH,S;IhBmIghH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrIrlH,S;IhBqIqlH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvIvqH,S;IhBuIuqH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzI5uH,S;IhByI4uH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3IjzH,S;IhB2IizH,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7It3H,S;IhB6Is3H,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/I37H,S;IhB+I27H,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjJhhI,S;IhBiJghI,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnJrlI,S;IhBmJqlI,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrJvqI,S;IhBqJuqI,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvJ5uI,S;IhBuJ4uI,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzJjzI,S;IhByJizI,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3Jt3I,S;IhB2Js3I,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7J37I,S;IhB6J27I,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/JhhJ,S;IhB+JghJ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjKrlJ,S;IhBiKqlJ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnKvqJ,S;IhBmKuqJ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrK5uJ,S;IhBqK4uJ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvKjzJ,S;IhBuKizJ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzKt3J,S;IhByKs3J,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3K37J,S;IhB2K27J,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7KhhK,S;IhB6KghK,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/KrlK,S;IhB+KqlK,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjLvqK,S;IhBiLuqK,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnL5uK,S;IhBmL4uK,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrLjzK,S;IhBqLizK,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvLt3K,S;IhBuLs3K,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzL37K,S;IhByL27K,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3LhhL,S;IhB2LghL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7LrlL,S;IhB6LqlL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/LvqL,S;IhB+LuqL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjM5uL,S;IhBiM4uL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnMjzL,S;IhBmMizL,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrMt3L,S;IhBqMs3L,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvM37L,S;IhBuM27L,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzMhhM,S;IhByMghM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3MrlM,S;IhB2MqlM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7MvqM,S;IhB6MuqM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/M5uM,S;IhB+M4uM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjNjzM,S;IhBiNizM,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnNt3M,S;IhBmNs3M,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrN37M,S;IhBqN27M,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvNhhN,S;IhBuNghN,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzNrlN,S;IhByNqlN,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3NvqN,S;IhB2NuqN,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7N5uN,S;IhB6N4uN,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/NjzN,S;IhB+NizN,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjOt3N,S;IhBiOs3N,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnO37N,S;IhBmO27N,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrOhhO,S;IhBqOghO,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvOrlO,S;IhBuOqlO,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzOvqO,S;IhByOuqO,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3O5uO,S;IhB2O4uO,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7OjzO,S;IhB6OizO,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/Ot3O,S;IhB+Os3O,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjP37O,S;IhBiP27O,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnPhhP,S;IhBmPghP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrPrlP,S;IhBqPqlP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvPvqP,S;IhBuPuqP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzP5uP,S;IhByP4uP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3PjzP,S;IhB2PizP,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7Pt3P,S;IhB6Ps3P,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/P37P,S;IhB+P27P,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjQhhQ,S;IhBiQghQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnQrlQ,S;IhBmQqlQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrQvqQ,S;IhBqQuqQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvQ5uQ,S;IhBuQ4uQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzQjzQ,S;IhByQizQ,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3Qt3Q,S;IhB2Qs3Q,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7Q37Q,S;IhB6Q27Q,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/QhhR,S;IhB+QghR,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjRrlR,S;IhBiRqlR,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnRvqR,S;IhBmRuqR,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrR5uR,S;IhBqR4uR,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvRjzR,S;IhBuRizR,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzRt3R,S;IhByRs3R,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3R37R,S;IhB2R27R,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7RhhS,S;IhB6RghS,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/RrlS,S;IhB+RqlS,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjSvqS,S;IhBiSuqS,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnS5uS,S;IhBmS4uS,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBrSjzS,S;IhBqSizS,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBvSt3S,S;IhBuSs3S,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBzS37S,S;IhByS27S,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB3ShhT,S;IhB2SghT,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB7SrlT,S;IhB6SqlT,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgB/SvqT,S;IhB+SuqT,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBjT5uT,S;IhBiT4uT,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,OgBnTjzT,S;IhBmTizT,C;;MAAS,I;IAAA,C;;MAAS,gBAAA,eAAc,eAAc,qBAAoB,YAAY,KAAM,OAAlB,CAAA,pB,C;MAAqD,wB;MAArD,O

gB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CAckC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,OAVO,W;MAWX,C;KARA,C;;MAkBqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAAkB,sBAAK,CAAL,CAAlB,CAAqC,GAAA+B,oBAAA,OAAhD,C;YAAgD,OAAhD,hD,C;YAAL,K;kBACQ,Q,0BAAM,QAAA,oB,YAAA,cAAA,C,CAAA,C,CAAA,C,C

AArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;;QAEP,OAAO,K;;IAEf,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAnLG,Q;MAmL7B,OAnL2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IAoL/D,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,OzIrDwD,CyIqDjD,GzIrDkD,UyIqDlD,IAAoB,4BAAU,GAAV,C;IAC/B,C;;MAMI,O/IkmMO,E+IlmMA,Q/I0hMA,YAAQ,CAAwER,C+IlmMA,IAAyB,4BAAmB,UAAT,QAAS,CAAnB,C;IACpC,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MA9LG,Q;MA8L7B,OA9L2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IA+L/D,C;;MAMI,I/IolMO,E+IplMH,Q/I4gMG,YAAQ,CAAwER,C+IplMP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAnB,C;QAEP,OAAO,wB;IACf,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,IzIrFwD,CyIqFpD,GzIrFqD,UyIqFzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OAAO,wB;IACf,C;;MAGI,azI5FwD,CAAC,mB;MyI6FzD,iB;MACA,OAAO,M;IACX,C;;MASI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,QAAQ,IAAR,CAAa,IAAb,CAAkB,IAAlB,CAAuB,IAAvB,CAA4B,IAA5B,CAAiC,IAAjC,CAAsC,IAAtC,CAA2C,IAA3C,CAAgD,IAAhD,CAAqD,IAArD,CAA0D,IAA1D,CAA+D,IAA/D,CAAoE,IAApE,CAAyE,IAAzE,CAA8E,IAA9E,CAAmF,IAAnF,CAAwF,IAAxF,CAA6F,IAA7F,CAAkG,IAAlG,CAAuG,IAAvG,CAA4G,IAA5G,CAAiH,IAAjH,CAAsH,IAAtH,CAA2H,IAA3H,CAAgI,IAAhI,CAAqI,IAArI,CAA0I,IAA1I,CAA+I,IAA/I,CAAoJ,IAApJ,CAAyJ,IAAzJ,CAA8J,IAA9J,CAAmK,IAAnK,CAAwK,IAAxK,CAA6K,IAA7K,CAAkL,IAAlL,CAAuL,IAAvL,CAA4L,IAA5L,CAAiM,IAAjM,CAAsM,IAAtM,CAA2M,IAA3M,CAAgN,IAAhN,CAAqN,IAArN,CAA0N,IAA1N,CAA+N,IAA/N,CAAoO,IAApO,CAAyO,IAAzO,CAA8O,IAA9O,CAAmP,IAAnP,CAAwP,IAAxP,CAA6P,IAA7P,CAAkQ,IAAlQ,CAAuQ,IAAvQ,CAA4Q,IAA5Q,CAAiR,IAAjR,CAAsR,IAAtR,CAA2R,IAA3R,CAAgS,IAAhS,CAAqS,IAArS,CAA0S,IAA1S,CAA+S,IAA/S,CAAoT,IAApT,CAAyT,IAAzT,CAA8T,IAA9T,CAAmU,IAAnU,CAAwU,IAAxU,CAA6U,IAA7U,CAAkV,IAAlV,CAAuV,IAAvV,CAA4V,IAA5V,CAAiW,IAAjW,CAAsW,IAAtW,CAA2W,IAA3W,CAAgX,IAAhX,CAAqX,IAArX,CAA0X,IAA1X,CAA+X,IAA/X,CAAoY,IAApY,CAAyY,IAAzY,CAA8Y,IAA9Y,CAAmZ,IAAnZ,CAAwZ,IAAxZ,CAA6Z,IAA7Z,CAAka,IAAla,CAAua,IAAva,CAA4a,IAA5a,CAAib,IAAjb,CAAsb,IAAtb,CAA2b,IAA3b,CAAgc,IAAhc,CAAqc,IAArc,CAA0c,IAA1c,CAA+c,IAA/c,CAAod,IAApd,CAAyd,IAAzd,CAA8d,IAA9d,CAAme,IAAne,CAAwe,IAAxe,CAA6e,IAA7e,CAAkf,IAAlf,CAAuf,IAAvf,CAA4f,IAA5f,CAAigB,IAAjgB,CAAsgB,IAAtgB,CAA2gB,IAA3gB,CAAghB,IAAhhB,CAAqhB,IAArhB,CAA0hB,IAA1hB,CAA+hB,IAA/hB,CAAoiB,IAApiB,CAAyiB,IAAziB,CAA8iB,IAA9iB,CAAmjB,IAAnjB,CAAwjB,IAAxjB,CAA6jB,IAA7jB,CAAkkB,IAAlkB,CAAukB,IAAvkB,CAA4kB,IAA5kB,CAAilB,IAAjlB,CAAslB,IAAtlB,CAA2lB,IAA3lB,CAAgmB,IAAhmB,CAAqmB,IAArmB,CAA0mB,IAA1mB,CAA+mB,IAA/mB,CAAonB,IAApnB,CAAynB,IAAznB,CAA8nB,IAA9nB,CAAmoB,IAAnoB,CAAwoB,IAAxoB,CAA6oB,IAA7oB,CAAkpB,IAAlpB,CAAupB,IAAvpB,CAA4pB,IAA5pB,CAAiqB,IAAjqB,CAAsqB,IAAtqB,CAA2qB,IAA3qB,CAAgrB,IAAhrB,CAAqrB,IAArrB,CAA0rB,IAA1rB,CAA+rB,IAA/rB,CAAosB,IAApsB,CAAysB,IAAzsB,CAA8sB,IAA9sB,CAAmtB,IAAntB,CAAwtB,IAAxtB,CAA6tB,IAA7tB,CAAkuB,IAAluB,CAAuuB,IAAvuB,CAA4uB,IAA5uB,CAAivB,IAAjvB,CAAsvB,IAAtvB,CAA2vB,IAA3vB,CAAgwB,IAAhwB,CAAqwB,IAArwB,CAA0wB,IAA1wB,CAA+wB,IAA/wB,CAAoxB,IAApxB,CAAyxB,IAAzxB,CAA8xB,IAA9xB,CAAmyB,IAAnyB,CAAwyB,IAAxyB,CAA6yB,IAA7yB,CAAkzB,IAAlzB,CAAuzB,IAAvzB,CAA4zB,IAA5zB,CAAi0B,IAAj0B,CAAs0B,IAAt0B,CAA20B,IAA30B,CAAg1B,IAAh1B,CAAq1B,IAAr1B,CAA01B,IAA11B,CAA+1B,IAA/1B,CAAo2B,IAAp2B,CAAy2B,IAAz2B,CAA82B,IAA92B,CAAm3B,IAAn3B,CAAw3B,IAAx3B,CAA63B,IAA73B,CAAk4B,IAAl4B,CAAu4B,IAAv4B,CAA44B,IAA54B,CAAi5B,IAAj5B,CAAs5B,IAAt5B,CAA25B,IAA35B,CAAg6B,IAAh6B,CAAq6B,IAAr6B,CAA06B,IAA16B,CAA+6B,IAA/6B,CAAo7B,IAAp7B,CAAy7B,IAAz7B,CAA87B,IAA97B,CAAm8B,IAAn8B,CAAw8B,IAAx8B,CAA68B,IAA78B,CAAk9B,IAAl9B,CAAu9B,IAAv9B,CAA49B,IAA59B,CAAi+B,IAAj+B,CAAs+B,IAAt+B,CAA2+B,IAA3+B,CAAg/B,IAAh/B,CAAq/B,IAAr/B,CAA0/B,IAA1/B,CAA+/B,IAA//B,CAAogC,IAApgC,CAAygC,IAAzgC,CAA8gC,IAA9gC,CAAmhC,IAAnhC,CAAwhC,IAAxhC,CAA6hC,IAA7hC,CAAkiC,IAAliC,CAAuiC,IAAviC,CAA4iC,IAA5iC,CAAijC,IAAjjC,CAAsjC,IAAtjC,CAA2jC,IAA3jC,CAAgkC,IAAhkC,CAAqkC,IAArkC,CAA0kC,IAA1kC,CAA+kC,IAA/kC,CAAolC,IAAplC,CAAylC,IAAzlC,CAA8lC,IAA9lC,CAAmmC,IAAnmC,CAAwmC,IAAxmC,CAA6mC,IAA7mC,CAAknC,IAAlnC,CAAunC,IAAvnC,CAA4nC,IAA5nC,CAAioC,IAAjoC,CAAsoC,IAAtoC,CAA2oC,IAA3oC,CAAgpC,IAAhpC,CAAqpC,IAArpC,CAA0pC,IAA1pC,CAA+pC,IAA/pC,CAAoqC,IAApqC,CAAyqC,IAAzqC,CAA8qC,IAA9qC,CAAmrC,IAAnrC,CAAwrC,IAAxrC,CAA6rC,IAA7rC,CAAksC,IAAlsC,CAAusC,IAAvsC,CAA4sC,IAA5sC,CAAitC,IAAjtC,CAAstC,IAAttC,CAA2tC,IAA3tC,CAAguC,IAAhuC,CAAquC,IAAruC,CAA0uC,IAA1uC,CAA+uC,IAA/uC,CAAovC,IAApvC,CAAyvC,IAAzvC,CAA8vC,IAA9vC,CAAmwC,IAAnwC,CAAwwC,IAAxwC,CAA6wC,IAA7wC,CAAkxC,IAAlxC,CAAuxC,IAAvxC,CAA4xC,IAA5xC,CAAiyC,IAAjyC,CAAsyC,IAAtyC,CAA2yC,IAA3yC,CAAgzC,IAAhzC,CAAqzC,IAArzC,CAA0zC,IAA1zC,CAA+zC,IAA/zC,CAAo0C,IAAp0C,CAAy0C,IAAz0C,CAA80C,IAA90C,CAAm1C,IAAn1C,CAAw1C,IAAx1C,CAA61C,IAA71C,CAAk2C,IAAl2C,CAAu2C,IAAv2C,CAA42C,IAA52C,CAAi3C,IAAj3C,CAAs3C,IAAt3C,CAA23C,IAA33C,CAAg4C,IAAh4C,CAAq4C,IAAr4C,CAA04C,IAA14C,CAA+4C,IAA/4C,CAAo5C,IAAp5C,CAAy5C,IAAz5C,CAA85C,IAA95C,CAAm6C,IAAn6C,CAAw6C,IAAx6C,CAA66C,IAA76C,CAAk7C,IAAl7C,CAAu7C,IAAv7C,CAA47C,IAA57C,CAAi8C,IAAj8C,CAAs8C,IAAt8C,CAA28C,IAA38C,CAAg9C,IAAh9C,CAAq9C,IAAr9C,CAA09C,IAA19C,CAA+9C,IAA/9C,CAAo+C,IAAp+C,CAAy+C,IAAz+C,CAA8+C,IAA9+C,CAAm/C,IAAn/C,CAAw/C,IAAx/C,CAA6/C,IAA7/C,CAAkgD,IAAlgD,CAAugD,IAAvgD,CAA4gD,IAA5gD,CAAihD,IAAjhD,CAAshD,IAAthD,CAA2hD,IAA3hD,CAAgiD,IAAhiD,CAAqiD,IAAriD,CAA0iD,IAA1iD,CAA+iD,IAA/iD,CAAojD,IAApjD,CAAyjD,IAAzjD,CAA8jD,IAA9jD,CAAmkD,IAAnkD,CAAwkD,IAAxkD,CAA6kD,IAA7kD,CAAklD,IAAllD,CAAulD,IAAvlD,CAA4lD,IAA5lD,CAAimD,IAAjmD,CAAsmD,IAAtmD,CAA2mD,IAA3mD,CAAgnD,IAAhnD,CAAqnD,IAArnD,CAA0nD,IAA1nD,CAA+nD,IAA/nD,CAAooD,IAApoD,CAAyoD,IAAzoD,CAA8oD,IAA9oD,CAAmpD,IAAnpD,CAAwpD,IAAxpD,CAA6pD,IAA7pD,CAAkqD,IAAlqD,CAAuqD,IAAvqD,CAA4qD,IAA5qD,CAAirD,IAAjrD,CAAsrD,IAAtrD,CAA2rD,IAA3rD,CAAgsD,IAAhsD,CAAqsD,IAArsD,CAA0sD,IAA1sD,CAA+sD,IAA/sD,CAAotD,IAAptD,CAAytD,IAAztD,CAA8tD,IAA9tD,CAAmuD,IAAnuD,CAAwuD,IAAxuD,CAA6uD,IAA7uD,CAAkvD,IAAlvD,CAAuvD,IAAvvD,CAA4vD,IAA5vD,CAAiwD,IAAjwD,CAAswD,IAAtwD,CAA2wD,IAA3wD,CAAgxD,IAAhxD,CAAqxD,IAArxD,CAA0xD,IAA1xD,CAA+xD,IAA/xD,CAAoyD,IAApyD,CAAyyD,IAAzyD,CAA8yD,IAA9yD,CAAmzD,IAAnzD,CAAwzD,IAAxzD,CAA6zD,IAA7zD,CAAk0D,IAAl0D,CAAu0D,IAAv0D,CAA40D,IAA50D,CAAi1D,IAAj1D,CAAs1D,IAAt1D,CAA21D,IAA31D,CAAg2D,IAAh2D,CAAq2D,IAAr2D,CAA02D,IAA12D,CAA+2D,IAA/2D,CAAo3D,IAAp3D,CAAy3D,IAAz3D,CAA83D,IAA93D,CAAm4D,IAAn4D,CAAw4D,IAAx4D,CAA64D,IAA74D,CAAk5D,IAAl5D,CAAu5D,IAAv5D,CAA45D,IAA55D,CAAi6D,IAAj6D,CAAs6D,IAAt6D,CAA26D,IAA36D,CAAg7D,IAAh7D,CAAq7D,IAAr7D,CAA07D,IAA17D,CAA+7D,IAA/7D,CAAo8D,IAAp8D,CAAy8D,IAAz8D,CAA88D,IAA98D,CAAm9D,IAAn9D,CAAw9D,IAAx9D,CAA69D,IAA79D,CAAk+D,IAAl+D,CAAu+D,IAAv+D,CAA4+D,IAA5+D,CAAi/D,IAAj/D,CAAs/D,IAAt/D,CAA2/D,IAA3/D,CAAggE,IAAhgE,CAAqgE,IAArgE,CAA0gE,IAA1gE,CAA+gE,IAA/gE,CAAohE,IAAphE,CAAyhE,IAAzhE,CAA8hE,IAA9hE,CAAmiE,IAAniE,CAAwiE,IAAxiE,CAA6iE,IAA7iE,CAAkjE,IAAljE,CAAujE,IAAvjE,CAA4jE,IAA5jE,CAAikE,IAAjkE,CAAskE,IAAtkE,CAA2kE,IAA3kE,CAAglE,IAAhlE,CAAqlE,IAArlE,CAA0lE,IAA1lE,CAA+lE,IAA/lE,CAAomE,IAApmE,CAAymE,IAAzmE,CAA8mE,IAA9mE,CAAmnE,IAAnnE,CAAwnE,IAAxnE,CAA6nE,IAA7nE,CAAkoE,IAAloE,CAAuoE,IAAvoE,CAA4oE,IAA5oE,CAAipE,IAAjpE,CAAspE,IAAtpE,CAA2pE,IAA3pE,CAAgqE,IAAhqE,CAAqqE,IAArqE,CAA0qE,IAA1qE,CAA+qE,IAA/qE,CAAorE,IAAprE,CAAyrE,IAAzrE,CAA8rE,IAA9rE,CAAmsE,IAAnsE,CAAwsE,IAAxsE,CAA6sE,IAA7sE,CAAktE,IAAltE,CAAutE,IAAvtE,CAA4tE,IAA5tE,CAAiuE,IAAjuE,CAAsuE,IAAtuE,CAA2uE,IAA3uE,CAAgvE,IAAhvE,CAAqvE,IAArvE,CAA0vE,IAA1vE,CAA+vE,IAA/vE,CAAowE,IAApwE,CAAywE,IAAzwE,CAA8wE,IAA9wE,CAAmxE,IAAnxE,CAAwxE,IAAxxE,CAA6xE,IAA7xE,CAAkyE,IAAlyE,CAAuyE,IAAvyE,CAA4yE,IAA5yE,CAAizE,IAAjzE,CAAszE,IAAtzE,CAA2zE,IAA3zE,CAAg0E,IAAh0E,CAAq0E,IAAr0E,CAA00E,IAA10E,CAA+0E,IAA/0E,CAAo1E,IAAp1E,CAAy1E,IAAz1E,CAA81E,IAA91E,CAAm2E,IAAn2E,CAAw2E,IAAx2E,CAA62E,IAA72E,CAAk3E,IAAl3E,CAAu3E,IAAv3E,CAA43E,IAA53E,CAAi4E,IAAj4E,CAAs4E,IAAt4E,CAA24E,IAA34E,CAAg5E,IAAh5E,CAAq5E,IAAr5E,CAA05E,IAA15E,CAA+5E,IAA/5E,CAAo6E,IAAp6E,CAAy6E,IAAz6E,CAA86E,IAA96E,CAAm7E,IAAn7E,CAAw7E,IAAx7E,CAA67E,IAA77E,CAAk8E,IAAl8E,CAAu8E,IAAv8E,CAA48E,IAA58E,CAAi9E,IAAj9E,CAAs9E,IAAt9E,CAA29E,IAA39E,CAAg+E,IAAh+E,CAAq+E,IAAr+E,CAA0+E,IAA1+E,CAA++E,IAA/+E,CAAo/E,IAAp/E,CAAy/E,IAAz/E,CAA8/E,IAA9/E,CAAmgF,IAAngF,CAAwgF,IAAxgF,CAA6gF,IAA7gF,CAAkhF,IAAlhF,CAAuhF,IAAvhF,CAA4hF,IAA5hF,CAAiiF,IAAjiF,CAAsiF,IAAtiF,CAA2iF,IAA3iF,CAAgjF,IAAhjF,CAAqjF,IAArjF,CAA0jF,IAA1jF,CAA+jF,IAA/jF,CAAokF,IAApkF,CAAykF,IAAzkF,CAA8kF,IAA9kF,CAAmlF,IAAnlF,CAAwlF,IAAxlF,CAA6lF,IAA7lF,CAAkmF,IAAlmF,CAAumF,IAAvmF,CAA4mF,IAA5mF,CAAinF,IAAjnF,CAAsnF,IAAtnF,CAA2nF,IAA3nF,CAAgoF,IAAhoF,CAAqoF,IAAroF,CAA0oF,IAA1oF,CAA+oF,IAA/oF,CAAopF,IAAppF,CAAypF,IAAzpF,CAA8pF,IAA9pF,CAAmqF,IAAnqF,CAAwqF,IAAxqF,CAA6qF,IAA7qF,CAAkrF,IAAlrF,CAAurF,IAAvrF,CAA4rF,IAA5rF,CAAisF,IAAjsF,CAAssF,IAAtsF,CAA2sF,IAA3sF,CAAgtF,IAAhtF,CAAqtF,IAArtF,CAA0tF,IAA1tF,CAA+tF,IAA/tF,CAAouF,IAApuF,CAAyuF,IAAzuF,CAA8uF,IAA9uF,CAAmvF,IAAnvF,CAAwvF,IAAxvF,CAA6vF,IAA7vF,CAAkwF,IAAlwF,CAAuwF,IAAvwF,CAA4wF,IAA5wF,CAAixF,IAAjxF,CAAsxF,IAAtxF,CAA2xF,IAA3xF,CAAgyF,IAAhyF,CAAqyF,IAAryF,CAA0yF,IAA1yF,CAA+yF,IAA/yF,CAAozF,IAApzF,CAAyzF,IAAzzF,CAA8zF,IAA9zF,CAAm0F,IAAn0F,CAAw0F,IAAx0F,CAA60F,IAA70F,CAAk1F,IAAl1F,CAAu1F,IAAv1F,CAA41F,IAA51F,CAAi2F,IAAj2F,CAAs2F,IAAt2F,CAA22F,IAA32F,CAAg3F,IAAh3F,CAAq3F,IAAr3F,CAA03F,IAA13F,CAA+3F,IAA/3F,CAAo4F,IAAp4F,CAAy4F,IAAz4F,CAA84F,IAA94F,CAAm5F,IAAn5F,CAAw5F,IAAx5F,CAA65F,IAA75F,CAAk6F,IAAl6F,CAAu6F,IAAv6F,CAA46F,IAA56F,CAAi7F,IAAj7F,CAAs7F,IAAt7F,CAA27F,IAA37F,CAAg8F,IAAh8F,CAAq8F,IAAr8F,CAA08F,IAA18F,CAA+8F,IAA/8F,CAAo9F,IAAp9F,CAAy9F,IAAz9F,CAA89F,IAA99F,CAAm+F,IAAn+F,CAAw+F,IAAx+F,CAA6+F,IAA7+F,CAAk/F,IAAl/F,CAAu/F,IAAv/F,CAA4/F,IAA5/F,CAAigG,IAAjgG,CAAsgG,IAAtgG,CAA2gG,IAA3gG,CAAghG,IAAhhG,CAAqhG,IAArhG,CAA0hG,IAA1hG,CAA+hG,IAA/hG,CAAoiG,IAApiG,CAAyiG,IAAziG,CAA8iG,IAA9iG,CAAmjG,IAAnjG,CAAwjG,IAAxjG,CAA6jG,IAA7jG,CAAkkG,IAAlkG,CAAukG,IAAvkG,CAA4kG,IAA5kG,CAAilG,IAAjlG,CAAslG,IAAtlG,CAA2lG,IAA3lG,CAAgmG,IAAhmG,CAAqmG,IAArmG,CAA0mG,IAA1mG,CAA+mG,IAA/mG,CAAonG,IAApnG,CAAynG,IAAznG,CAA8nG,IAA9nG,CAAmoG,IAAnoG,CAAwoG,IAAxoG,CAA6oG,IAA7oG,CAAkpG,IAAlpG,CAAupG,IAAvpG,CAA4pG,IAA5pG,CAAiqG,IAAjqG,CAAsqG,IAAtqG,CAA2qG,IAA3qG,CAAgrG,IAAhrG,CAAqrG,IAArrG,CAA0rG,IAA1rG,CAA+rG,IAA/rG,CAAosG,IAApsG,CAAysG,IAAzsG,CAA8sG,IAA9sG,CAAmtG,IAAntG,CAAwtG,IAAxtG,CAA6tG,IAA7tG,CAAkuG,IAAluG,CAAuuG,IAAvuG,CAA4uG,IAA5uG,CAAivG,IAAjvG,CAAsvG,IAAtvG,CAA2vG,IAA3vG,CAAgwG,IAAhwG,CAAqwG,IAArwG,CAA0wG,IAA1wG,CAA+wG,IAA/wG,CAAoxG,IAApxG,CAAyxG,IAAzxG,CAA8xG,IAA9xG,CAAmyG,IAAnyG,CAAwyG,IAAxyG,CAA6yG,IAA7yG,CAAkzG,IAAlzG,CAAuzG,IAAvzG,CAA4zG,IAA5zG,CAAi0G,IAAj0G,CAAs0G,IAAt0G,CAA20G,IAA30G,CAAg1G,IAAh1G,CAAq1G,IAAr1G,CAA01G,IAA11G,CAA+1G,IAA/1G,CAAo2G,IAAp2G,CAAy2G,IAAz2G,CAA82G,IAA92G,CAAm3G,IAAn3G,CAAw3G,IAAx3G,CAA63G,IAA73G,CAAk4G,IAAl4G,CAAu4G,IAAv4G,CAA44G,IAA54G,CAAi5G,IAAj5G,CAAs5G,IAAt5G,CAA25G,IAA35G,CAAg6G,IAAh6G,CAAq6G,IAAr6G,CAA06G,IAA16G,CAA+6G,IAA/6G,CAAo7G,IAAp7G,CAAy7G,IAAz7G,CAA87G,IAA97G,CAAm8G,IAAn8G,CAAw8G,IAAx8G,CAA68G,IAA78G,CAAk9G,IAAl9G,CAAu9G,IAAv9G,CAA49G,IAA59G,CAAi+G,IAAj+G,CAAs+G,IAAt+G,CAA2+G,IAA3+G,CAAg/G,IAAh/G,CAAq/G,IAAr/G,CAA0/G,IAA1/G,CAA+/G,IAA//G,CAAogH,IAApgH,CAAygH,IAAzgH,CAA8gH,IAA9gH,CAAmhH,IAAnhH,CAAwhH,IAAxhH,CAA6hH,IAA7hH,CAAkiH,IAAliH,CAAuiH,IAAviH,CAA4iH,IAA5iH,CAAijH,IAAjjH,CAAsjH,IAAtjH,CAA2jH,IAA3jH,CAAgkH,IAAhkH,CAAqkH,IAArkH,CAA0kH,IAA1kH,CAA+kH,IAA/kH,CAAolH,IAAplH,CAAylH,IAAzlH,CAA8lH,IAA9lH,CAAmmH,IAAnmH,CAAwmH,IAAxmH,CAA6mH,IAA7mH,CAAknH,IAAlnH,CAAunH,IAAvnH,CAA4nH,IAA5nH,CAAioH,IAAjoH,CAAsoH,IAAtoH,CAA2oH,IAA3oH,CAAgpH,IAAhpH,CAAqpH,IAArpH,CAA0pH,IAA1pH,CAA+pH,IAA/pH,CAAoqH,IAApqH,CAAyqH,IAAzqH,CAA8qH,IAA9qH,CAAmrH,IAAnrH,CAAwrH,IAAxrH,CAA6rH,IAA7rH,CAAksH,IAAlsH,CAAusH,IAAvsH,CAA4sH,IAA5sH,CAAitH,IAAjtH,CAAstH,IAAttH,CAA2tH,IAA3tH,CAAguH,IAAhuH,CAAquH,IAAruH,CAA0uH,IAA1uH,CAA+uH,IAA/uH,CAAovH,IAApvH,CAAyvH,IAAzvH,CAA8vH,IAA9vH,CAAmwH,IAAnwH,CAAwwH,IAAxwH,CAA6wH,IAA7wH,CAAkxH,IAAlxH,CAAuxH,IAAvxH,CAA4xH,IAA5xH,CAAiyH,IAAjyH,CAAsyH,IAAtyH,CAA2yH,IAA3yH,CAAgzH,IAAhzH,CAAqzH,IAArzH,CAA0zH,IAA1zH,CAA+zH,IAA/zH,CAAo0H,IAAp0H,CAAy0H,IAAz0H,CAA80H,IAA90H,CAAm1H,IAAn1H,CAAw1H,IAAx1H,CAA61H,IAA71H,CAAk2H,IAAl2H,CAAu2H,IAAv2H,CAA42H,IAA52H,CAAi3H,IAAj3H,CAAs3H,IAAt3H,CAA23H,IAA33H,CAAg4H,IAAh4H,CAAq4H,IAAr4H,CAA04H,IAA14H,CAA+4H,IAA/4H,CAAo5H,IAAp5H,CAAy5H,IAAz5H,CAA85H,IAA95H,CAAm6H,IAAn6H,CAAw6H,IAAx6H,CAA66H,IAA76H,CAAk7H,IAAl7H,CAAu7H,IAAv7H,CAA47H,IAA57H,CAAi8H,IAAj8H,CAAs8H,IAAt8H,CAA28H,IAA38H,CAAg9H,IAAh9H,CAAq9H,IAAr9H,CAA09H,IAA19H,CAA+9H,IAA/9H,CAAo+H,IAAp+H,CAAy+H,IAAz+H,CAA8+H,IAA9+H,CAAm/H,IAAn/H,CAAw/H,IAAx/H,CAA6/H,IAA7/H,CAAkgI,IAAlgI,CAAugI,IAAvgI,CAA4gI,IAA5gI,CAAihI,IAAjhI,CAAshI,IAAthI,CAA2hI,IAA3hI,CAAgiI,IAAhiI,CAAqiI,IAAriI,CAA0iI,IAA1iI,CAA+iI,IAA/iI,CAAojI,IAApjI,CAAyjI,IAAzjI,CAA8jI,IAA9jI,CAAmkI,IAAnkI,CAAwkI,IAAxkI,CAA6kI,IAA7kI,CAAklI,IAAllI,CAAulI,IAAvlI,CAA4lI,IAA5lI,CAAimI,IAAjmI,CAAsmI,IAAtmI,CAA2mI,IAA3mI,CAAgnI,IAAhnI,CAAqnI,IAArnI,CAA0nI,IAA1nI,CAA+nI,IAA/nI,CAAooI,IAApoI,CAAyoI,IAAzoI,CAA8oI,IAA9oI,CAAmpI,IAAnpI,CAAwpI,IAAxpI,CAA6pI,IAA7pI,CAAkqI,IAAlqI,CAAuqI,IAAvqI,CAA4qI,IAA5qI,CAAirI,IAAjrI,CAAsrI,IAAtrI,CAA2rI,IAA3rI,CAAgsI,IAAhsI,CAAqsI,IAArsI,CAA0sI,IAA1sI,CAA+sI,IAA/sI,CAAotI,IAAptI,CAAytI,IAAztI,CAA8tI,IAA9tI,CAAmuI,IAAnuI,CAAwuI,IAAxuI,CAA6uI,IAA7uI,CAAkvI,IAAlvI,CAAuvI,IAAvvI,CAA4vI,IAA5vI,CAAiwI,IAAjwI,CAAswI,IAAtwI,CAA2wI,IAA3wI,CAAgxI,IAAhxI,CAAqxI,IAArxI,CAA0xI,IAA1xI,CAA+xI,IAA/xI,CAAoyI,IAApyI,CAAyyI,IAAzyI,CAA8yI,IAA9yI,CAAmzI,IAAnzI,CAAwzI,IAAxzI,CAA6zI,IAA7zI,CAAk0I,IAAl0I,CAAu0I,IAAv0I,CAA40I,IAA50I,CAAi1I,IAAj1I,CAAs1I,IAAt1I,CAA21I,IAA31I,CAAg2I,IAAh2I,CAAq2I,IAAr2I,CAA02I,IAA12I,CAA+2I,IAA/2I,CAAo3I,IAAp3I,CAAy3I,IAAz3I,CAA83I,IAA93I,CAAm4I,IAAn4I,CAAw4I,IAAx4I,CAA64I,IAA74I,CAAk5I,IAAl5I,CAAu5I,IAAv5I,CAA45I,IAA55I,CAAi6I,IAAj6I,CAAs6I,IAAt6I,CAA26I,IAA36I,CAAg7I,IAAh7I,CAAq7I,IAAr7I,CAA07I,IAA17I,CAA+7I,IAA/7I,CAAo8I,IAAp8I,CAAy8I,IAAz8I,CAA88I,IAA98I,CAAm9I,IAAn9I,CAAw9I,IAAx9I,CAA69I,IAA79I,CAAk+I,IAAl+I,CAAu+I,IAAv+I,CAA4+I,IAA5+I,CAAi/I,IAAj/I,CAAs/I,IAAt/I,CAA2/I,IAA3/I,CAAggJ,IAAhgJ,CAAqgJ,IAArgJ,CAA0gJ,IAA1gJ,CAA+gJ,IAA/gJ,CAAohJ,IAAphJ,CAAyhJ,IAAzhJ,CAA8hJ,IAA9hJ,CAAmiJ,IAAniJ,CAAwiJ,IAAxiJ,CAA6iJ,IAA7iJ,CAAkjJ,IAAljJ,CAAujJ,IAAvjJ,CAA4jJ,IAA5jJ,CAAikJ,IAAjkJ,CAAskJ,IAAtkJ,CAA2kJ,IAA3kJ,CAAglJ,IAAhlJ,CAAqlJ,IAArlJ,CAA0lJ,IAA1lJ,CAA+lJ,IAA/lJ,CAAomJ,IAApmJ,CAAymJ,IAAzmJ,CAA8mJ,IAA9mJ,CAAmnJ,IAAnnJ,CAAwnJ,IAAxnJ,CAA6nJ,IAA7nJ,CAAkoJ,IAAloJ,CAAuoJ,IAAvoJ,CAA4oJ,IAA5oJ,CAAipJ,IAAjpJ,CAAspJ,IAAtpJ,CAA2pJ,IAA3pJ,CAAgqJ,IAAhqJ,CAAqqJ,IAArqJ,CAA0qJ,IAA1qJ,CAA+qJ,IAA/qJ,CAAorJ,IAAprJ,CAAyrJ,IAAzrJ,CAA8rJ,IAA9rJ,CAAmsJ,IAAnsJ,CAAwsJ,IAAxsJ,CAA6sJ,IAA7sJ,CAAktJ,IAAltJ,CAAutJ,IAAvtJ,CAA4tJ,IAA5tJ,CAAiuJ,IAAjuJ,CAAsuJ,IAAtuJ,CAA2uJ,IAA3uJ,CAAgvJ,IAAhvJ,CAAqvJ,IAArvJ,CAA0vJ,IAA1vJ,CAA+vJ,IAA/vJ,CAAowJ,IAApwJ,CAAywJ,IAAzwJ,CAA8wJ,IAA9wJ,CAAmxJ,IAAnxJ,CAAwxJ,IAAxxJ,CAA6xJ,IAA7xJ,CAAkyJ,IAAlyJ,CAAuyJ,IAAvyJ,CAA4yJ,IAA5yJ,CAAizJ,IAAjzJ,CAAszJ,IAAtzJ,CAA2zJ,IAA3zJ,CAAg0J,IAAh0J,CAAq0J,IAAr0J,CAA00J,IAA10J,CAA+0J,IAA/0J,CAAo1J,IAAp1J,CAAy1J,IAAz1J,CAA81J,IAA91J,CAAm2J,IAAn2J,CAAw2J,IAAx2J,CAA62J,IAA72J,CAAk3J,IAAl3J,CAAu3J,IAAv3J,CAA43J,IAA53J,CAAi4J,IAAj4J,CAAs4J,IAAt4J,CAA24J,IAA34J,CAAg5J,IAAh5J,CAAq5J,IAAr5J,CAA05J,IAA15J,CAA+5J,IAA/5J,CAAo6J,IAAp6J,CAAy6J,IAAz6J,CAA86J,IAA96J,CAAm7J,IAAn7J,CAAw7J,IAAx7J,CAA67J,IAA77J,CAAk8J,IAAl8J,CAAu8J,IAAv8J,CAA48J,IAA58J,CAAi9J,IAAj9J,CAAs9J,IAAt9J,CAA29J,IAA39J,CAAg+J,IAAh+J,CAAq+J,IAAr+J,CAA0+J,IAA1+J,CAA++J,IAA/+J,CAAo/J,IAAp/J,CAAy/J,IAAz/J,CAA8/J,IAA9/J,CAAmgK,IAAngK,CAAwgK,IAAxgK,CAA6gK,IAA7gK,CAAkhK,IAAlhK,CAAuhK,IAAvhK,CAA4hK,IAA5hK,CAAiiK,IAAjiK,CAAsiK,IAAtiK,CAA2iK,IAA3iK,CAAgjK,IAAhjK,CAAqjK,IAArjK,CAA0jK,IAA1jK,CAA+jK,IAA/jK,CAAokK,IAApkK,CAAykK,IAAzkK,CAA8kK,IAA9kK,CAAmlK,IAAnlK,CAAwlK,IAAxlK,CAA6lK,IAA7lK,CAAkmK,IAAlmK,CAAumK,IAAvmK,CAA4mK,IAA5mK,CAAinK,IAAjnK,CAAsnK,IAAtnK,CAA2nK,IAA3nK,CAAgoK,IAAhoK,CAAqoK,IAAroK,CAA0oK,IAA1oK,CAA+oK,IAA/oK,CAAopK,IAAppK,CAAypK,IAAzpK,CAA8pK,IAA9pK,CAAmqK,IAAnqK,CAAwqK,IAAxqK,CAA6qK,IAA7qK,CAAkrK,IAAlrK,CAAurK,IAAvrK,CAA4rK,IAA5rK,CAAisK,IAAjsK,CAAssK,IAAtsK,CAA2sK,IAA3sK,CAAgtK,IAAhtK,CAAqtK,IAArtK,CAA0tK,IAA1tK,CAA+tK,IAA/tK,CAAouK,IAApuK,CAAyuK,IAAzuK,CAA8uK,IAA9uK,CAAmvK,IAAnvK,CAAwvK,IAAxvK,CAA6vK,IAA7vK,CAAkwK,IAAlwK,CAAuwK,IAAvwK,CAA4wK,IAA5wK,CAAixK,IAAjxK,CAAsxK,IAAtxK,CAA2xK,IAA3xK,CAAgyK,IAAhyK,CAAqyK,IAAryK,CAA0yK,IAA1yK,CAA+yK,IAA/yK,CAAozK,IAApzK,CAAyzK,IAAzzK,CAA8zK,IAA9zK,CAAm0K,IAAn0K,CAAw0K,IAAx0K,CAA60K,IAA70K,CAAk1K,IAAl1K,CAAu1K,IAAv1K,CAA41K,IAA51K,CAAi2K,IAAj2K,CAAs2K,IAAt2K,CAA22K,IAA32K,CAAg3K,IAAh3K,CAAq3K,IAAr3K,CAA03K,IAA13K,CAA+3K,IAA/3K,CAAo4K,IAAp4K,CAAy4K,IAAz4K,CAA84K,IAA94K,CAAm5K,IAAn5K,CAAw5K,IAAx5K,CAA65K,IAA75K,CAAk6K,IAAl6K,CAAu6K,IAAv6K,CAA46K,IAA56K,CAAi7K,IAAj7K,CAAs7K,IAAt7K,CAA27K,IAA37K,CAAg8K,IAAh8K,CAAq8K,IAAr8K,CAA08K,IAA18K,CAA+8K,IAA/8K,CAAo9K,IAAp9K,CAAy9K,IAAz9K,CAA89K,IAA99K,CAAm+K,IAAn+K,CAAw+K,IAAx+K,CAA6+K,IAA7+K,CAAk/K,IAAl/K,CAAu/K,IAAv/K,CAA4/K,IAA5/K,CAAigL,IAAjgL,CAAsgL,IAAtgL,CAA2gL,IAA3gL,CAAghL

AAR,C;IAAA,C;;MAQU,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,gBAAR,C;IAAA,C;;MAMxB,S;IAAG,C;;MAFzB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAmB,SAAnB,EAAyB,gBAAzB,EAAiC,QAAAjC,C;IACX,C;;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAAM,WAAI,IAAK,MAAT,C;QACN,KAAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH+B,C;;MAMQ,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,EAAgB,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;IAChB,C;;MAWW,Q;MARP,IAAI,mBAAa,a,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,a,CAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;;MAIiC,yD;IAAA,C;;;MAAA,2C/B,0B;MAAA,mC,gC;IAAA,C;;MAAA,2C,0D;MAAA,mC,gBAAA,e,oCAAA,W;IAAA,D,W;MAAA,mC,gC;IAAA,C;;MAAA,6CAAA,E,0B;MAAA,mC,gC;IAAA,C;;MAAA,2C,4

,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAAY,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;IAA/D,C;;MAGrC,gBAAe,4BAAS,W;MACxB,YAAW,yB;IAFwB,C;;MAM/B,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;IAER,C;;MAGI,a;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,a;MACA,OAAO,aAAS,U;IACpB,C;;;MApBmC,oD;IAAA,C;;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;IAChB,C;;MAQqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;IACpB,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;IACtC,C;;;MAnCmC,yD;IAAA,C;;;MAuCL,sB;MAAiC,gC;IAAlC,C;;MAAoC,kBAApC,C;IAAA,C;;;MAGgE,2B;MAAO,eAAO,CAAP,IAAY,aAAO,WAAnB,xB,EAAgC,EAAhC,oC,C;IAAA,C;;MAAA,kBAAA,C;IAAA,C;;MAGtE,sB;MAAiC,gC;IAAlC,C;;MAAoC,kBAApC,C;IAAA,C

BAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,I5IkIgD,C4IlI5C,iB5IkI6C,U4IlIjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,kBlHrC3D,yB;2BkHqC2D,yB;kBAAA,Q;;;kBAA3C,iB;;;;;gBADJ,iB;;;;cAbJ,W;;cAaI,iB;;;cAZJ,iB;;;cAgCJ,W;;;;;;;;;;;;;;;;IAAA,C;;MAlCyB,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MADzB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAlB,C;IAmCX,C;;MAEiE,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAAkB,SAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAAkB,KAAlB,EAAyB,YAAzB,B,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,EAAmB,IAAnB,C;IAAA,C;;MASc,+B,mB;IAAA,C;;MAAd,uB;MAAA,wB;M9HlDxB,IAAI,E8HoDQ,iBAAY,C9HpDpB,pBAAJ,C;QACI,c8HmDyB,2DAAwD,a;Q9HlDjF,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;M8HqDV,gBAAqB,gBAAmB,aAAnB,O;MACrB,oBAA8B,C;MAE9B,sBAAyB,C;IARF,C;;MAUvB,0B,0B;IAAA,C;MAAA,0B;IAAA,C;;MAMW,Q;MAFP,+DAAkB,KAAlB,EAAyB,SAAzB,B,C;MAEA,OAAO,sBAAyFmC,CAAzF5B,iBAAyF6B,GAAzFC,KAAyFC,IAAzFC,IAAyFC,aAAzFC,hD,4D;IACX,C;;MAEe,qBAAQ,a;IAAR,C;;MAEf,wB,sC;MAAA,2B,2B;MAAA,2B,2B;MAAA,2B,2B

J,OhJtB8D,YgJsBvD,kBAAM,CAAN,ChJtBwE,KAAjB,EgJsB5C,KhJtByE,KAA7B,CgJsBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;;MAGR,OAAO,C;IACX,C;;MAKI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ

Rf,kD;QAQI,oCAAW,8CAAX,C;MAAA,C;KARJ,C;sGAaA,yB;MAAA,sC;MJnJA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MImJA,8BAQe,yB;QAxIf,8D;;UAwIe,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAAjIG,cAAc,SAAiI8C,CAAjI9C,CAAd,EAA2B,SAAiIoC,CAAjIpC,CAA3B,C;;YAgIH,W;UADO,C;QAAA,C;OAAA,C;MARf,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;MJhKA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIwKe,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAArE,OAAjIG,cAAc,SAAiI8B,gB;YAA/I,OAAlIC,cAAc,SAAkIoB,CAAlIpB,CAAd,EAA2B,SAAkIqB,CAAlIrB,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJnLA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIqLe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIC,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ5MA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI8Me,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJrNA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIuNe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ3OA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI6Oe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ5PA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI8Pe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ7QA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI+Qe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ9RA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIgSe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ/SA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIiTe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJhUA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIkUe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJjVA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QImVe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJlWA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIoWe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJnXA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIqXe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJpYA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIsYe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJrZA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIuZe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJtaA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIwae,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJvbA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIybe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJxcA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI0ce,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJzdA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI2de,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ1eA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI4ee,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ3fA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI6fe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ5gBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI8ge,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ7hBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI+he,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ9iBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIgje,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ/jBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIike,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJhlBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIkle,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJnmBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIqme,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJpnBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIsne,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJrobA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIuoe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJtpBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIwpe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJvqBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIyqe,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJxrBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI0re,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJzsBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI2se,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ1tBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI4te,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ3uBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI6ue,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ5vBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI8ve,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ7wBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI+we,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ9xBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIgye,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ/yBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIize,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJhzBA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIkze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJn0BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIqze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJp1BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIsze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJr2BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIuze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJt3BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIwze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJv4BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIyze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJx5BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI0ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJz6BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI2ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ16BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI4ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ36BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI6ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ56BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI8ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ76BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI+ze,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ96BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIg0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ/6BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIi0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJh7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIk0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJj7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIm0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJl7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIo0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJn7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIq0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJp7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIs0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJr7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIu0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJt7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIw0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJv7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QIy0e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJx7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI00e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJz7BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI20e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ17BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;;QI40e,uB;UACP,sBAAsB,mBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAAtD,OAAIG,cAAc,SAAkIC,CAAlID,CAAd,EAA2B,SAAkIE,CAAlIF,CAA3B,C;;UAkIH,W;QADO,C;MAAA,C;KAAA,C;wGAaA,yB;MJ37BA,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc

;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;;IAGhB,C;;MAZJ,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;;;;;;;MAAsC,CAAtC,GAAyC,IAAzC,GAAgD,OAAhD,GAA0D,IAA1D,GAAiE,OAAjE,GAA2E,IAA3E,GAAkF,OAAlF,GAA4F,IAA5F,GAAmG,OAAnG,GAA6G,IAA7G,GAAoH

C;MAAA,C;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;MAAA,C;KAdJ,C;;;;MA3BJ,gC;QAAA,e;;MAAA,yB;IAAA,C;;MAiDI,eAAwB,I;IADK,C;;MAIlB,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAArB,uCAAtB,C;;MAAtB,OAAO,I;IACX,C;;MAGI,eAAa,K;IACjB,C;;;;;;;;;MCpDA,uBAAoB,Y;IADmB,C;;MASsD,W;IAAA,C;;IAML,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAuC,KAAjC,C;QACI,M;;MAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAAtB,EAAsC,KAAhC,C;QAAuC,M;;MAEvC

,C;;MAcpC,IAAA,KAAM,UAAN,C;QAAmB,MAAM,gCAAyB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAAa,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAAA,KAAM,MAAN,GAAc,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAc,CAAd,IAAR,EAAyB,KAAM,KA/B,E/B,IAAuC,CAAvC,I;;QAHe,OAIlB,C,mB;IAJsB,C;;MAiB9C,IAAA,KAAM,UAAN,C;QAAmB,MAAM,gCAAyB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAAa,KAAb,C;QAFiD,OAEnB,0BAAQ,KAAM,MAAN,GAAc,KAAd,IAAR,EAA6B,2BAAS,KAAM,MAAf,EAAsB,KAAM,aAAN,GAAsB,yBAAtB,qBAAsB,CAAtB,EAAsB,CAAtB,EAAsB,CAAtB,E

AAW,cAAJ,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAAa,CAArC,I;IAClC,C;;MA
EkC,OAAE,UAAF,qBAAU,iB;IAAV,C;;;MAYlC,gBAAqB,K;MACrB,uBAA4B,Y;IALD,C;;MAMQ,oB;IAAA,C;
;MACO,2B;IAAA,C;;MAEqB,YAAK,C;IAAL,C;;MAEf,gBAAS,aAAT,IAAmB,SAAS,oB;IA5B,C;;MACd,SAA
E,iBAAU,oBAAZ,C;IAAA,C;;MAG9B,OAAO,4CAA+B,kBAAa,KAAM,UAAnB,KAC9B,KAC,SAAh
B,IA0B,yBAAiB,KAAM,gBADnB,CAA/B,C;IAEX,C;;MAGI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAY,SAA
P,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;IACClC,C;;MAEkC,OAAE,aAAF,qBAAW,oB;IAAX,C;;;MAUu
C,2BAAgB,SAAhB,EAAsB,IAAtB,C;IAAA,C;;MASQ,6BAAkB,SAAlB,EAAwB,IAAxB,C;IAAA,C;;MAWjF,0B
AAmB,2BAAS,OAAT,C;IAAnB,C;;MAIA,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAyB,iCAA8B,IA9B9E,iBA
AzB,C;IAC3B,C;;MC/F8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;IAAlB,C;;MAc1B,0B;QAAA,aAAsB,K;MA
CtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAAO,K;MAExB,IlGpBiI,
OAArI,MAAoD,ckGoB5C,SlGpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,QAAgC,CAAhC,CkGoB7H,KlGpB6H,OAArI,
MAAoD,ckGoBtB,KlGpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,QAAgC,CAAhC,CkGoBjI,C;QAA+C,OAAO,I;MACt
D,IlGxBiI,OAArI,MAAoD,ckGwB5C,SlGxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,QAAgC,CAAhC,CkGwB7H,KlGx
B6H,OAArI,MAAoD,ckGwBtB,KlGxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,QAAgC,CAAhC,CkGwBjI,C;QAA+C,O
AAO,I;MACtD,OAAO,K;IACX,C;;MAKyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,6B,CAAR,6B;IA
AA,C;;MClBZ,4B;QAAA,eAAuB,G;MAChD,wCAAsB,EAAtB,EAA0B,YAA1B,C;IAAA,C;;MAOoC,yB;QAAA,
YAAoB,E;MAAI,4B;QAAA,eAAuB,G;M/IGnF,IAAI,Ce0N+C,CAAC,QgI5N5C,YhI4N4C,Cf1NpD,C;QACI,c+IH
iC,wC;Q/IIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;;M+IHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OA
AV,EAAmB,OAAM,KAAzB,C;IAAT,C;;MAAA,IAAI,wBAAiD,kBAAkB,SAAlB,C;QAAkC,gBAAgB,iBA1E1ET,OA0ES,
C;M1IksCT,kBAAoB,gB;MAAuB,gB;MADb,YAAY,C;MACC,O0InhDN,O1ImhDM,W;kBAAb,OAAa,cAAb,C;Q
AAa,sB;QA7PsB,U;QAAA,cA6PT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q0Ip8ClB,kB;;YAHA,CAAC,YAAS,C
AAT,IAAc,qBAAf,KAA4C,Q1Iu8CG,I0Iv8CH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;YjI4EzB,kC;YAAA,wBTs8
CyC,ISt8CzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAd,gE;cACI,IiI7EkD,CAAI,aAAH,UjI6ErC,YTq8CqC,ISr8C
rC,YAAK,OAAL,EiI7EqC,CAAG,CjI6EtD,C;gBACI,sBAAO,O;gBAAP,wB;;;YAGR,sBAAO,E;;;UiIjFH,iD;UAG
I,gCAA2B,EAA3B,C;YAHJ,2BAGqC,C;gBACjC,IAAK,a1I8gD0C,I0I9gD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,
2B1IkhDmD,IWp/CsB,W+H1BI,0BAAuC,mBAAvC,I/H0BJ,C;;;Y+H9BzE,2BAKY,I;;UAyER,iE5IhBD,yB4IgBC
,4B1Io8C+C,I;;QA7PpB,8B;UAA6C,6B;;;M0ItxChF,OAiFK,S1IssCE,W0ItsCF,EAAO,mBAAc,kBAAd,CAAP,EA
A0C,IAA1C,CACA,W;IAzET,C;;MAiByC,gCAAc,EAAd,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAM3C,Q;
MALL,cAAY,gB;M1I0lBL,kBAAS,gB;MAyEA,U;MAAA,S0IjqBM,O1IiqBN,W;MAAhB,OAAgB,gBAAhB,C;Q
AAgB,2B;QAAM,IU1e6B,CAAC,QV0ehB,OU1egB,CV0e9B,C;UAAwB,WAAY,WAAI,OAAJ,C;;M0I/pBrD,kB1
IgqBE,W;MAojBA,oBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;Q
AAa,wB;QACT,aAAY,WAAj2CpB,YPi2CkC,IOj2ClC,CPi2CoB,C;;M0I5xChB,sBAAsB,CAGjB,c1I0xCE,a0I1xC
F,CAHiB,mBAGR,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C;IAAT,C;;MAAA,IAAI,w
BAAiD,kBAAkB,SAAlB,C;QAAkC,gBAAgB,iBAAhB,CAAP,EAA0C,IAAK,a1IsgD0C,I0ItgD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,
2B1IkhDmD,IWp/CsB,W+H1BI,0BAAuC,mBAAvC,I/H0BJ,C;;;Y+H9BzE,2BAKY,I;;UAyER,iE5IhBD,yB4IgBC
,4B1Io8C+C,I;;QA7PpB,8B;UAA6C,6B;;;M0ItxChF,OAiFK,S1IssCE,W0ItsCF,EAAO,mBAAc,kBAAd,CAAP,EA
A0C,IAA1C,CACA,W;IA1CT,C;;MASa,qB;QAEG,IAAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,
OAAH,GAAY,cAAO,OAAnB,C;IAAA,C;;MAAA,IAAI,cAAO,OAAX,C;QAAmB,OAAO,I;MAAI,OAAO,K;IAAA,C;;MAAA

u8CG,I0Iv8CH,C1I0sCjB,G0IzsC3B,I1IysC2B,G0IvsC3B,sC1Io8C+C,I0Ip8C/C,a5IhBD,yB4IgBC,4B1Io8C+C,IA
7PpB,U;YAA6C,6B;;;Q0I3sChF,OAMK,S1IssCE,W0ItsCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA
,W;MACT,C;KAdA,C;qFvE/FA,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,arE0DtB,W;QqE1DA,
OrE2DO,SqE3D8B,W;MAArC,C;KANJ,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAxB,mBAAc,QAAd,C
;QAA8B,arEiD9B,W;QqEjDA,OrEkDO,SqElDsC,W;MAA7C,C;KAPJ,C;;MAaiB,Q;MAAb,wBAAa,KAAb,gB;Q
AAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;
QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAMiB,Q;MAAb,wBAAa,KAAb,gB
;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;;MAKQ,sB;QAAqB,yBAAO,UAAU,
OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,xBAAe,
SAAR,OAAQ,CAAf,C;IAEhB,C;;MnF9C0C,iCAAqB,EAArB,C;IAAA,C;;MAUvB,Q;MAAA,qBAAL,SAAK,EA
AY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAX,IAAwB,MAA
M,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAI,C;IACf,C;;MAO4C,kCAAsB,EAAtB,C;IA
AA,C;;MAUzB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MAC
V,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,OAAJ,GAAI,C;IACf,C;;MAOwC,gCAAoB,EAApB,C;IAAA,C;;MA0ClB,Q;MAAhB,lB,WAAW,KAAX,C;MAEA,aAAa,SA
AK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,
CAAL,C;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAE
R,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,QAAQ,W;;cACL,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,QA
AQ,W;;;UAER,OAAO,I;;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,qBAAqB,QAAQ,KAAR,I;M
ACrB,aAAa,C;MACK,gBAAS,CAAT,I;MAAlB,aAAU,KAAV,iB;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,E
AAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UAAmB,OAAO,I;QAEpC,6B,IAAI,SAAS,cAAb,C;UAAmB,OAAO,I;QAEpC,6BAAU,KAAV,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,C;UAAyB,OAAO,I;QAEpC,4C,kBAAU,KAAV,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,C;UAAyB,OAAO,I;QAEpC,4B

AAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;MACX,C;KATA,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;;UAER,iBAAO,E;;;QAOP,OAA0C,yB;MAA1C,C;KAJJ,C;;MA1DI,iDAAiB,C;MACjB,eAAe,mBAAS,CAAT,IAAf,C;MACA,iBAAiB,K;MAEjB,OAAO,cAAc,QAAR,YAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAAU,mCAAK,KAAL,EAAV,CAAL,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAOP,OAA0C,yB;IA1C1C,C;;IAAA,iDAAiB,C;IACjB,eAAe,mBAAS,CAAT,IAAf,C;IACA,iBAAiB,K;IAEjB,OAAO,cAAc,QAAR,YAAL,WAAK,CAAQ,CAAb,W;MAAd,OAAc,gBAAd,C;QAAc,yB;QACV,IAAI,CAAU,mCAAK,KAAL,EAAV,CAAL,C;UACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;UAAP,mB;;;MAER,iBAAO,E;;;IAOP,OAA0C,yB;EA1C1C,C;;EAAA,iDAAiB,C;EACjB,eAAe,mBAAS,CAAT,IAAf,C;EACA,iBAAiB,K;EAEjB,OAAO,cAAc,QAAR,YAAL,WAAK,CAAQ,CAAb,W;IAAd,OAAc,gBAAd,C;MAAc,yB;MACV,IAAI,CAAU,mCAAK,KAAL,EAAV,CAAL,C;QACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QAAP,mB;;;IAER,iBAAO,E;;;EAOP,OAA0C,yB;AA1C1C,C;;AAAA,iDAAiB,C;AACjB,eAAe,mBAAS,CAAT,IAAf,C;AACA,iBAAiB,K;AAEjB,OAAO,cAAc,QAAR,YAAL,WAAK,CAAQ,CAAb,W;EAAd,OAAc,gBAAd,C;IAAc,yB;IACV,IAAI,CAAU,mCAAK,KAAL,EAAV,CAAL,C;MACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;MAAP,mB;;;EAER,iBAAO,E;;;AAOP,OAA0C,yB;;;

AA,4B;QAMuD,QAAC,kB;MAAD,C;KANvD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QA
AL,SAAK,C;MAChC,C;KAZA,C;;MAiB4D,kC;MAAS,uB;MACjE,eAAoB,C;IADoC,C;;MAGb,gB;MAAA,iE;M
AAJ,4C;IAAA,C;;MAEE,sBAAQ,yB;IAAR,C;;;MALe,4C;IAAA,C;;MAUd,uCAAQ,E;IAAR,C;;MAW1C,OA5Dg
D,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;IAAnC,C;6EAEJ,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,G
AAe,cAAf,GAAmC,S;MAAnC,C;KATJ,C;;MAeY,uBAAG,mBAAS,CAAT,IAAH,C;IAAA,C;;MAMA,OAAA,SA
AK,OAAL,GAAc,CAAd,I;IAAA,C;;MAMW,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBA
AZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;IAC/B,C;;MAKuD,O
CpQyC,oBDoQ/B,KAAM,MCpQyB,EDoQlB,KAAM,aAAN,GAAqB,CAArB,ICpQkB,C;IDoQzC,C;;MAKc,qCA
AY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;IAAA,C;;MAWM,2BAAY,KAAZ,EAAm
B,GAAnB,C;IAAA,C;;MASjB,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAY,UAAZ,EAAwB,QAAxB,CAAk
C,W;IAAlC,C;;MAK/B,OAAA,8BAAY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,CAAiD,
W;IAAjD,C;;MAMV,qC;QAAA,wBAAgC,S;MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,G
AAwB,qBAAxB,GC1S4F,oBD0S/B,CC1S+B,ED0S5B,KC1S4B,C;ID2ShG,C;;MAMqD,qC;QAAA,wBAAgC,S;
MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GCnT4F,oBDmT/B,CCnT+B,B
,EDmT5B,KCnT4B,C;IDoThG,C;;MAMkD,qC;QAAA,wBAAgC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OA
AW,UAAS,EAApB,GAAwB,qBAAxB,GC5T4F,oBD4T/B,CC5T+B,ED4TpB,gBC5ToB,C;ID6ThG,
C;;MAMoD,qC;QAAA,wBAAgC,S;MAChF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,q
BAAxB,GCrU4F,oBDqU/B,CCrU+B,EDqUL,gBCrUK,C;IDsUhG,C;;MAMuD,qC;QAAA,
wBAAgC,S;MACnF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GC9U4F,oBD8U/B,CC9U+B,ED8U4B,gBD8U5B,C;ID8U
U/B,CC9U+B,ED8U5B,KC9U4B,C;ID+UhG,C;;MAMyD,qC;QAAA,wBAAgC,S;MACrF,YAAY,0BAAY,SAAZ,C;
MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GCvV4F,oBDuV/B,CCvV+B,EDuV5B,KCvV4B,C;IDwVhG
,C;;MAMsD,qC;QAAA,wBAAgC,S;MAClF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,q
BAAxB,GChW4F,oBDgW/B,CChW+B,EDgWpB,gBChWoB,C;IDiWhG,C;;MAMwD,qC;QAAA,wBAAgC,S;
MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GCzW4F,oBDyW/B,CCzW+B,EDyWL,gBCzWK,C;IDyW
/B,QAAQ,SAAU,OAAlB,IAAyB,ICzW+B,EDyWL,gBCzWK,CAAiD,W;IAAjD,C;;MASI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;yFAEA,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aA
AtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,+BAAa,
KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,CAArB,IAA1B,CAAkD,WAAlD,C;IAAA,C;yFAEJ,yB;MAAA,
8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAyB,WAAzB,CAAiC,W;
MAAxD,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GC1Y4F,oBD0Y/B,CC1Y+B,ED0YL,gBC1YK,C;ID0Y/B,QAAQ,SAAU,OAAlB,IAAyB,IC1Y+B,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GC7Z4F,oBD6Z/B,CC7Z+B,ED6ZL,gBC7ZK,C;ID6ZL,QAAQ,SAAU,OAAlB,IAAyB,IC7ZK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GCtb4F,oBDsb/B,CCtb+B,EDsbL,gBCtbK,C;IDsbL,QAAQ,SAAU,OAAlB,IAAyB,ICtbK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GCnd4F,oBDmd/B,CCnd+B,EDmdL,gBCndK,C;IDmdL,QAAQ,SAAU,OAAlB,IAAyB,ICndK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GCxf4F,oBDwf/B,CCxf+B,EDwfL,gBCxfK,C;IDwfL,QAAQ,SAAU,OAAlB,IAAyB,ICxfK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GCjiB4F,oBDiiB/B,CCjiB+B,EDiiBL,gBCjiBK,C;IDiiBL,QAAQ,SAAU,OAAlB,IAAyB,ICjiBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GCtkB4F,oBDskB/B,CCtkB+B,EDskBL,gBCtkBK,C;IDskBL,QAAQ,SAAU,OAAlB,IAAyB,ICtkBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAAS,
EAApB,GAAwB,qBAAxB,GC3mB4F,oBD2mB/B,CC3mB+B,ED2mBL,gBC3mBK,C;ID2mBL,QAAQ,SAAU,OAAlB,IAAyB,IC3mBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCpoB4F,oBDooB/B,CCpoB+B,EDooBL,gBCpoBK,C;IDooBL,QAAQ,SAAU,OAAlB,IAAyB,ICpoBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCrqB4F,oBDqqB/B,CCrqB+B,EDqqBL,gBCrqBK,C;IDqqBL,QAAQ,SAAU,OAAlB,IAAyB,ICrqBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCtsB4F,oBDssB/B,CCtsB+B,EDssBL,gBCtsBK,C;IDssBL,QAAQ,SAAU,OAAlB,IAAyB,ICtsBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCvuB4F,oBDuuB/B,CCvuB+B,EDuuBL,gBCvuBK,C;IDuuBL,QAAQ,SAAU,OAAlB,IAAyB,ICvuBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCxwB4F,oBDwwB/B,CCxwB+B,EDwwBL,gBCxwBK,C;IDwwBL,QAAQ,SAAU,OAAlB,IAAyB,ICxwBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC1yB4F,oBD0yB/B,CC1yB+B,ED0yBL,gBC1yBK,C;ID0yBL,QAAQ,SAAU,OAAlB,IAAyB,IC1yBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC5zB4F,oBD4zB/B,CC5zB+B,ED4zBL,gBC5zBK,C;ID4zBL,QAAQ,SAAU,OAAlB,IAAyB,IC5zBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC9zB4F,oBD8zB/B,CC9zB+B,ED8zBL,gBC9zBK,C;ID8zBL,QAAQ,SAAU,OAAlB,IAAyB,IC9zBK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCh0B4F,oBDg0B/B,CCh0B+B,EDg0BL,gBCh0BK,C;IDg0BL,QAAQ,SAAU,OAAlB,IAAyB,ICh0BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCl0B4F,oBDk0B/B,CCl0B+B,EDk0BL,gBCl0BK,C;IDk0BL,QAAQ,SAAU,OAAlB,IAAyB,ICl0BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCp0B4F,oBDo0B/B,CCp0B+B,EDo0BL,gBCp0BK,C;IDo0BL,QAAQ,SAAU,OAAlB,IAAyB,ICp0BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCt0B4F,oBDs0B/B,CCt0B+B,EDs0BL,gBCt0BK,C;IDs0BL,QAAQ,SAAU,OAAlB,IAAyB,ICt0BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCx0B4F,oBDw0B/B,CCx0B+B,EDw0BL,gBCx0BK,C;IDw0BL,QAAQ,SAAU,OAAlB,IAAyB,ICx0BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC10B4F,oBD00B/B,CC10B+B,ED00BL,gBC10BK,C;ID00BL,QAAQ,SAAU,OAAlB,IAAyB,IC10BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC50B4F,oBD40B/B,CC50B+B,ED40BL,gBC50BK,C;ID40BL,QAAQ,SAAU,OAAlB,IAAyB,IC50BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GC90B4F,oBD80B/B,CC90B+B,ED80BL,gBC90BK,C;ID80BL,QAAQ,SAAU,OAAlB,IAAyB,IC90BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCh1B4F,oBDg1B/B,CCh1B+B,EDg1BL,gBCh1BK,C;IDg1BL,QAAQ,SAAU,OAAlB,IAAyB,ICh1BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnC,CAAgD,W;MAAvE,C;KAPJ,C;;MAgBI,qBAAkB,WAAW,UAAf,C;QAAA,8BAAY,SAAZ,C;MAAA,C;MAAlB,OAAkC,UAS,
EAApB,GAAwB,qBAAxB,GCl1B4F,oBDk1B/B,CCl1B+B,EDk1BL,gBCl1BK,C;IDk1BL,QAAQ,SAAU,OAAlB,IAAyB,ICl1BK,EAAiD,W;IAAjD,C;;MAMI,IAAI,WAAW,UAAf,C;QACI,MAA
M,8BAA0B,gBAAa,QAAb,oCAAkD,UAAlD,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CA
Ab,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,g
BAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QAOK

AO,OAAhB,ICtgBwD,C;;MDwgB5F,OAAO,S;IACX,C;;MAOmF,oCAAkB,SAAlB,EAA6B,SAA7B,C;IAAA,C;;MAOZ,sCAAkB,SAAlB,EAA6B,SAA7B,C;IAAA,C;;MAMD,qC;QAAA,wBAAgC,S;MAClG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;IACJ,C;;MAMwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9KvB,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EA8KyC,CA9KzC,EA8K4C,KA9K5C,EA8KmD,WA9KnD,CAAgD,W;;MA8KvE,W;IACJ,C;;MAMkE,qC;QAAA,wBAAgC,S;MAC9F,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvLvB,U;QAuLM,OAvLgB,aAAtB,+DAAsB,EAuLyC,CAvLzC,EAuL4C,KAvL5C,EAuLmD,WAvLnD,CAAgD,W;;MAuLvE,W;IACJ,C;;MAMgE,qC;QAAA,wBAAgC,S;MAC5F,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhMvB,U;QAgMM,OAhMgB,aAAtB,+DAAsB,EAgMyC,CAhMzC,EAgM4C,KAhM5C,EAgMmD,WAhMnD,CAAgD,W;;MAgMvE,W;IACJ,C;;MAMiE,qC;QAAA,wBAAgC,S;MAC7F,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzMvB,U;QAyMM,OAzMgB,aAAtB,+DAAsB,EAyMyC,CAzMzC,EAyM4C,KAzM5C,EAyMmD,WAzMnD,CAAgD,W;;MAyMvE,W;IACJ,C;;MAMmE,qC;QAAA,wBAAgC,S;MAC/F,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlNvB,U;QAkNM,OAlNgB,aAAtB,+DAAsB,EAkNyC,CAlNzC,EAkN4C,KAlN5C,EAkNmD,WAlNnD,CAAgD,W;;MAkNvE,W;IACJ,C;;MAMoE,qC;QAAA,wBAAgC,S;MAChG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApOvB,U;QAoOM,OApOgB,aAAtB,+DAAsB,EAoOyC,CApOzC,EAoO4C,KApO5C,EAoOmD,WApOnD,CAAgD,W;;MAoOvE,W;IACJ,C;;MAMsE,qC;QAAA,wBAAgC,S;MAClG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7OvB,U;QA6OM,OA7OgB,aAAtB,+DAAsB,EA6OyC,CA7OzC,EA6O4C,KA7O5C,EA6OmD,WA7OnD,CAAgD,W;;MA6OvE,W;IACJ,C;;MAMuE,qC;QAAA,wBAAgC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtPvB,U;QAsPM,OAtPgB,aAAtB,+DAAsB,EAsPyC,CAtPzC,EAsP4C,KAtP5C,EAsPmD,WAtPnD,CAAgD,W;;MAsPvE,W;IACJ,C;;MAMwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/PvB,U;QA+PM,OA/PgB,aAAtB,+DAAsB,EA+PyC,CA/PzC,EA+P4C,KA/P5C,EA+PmD,WA/PnD,CAAgD,W;;MA+PvE,W;IACJ,C;;MAMyE,qC;QAAA,wBAAgC,S;MACrG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxQvB,U;QAwQM,OAxQgB,aAAtB,+DAAsB,EAwQyC,CAxQzC,EAwQ4C,KAxQ5C,EAwQmD,WAxQnD,CAAgD,W;;MAwQvE,W;IACJ,C;;MAM0E,qC;QAAA,wBAAgC,S;MACtG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjRvB,U;QAiRM,OAjRgB,aAAtB,+DAAsB,EAiRyC,CAjRzC,EAiR4C,KAjR5C,EAiRmD,WAjRnD,CAAgD,W;;MAiRvE,W;IACJ,C;;MAM2E,qC;QAAA,wBAAgC,S;MACvG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1RvB,U;QA0RM,OA1RgB,aAAtB,+DAAsB,EA0RyC,CA1RzC,EA0R4C,KA1R5C,EA0RmD,WA1RnD,CAAgD,W;;MA0RvE,W;IACJ,C;;MAM4E,qC;QAAA,wBAAgC,S;MACxG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnSvB,U;QAmSM,OAnSgB,aAAtB,+DAAsB,EAmSyC,CAnSzC,EAmS4C,KAnS5C,EAmSmD,WAnSnD,CAAgD,W;;MAmSvE,W;IACJ,C;;MAM6E,qC;QAAA,wBAAgC,S;MACzG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5SvB,U;QA4SM,OA5SgB,aAAtB,+DAAsB,EA4SyC,CA5SzC,EA4S4C,KA5S5C,EA4SmD,WA5SnD,CAAgD,W;;MA4SvE,W;IACJ,C;;MAM8E,qC;QAAA,wBAAgC,S;MAC1G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArTvB,U;QAqTM,OArTgB,aAAtB,+DAAsB,EAqTyC,CArTzC,EAqT4C,KArT5C,EAqTmD,WArTnD,CAAgD,W;;MAqTvE,W;IACJ,C;;MAM+E,qC;QAAA,wBAAgC,S;MAC3G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9TvB,U;QA8TM,OA9TgB,aAAtB,+DAAsB,EA8TyC,CA9TzC,EA8T4C,KA9T5C,EA8TmD,WA9TnD,CAAgD,W;;MA8TvE,W;IACJ,C;;MAMgF,qC;QAAA,wBAAgC,S;MAC5G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvUvB,U;QAuUM,OAvUgB,aAAtB,+DAAsB,EAuUyC,CAvUzC,EAuU4C,KAvU5C,EAuUmD,WAvUnD,CAAgD,W;;MAuUvE,W;IACJ,C;;MAMiF,qC;QAAA,wBAAgC,S;MAC7G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhVvB,U;QAgVM,OAhVgB,aAAtB,+DAAsB,EAgVyC,CAhVzC,EAgV4C,KAhV5C,EAgVmD,WAhVnD,CAAgD,W;;MAgVvE,W;IACJ,C;;MAMkF,qC;QAAA,wBAAgC,S;MAC9G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzVvB,U;QAyVM,OAzVgB,aAAtB,+DAAsB,EAyVyC,CAzVzC,EAyV4C,KAzV5C,EAyVmD,WAzVnD,CAAgD,W;;MAyVvE,W;IACJ,C;;MAMmF,qC;QAAA,wBAAgC,S;MAC/G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlWvB,U;QAkWM,OAlWgB,aAAtB,+DAAsB,EAkWyC,CAlWzC,EAkW4C,KAlW5C,EAkWmD,WAlWnD,CAAgD,W;;MAkWvE,W;IACJ,C;;MAMoF,qC;QAAA,wBAAgC,S;MAChH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3WvB,U;QA2WM,OA3WgB,aAAtB,+DAAsB,EA2WyC,CA3WzC,EA2W4C,KA3W5C,EA2WmD,WA3WnD,CAAgD,W;;MA2WvE,W;IACJ,C;;MAMqF,qC;QAAA,wBAAgC,S;MACjH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApXvB,U;QAoXM,OApXgB,aAAtB,+DAAsB,EAoXyC,CApXzC,EAoX4C,KApX5C,EAoXmD,WApXnD,CAAgD,W;;MAoXvE,W;IACJ,C;;MAMsF,qC;QAAA,wBAAgC,S;MAClH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7XvB,U;QA6XM,OA7XgB,aAAtB,+DAAsB,EA6XyC,CA7XzC,EA6X4C,KA7X5C,EA6XmD,WA7XnD,CAAgD,W;;MA6XvE,W;IACJ,C;;MAMuF,qC;QAAA,wBAAgC,S;MACnH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtYvB,U;QAsYM,OAtYgB,aAAtB,+DAAsB,EAsYyC,CAtYzC,EAsY4C,KAtY5C,EAsYmD,WAtYnD,CAAgD,W;;MAsYvE,W;IACJ,C;;MAMwF,qC;QAAA,wBAAgC,S;MACpH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/YvB,U;QA+YM,OA/YgB,aAAtB,+DAAsB,EA+YyC,CA/YzC,EA+Y4C,KA/Y5C,EA+YmD,WA/YnD,CAAgD,W;;MA+YvE,W;IACJ,C;;MAMyF,qC;QAAA,wBAAgC,S;MACrH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxZvB,U;QAwZM,OAxZgB,aAAtB,+DAAsB,EAwZyC,CAxZzC,EAwZ4C,KAxZ5C,EAwZmD,WAxZnD,CAAgD,W;;MAwZvE,W;IACJ,C;;MAM0F,qC;QAAA,wBAAgC,S;MACtH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjavB,U;QAiaM,OAjagB,aAAtB,+DAAsB,EAiayC,CAjazC,EAia4C,KAja5C,EAiamD,WAjanD,CAAgD,W;;MAiavE,W;IACJ,C;;MAM2F,qC;QAAA,wBAAgC,S;MACvH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1avB,U;QA0aM,OA1agB,aAAtB,+DAAsB,EA0ayC,CA1azC,EA0a4C,KA1a5C,EA0amD,WA1anD,CAAgD,W;;MA0avE,W;IACJ,C;;MAM4F,qC;QAAA,wBAAgC,S;MACxH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnbvB,U;QAmbM,OAnbgB,aAAtB,+DAAsB,EAmbyC,CAnbzC,EAmb4C,KAnb5C,EAmbmD,WAnbnD,CAAgD,W;;MAmbvE,W;IACJ,C;;MAM6F,qC;QAAA,wBAAgC,S;MACzH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5bvB,U;QA4bM,OA5bgB,aAAtB,+DAAsB,EA4byC,CA5bzC,EA4b4C,KA5b5C,EA4bmD,WA5bnD,CAAgD,W;;MA4bvE,W;IACJ,C;;MAM8F,qC;QAAA,wBAAgC,S;MAC1H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArcvB,U;QAqcM,OArcgB,aAAtB,+DAAsB,EAqcyC,CArczC,EAqc4C,KArc5C,EAqcmD,WArcnD,CAAgD,W;;MAqcvE,W;IACJ,C;;MAM+F,qC;QAAA,wBAAgC,S;MAC3H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9cvB,U;QA8cM,OA9cgB,aAAtB,+DAAsB,EA8cyC,CA9czC,EA8c4C,KA9c5C,EA8cmD,WA9cnD,CAAgD,W;;MA8cvE,W;IACJ,C;;MAMgG,qC;QAAA,wBAAgC,S;MAC5H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvdvB,U;QAudM,OAvdgB,aAAtB,+DAAsB,EAudyC,CAvdzC,EAud4C,KAvd5C,EAudmD,WAvdnD,CAAgD,W;;MAudvE,W;IACJ,C;;MAMiG,qC;QAAA,wBAAgC,S;MAC7H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhevB,U;QAgeM,OAheiB,aAAtB,+DAAsB,EAgeyC,CAhezC,EAge4C,KAhe5C,EAgemD,WAhenD,CAAgD,W;;MAgevE,W;IACJ,C;;MAMkG,qC;QAAA,wBAAgC,S;MAC9H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzevB,U;QAyeM,OAzeiB,aAAtB,+DAAsB,EAyeyC,CAzezC,EAye4C,KAze5C,EAyemD,WAzenD,CAAgD,W;;MAyevE,W;IACJ,C;;MAMmG,qC;QAAA,wBAAgC,S;MAC/H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlfvB,U;QAkfM,OAlfiB,aAAtB,+DAAsB,EAkfyC,CAlfzC,EAkf4C,KAlf5C,EAkfmD,WAlfnD,CAAgD,W;;MAkfvE,W;IACJ,C;;MAMoG,qC;QAAA,wBAAgC,S;MAChI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3fvB,U;QA2fM,OA3fiB,aAAtB,+DAAsB,EA2fyC,CA3fzC,EA2f4C,KA3f5C,EA2fmD,WA3fnD,CAAgD,W;;MA2fvE,W;IACJ,C;;MAMqG,qC;QAAA,wBAAgC,S;MACjI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApgBvB,U;QAogBM,OApgBiB,aAAtB,+DAAsB,EAogByC,CApgBzC,EAogB4C,KApgB5C,EAogBmD,WApgBnD,CAAgD,W;;MAogBvE,W;IACJ,C;;MAMsG,qC;QAAA,wBAAgC,S;MAClI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7gBvB,U;QA6gBM,OA7gBiB,aAAtB,+DAAsB,EA6gByC,CA7gBzC,EA6gB4C,KA7gB5C,EA6gBmD,WA7gBnD,CAAgD,W;;MA6gBvE,W;IACJ,C;;MAMuG,qC;QAAA,wBAAgC,S;MACnI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAthBvB,U;QAshBM,OAthBiB,aAAtB,+DAAsB,EAshByC,CAthBzC,EAshB4C,KAthB5C,EAshBmD,WAthBnD,CAAgD,W;;MAshBvE,W;IACJ,C;;MAMwG,qC;QAAA,wBAAgC,S;MACpI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/hBvB,U;QA+hBM,OA/hBiB,aAAtB,+DAAsB,EA+hByC,CA/hBzC,EA+hB4C,KA/hB5C,EA+hBmD,WA/hBnD,CAAgD,W;;MA+hBvE,W;IACJ,C;;MAMyG,qC;QAAA,wBAAgC,S;MACrI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxiBvB,U;QAwiBM,OAxiBiB,aAAtB,+DAAsB,EAwiByC,CAxiBzC,EAwiB4C,KAxiB5C,EAwiBmD,WAxiBnD,CAAgD,W;;MAwiBvE,W;IACJ,C;;MAM0G,qC;QAAA,wBAAgC,S;MACtI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjjBvB,U;QAijBM,OAjjBiB,aAAtB,+DAAsB,EAijByC,CAjjBzC,EAij4C,KAj54C,EAijmD,WAjjmDnD,CAAgD,W;;MAijvE,W;IACJ,C;;MAM2G,qC;QAAA,wBAAgC,S;MACvI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1jBvB,U;QA0jBM,OA1jBiB,aAAtB,+DAAsB,EA0jByC,CA1jBzC,EA0j4C,KA1j54C,EA0jmD,WA1jmDnD,CAAgD,W;;MA0jvE,W;IACJ,C;;MAM4G,qC;QAAA,wBAAgC,S;MACxI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnkBvB,U;QAmkBM,OAnkBiB,aAAtB,+DAAsB,EAmkByC,CAnkBzC,EAmk4C,KAnk54C,EAmkmD,WAnkmDnD,CAAgD,W;;MAmkvE,W;IACJ,C;;MAM6G,qC;QAAA,wBAAgC,S;MACzI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5kBvB,U;QA4kBM,OA5kBiB,aAAtB,+DAAsB,EA4kByC,CA5kBzC,EA4k4C,KA5k54C,EA4kmD,WA5kmDnD,CAAgD,W;;MA4kvE,W;IACJ,C;;MAM8G,qC;QAAA,wBAAgC,S;MAC1I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArlBvB,U;QAqlBM,OArlBiB,aAAtB,+DAAsB,EAqlByC,CArlBzC,EAql4C,KArl54C,EAqlmD,WArlmDnD,CAAgD,W;;MAqlvE,W;IACJ,C;;MAM+G,qC;QAAA,wBAAgC,S;MAC3I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9lBvB,U;QA8lBM,OA9lBiB,aAAtB,+DAAsB,EA8lByC,CA9lBzC,EA8l4C,KA9l54C,EA8lmD,WA9lmDnD,CAAgD,W;;MA8lvE,W;IACJ,C;;MAMgH,qC;QAAA,wBAAgC,S;MAC5I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvmBvB,U;QAumBM,OAvmBiB,aAAtB,+DAAsB,EAumByC,CAvmBzC,EAum4C,KAvm54C,EAummD,WAvmmDnD,CAAgD,W;;MAumvE,W;IACJ,C;;MAMiH,qC;QAAA,wBAAgC,S;MAC7I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhnBvB,U;QAgnBM,OAhnBiB,aAAtB,+DAAsB,EAgnByC,CAhnBzC,EAgn4C,KAhn54C,EAgnmD,WAhnmDnD,CAAgD,W;;MAgnvE,W;IACJ,C;;MAMkH,qC;QAAA,wBAAgC,S;MAC9I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAznBvB,U;QAynBM,OAznBiB,aAAtB,+DAAsB,EAynByC,CAznBzC,EAyn4C,KAzn54C,EAynmD,WAznmDnD,CAAgD,W;;MAynvE,W;IACJ,C;;MAMmH,qC;QAAA,wBAAgC,S;MAC/I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAloBvB,U;QAkoBM,OAloBiB,aAAtB,+DAAsB,EAkoByC,CAloBzC,EAko4C,KAlo54C,EAkomD,WAlomDnD,CAAgD,W;;MAkovE,W;IACJ,C;;MAMoH,qC;QAAA,wBAAgC,S;MAChJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3oBvB,U;QA2oBM,OA3oBiB,aAAtB,+DAAsB,EA2oByC,CA3oBzC,EA2o4C,KA3o54C,EA2omD,WA3omDnD,CAAgD,W;;MA2ovE,W;IACJ,C;;MAMqH,qC;QAAA,wBAAgC,S;MACjJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApqBvB,U;QAoqBM,OApqBiB,aAAtB,+DAAsB,EAoqByC,CApqBzC,EAoq4C,KApq54C,EAoqmD,WApqmDnD,CAAgD,W;;MAoqvE,W;IACJ,C;;MAMsH,qC;QAAA,wBAAgC,S;MAClJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7qBvB,U;QA6qBM,OA7qBiB,aAAtB,+DAAsB,EA6qByC,CA7qBzC,EA6q4C,KA7q54C,EA6qmD,WA7qmDnD,CAAgD,W;;MA6qvE,W;IACJ,C;;MAMuH,qC;QAAA,wBAAgC,S;MACnJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtrBvB,U;QAsrBM,OAtrBiB,aAAtB,+DAAsB,EAsrByC,CAtrBzC,EAsr4C,KAtr54C,EAsrmD,WAtrmDnD,CAAgD,W;;MAsrvE,W;IACJ,C;;MAMwH,qC;QAAA,wBAAgC,S;MACpJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/rBvB,U;QA+rBM,OA/rBiB,aAAtB,+DAAsB,EA+rByC,CA/rBzC,EA+r4C,KA/r54C,EA+rmD,WA/rmDnD,CAAgD,W;;MA+rvE,W;IACJ,C;;MAMyH,qC;QAAA,wBAAgC,S;MACrJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAxsBvB,U;QAwsBM,OAxsBiB,aAAtB,+DAAsB,EAwsByC,CAxsBzC,EAws4C,KAxs54C,EAwsmD,WAxsmDnD,CAAgD,W;;MAwsvE,W;IACJ,C;;MAM0H,qC;QAAA,wBAAgC,S;MACtJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAjtBvB,U;QAitBM,OAjtBiB,aAAtB,+DAAsB,EAitByC,CAjtBzC,EAit4C,KAjt54C,EAitmD,WAjtmDnD,CAAgD,W;;MAitvE,W;IACJ,C;;MAM2H,qC;QAAA,wBAAgC,S;MACvJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA1tBvB,U;QA0tBM,OA1tBiB,aAAtB,+DAAsB,EA0tByC,CA1tBzC,EA0t4C,KA1t54C,EA0tmD,WA1tmDnD,CAAgD,W;;MA0tvE,W;IACJ,C;;MAM4H,qC;QAAA,wBAAgC,S;MACxJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnuBvB,U;QAmuBM,OAnuBiB,aAAtB,+DAAsB,EAmuByC,CAnuBzC,EAmu4C,KAnu54C,EAmumD,WAnumDnD,CAAgD,W;;MAmuvE,W;IACJ,C;;MAM6H,qC;QAAA,wBAAgC,S;MACzJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5uBvB,U;QA4uBM,OA5uBiB,aAAtB,+DAAsB,EA4uByC,CA5uBzC,EA4u4C,KA5u54C,EA4umD,WA5umDnD,CAAgD,W;;MA4uvE,W;IACJ,C;;MAM8H,qC;QAAA,wBAAgC,S;MAC1J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArvBvB,U;QAqvBM,OArvBiB,aAAtB,+DAAsB,EAqvByC,CArvBzC,EAqv4C,KArv54C,EAqvmD,WArvmDnD,CAAgD,W;;MAqvvE,W;IACJ,C;;MAM+H,qC;QAAA,wBAAgC,S;MAC3J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA9vBvB,U;QA8vBM,OA9vBiB,aAAtB,+DAAsB,EA8vByC,CA9vBzC,EA8v4C,KA9v54C,EA8vmD,WA9vmDnD,CAAgD,W;;MA8vvE,W;IACJ,C;;MAMgI,qC;QAAA,wBAAgC,S;MAC5J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAvwBvB,U;QAuwBM,OAvwBiB,aAAtB,+DAAsB,EAuwByC,CAvwBzC,EAuw4C,KAvw54C,EAuwmD,WAvwmDnD,CAAgD,W;;MAuwvE,W;IACJ,C;;MAMiI,qC;QAAA,wBAAgC,S;MAC7J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAhxBvB,U;QAgxBM,OAhxBiB,aAAtB,+DAAsB,EAgxByC,CAhxBzC,EAgx4C,KAhx54C,EAgxmD,WAhxmDnD,CAAgD,W;;MAgxvE,W;IACJ,C;;MAMkI,qC;QAAA,wBAAgC,S;MAC9J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAzxBvB,U;QAyxBM,OAzxBiB,aAAtB,+DAAsB,EAyxByC,CAzxBzC,EAyx4C,KAzx54C,EAyxmD,WAzxmDnD,CAAgD,W;;MAyxvE,W;IACJ,C;;MAMmI,qC;QAAA,wBAAgC,S;MAC/J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAlyBvB,U;QAkyBM,OAlyBiB,aAAtB,+DAAsB,EAkyByC,CAlyBzC,EAky4C,KAly54C,EAkymD,WAlymDnD,CAAgD,W;;MAkyvE,W;IACJ,C;;MAMoI,qC;QAAA,wBAAgC,S;MAChK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3yBvB,U;QA2yBM,OA3yBiB,aAAtB,+DAAsB,EA2yByC,CA3yBzC,EA2y4C,KA3y54C,EA2ymD,WA3ymDnD,CAAgD,W;;MA2yvE,W;IACJ,C;;MAMqI,qC;QAAA,wBAAgC,S;MACjK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QApzBvB,U;QAozBM,OApzBiB,aAAtB,+DAAsB,EAozByC,CApzBzC,EAoz4C,KApz54C,EAozmD,WApzmDnD,CAAgD,W;;MAozvE,W;IACJ,C;;MAMsI,qC;QAAA,wBAAgC,S;MAClK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA70BvB,U;QA60BM,OA70BiB,aAAtB,+DAAsB,EA60ByC,CA70BzC,EA60B4C,KA70B5C,EA60BmD,WA70BnD,CAAgD,W;;MA60BvE,W;IACJ,C;;MAMuI,qC;QAAA,wBAAgC,S;MACnK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAt1BvB,U;QAs1BM,OAt1BiB,aAAtB,+DAAsB,EAs1ByC,CAt1BzC,EAs1B4C,KAt1B5C,EAs1BmD,WAt1BnD,CAAgD,W;;MAs1BvE,W;IACJ,C;;MAMwI,qC;QAAA,wBAAgC,S;MACpK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA/1BvB,U;QA+1BM,OA/1BiB,aAAtB,+DAAsB,EA+1ByC,CA/1BzC,EA+1B4C,KA/1B5C,EA+1BmD,WA/1BnD,CAAgD,W;;MA+1BvE,W;IACJ,C;;MAMyI,qC;QAAA,wBAAgC,S;MACrK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAx2BvB,U;QAw2BM,OAx2BiB,aAAtB,+DAAsB,EAw2ByC,CAx2BzC,EAw2B4C,KAx2B5C,EAw2BmD,WAx2BnD,CAAgD,W;;MAw2BvE,W;IACJ,C;;MAM0I,qC;QAAA,wBAAgC,S;MACtK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAj3BvB,U;QAi3BM,OAj3BiB,aAAtB,+DAAsB,EAi3ByC,CAj3BzC,EAi3B4C,KAj3B5C,EAi3BmD,WAj3BnD,CAAgD,W;;MAi3BvE,W;IACJ,C;;MAM2I,qC;QAAA,wBAAgC,S;MACvK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA13BvB,U;QA03BM,OA13BiB,aAAtB,+DAAsB,EA03ByC,CA13BzC,EA03B4C,KA13B5C,EA03BmD,WA13BnD,CAAgD,W;;MA03BvE,W;IACJ,C;;MAM4I,qC;QAAA,wBAAgC,S;MACxK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAn4BvB,U;QAm4BM,OAn4BiB,aAAtB,+DAAsB,EAm4ByC,CAn4BzC,EAm4B4C,KAn4B5C,EAm4BmD,WAn4BnD,CAAgD,W;;MAm4BvE,W;IACJ,C;;MAM6I,qC;QAAA,wBAAgC,S;MACzK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA54BvB,U;QA44BM,OA54BiB,aAAtB,+DAAsB,EA44ByC,CA54BzC,EA44B4C,KA54B5C,EA44BmD,WA54BnD,CAAgD,W;;MA44BvE,W;I

IAC7B,C;;MAU8D,0B;QAAA,aAAsB,K;MAChF,iBAAiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBXjn
BO,MAAK,KWinBe,UXjnBf,EWinB2B,WXjnB3B,C;MWmnBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SA
AzB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,EAAO,iBAAM,cAAc,CAAd,GAAkB,CAAlB,IAAN,C
AAP,EAAgD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAjB,IA
AnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd,GAAkB,CAAlB,IAAnB,CAAzD,C;QACI,a;;MAEJ,O
AAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;IACnD,C;;MAaqD,0B;QAAA,aAAkB,C;MAAG,0
B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OC7wBwF,kBgF7CE,oBjF0zBrE,IiF1zBqE,ChF6CF,ED6w
B7D,UC7wB6D,C;;MDgxBnE,uBAAX,UAAW,EAAc,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI
,KAAJ,C;QACR,c;;UnCwkSE,U;UAAhB,4BmCxkSQ,KnCwkSR,kB;YAAgB,cAAhB,UmCxkSQ,KnCwkSR,S;YA
AsB,ImCxkSC,SAAH,UnCwkSgB,oBmCxkShB,CAAG,0BnCwkSD,C;cAAwB,aAAO,I;cAAP,e;;;UAC9C,aAAO,
K;;;QmCzkSH,e;UACI,OAAO,K;;MAEf,OAAO,E;IACX,C;;MAWyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,a
AAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,S
AAN,KAAM,C;QACjB,OCjyB4F,sBgF7CM,oBjF80BzE,IiF90ByE,ChF6CN,EDiyB7D,UCjyB6D,C;;kBDqyBhG,i
BAAyB,eAAX,UAAW,EAAa,2BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;U
nCgjSE,Q;UAAhB,wBmChjSQ,KnCgjSR,gB;YAAgB,cAAhB,UmChjSQ,KnCgjSR,O;YAAsB,ImChjSC,SAAH,U
nCgjSgB,oBmChjShB,CAAG,0BnCgjSD,C;cAAwB,aAAO,I;cAAP,e;;;UAC9C,aAAO,K;;;QmCjjSH,e;UACI,OAA
O,K;;MAGf,OAAO,E;IACX,C;;MAG2G,oB;QAAA,OAAgB,K;MAOrG,UAKA,M;MAXlB,cAAkB,CAAC,IAAL,
GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,C;MAAkB,CAAX,EAAsC,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,
SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBAAT,QAAS,EAAc,CAAd,C;MAAkB,CAAnD,C;MAEJ,IAAI,iCAA
kB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,C;UAAkB,EAAiB,S
AAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,
OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAAkB,CAAlB,IAAqB,EAArB,IAAN,EAAqC,SAArC,EAAuD,OAAvD,CAAV,C;YACI,
AkC,KAAM,OAAxC,EAAgD,UAAhD,CAAV,C;YACI,OAAO,O;;;MAGnB,OAAO,E;IACX,C;;MAYsB,UAMA,
M;MAflB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAgB,CAAnC,C;QACI,aAAqB,UAAR,OAAQ,EAAgB,UAAhB,CAArB,C;QACI,
YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UAAhB,CAAX,EAAwC,GAAxC,EAA6C,0BAAQ,MAAR,EAAgB,UAAhB,CAA7C,CAAoE,oB
,C;QAC3D,OAAW,QAAQ,CAAR,IAAa,QAAQ,CAAR,IAAa,QAAQ,CAAR,IAAa

AAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAAkD,IAAlD,CADJ,GC98BgG,sBDi9B1E,MCj9B0E,EDi9BlE,UCj9BkE,C;IDk9BpG,C;;MAQ+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UA4B,UA5B,KA2C,C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAAkB,gBAAlB,B,EAA0B,UAA1B,B,EAAkC,KAAlC,EAAyC,C;IAH7C,C,C;;MAakD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UA2B,UA3B,KA0C,C,C;IAA1C,C,C;;MAMsE,OAAA,KAAM,yBAAgB,SAAhB,C;IAAN,C;;MAOtE,oB;MACA,8B;MACA,oB;MACA,kC;IAJiC,C;;MAOa,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAX,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAlB,lB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;IALuB,C;;MAQtC,IAAI,uBAAkB,CAAlB,EAAqB,C;QACjC,iBAAY,C;QACZ,gBAAW,I;;;QAEX,IAAI,4CAAQ,CAAR,EAAW,CAAX,EAAc,IAAd,uDAAd,yCAA1B,IAAA,KAAA,EAAA,CAAA,EAAA,CAAA,EAAA,C

,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,sBACwC,gB;MACxC,uBACyC,gB;MACzC,kBACoC,gB;MACpC,cACgC,gB;MAChC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MAChC,oBACsC,iB;MACtC,cACgC,iB;MAChC,gBACkC,iB;MAClC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MACrC,gBACkC,iB;MAClC,mBACqC,iB;MACrC,sBACwC,iB;IAjF5C,C;;;;MAAA,iC;QAAA,gB;;MAAA,0B;IAAA,C;;;;;;;;;;MCuEkD,oCAAa,IAAb,C;IAAA,C;;MAiBC,kB;IAArB,C;;MAE6B,OAAA,UAAM,YAAN,aAAkB,CAAlB,C;IAAA,C;;MAEA

AlBA,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;MAAN,C;KANjD,C;;MgE1DI,8B;MA1DA,kB;IAD8B,C;;MAUQ,iD;IAAA,C;;MAMA,gD;IAAA,C;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAEY,2E;MAFZ,C;KATJ,C;;MAsBQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,U;;QADxB,OAEY,I;IAFZ,C;;MAYI,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;QADxB,OAEY,sBAAU,UAAV,O;IAFZ,C;;MAOJ,gC;IAAA,C;wHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,KAAP,CAAA,C;KALJ,C;wHAMI,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAA,C;KALJ,C;KALJ,C;wHAOA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAA,C;KALJ,C;KALJ,C;;;;MAZJ,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MAqBI,0B;IADkB,C;;MAI0B,+CAAA,oB,uBAAA,a,KAAA,M,UAAA,nB,C;IAAA,C;;MAMA,gC;IAAA,C;;MAMA,gC;IAAA,C;;MAMA,gC

B,CClKgD,MAAjB,EDAe,KCAc,KAA7B,C;MDAT,C;KANzD,C;sGAQA,yB;MAiKA,WAS6D,wB;MAT7D,+B;MclKA,gD;MdCA,wB;QAM0D,OcAS,aAAkB,CdoKhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CcpKgD,MAAlB,EdAgB,KcAc,KAA9B,C;MdAT,C;KAN1D,C;4FAQA,yB;MA+IA,6B;MA/IA,wB;QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CChJ4B,MAAK,GAAAW,CDgJ5C,cAtJsC,KAsJ5B,KAAL,GAAAiB,GAAAtB,CChJ4C,MAAX,IAAAf,C;MDNC,C;KAFtD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CChJ4B,MAAK,GAAAW,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAAiB,GAAAtB,CCjJ4C,MAAX,IAAAf,C;MDHE,C;KAFvD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,cAAU,SAAL,GAAAiB,GAAAtB,CChJ4B,MAAK,GAAAW,CDgJ5C,cAtJsC,KAsJ5B,KAAL,GAAAiB,GAAAtB,CChJ4C,MAAX,IAAAf,C;MDAA,C;KAFrD,C;4FAGA,yB;MAgJA,6B;MAhJ

qC,W;IAAA,C;oFACrC,yB;MAAA,iC;MuJhLJ,4B;MvJgLI,mB;QASuC,uBuJtL+C,QvJsLnC,SuJtLG,GvJsLW,GuJtLqB,CvJsL/C,C;MAAA,C;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAAtB,C;MAAA,C;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,AK,CAAL,UAAN,C;MAAA,C;KATrC,C;;MAiBqC,OApDC,SAAL,GAAiB,G;IAoDb,C;;MAOE,OA3DD,SAAL,GAAiB,G;IA2DX,C;;MAEE,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;IAAR,C;;;;;;MA/O7C,c;MAG6D,qD;MAH7D,a;IAAA,C;;MAAA,2IAG6D,oCAH7D,G;IAAA,C;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;MAAM,C;KAVhD,C;sEAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,AK,CAAL,UAAX,C;MAAW,C;KAXjD,C;sEAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAY2C,sBAAW,OAAL,SAAK,AK,CAAL,UAAX,C;MAAW,C;KAZjD,C;sEAaA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAa2C,sBAAW,OAAL,SAAK,AK,CAAL,UAAX,C;MAAW,C;KAbjD,C;;MAkBqC,OAlBrC,SAAL,GAAiB,GAkBD,Y;IAlBhB,C;;MAqBqC,OArBrC,SAAL,GAAiB,GAqBD,Y;IArBhB,C;;MAwBqC,OAxBrC,SAAL,GAAiB,GAwBD,Y;IAxBhB,C;;MA2BqC,OA3BrC,SAAL,GAAiB,GA2BD,Y;IA3BhB,C;;MA8BqC,OA9BrC,SAAL,GAAiB,GA8BD,Y;IA9BhB,C;;MAiCqC,OAjCrC,SAAL,GAAiB,GAiCD,Y;IAjChB,C;;MAoCqC,OApCrC,SAAL,GAAiB,GAoCD,Y;IApChB,C;;MAuCqC,OAvCrC,SAAL,GAAiB,GAuCD,Y;IAvChB,C;;MA0CqC,OA1CrC,SAAL,GAAiB,GA0CD,Y;IA1ChB,C;;MA6CqC,OA7CrC,SAAL,GAAiB,GA6CD,Y;IA7ChB,C;;MAgDqC,OAhDrC,SAAL,GAAiB,GAgDD,Y;IAhDhB,C;;MAmDqC,OAnDrC,SAAL,GAAiB,GAmDD,Y;IAnDhB,C;;MAsDqC,OAtDrC,SAAL,GAAiB,GAsDD,Y;IAtDhB,C;;MAyDqC,OAzDrC,SAAL,GAAiB,GAyDD,Y;IAzDhB,C;;MA4DqC,OA5DrC,SAAL,GAAiB,GA4DD,Y;IA5DhB,C;;MA+DqC,OA/DrC,SAAL,GAAiB,GA+DD,Y;IA/DhB,C;;MAkEqC,OAlErC,SAAL,GAAiB,GAkED,Y;IAlEhB,C;;MAqEqC,OArErC,SAAL,GAAiB,GAqED,Y;IArEhB,C;;MAwEqC,OAxErC,SAAL,GAAiB,GAwED,Y;IAxEhB,C;;MA2EqC,OA3ErC,SAAL,GAAiB,GA2ED,Y;IA3EhB,C;;MA8EqC,OA9ErC,SAAL,GAAiB,GA8ED,Y;IA9EhB,C;;MAiFqC,OAjFrC,SAAL,GAAiB,GAiFD,Y;IAjFhB,C;;MAoFqC,OApFrC,SAAL,GAAiB,GAoFD,Y;IApFhB,C;;MAuFqC,OAvFrC,SAAL,GAAiB,GAuFD,Y;IAvFhB,C;;MA0FqC,OA1FrC,SAAL,GAAiB,GA0FD,Y;IA1FhB,C;;MA6FqC,OA7FrC,SAAL,GAAiB,GA6FD,Y;IA7FhB,C;;MAgGqC,OAhGrC,SAAL,GAAiB,GAgGD,Y;IAhGhB,C;;MAmGqC,OAnGrC,SAAL,GAAiB,GAmGD,Y;IAnGhB,C;;MAsGqC,OAtGrC,SAAL,GAAiB,GAsGD,Y;IAtGhB,C;;MAyGqC,OAzGrC,SAAL,GAAiB,GAyGD,Y;IAzGhB,C;;MA4GqC,OA5GrC,SAAL,GAAiB,GA4GD,Y;IA5GhB,C;;MA+GqC,OA/GrC,SAAL,GAAiB,GA+GD,Y;IA/GhB,C;;MAkHqC,OAlHrC,SAAL,GAAiB,GAkHD,Y;IAlHhB,C;;MAqHqC,OArHrC,SAAL,GAAiB,GAqHD,Y;IArHhB,C;;MAwHqC,OAxHrC,SAAL,GAAiB,GAwHD,Y;IAxHhB,C;;MA2HqC,OA3HrC,SAAL,GAAiB,GA2HD,Y;IA3HhB,C;;MA8HqC,OA9HrC,SAAL,GAAiB,GA8HD,Y;IA9HhB,C;;MAiIqC,OAjIrC,SAAL,GAAiB,GAiID,Y;IAjIhB,C;;MAoIqC,OApIrC,SAAL,GAAiB,GAoID,Y;IApIhB,C;;MAuIqC,OAvIrC,SAAL,GAAiB,GAuID,Y;IAvIhB,C;;MA0IqC,OA1IrC,SAAL,GAAiB,GA0ID,Y;IA1IhB,C;;MA6IqC,OA7IrC,SAAL,GAAiB,GA6ID,Y;IA7IhB,C;;MAgJqC,OAhJrC,SAAL,GAAiB,GAgJD,Y;IAhJhB,C;;MAmJqC,OAnJrC,SAAL,GAAiB,GAmJD,Y;IAnJhB,C;;MAsJqC,OAtJrC,SAAL,GAAiB,GAsJD,Y;IAtJhB,C;;MAyJqC,OAzJrC,SAAL,GAAiB,GAyJD,Y;IAzJhB,C;;MA4JqC,OA5JrC,SAAL,GAAiB,GA4JD,Y;IA5JhB,C;;MA+JqC,OA/JrC,SAAL,GAAiB,GA+JD,Y;IA/JhB,C;;MAkKqC,OAlKrC,SAAL,GAAiB,GAkKD,Y;IAlKhB,C;;MAqKqC,OArKrC,SAAL,GAAiB,GAqKD,Y;IArKhB,C;;MAwKqC,OAxKrC,SAAL,GAAiB,GAwKD,Y;IAxKhB,C;;MA2KqC,OA3KrC,SAAL,GAAiB,GA2KD,Y;IA3KhB,C;;MA8KqC,OA9KrC,SAAL,GAAiB,GA8KD,Y;IA9KhB,C;;MAiLqC,OAjLrC,SAAL,GAAiB,GAiLD,Y;IAjLhB,C;;MAoLqC,OApLrC,SAAL,GAAiB,GAoLD,Y;IApLhB,C;;MAuLqC,OAvLrC,SAAL,GAAiB,GAuLD,Y;IAvLhB,C;;MA0LqC,OA1LrC,SAAL,GAAiB,GA0LD,Y;IA1LhB,C;;MA6LqC,OA7LrC,SAAL,GAAiB,GA6LD,Y;IA7LhB,C;;MAgMqC,OAhMrC,SAAL,GAAiB,GAgMD,Y;IAhMhB,C;;MAmMqC,OAnMrC,SAAL,GAAiB,GAmMD,Y;IAnMhB,C;;MAsMqC,OAtMrC,SAAL,GAAiB,GAsMD,Y;IAtMhB,C;;MAyMqC,OAzMrC,SAAL,GAAiB,GAyMD,Y;IAzMhB,C;;MA4MqC,OA5MrC,SAAL,GAAiB,GA4MD,Y;IA5MhB,C;;MA+MqC,OA/MrC,SAAL,GAAiB,GA+MD,Y;IA/MhB,C;;MAkNqC,OAlNrC,SAAL,GAAiB,GAkND,Y;IAlNhB,C;;MAqNqC,OArNrC,SAAL,GAAiB,GAqND,Y;IArNhB,C;;MAwNqC,OAxNrC,SAAL,GAAiB,GAwND,Y;IAxNhB,C;;MA2NqC,OA3NrC,SAAL,GAAiB,GA2ND,Y;IA3NhB,C;;MA8NqC,OA9NrC,SAAL,GAAiB,GA8ND,Y;IA9NhB,C;;MAiOqC,OAjOrC,SAAL,GAAiB,GAiOD,Y;IAjOhB,C;;MAoOqC,OApOrC,SAAL,GAAiB,GAoOD,Y;IApOhB,C;;MAuOqC,OAvOrC,SAAL,GAAiB,GAuOD,Y;IAvOhB,C;;MA0OqC,OA1OrC,SAAL,GAAiB,GA0OD,Y;IA1OhB,C;;MA6OqC,OA7OrC,SAAL,GAAiB,GA6OD,Y;IA7OhB,C;;MAgPqC,OAhPrC,SAAL,GAAiB,GAgPD,Y;IAhPhB,C;;MAmPqC,OAnPrC,SAAL,GAAiB,GAmPD,Y;IAnPhB,C;;MAsPqC,OAtPrC,SAAL,GAAiB,GAsPD,Y;IAtPhB,C;;MAyPqC,OAzPrC,SAAL,GAAiB,GAyPD,Y;IAzPhB,C;;MA4PqC,OA5PrC,SAAL,GAAiB,GA4PD,Y;IA5PhB,C;;MA+PqC,OA/PrC,SAAL,GAAiB,GA+PD,Y;IA/PhB,C;;MAkQqC,OAlQrC,SAAL,GAAiB,GAkQD,Y;IAlQhB,C;;MAqQqC,OArQrC,SAAL,GAAiB,GAqQD,Y;IArQhB,C;;MAwQqC,OAxQrC,SAAL,GAAiB,GAwQD,Y;IAxQhB,C;;MA2QqC,OA3QrC,SAAL,GAAiB,GA2QD,Y;IA3QhB,C;;MA8QqC,OA9QrC,SAAL,GAAiB,GA8QD,Y;IA9QhB,C;;MAiRqC,OAjRrC,SAAL,GAAiB,GAiRD,Y;IAjRhB,C;;MAoRqC,OApRrC,SAAL,GAAiB,GAoRD,Y;IApRhB,C;;MAuRqC,OAvRrC,SAAL,GAAiB,GAuRD,Y;IAvRhB,C;;MA0RqC,OA1RrC,SAAL,GAAiB,GA0RD,Y;IA1RhB,C;;MA6RqC,OA7RrC,SAAL,GAAiB,GA6RD,Y;IA7RhB,C;;MAgSqC,OAhSrC,SAAL,GAAiB,GAgSD,Y;IAhShB,C;;MAmSqC,OAnSrC,SAAL,GAAiB,GAmSD,Y;IAnShB,C;;MAsSqC,OAtSrC,SAAL,GAAiB,GAsSD,Y;IAtShB,C;;MAySqC,OAzSrC,SAAL,GAAiB,GAySD,Y;IAzShB,C;;MA4SqC,OA5SrC,SAAL,GAAiB,GA4SD,Y;IA5ShB,C;;MA+SqC,OA/SrC,SAAL,GAAiB,GA+SD,Y;IA/ShB,C;;MAkTqC,OAlTrC,SAAL,GAAiB,GAkTD,Y;IAlThB,C;;MAqTqC,OArTrC,SAAL,GAAiB,GAqTD,Y;IArThB,C;;MAwTqC,OAxTrC,SAAL,GAAiB,GAwTD,Y;IAxThB,C;;MA2TqC,OA3TrC,SAAL,GAAiB,GA2TD,Y;IA3ThB,C;;MA8TqC,OA9TrC,SAAL,GAAiB,GA8TD,Y;IA9ThB,C;;MAiUqC,OAjUrC,SAAL,GAAiB,GAiUD,Y;IAjUhB,C;;MAoUqC,OApUrC,SAAL,GAAiB,GAoUD,Y;IApUhB,C;;MAuUqC,OAvUrC,SAAL,GAAiB,GAuUD,Y;IAvUhB,C;;MA0UqC,OA1UrC,SAAL,GAAiB,GA0UD,Y;IA1UhB,C;;MA6UqC,OA7UrC,SAAL,GAAiB,GA6UD,Y;IA7UhB,C;;MAgVqC,OAhVrC,SAAL,GAAiB,GAgVD,Y;IAhVhB,C;;MAmVqC,OAnVrC,SAAL,GAAiB,GAmVD,Y;IAnVhB,C;;MAsVqC,OAtVrC,SAAL,GAAiB,GAsVD,Y;IAtVhB,C;;MAyVqC,OAzVrC,SAAL,GAAiB,GAyVD,Y;IAzVhB,C;;MA4VqC,OA5VrC,SAAL,GAAiB,GA4VD,Y;IA5VhB,C;;MA+VqC,OA/VrC,SAAL,GAAiB,GA+VD,Y;IA/VhB,C;;MAkWqC,OAlWrC,SAAL,GAAiB,GAkWD,Y;IAlWhB,C;;MAqWqC,OArWrC,SAAL,GAAiB,GAqWD,Y;IArWhB,C;;MAwWqC,OAxWrC,SAAL,GAAiB,GAwWD,Y;IAxWhB,C;;MA2WqC,OA3WrC,SAAL,GAAiB,GA2WD,Y;IA3WhB,C;;MA8WqC,OA9WrC,SAAL,GAAiB,GA8WD,Y;IA9WhB,C;;MAiXqC,OAjXrC,SAAL,GAAiB,GAiXD,Y;IAjXhB,C;;MAoXqC,OApXrC,SAAL,GAAiB,GAoXD,Y;IApXhB,C;;MAuXqC,OAvXrC,SAAL,GAAiB,GAuXD,Y;IAvXhB,C;;MA0XqC,OA1XrC,SAAL,GAAiB,GA0XD,Y;IA1XhB,C;;MA6XqC,OA7XrC,SAAL,GAAiB,GA6XD,Y;IA7XhB,C;;MAgYqC,OAhYrC,SAAL,GAAiB,GAgYD,Y;IAhYhB,C;;MAmYqC,OAnYrC,SAAL,GAAiB,GAmYD,Y;IAnYhB,C;;MAsYqC,OAtYrC,SAAL,GAAiB,GAsYD,Y;IAtYhB,C;;MAyYqC,OAzYrC,SAAL,GAAiB,GAyYD,Y;IAzYhB,C;;MA4YqC,OA5YrC,SAAL,GAAiB,GA4YD,Y;IA5YhB,C;;MA+YqC,OA/YrC,SAAL,GAAiB,GA+YD,Y;IA/YhB,C;;MAkZqC,OAlZrC,SAAL,GAAiB,GAkZD,Y;IAlZhB,C;;MAqZqC,OArZrC,SAAL,GAAiB,GAqZD,Y;IArZhB,C;;MAwZqC,OAxZrC,SAAL,GAAiB,GAwZD,Y;IAxZhB,C;;MA2ZqC,OA3ZrC,SAAL,GAAiB,GA2ZD,Y;IA3ZhB,C;;MA8ZqC,OA9ZrC,SAAL,GAAiB,GA8ZD,Y;IA9ZhB,C;;MAiaqC,OAjarC,SAAL,GAAiB,GAiaD,Y;IAjahB,C;;MAoaqC,OAparC,SAAL,GAAiB,GAoaD,Y;IApahB,C;;MAuaqC,OAvarC,SAAL,GAAiB,GAuaD,Y;IAvahB,C;;MA0aqC,OA1arC,SAAL,GAAiB,GA0aD,Y;IA1ahB,C;;MA6aqC,OA7arC,SAAL,GAAiB,GA6aD,Y;IA7ahB,C;;MAgbqC,OAhbrC,SAAL,GAAiB,GAgbD,Y;IAhbhB,C;;MAmbqC,OAnbrC,SAAL,GAAiB,GAmbD,Y;IAnbhB,C;;MAsbqC,OAtbrC,SAAL,GAAiB,GAsbD,Y;IAtbhB,C;;MAybqC,OAzbrC,SAAL,GAAiB,GAybD,Y;IAzbhB,C;;MA4bqC,OA5brC,SAAL,GAAiB,GA4bD,Y;IA5bhB,C;;MA+bqC,OA/brC,SAAL,GAAiB,GA+bD,Y;IA/bhB,C;;MAkcqC,OAlcrC,SAAL,GAAiB,GAkcD,Y;IAlchB,C;;MAqcqC,OArcrC,SAAL,GAAiB,GAqcD,Y;IArchB,C;;MAwcqC,OAxcrC,SAAL,GAAiB,GAwcD,Y;IAxchB,C;;MA2cqC,OA3crC,SAAL,GAAiB,GA2cD,Y;IA3chB,C;;MA8cqC,OA9crC,SAAL,GAAiB,GA8cD,Y;IA9chB,C;;MAidqC,OAjdrC,SAAL,GAAiB,GAidD,Y;IAjdhB,C;;MAodqC,OApdrC,SAAL,GAAiB,GAodD,Y;IApdhB,C;;MAudqC,OAvdrC,SAAL,GAAiB,GAudD,Y;IAvdhB,C;;MA0dqC,OA1drC,SAAL,GAAiB,GA0dD,Y;IA1dhB,C;;MA6dqC,OA7drC,SAAL,GAAiB,GA6dD,Y;IA7dhB,C;;MAgeqC,OAherC,SAAL,GAAiB,GAgeD,Y;IAheh

UbAK,KaAO,KAAZ,CAAhB,C;MbAA,C;KAFxD,C;wFAIA,yB;MDwGA,6B;MClGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;MANC,C;KAFrD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GlB,KAAL,GAAiB,KAAtB,CD1GiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAiHA,kBAS6D,sB;MAT7D,+B;MajHA,8C;MbAA,wB;QAEsD,OaAA,YbwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CaxHiB,EbAmB,KaAnB,C;MbAA,C;KAFtD,C;wFAIA,yB;MD2FA,6B;MCrFA,kD;MANA,wB;QAEqD,OAMD,cAAc,IAAd,ED4FjB,cClG2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;MANC,C;KAFrD,C;wFAGA,yB;MCyFA,6B;MDtFA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGlB,KAAL,GAAiB,KAAtB,CD7FiB,C;MAHE,C;KAFtD,C;wFAGA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAW,IAAX,EAAiB,KAAjB,C;MAAA,C;KAFpD,C;wFAGA,yB;MAoGA,kBAS6D,sB;MAT7D,+B;MapGA,oD;MbAA,wB;QAEsD,OaAA,eb2GjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ca3GiB,EbAmB,KaAnB,C;MbAA,C;KAFtD,C;wFAIA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,8C;MAAA,mB;QAEyC,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFzC,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAL,QAAK,CAAL,iBAAN,C;MAAA,C;KAFzC

B,KAAjB,EyKvCO,SzKuCsB,KAA7B,CyKvCF,K;;MAAlB,W;IAAA,C;;MAEZ,OzKqCgC,YyKrChC,UzKqCiD,KAAjB,EyKrCxB,SzKqCqD,KAA7B,CyKrChC,I;IAAA,C;;MAItB,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UzKsKA,KyKtKL,QAAqB,SzKsKhB,KyKtKL,I;IAAxB,C;;MAE8B,OAAE,UAAF,qBAAU,S;IAAV,C;;MAElC,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UAA/B,B,C;IAFlC,C;;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;;MAmDA,uC;MAjCI,IAAI,SAAQ,CAAZ,Z,C;QAAuB,MAAa,gCAAb,wBAAa,C;MAAC,qCAAD,C;MAAC,mCAAD,C;MAAC,iCAAD,C;MAAC,+BAAD,C;MAAC,6BAAD,C;MAAC,2BAAD,C;MAAC,yBAAD,C;MAAC,uBAAD,C;MAAC,qBAAD,C;MAAC,mBAAD,C;MAAC,iBAAD,C;MAAC,eAAD,C;MAAC,aAAD,C;MAAC,WAAD,C;MAAC,SAAD,C;MAAC,OAAD,C;MAAC,KAAD,C;MAAC,GAAD,C;MAAC,CAAD,C;MAAC,CAAD,C;MAAC,C

B;MajIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAY,CbqI/C,eAAW,oBaxIkB,KbwIvB,KAAK,CAAL,iBAAN,CarI+C,MAAZ,CAAhB,C;MAHD,C;KAFvD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;MAAA,C;KAFxD,C;0FAIA,yB;MdkHA,WAS6D,wB;MAT7D,+B;MczGA,8C;MATA,wB;QAEsD,OASA,YAAY,IAAZ,EdgHjB,eAAW,oBczHe,KdyHpB,KAAK,CAAL,UAAN,CchHiB,C;MATA,C;KAFtD,C;0FAGA,yB;MZgHA,aAS6D,0B;MAT7D,+B;MY1GA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,EZiHjB,eAAW,oBBYvHgB,KZuHrB,KAAK,CAAL,YAAN,CYjHiB,C;MANC,C;KAFvD,C;0FAGA,yB;MboHA,kBAS6D,sB;MAT7D,+B;MajHA,8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,EbwHjB,eAAW,oBBa3Hc,Kb2HnB,KAAK,CAAL,iBAAN,CaxHiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,sBAAM,IAAK,EAAZ,CAAhB,C;MAAA,C;KAFtD,C;0FAIA,yB;MdqGA,WAS6D,+B;MAT7D,+B;Mc5FA,oD;MATA,wB;QAEsD,OASA,eAAY,IAAZ,EAAe,IAAf,EdmGjB,eAAW,oBBc5Ge,Kd4GpB,KAAK,CAAL,UAAN,CcnGiB,C;MATA,C;KAFtD,C;0FAGA,yB;MZmGA,aAS6D,0B;MAT7D,+B;MY7FA,oD;MANA,wB;QAEuD,OAMD,eAAY,IAAZ,EAAe,IAAf,EZoGjB,eAAW,oBBY1GgB,KZ0GrB,KAAK,CAAL,YAAN,CYpGiB,C;MANC,C;KAFvD,C;0FAGA,yB;MbuGA,kBAS6D,sB;MAT7D,+B;MapGA,oD;MAHA,wB;QAEqD,OAGC,eAAY,IAAZ,Eb2GjB,eAAW,oBBa9Gc,Kb8GnB,KAAK,CAAL,iBAAN,Ca3GiB,C;MAHD,C;KAFrD,C;0FAGA,yB;MAAA,oD;MAAA,wB;QAEsD,sBAAM,IAAK,EAAZ,CAAhB,C;MAAA,C;KAFtD,C;0FAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;0FAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;kGAIA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAM,IAAK,EAAX,CAAhB,C;MAAA,C;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,SAAK,MAAX,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,SAAK,MAAX,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,EAAX,C;MAAA,C;KAFnD,C;0FAIA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,EAAX,C;MAAA,C;KAFlD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,SAAK,MAAX,C;MAAA,C;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;0FAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C,C;0FAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;MAAA,C;KAF1C

C;;MAUqE,e;IAAA,C;;M+JvCjE,kC;MAjByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;IAAtC,C;;MACe,iB;IAAA,C;;MACO,gB;IAAA,C;;MAEM,W9J+CoB,a8J/CpB,U9J+CsC,KAAlB,E8J/CX,K9J+CyC,KAA9B,C8J/CpB,K;MAAA,S;QAAkB,O9J+CE,a8J/CF,K9J+CoB,KAAlB,E8J/CO,S9J+CuB,KAA9B,C8J/CF,K;;MAAlB,W;IAAA,C;;MAEb,O9J6CiC,a8J7CjC,U9J6CmD,KAAlB,E8J7CzB,S9J6CuD,KAA9B,C8J7CjC,I;IAAA,C;;MAItB,UAAwB,M;MADhC,8CAAwB,kBAAa,KAAM,UAAnB,KAAhB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAxB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,M9JuKK,CAArC,kB,U8JlIjB,U9JkI4B,KAAL,KAAoB,CAAzB,zB,U8JzHP,U9JyHa,yB8JzHH,E9JyHG,CAAN,CAAS,yB,MAApB,cAAN,CAAqC,CAAhB,qBAAS,CAAT,CAAN,CAAqC,CAAhB,qBAAS,CAAT,CAAN,CAAqC,CAAhB,qBAAS,CAAT,C

EhKyPP,UgKzPoC,IhKyPpC,CgKzPO,ChK+BuC,KAAZ,CAAhB,C;;YgK9BxD,sBAAO,CAAP,C;QAFkF,OhKMf
,agKJnD,KhKIqE,KAAlB,EgKJ1C,GhKIwE,KAA9B,CgKJnD,KAFkE,GAEpD,GAFoD,GhKmB3B,UgKjBhB,Gh
KiB2B,KAAK,KgKjB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EhKwPP,UgKxPsC,IAAD,ahKwPrC,CgKxPO,ChKi
BqC,KAAX,CAAhB,C;;;QgKhB/C,MAAa,gCAAyB,eAAzB,C;IAH6D,C;;M5K/ClF,8B;MAF0D,gB;IAAnC,C;;M
AEvB,gC;MACI,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iB
AGkC,E;IAnBtC,C;;;;MAAA,uC;QAAA,sB;;MAAA,gC;IAAA,C;;MA4B0D,OAAa,0BAkJjC,SAAL,GAAiB,kBAlJ
qB,EAAU,KFiJ3C,KAAL,GAAiB,GEjJqB,C;IAAb,C;;MASU,OAAa,0BAyI3C,SAAL,GAAiB,KAzI+B,EAAU,K
AyIrD,KAAL,GAAiB,KAzI+B,C;IAAb,C;wGAEpE,yB;MAgKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YA
AiB,CCmKhD,cAAU,SAAL,GAAiB,KAAtB,CDnKgD,MAAjB,ECAe,KDAc,KAA7B,C;MCAT,C;KANzD,C;wG
AQA,yB;MAkKA,aAS6D,0B;MAT7D,+B;MYnKA,gD;MZCA,wB;QAM0D,OYAS,aAAkB,CZqKhD,eAAW,oBA
AL,SAAK,CAAL,YAAN,CYrKgD,MAAlB,EZAgB,KYAc,KAA9B,C;MZAT,C;KAN1D,C;8FAQA,yB;MAgJA,6
B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CDgJ5C,cEt
JsC,KFsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;MCNC,C;KAFtD,C;8FAGA,yB;MA6GIA,6B;MA7GIA,
wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CCiJ5C,cApJuC,KAoJ7
B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;MCHE,C;KAFvD,C;8FAGA,yB;MA0GIA,6B;MA1GIA,wB;QAEqD
,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GCAI,KDAO,KAAX,IAAf,C;MCAA,C;
KAFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,OYAA,eAAW,CZwJ7B,eAAW,oBAA
L,SAAK,CAAL,YAAN,CYxJ6B,MAAK,KZAI,KYAO,KAAX,CAAhB,C;MZAA,C;KAFvD,C;gGAIA,yB;MAmIA
,6B;MAnIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAY,CDmI9
C,cEzIwC,KFyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;MCNC,C;KAFvD,C;gGAIA,yB;MAgIA;
MAhIA,wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAY,CCoI9C,cAvI
yC,KAuI/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;MCHE,C;KAFxD,C;gGAIA,yB;MA6HA,6B;MA7H
A,wB;QAEsD,ODAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,
C;MCAA,C;KAFtD,C;gGAIA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MApIA,wB;QAEwD,OYAA,eAAY,CZ2I9B,e
AAW,oBAAL,SAAK,CAAL,YAAN,CY3I8B,MAAK,KZAK,KYAO,KAAZ,CAAhB,C;MZAA,C;KAFxD,C;gGAIA
,yB;MAsHA,6B;MAtHA,wB;QAEuD,ODMD,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,
EAAY,CDsH9C,cE5HwC,KF4H9B,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;MCNC,C;KAFvD,C;gGAIA,yB;
MAmHA,6B;MAnHA,wB;QAEwD,ODGF,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,
EAAY,CCuH9C,cA1HyC,KA0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;MCHE,C;KAFxD,C;gGAIA,yB;
MAgHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,
EAAY,CDvH6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;MCAA,C;KAFtD,C;gGAIA,yB;MAuHA,aAS6D,0B;MAT7D,
+B;MAvHA,wB;QAEwD,OYAA,eAAY,CZ8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9H8B,MAAK,UZAK
,KYAO,KAAZ,CAAhB,C;MZAA,C;KAFxD,C;4FAIA,yB;MAyGA,aAS6D,0B;MAT7D,+B;MAzGA,wB;QAEqD,OYAA
,eAAS,CZiGqB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjGqB,MAAK,KZAK,KYAO,KAAZ,CAAhB,C;MZAA,C;
KAFrD,C;4FAIA,yB;MAsGA,6B;MAtGA,wB;QAEqD,ODMD,cAAe,YAAL,CCiGqB,cAAU,SAAL,GAAiB,KAAt
B,CDjGqB,MAAK,EAAS,CDgGpC,cEtGkC,KFsGxB,KAAL,GAAiB,GAAtB,CChGwC,MAAT,CAAf,C;MCNC,C;KAFrD,C;
4FAIA,yB;MAmGA,6B;MAnGA,wB;QAEsD,ODGF,cAAe,YAAL,CCiGqB,cAAU,SAAL,GAAiB,KAAtB,
CDjGqB,MAAK,EAAS,CCiGpC,cApGiC,KAoGvB,KAAL,GAAiB,KAAtB,CDjGwC,MAAT,CAAf,C;MCHE,C;KAFtD,C;
4FAIA,yB;MAgGA,6B;MAhGA,wB;QAEoD,ODAA,cAAe,YAAL,CCiGqB,cAAU,SAAL,GAAiB,KAAtB,
CDjGqB,MAAK,EAAS,CDjGqB,MAAK,ECAK,KDAO,KAAT,CAAf,C;MCAA,C;KAFpD,C;4FAIA,yB;
MAuGA,aAS6D,0B;MAT7D,+B;MAvGA,wB;QAEsD,OYAA,eAAS,CZ8F3B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9F2B,MAAK,
UZAK,KYAO,KAAT,CAAhB,C;MZAA,C;KAFtD,C;4FAIA,yB;MAyFA,aAS6D,0B;MAT7D,+B;MAzFA,wB;QAEmD,OYAA
,eAAS,CZiFmB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjFmB,MAAK,KZAK,KYAO,KAAT,CAAhB,C;MZAA,C;
KAFnD,C;4FAIA,yB;MAsFA,6B;MAtFA,wB;QAEmD,ODMD,cAAe,YAAL,CCiFmB,cAAU,SAAL,GAAiB,KAAt
B,CDjFmB,MAAK,EAAO,CDgFlC,cEtFgC,KFsFtB,KAAL,GAAiB,GAAtB,CChFsC,MAAP,CAAf,C;MCNC,C;KAFnD,C;
4FAIA,yB;MAmFA,6B;MAnFA,wB;QAEoD,ODGF,cAAe,YAAL,CCiFmB,cAAU,SAAL,GAAiB,KAAtB,
CDjFmB,MAAK,EAAO,CCiFlC,cApFiC,KAoFvB,KAAL,GAAiB,KAAtB,CDjFsC,MAAP,CAAf,C;MCHE,C;KAFpD,C;
4FAIA,yB;MAgFA,6B;MAhFA,wB;QAEkD,ODAA,cAAe,YAAL,CCiFmB,cAAU,SAAL,GAAiB,KAAtB,
CDjFmB,MAAK,EAAO,CDjFmB,MAAK,ECAK,KDAO,KAAP,CAAf,C;MCAA,C;KAFlD,C;4FAIA,yB;
MAuFA,aAS6D,0B;MAT7D,+B;MAvFA,wB;QAEoD,OYAA,eAAS,CZ8E3B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9E2B,MAAK,
UZAK,KYAO,KAAP,CAAhB,C;MZAA,C;KAFpD,C;4FAIA,yB;MAyEA,aAS6D,0B;MAT7D,+B;MAzEA,wB;QAEiD,OYAA
,eAAS,CZiEmB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjEmB,MAAK,KZAK,KYAO,KAAP,CAAhB,C;MZAA,C;
KAFjD,C;4FAIA,yB;MAsEA,6B;MAtEA,wB;QAEiD,ODMD,cAAe,YAAL,CCiEmB,cAAU,SAAL,GAAiB,KAAt
B,CDjEmB,MAAK,EAAK,CDgEhC,cEtE8B,KFsEpB,KAAL,GAAiB,GAAtB,CChEoC,MAAL,CAAf,C;MCNC,C;KAFjD,C;
4FAIA,yB;MAmEA,6B;MAnEA,wB;QAEkD,ODGF,cAAe,YAAL,CCiEmB,cAAU,SAAL,GAAiB,KAAtB,
CDjEmB,MAAK,EAAK,CCiEhC,cApE+B,KAoErB,KAAL,GAAiB,KAAtB,CDjEoC,MAAL,CAAf,C;MCHE,C;KAFlD,C;
4FAIA,yB;MAgEA,6B;MAhEA,wB;QAEgD,ODAA,cAAe,YAAL,CCiEmB,cAAU,SAAL,GAAiB,KAAtB,
CDjEmB,MAAK,EAAK,CDjEmB,MAAK,ECAK,KDAO,KAAL,CAAf,C;MCAA,C;KAFhD,C;4FAIA,yB;
MAuEA,aAS6D,0B;MAT7D,+B;MAvEA,wB;QAEkD,OYAA,eAAS,CZ8D3B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9D2B,MAAK,
UZAK,KYAO,KAAL,CAAhB,C;MZAA,C;KAFlD,C;4FAIA,yB;MAyDA,aAS6D,0B;MAT7D,+B;MAzDA,wB;QAEeD,OYAA
,eAAS,CZiDmB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjDmB,MAAK,KZAK,KYAO,KAAL,CAAhB,C;MZAA,C;
KAFfD,C;4FAIA,yB;MAsDA,6B;MAtDA,wB;QAEeD,ODMD,cAAe,YAAL,CCiDmB,cAAU,SAAL,GAAiB,KAAt
B,CDjDmB,MAAK,EAAG,CDgD9B,cEtD4B,KFsDlB,KAAL,GAAiB,GAAtB,CChDkC,MAAH,CAAf,C;MCNC,C;KAFfD,C;
4FAIA,yB;MAmDA,6B;MAnDA,wB;QAEgD,ODGF,cAAe,YAAL,CCiDmB,cAAU,SAAL,GAAiB,KAAtB,
CDjDmB,MAAK,EAAG,CCiD9B,cApD6B,KAoDnB,KAAL,GAAiB,KAAtB,CDjDkC,MAAH,CAAf,C;MCHE,C;KAFhD,C;
4FAIA,yB;MAgDA,6B;MAhDA,wB;QAEcD,OAAA,eAAS,CZ8C3B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9C2B,MAAK,
UZAK,KYAO,KAAH,CAAhB,C;MZAA,C;KAFdD,C;4FAIA,yB;MAyCA,aAS6D,0B;MAT7D,+B;MAzCA,wB;QAEaD,OYAA
,eAAS,CZiCmB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjCmB,MAAK,KZAK,KYAO,KAAH,CAAhB,C;MZAA,C;
KAFbD,C;4FAIA,yB;MAsCA,6B;MAtCA,wB;QAEaD,ODMD,cAAe,YAAL,CCiCmB,cAAU,SAAL,GAAiB,KAAt
B,CDjCmB,MAAK,EAAC,CDgC5B,cEtC0B,KFsChB,KAAL,GAAiB,GAAtB,CChCgC,MAAH,CAAf,C;MCNC,C;KAFbD,C;
4FAIA,yB;MAmCA,6B;MAnCA,wB;QAEcD,ODGF,cAAe,YAAL,CCiCmB,cAAU,SAAL,GAAiB,KAAtB,
CDjCmB,MAAK,EAAC,CCiC5B,cApC2B,KAoCjB,KAAL,GAAiB,KAAtB,CDjCgC,MAAH,CAAf,C;MCHE,C;KAFdD,C;
4FAIA,yB;MAgCA,6B;MAhCA,wB;QAEYD,OAAA,eAAS,CZ8B3B,eAAW,oBAAL,SAAK,CAAL,YAAN,CY9B2B,MAAK,
UZAK,KYAO,KAAD,CAAhB,C;MZAA,C;KAFZD,C;4FAIA,yB;MAyBA,aAS6D,0B;MAT7D,+B;MAzBA,wB;QAEWD,OYAA
,eAAS,CZiBmB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYjBmB,MAAK,KZAK,KYAO,KAAD,CAAhB,C;MZAA,C;
KAFXD,C;4FAIA,yB;MAsBA,6B;MAtBA,wB;QAEWD,ODMD,cAAe,YAAL,CCiBmB,cAAU,SAAL,GAAiB,KAAt
B,CDjBmB,MAAK,EAAA,CDgBxB,cEtBsB,KFsBZ,KAAL,GAAiB,GAAtB,CChB4B,MAAD,CAAf,C;MCNC,C;KAFXD,C;
4FAIA,yB;MAmBA,6B;MAnBA,wB;QAEYD,ODGF,cAAe,YAAL,CCiBmB,cAAU,SAAL,GAAiB,KAAtB,
CDjBmB,MAAK,EAAA,CCiBxB,cApBuB,KAoBb,KAAL,GAAiB,KAAtB,CDjB4B,MAAD,CAAf,C;MCHE,C;KAFZD,C;
4FAIA,yB;MAgBA,6B;MAhBA,wB;QAEUD,OAAA,eAAS,CZcvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYduB,MAAK,
UZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFVD,C;4FAIA,yB;MAaA,aAS6D,0B;MAT7D,+B;MAbA,wB;QAESD,OYAA
,eAAS,CZKe,eAAW,oBAAL,SAAK,CAAL,YAAN,CYLe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,
C;4FAIA,yB;MAUA,6B;MAVA,wB;QAESD,ODMD,cAAe,YAAL,CCKe,cAAU,SAAL,GAAiB,KAAtB,CDLe,MA
AK,EAAA,CDIpB,cEVkB,KFUR,KAAL,GAAiB,GAAtB,CCJwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;
MAOA,6B;MAPA,wB;QAEUD,ODGF,cAAe,YAAL,CCKe,cAAU,SAAL,GAAiB,KAAtB,CDLe,MAAK,EAAA,CCK
pB,cANmB,KAMT,KAAL,GAAiB,KAAtB,CDJwB,MAAA,CAAf,C;MCHE,C;KAFVD,C;4FAIA,yB;MAIA,6B;MAJA,
wB;QAEQD,OAAA,eAAS,CZEvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYFuB,MAAK,UZAK,KYAO,KAAA,CAAhB,C;MZAA,
C;KAFRD,C;4FAIA,yB;MACA,aAS6D,0B;MAT7D,+B;MADA,wB;QAESD,OYAA,eAAS,CZCe,eAAW,oBAAL
,SAAK,CAAL,YAAN,CYDe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,C;4FAIA,yB;MAMA,6B;MANA,
wB;QAESD,ODMD,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CDApB,cEMkB,KFNR,
KAAL,GAAiB,GAAtB,CCAwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;MAKA,6B;MALA,wB;QAEUD,ODGF,
cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CCCpB,cAJmB,KAIT,KAAL,GAAiB,KAAt
B,CDAwB,MAAA,CAAf,C;MCHE,C;KAFVD,C;4FAIA,yB;MAEA,6B;MAFA,wB;QAEQD,OAAA,eAAS,CZEvB,eAAW,
oBAAL,SAAK,CAAL,YAAN,CYFuB,MAAK,UZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFRD,C;4FAIA,yB;MAGA,
aAS6D,0B;MAT7D,+B;MAHA,wB;QAESD,OYAA,eAAS,CZCe,eAAW,oBAAL,SAAK,CAAL,YAAN,CYDe,MAAK,
KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,C;4FAIA,yB;MAIA,6B;MAJA,wB;QAESD,ODMD,cAAe,YAAL,CCC
e,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CDApB,cEMkB,KFNR,KAAL,GAAiB,GAAtB,CCAwB,MAAA,
CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;MAKA,6B;MALA,wB;QAEUD,ODGF,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,
KAAtB,CDDe,MAAK,EAAA,CCCpB,cAJmB,KAIT,KAAL,GAAiB,KAAtB,CDAwB,MAAA,CAAf,C;MCHE,C;KAFVD,C;
4FAIA,yB;MAEA,6B;MAFA,wB;QAEQD,OAAA,eAAS,CZEvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYFuB,MAAK,UZAK,
KYAO,KAAA,CAAhB,C;MZAA,C;KAFRD,C;4FAIA,yB;MAGA,aAS6D,0B;MAT7D,+B;MAHA,wB;QAESD,OYAA,eAAS,
CZCe,eAAW,oBAAL,SAAK,CAAL,YAAN,CYDe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,C;4FAI
A,yB;MAIA,6B;MAJA,wB;QAESD,ODMD,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAA
A,CDApB,cEMkB,KFNR,KAAL,GAAiB,GAAtB,CCAwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;MAKA,6B;
MALA,wB;QAEUD,ODGF,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CCCpB,cAJmB,
KAIT,KAAL,GAAiB,KAAtB,CDAwB,MAAA,CAAf,C;MCHE,C;KAFVD,C;4FAIA,yB;MAEA,6B;MAFA,wB;QAEQD,OA
A,eAAS,CZEvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYFuB,MAAK,UZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFRD,
C;4FAIA,yB;MAGA,aAS6D,0B;MAT7D,+B;MAHA,wB;QAESD,OYAA,eAAS,CZCe,eAAW,oBAAL,SAAK,CAAL,YAAN
,CYDe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,C;4FAIA,yB;MAIA,6B;MAJA,wB;QAESD,ODMD,
cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CDApB,cEMkB,KFNR,KAAL,GAAiB,GAt
B,CDAwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;MAKA,6B;MALA,wB;QAEUD,ODGF,cAAe,YAAL,CCCe,
cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CCCpB,cAJmB,KAIT,KAAL,GAAiB,KAAtB,CDAwB,MAAA,CAAf
,C;MCHE,C;KAFVD,C;4FAIA,yB;MAEA,6B;MAFA,wB;QAEQD,OAAA,eAAS,CZEvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CY
FuB,MAAK,UZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFRD,C;4FAIA,yB;MAGA,aAS6D,0B;MAT7D,+B;MAHA,
wB;QAESD,OYAA,eAAS,CZCe,eAAW,oBAAL,SAAK,CAAL,YAAN,CYDe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,
C;KAFTD,C;4FAIA,yB;MAIA,6B;MAJA,wB;QAESD,ODMD,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDD
e,MAAK,EAAA,CDApB,cEMkB,KFNR,KAAL,GAAiB,GAAtB,CCAwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;
MAKA,6B;MALA,wB;QAEUD,ODGF,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CCCpB,
cAJmB,KAIT,KAAL,GAAiB,KAAtB,CDAwB,MAAA,CAAf,C;MCHE,C;KAFVD,C;4FAIA,yB;MAEA,6B;MAFA,wB;QAEQ
D,OAAA,eAAS,CZEvB,eAAW,oBAAL,SAAK,CAAL,YAAN,CYFuB,MAAK,UZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAF
RD,C;4FAIA,yB;MAGA,aAS6D,0B;MAT7D,+B;MAHA,wB;QAESD,OYAA,eAAS,CZCe,eAAW,oBAAL,SAAK,CAAL
,YAAN,CYDe,MAAK,KZAK,KYAO,KAAA,CAAhB,C;MZAA,C;KAFTD,C;4FAIA,yB;MAIA,6B;MAJA,wB;QAESD,
ODMD,cAAe,YAAL,CCCe,cAAU,SAAL,GAAiB,KAAtB,CDDe,MAAK,EAAA,CDApB,cEMkB,KFNR,KAAL,GAAiB,
GAtB,CDAwB,MAAA,CAAf,C;MCNC,C;KAFTD,C;4FAIA,yB;MAKA,6B;MALA,wB;QAEUD,ODGF,cAAe,YAAL,CCCe
,

B,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;MAAA,C;KAF/D,C;4FAIA,yB;MAAA,iC;MqJvHJ,4B;MrJuHI,wB;QAEqD,uBqJtHiC,QrJsH1B,IAAK,KqJtHX,GrJsHoB,KAAM,KqJtHM,CrJsHjC,C;MAAA,C;KAFrD,C;0FAGA,yB;MAAA,iC;MqJrHJ,4B;MrJqHI,wB;QAEoD,uBqJpHgC,QrJoHzB,IAAK,KqJpHX,GrJoHmB,KAAM,KqJpHM,CrJoHhC,C;MAAA,C;KAFpD,C;4FAGA,yB;MAAA,iC;MqJnHJ,4B;MrJmHI,wB;QAEqD,uBqJlHkC,QrJkH3B,IAAK,KqJlHX,GrJkHqB,KAAM,KqJlHM,CrJkHlC,C;MAAA,C;KAFrD,C;4EAGA,yB;MAAA,iC;MqJjHJ,4B;MrJiHI,wB;QAEkD,uBqJhHoC,QrJgH7B,IAAK,KqJhHX,GrJgHuB,KAAM,KqJhHM,CrJgHpC,C;MAAA,C;KAFlD,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;MAAL,C;KAVnC,C;;MAoBqC,gB;IAAA,C;;MAUJ,OAAK,SAAL,GAAiB,K;IAAjB,C;kFACjC,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,C,AAAL,Y;MAAA,C;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;MEjEF,C;KATrC,C;;MAYuC,W;IAAA,C;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,CA/E4B,C;MAAA,C;KAF/D,C;4FAGA,yB;MAAA,iC;MqJ/GJ,4B;MrJ+GI,wB;QAEoD,uBqJ9GgC,QrJ8GzB,IAAK,KqJ9GX,GrJ8GmB,KAAM,KqJ9GM,CrJ8GhC,C;MAAA,C;KAFpD,C;4FAGA,yB;MAAA,iC;MqJ7GJ,4B;MrJ6GI,wB;QAEqD,uBqJ5GkC,QrJ4G3B,IAAK,KqJ5GX,GrJ4GqB,KAAM,KqJ5GM,CrJ4GlC,C;MAAA,C;KAFrD,C;4EAGA,yB;MAAA,iC;MqJ3GJ,4B;MrJ2GI,wB;QAEkD,uBqJ1GoC,QrJ0G7B,IAAK,KqJ1GX,GrJ0GuB,KAAM,KqJ1GM,CrJ0GpC,C;MAAA,C;KAFlD,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;MAAL,C;KAVnC,C;;MAoBqC,gB;IAAA,C;;MAUJ,OAAK,SAAL,GAAiB,K;IAAjB,C;kFACjC,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,C,AAAL,Y;MAAA,C;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;MEjEF,C;KATrC,C;;MAYuC,W;IAAA,C;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,CA/E4B,C;MAAA,C;KAF/D,C;4FAGA,yB;MAAA,iC;MqJ/GJ,4B;MrJ+GI,wB;QAEoD,uBqJ9GgC,QrJ8GzB,IAAK,KqJ9GX,GrJ8GmB,KAAM,KqJ9GM,CrJ8GhC,C;MAAA,C;KAFpD,C;4FAGA,yB;MAAA,iC;MqJ7GJ,4B;MrJ6GI,wB;QAEqD,uBqJ5GkC,QrJ4G3B,IAAK,KqJ5GX,GrJ4GqB,KAAM,KqJ5GM,CrJ4GlC,C;MAAA,C;KAFrD,C;4EAGA,yB;MAAA,iC;MqJ3GJ,4B;MrJ2GI,wB;QAEkD,uBqJ1GoC,QrJ0G7B,IAAK,KqJ1GX,GrJ0GuB,KAAM,KqJ1GM,CrJ0GpC,C;MAAA,C;KAFlD,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;MAAL,C;KAVnC,C;;MAoBqC,gB;IAAA,C;;MAUJ,OAAK,SAAL,GAAiB,K;IAAjB,C;kFACjC,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,C,AAAL,Y;MAAA,C;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;MEjEF,C;KATrC,C;;MAYuC,W;IAAA,C;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,CA/E4B,C;MAAA,C;KAF/D,C;;MAAA,qBAAsB,SAAtB,GAAkC,KAAlC,CAAwC,KAAxC,CAA8C,KAA9C,CAAoD,KAApD,CAA0D,KAA1D,CAAgE,KAAhE,CAAsE,KAAtE,CAA4E,KAA5E,CAAkF,KAAlF,CAAwF,KAAxF,CAA8F,KAA9F,CAAoG,KAApG,CAA0G,KAA1G,CAAgH,KAAhH,CAAsH,KAAtH,CAA4H,KAA5H,CAAkI,KAAlI,CAAwI,KAAxI,CAA8I,KAA9I,CAAoJ,KAApJ,CAA0J,KAA1J,CAAgK,KAAhK,CAAsK,KAAtK,CAA4K,KAA5K,CAAkL,KAAlL,CAAwL,KAAxL,CAA8L,KAA9L,CAAoM,KAApM,CAA0M,KAA1M,CAAgN,KAAhN,CAAsN,KAAtN,CAA4N,KAA5N,CAAkO,KAAlO,CAAwO,KAAxO,CAA8O,KAA9O,CAAoP,KAApP,CAA0P,KAA1P,CAAgQ,KAAhQ,CAAsQ,KAAtQ,CAA4Q,KAA5Q,CAAkR,KAAlR,CAAwR,KAAxR,CAA8R,KAA9R,CAAoS,KAApS,CAA0S,KAA1S,CAAgT,KAAhT,CAAsT,KAAtT,CAA4T,KAA5T,CAAkU,KAAlU,CAAwU,KAAxU,CAA8U,KAA9U,CAAoV,KAApV,CAA0V,KAA1V,CAAgW,KAAhW,CAAsW,KAAtW,CAA4W,KAA5W,CAAkX,KAAlX,CAAwX,KAAxX,CAA8X,KAA9X,CAAoY,KAApY,CAA0Y,KAA1Y,CAAgZ,KAAhZ,CAAsZ,KAAtZ,CAA4Z,KAA5Z,CAAka,KAAla,CAAwa,KAAxa,CAA8a,KAA9a,CAAob,KAApb,CAA0b,KAA1b,CAAgc,KAAhc,CAAsc,KAAtc,CAA4c,KAA5c,CAAkd,KAAld,CAAwd,KAAxd,CAA8d,KAA9d,CAAoe,KAApe,CAA0e,KAA1e,CAAgf,KAAhf,CAAsf,KAAtf,CAA4f,KAA5f,CAAkgB,KAAlgB,CAAwgB,KAAxgB,CAA8gB,KAA9gB,CAAohB,KAAphB,CAA0hB,KAA1hB,CAAgiB,KAAhiB,CAAsiB,KAAtiB,CAA4iB,KAA5iB,CAAkjB,KAAljB,CAAwjB,KAAxjB,CAA8jB,KAA9jB,CAAokB,KAApkB,CAA0kB,KAA1kB,CAAglB,KAAhlB,CAAslB,KAAtlB,CAA4lB,KAA5lB,CAAkmB,KAAlmB,CAAwmB,KAAxmB,CAA8mB,KAA9mB,CAAonB,KAApnB,CAA0nB,KAA1nB,CAAgoB,KAAhoB,CAAsoB,KAAtoB,CAA4oB,KAA5oB,CAAkpB,KAAlpB,CAAwpB,KAAxpB,CAA8pB,KAA9pB,CAAoqB,KAApqB,CAA0qB,KAA1qB,CAAgrB,KAAhrB,CAAsrB,KAAtrB,CAA4rB,KAA5rB,CAAksB,KAAlsB,CAAwsB,KAAxsB,CAA8sB,KAA9sB,CAAotB,KAAptB,CAA0tB,KAA1tB,CAAguB,KAAhuB,CAAsuB,KAAtuB,CAA4uB,KAA5uB,CAAkvB,KAAlvB,CAAwvB,KAAxvB,CAA8vB,KAA9vB,CAAowB,KAApwB,CAA0wB,KAA1wB,CAAgxB,KAAhxB,CAAsxB,KAAtxB,CAA4xB,KAA5xB,CAAkyB,KAAlyB,CAAwyB,KAAxyB,CAA8yB,KAA9yB,CAAozB,KAApzB,CAA0zB,KAA1zB,CAAg0B,KAAh0B,CAAs0B,KAAt0B,CAA40B,KAA50B,CAAk1B,KAAl1B,CAAw1B,KAAx1B,CAA81B,KAA91B,CAAo2B,KAAp2B,CAA02B,KAA12B,CAAg3B,KAAh3B,CAAs3B,KAAt3B,CAA43B,KAA53B,CAAk4B,KAAl4B,CAAw4B,KAAx4B,CAA84B,KAA94B,CAAo5B,KAAp5B,CAA05B,KAA15B,CAAg6B,KAAh6B,CAAs6B,KAAt6B,CAA46B,KAA56B,CAAk7B,KAAl7B,CAAw7B,KAAx7B,CAA87B,KAA97B,CAAo8B,KAAp8B,CAA08B,KAA18B,CAAg9B,KAAh9B,CAAs9B,KAAt9B,CAA49B,KAA59B,CAAk+B,KAAl+B,CAAw+B,KAAx+B,CAA8+B,KAA9+B,CAAo/B,KAAp/B,CAA0/B,KAA1/B,CAAggC,KAAhgC,CAAsgC,KAAtgC,CAA4gC,KAA5gC,CAAkhC,KAAlhC,CAAwhC,KAAxhC,CAA8hC,KAA9hC,CAAoiC,KAApiC,CAA0iC,KAA1iC,CAAgjC,KAAhjC,CAAsjC,KAAtjC,CAA4jC,KAA5jC,CAAkkC,KAAlkC,CAAwkC,KAAxkC,CAA8kC,KAA9kC,CAAolC,KAAplC,CAA0lC,KAA1lC,CAAgmC,KAAhmC,CAAsmC,KAAtmC,CAA4mC,KAA5mC,CAAknC,KAAlnC,CAAwnC,KAAxnC,CAA8nC,KAA9nC,CAAooC,KAApoC,CAA0oC,KAA1oC,CAAgpC,KAAhpC,CAAspC,KAAtpC,CAA4pC,KAA5pC,CAAkqC,KAAlqC,CAAwqC,KAAxqC,CAA8qC,KAA9qC,CAAorC,KAAprC,CAA0rC,KAA1rC,CAAgsC,KAAhsC,CAAssC,KAAtsC,CAA4sC,KAA5sC,CAAktC,KAAltC,CAAwtC,KAAxtC,CAA8tC,KAA9tC,CAAouC,KAApuC,CAA0uC,KAA1uC,CAAgvC,KAAhvC,CAAsvC,KAAtvC,CAA4vC,KAA5vC,CAAkwC,KAAlwC,CAAwwC,KAAxwC,CAA8wC,KAA9wC,CAAoxC,KAApxC,CAA0xC,KAA1xC,CAAgyC,KAAhyC,CAAsyC,KAAtyC,CAA4yC,KAA5yC,CAAkzC,KAAlzC,CAAwzC,KAAxzC,CAA8zC,KAA9zC,CAAo0C,KAAp0C,CAA00C,KAA10C,CAAg1C,KAAh1C,CAAs1C,KAAt1C,CAA41C,KAA51C,CAAk2C,KAAl2C,CAAw2C,KAAx2C,CAA82C,KAA92C,CAAo3C,KAAp3C,CAA03C,KAA13C,CAAg4C,KAAh4C,CAAs4C,KAAt4C,CAA44C,KAA54C,CAAk5C,KAAl5C,CAAw5C,KAAx5C,CAA85C,KAA95C,CAAo6C,KAAp6C,CAA06C,KAA16C,CAAg7C,KAAh7C,CAAs7C,KAAt7C,CAA47C,KAA57C,CAAk8C,KAAl8C,CAAw8C,KAAx8C,CAA88C,KAA98C,CAAo9C,KAAp9C,CAA09C,KAA19C,CAAg+C,KAAh+C,CAAs+C,KAAt+C,CAA4+C,KAA5+C,CAAk/C,KAAl/C,CAAw/C,KAAx/C,CAA8/C,KAA9/C,CAAogD,KAApgD,CAA0gD,KAA1gD,CAAghD,KAAhhD,CAAshD,KAAthD,CAA4hD,KAA5hD,CAAkiD,KAAliD,CAAwiD,KAAxiD,CAA8iD,KAA9iD,CAAojD,KAApjD,CAA0jD,KAA1jD,CAAgkD,KAAhkD,CAAskD,KAAtkD,CAA4kD,KAA5kD,CAAklD,KAAllD,CAAwlD,KAAxlD,CAA8lD,KAA9lD,CAAomD,KAApmD,CAA0mD,KAA1mD,CAAgnD,KAAhnD,CAAsnD,KAAtnD,CAA4nD,KAA5nD,CAAkoD,KAAloD,CAAwoD,KAAxoD,CAA8oD,KAA9oD,CAAopD,KAAppD,CAA0pD,KAA1pD,CAAgqD,KAAhqD,CAAsqD,KAAtqD,CAA4qD,KAA5qD,CAAkrD,KAAlrD,CAAwrD,KAAxrD,CAA8rD,KAA9rD,CAAosD,KAApsD,CAA0sD,KAA1sD,CAAgtD,KAAhtD,CAAstD,KAAttD,CAA4tD,KAA5tD,CAAkuD,KAAluD,CAAwuD,KAAxuD,CAA8uD,KAA9uD,CAAovD,KAApvD,CAA0vD,KAA1vD,CAAgwD,KAAhwD,CAAswD,KAAtwD,CAA4wD,KAA5wD,CAAkxD,KAAlxD,CAAwxD,KAAxxD,CAA8xD,KAA9xD,CAAoyD,KAApyD,CAA0yD,KAA1yD,CAAgzD,KAAhzD,CAAszD,KAAtzD,CAA4zD,KAA5zD,CAAk0D,KAAl0D,CAAw0D,KAAx0D,CAA80D,KAA90D,CAAo1D,KAAp1D,CAA01D,KAA11D,CAAg2D,KAAh2D,CAAs2D,KAAt2D,CAA42D,KAA52D,CAAk3D,KAAl3D,CAAw3D,KAAx3D,CAA83D,KAA93D,CAAo4D,KAAp4D,CAA04D,KAA14D,CAAg5D,KAAh5D,CAAs5D,KAAt5D,CAA45D,KAA55D,CAAk6D,KAAl6D,CAAw6D,KAAx6D,CAA86D,KAA96D,CAAo7D,KAAp7D,CAA07D,KAA17D,CAAg8D,KAAh8D,CAAs8D,KAAt8D,CAA48D,KAA58D,CAAk9D,KAAl9D,CAAw9D,KAAx9D,CAA89D,KAA99D,CAAo+D,KAAp+D,CAA0+D,KAA1+D,CAAg/D,KAAh/D,CAAs/D,KAAt/D,CAA4/D,KAA5/D,CAAkgE,KAAlgE,CAAwgE,KAAxgE,CAA8gE,KAA9gE,CAAohE,KAAphE,CAA0hE,KAA1hE,CAAgiE,KAAhiE,CAAsiE,KAAtiE,CAA4iE,KAA5iE,CAAkjE,KAAljE,CAAwjE,KAAxjE,CAA8jE,KAA9jE,CAAokE,KAApkE,CAA0kE,KAA1kE,CAAglE,KAAhlE,CAAslE,KAAtlE,CAA4lE,KAA5lE,CAAkmE,KAAlmE,CAAwmE,KAAxmE,CAA8mE,KAA9mE,CAAonE,KAApnE,CAA0nE,KAA1nE,CAAgoE,KAAhoE,CAAsoE,KAAtoE,CAA4oE,KAA5oE,CAAkpE,KAAlpE,CAAwpE,KAAxpE,CAA8pE,KAA9pE,CAAoqE,KAApqE,CAA0qE,KAA1qE,CAAgrE,KAAhrE,CAAsrE,KAAtrE,CAA4rE,KAA5rE,CAAksE,KAAlsE,CAAwsE,KAAxsE,CAA8sE,KAA9sE,CAAotE,KAAptE,CAA0tE,KAA1tE,CAAguE,KAAhuE,CAAsuE,KAAtuE,CAA4uE,KAA5uE,CAAkvE,KAAlvE,CAAwvE,KAAxvE,CAA8vE,KAA9vE,CAAowE,KAApwE,CAA0wE,KAA1wE,CAAgxE,KAAhxE,CAAsxE,KAAtxE,CAA4xE,KAA5xE,CAAkyE,KAAlyE,CAAwyE,KAAxyE,CAA8yE,KAA9yE,CAAozE,KAApzE,CAA0zE,KAA1zE,CAAg0E,KAAh0E,CAAs0E,KAAt0E,CAA40E,KAA50E,CAAk1E,KAAl1E,CAAw1E,KAAx1E,CAA81E,KAA91E,CAAo2E,KAAp2E,CAA02E,KAA12E,CAAg3E,KAAh3E,CAAs3E,KAAt3E,CAA43E,KAA53E,CAAk4E,KAAl4E,CAAw4E,KAAx4E,CAA84E,KAA94E,CAAo5E,KAAp5E,CAA05E,KAA15E,CAAg6E,KAAh6E,CAAs6E,KAAt6E,CAA46E,KAA56E,CAAk7E,KAAl7E,CAAw7E,KAAx7E,CAA87E,KAA97E,CAAo8E,KAAp8E,CAA08E,KAA18E,CAAg9E,KAAh9E,CAAs9E,KAAt9E,CAA49E,KAA59E,CAAk+E,KAAl+E,CAAw+E,KAAx+E,CAA8+E,KAA9+E,CAAo/E,KAAp/E,CAA0/E,KAA1/E,CAAggF,KAAhgF,CAAsgF,KAAtgF,CAA4gF,KAA5gF,CAAkhF,KAAlhF,CAAwhF,KAAxhF,CAA8hF,KAA9hF,CAAoiF,KAApiF,CAA0iF,KAA1iF,CAAgjF,KAAhjF,CAAsjF,KAAtjF,CAA4jF,KAA5jF,CAAkkF,KAAlkF,CAAwkF,KAAxkF,CAA8kF,KAA9kF,CAAolF,KAAplF,CAA0lF,KAA1lF,CAAgmF,KAAhmF,CAAsmF,KAAtmF,CAA4mF,KAA5mF,CAAknF,KAAlnF,CAAwnF,KAAxnF,CAA8nF,KAA9nF,CAAooF,KAApoF,CAA0oF,KAA1oF,CAAgpF,KAAhpF,CAAspF,KAAtpF,CAA4pF,KAA5pF,CAAkqF,KAAlqF,CAAwqF,KAAxqF,CAA8qF,KAA9qF,CAAorF,KAAprF,CAA0rF,KAA1rF,CAAgsF,KAAhsF,CAAssF,KAAtsF,CAA4sF,KAA5sF,CAAktF,KAAltF,CAAwtF,KAAxtF,CAA8tF,KAA9tF,CAAouF,KAApuF,CAA0uF,KAA1uF,CAAgvF,KAAhvF,CAAsvF,KAAtvF,CAA4vF,KAA5vF,CAAkwF,KAAlwF,CAAwwF,KAAxwF,CAA8wF,KAA9wF,CAAoxF,KAApxF,CAA0xF,KAA1xF,CAAgyF,KAAhyF,CAAsyF,KAAtyF,CAA4yF,KAA5yF,CAAkzF,KAAlzF,CAAwzF,KAAxzF,CAA8zF,KAA9zF,CAAo0F,KAAp0F,CAA00F,KAA10F,CAAg1F,KAAh1F,CAAs1F,KAAt1F,CAA41F,KAA51F,CAAk2F,KAAl2F,CAAw2F,KAAx2F,CAA82F,KAA92F,CAAo3F,KAAp3F,CAA03F,KAA13F,CAAg4F,KAAh4F,CAAs4F,KAAt4F,CAA44F,KAA54F,CAAk5F,KAAl5F,CAAw5F,KAAx5F,CAA85F,KAA95F,CAAo6F,KAAp6F,CAA06F,KAA16F,CAAg7F,KAAh7F,CAAs7F,KAAt7F,CAA47F,KAA57F,CAAk8F,KAAl8F,CAAw8F,KAAx8F,CAA88F,KAA98F,CAAo9F,KAAp9F,CAA09F,KAA19F,CAAg+F,KAAh+F,CAAs+F,KAAt+F,CAA4+F,KAA5+F,CAAk/F,KAAl/F,CAAw/F,KAAx/F,CAA8/F,KAA9/F,CAAogG,KAApgG,CAA0gG,KAA1gG,CAAghG,KAAhhG,CAAshG,KAAthG,CAA4hG,KAA5hG,CAAkiG,KAAliG,CAAwiG,KAAxiG,CAA8iG,KAA9iG,CAAojG,KAApjG,CAA0jG,KAA1jG,CAAgkG,KAAhkG,CAAskG,KAAtkG,CAA4kG,KAA5kG,CAAklG,KAAllG,CAAwlG,KAAxlG,CAA8lG,KAA9lG,CAAomG,KAApmG,CAA0mG,KAA1mG,CAAgnG,KAAhnG,CAAsnG,KAAtnG,CAA4nG,KAA5nG,CAAkoG,KAAloG,CAAwoG,KAAxoG,CAA8oG,KAA9oG,CAAopG,KAAppG,CAA0pG,KAA1pG,CAAgqG,KAAhqG,CAAsqG,KAAtqG,CAA4qG,KAA5qG,CAAkrG,KAAlrG,CAAwrG,KAAxrG,CAA8rG,KAA9rG,CAAosG,KAApsG,CAA0sG,KAA1sG,CAAgtG,KAAhtG,CAAstG,KAAttG,CAA4tG,KAA5tG,CAAkuG,KAAluG,CAAwuG,KAAxuG,CAA8uG,KAA9uG,CAAovG,KAApvG,CAA0vG,KAA1vG,CAAgwG,KAAhwG,CAAswG,KAAtwG,CAA4wG,KAA5wG,CAAkxG,KAAlxG,CAAwxG,KAAxxG,CAA8xG,KAA9xG,CAAoyG,KAApyG,CAA0yG,KAA1yG,CAAgzG,KAAhzG,CAAszG,KAAtzG,CAA4zG,KAA5zG,CAAk0G,KAAl0G,CAAw0G,KAAx0G,CAA80G,KAA90G,CAAo1G,KAAp1G,CAA01G,KAA11G,CAAg2G,KAAh2G,CAAs2G,KAAt2G,CAA42G,KAA52G,CAAk3G,KAAl3G,CAAw3G,KAAx3G,CAA83G,KAA93G,CAAo4G,KAAp4G,CAA04G,KAA14G,CAAg5G,KAAh5G,CAAs5G,KAAt5G,CAA45G,KAA55G,CAAk6G,KAAl6G,CAAw6G,KAAx6G,CAA86G,KAA96G,CAAo7G,KAAp7G,CAA07G,KAA17G,CAAg8G,KAAh8G,CAAs8G,KAAt8G,CAA48G,KAA58G,CAAk9G,KAAl9G,CAAw9G,KAAx9G,CAA89G,KAA99G,CAAo+G,KAAp+G,CAA0+G,KAA1+G,CAAg/G,KAAh/G,CAAs/G,KAAt/G,CAA4/G,KAA5/G,CAAkgH,KAAlgH,CAAwgH,KAAxgH,CAA8gH,KAA9gH,CAAohH,KAAphH,CAA0hH,KAA1hH,CAAgiH,KAAhiH,CAAsiH,KAAtiH,CAA4iH,KAA5iH,CAAkjH,KAAljH,CAAwjH,KAAxjH,CAA8jH,KAA9jH,CAAokH,KAApkH,CAA0kH,KAA1kH,CAAglH,KAAhlH,CAAslH,KAAtlH,CAA4lH,KAA5lH,CAAkmH,KAAlmH,CAAwmH,KAAxmH,CAA8mH,KAA9mH,CAAonH,KAApnH,CAA0nH,KAA1nH,CAAgoH,KAAhoH,CAAsoH,KAAtoH,CAA4oH,KAA5oH,CAAkpH,KAAlpH,CAAwpH,KAAxpH,CAA8pH,KAA9pH,CAAoqH,KAApqH,CAA0qH,KAA1qH,CAAgrH,KAAhrH,CAAsrH,KAAtrH,CAA4rH,KAA5rH,CAAksH,KAAlsH,CAAwsH,KAAxsH,CAA8sH,KAA9sH,CAAotH,KAAptH,CAA0tH,KAA1tH,CAAguH,KAAhuH,CAAsuH,KAAtuH,CAA4uH,KAA5uH,CAAkvH,KAAlvH,CAAwvH,KAAxvH,CAA8vH,KAA9vH,CAAowH,KAApwH,CAA0wH,KAA1wH,CAAgxH,KAAhxH,CAAsxH,KAAtxH,CAA4xH,KAA5xH,CAAkyH,KAAlyH,CAAwyH,KAAxyH,CAA8yH,KAA9yH,CAAozH,KAApzH,CAA0zH,KAA1zH,CAAg0H,KAAh0H,CAAs0H,KAAt0H,CAA40H,KAA50H,CAAk1H,KAAl1H,CAAw1H,KAAx1H,CAA81H,KAA91H,CAAo2H,KAAp2H,CAA02H,KAA12H,CAAg3H,KAAh3H,CAAs3H,KAAt3H,CAA43H,KAA53H,CAAk4H,KAAl4H,CAAw4H,KAAx4H,CAA84H,KAA94H,CAAo5H,KAAp5H,CAA05H,KAA15H,CAAg6H,KAAh6H,CAAs6H,KAAt6H,CAA46H,KAA56H,CAAk7H,KAAl7H,CAAw7H,KAAx7H,CAA87H,KAA97H,CAAo8H,KAAp8H,CAA08H,KAA18H,CAAg9H,KAAh9H,CAAs9H,KAAt9H,CAA49H,KAA59H,CAAk+H,KAAl+H,CAAw+H,KAAx+H,CAA8+H,KAA9+H,CAAo/H,KAAp/H,CAA0/H,KAA1/H,CAAggI,KAAhgI,CAAsgI,KAAtgI,CAA4gI,KAA5gI,CAAkhI,KAAlhI,CAAwhI,KAAxhI,CAA8hI,KAA9hI,CAAoiI,KAApiI,CAA0iI,KAA1iI,CAAgjI,KAAhjI,CAAsjI,KAAtjI,CAA4jI,KAA5jI,CAAkkI,KAAlkI,CAAwkI,KAAxkI,CAA8kI,KAA9kI,CAAolI,KAAplI,CAA0lI,KAA1lI,CAAgmI,KAAhmI,CAAsmI,KAAtmI,CAA4mI,KAA5mI,CAAknI,KAAlnI,CAAwnI,KAAxnI,CAA8nI,KAA9nI,CAAooI,KAApoI,CAA0oI,KAA1oI,CAAgpI,KAAhpI,CAAspI,KAAtpI,CAA4pI,KAA5pI,CAAkqI,KAAlqI,CAAwqI,KAAxqI,CAA8qI,KAA9qI,CAAorI,KAAprI,CAA0rI,KAA1rI,CAAgsI,KAAhsI,CAAssI,KAAtsI,CAA4sI,KAA5sI,CAAktI,KAAltI,CAAwtI,KAAxtI,CAA8tI,KAA9tI,CAAouI,KAApuI,CAA0uI,KAA1uI,CAAgvI,KAAhvI,CAAsvI,KAAtvI,CAA4vI,KAA5vI,CAAkwI,KAAlwI,CAAwwI,KAAxwI,CAA8wI,KAA9wI,CAAoxI,KAApxI,CAA0xI,KAA1xI,CAAgyI,KAAhyI,CAAsyI,KAAtyI,CAA4yI,KAA5yI,CAAkzI,KAAlzI,CAAwzI,KAAxzI,CAA8zI,KAA9zI,CAAo0I,KAAp0I,CAA00I,KAA10I,CAAg1I,KAAh1I,CAAs1I,KAAt1I,CAA41I,KAA51I,CAAk2I,KAAl2I,CAAw2I,KAAx2I,CAA82I,KAA92I,CAAo3I,KAAp3I,CAA03I,KAA13I,CAAg4I,KAAh4I,CAAs4I,KAAt4I,CAA44I,KAA54I,CAAk5I,KAAl5I,CAAw5I,KAAx5I,CAA85I,KAA95I,CAAo6I,KAAp6I,CAA06I,KAA16I,CAAg7I,KAAh7I,CAAs7I,KAAt7I,CAA47I,KAA57I,CAAk8I,KAAl8I,CAAw8I,KAAx8I,CAA88I,KAA98I,CAAo9I,KAAp9I,CAA09I,KAA19I,CAAg+I,KAAh+I,CAAs+I,KAAt+I,CAA4+I,KAA5+I,CAAk/I,KAAl/I,CAAw/I,KAAx/I,CAA8/I,KAA9/I,CAAogJ,KAApgJ,CAA0gJ,KAA1gJ,CAAghJ,KAAhhJ,CAAshJ,KAAthJ,CAA4hJ,KAA5hJ,CAAkiJ,KAAliJ,CAAwiJ,KAAxiJ,CAA8iJ,KAA9iJ,CAAojJ,KAApjJ,CAA0jJ,KAA1jJ,CAAgkJ,KAAhkJ,CAAskJ,KAAtkJ,CAA4kJ,KAA5kJ,CAAklJ,KAAllJ,CAAwlJ,KAAxlJ,CAA8lJ,KAA9lJ,CAAomJ,KAApmJ,CAA0mJ,KAA1mJ,CAAgnJ,KAAhnJ,CAAsnJ,KAAtnJ,CAA4nJ,KAA5nJ,CAAkoJ,KAAloJ,CAAwoJ,KAAxoJ,CAA8oJ,KAA9oJ,CAAopJ,KAAppJ,CAA0pJ,KAA1pJ,CAAgqJ,KAAhqJ,CAAsqJ,KAAtqJ,CAA4qJ,KAA5qJ,CAAkrJ,KAAlrJ,CAAwrJ,KAAxrJ,CAA8rJ,KAA9rJ,CAAosJ,KAApsJ,CAA0sJ,KAA1sJ,CAAgtJ,KAAhtJ,CAAstJ,KAAttJ,CAA4tJ,KAA5tJ,CAAkuJ,KAAluJ,CAAwuJ,KAAxuJ,CAA8uJ,KAA9uJ,CAAovJ,KAApvJ,CAA0vJ,KAA1vJ,CAAgwJ,KAAhwJ,CAAswJ,KAAtwJ,CAA4wJ,KAA5wJ,CAAkxJ,KAAlxJ,CAAwxJ,KAAxxJ,CAA8xJ,KAA9xJ,CAAoyJ,KAApyJ,CAA0yJ,KAA1yJ,CAAgzJ,KAAhzJ,CAAszJ,KAAtzJ,CAA4zJ,KAA5zJ,CAAk0J,KAAl0J,CAAw0J,KAAx0J,CAA80J,KAA90J,CAAo1J,KAAp1J,CAA01J,KAA11J,CAAg2J,KAAh2J,CAAs2J,KAAt2J,CAA42J,KAA52J,CAAk3J,KAAl3J,CAAw3J,KAAx3J,CAA83J,KAA93J,CAAo4J,KAAp4J,CAA04J,KAA14J,CAAg5J,KAAh5J,CAAs5J,KAAt5J,CAA45J,KAA55J,CAAk6J,KAAl6J,CAAw6J,KAAx6J,CAA86J,KAA96J,CAAo7J,KAAp7J,CAA07J,KAA17J,CAAg8J,KAAh8J,CAAs8J,KAAt8J,CAA48J,KAA58J,CAAk9J,KAAl9J,CAAw9J,KAAx9J,CAA89J,KAA99J,CAAo+J,KAAp+J,CAA0+J,KAA1+J,CAAg/J,KAAh/J,CAAs/J,KAAt/J,CAA4/J,KAA5/J,CAAkgK,KAAlgK,CAAwgK,KAAxgK,CAA8gK,KAA9gK,CAAohK,KAAphK,CAA0hK,KAA1hK,CAAgiK,KAAhiK,CAAsiK,KAAtiK,CAA4iK,KAA5iK,CAAkjK,KAAljK,CAAwjK,KAAxjK,CAA8jK,KAA9jK,CAAokK,KAApkK,CAA0kK,KAA1kK,CAAglK,KAAhlK,CAAslK,KAAtlK,CAA4lK,KAA5lK,CAAkmK,KAAlmK,CAAwmK,KAAxmK,CAA8mK,KAA9mK,CAAonK,KAApnK,CAA0nK,KAA1nK,CAAgoK,KAAhoK,CAAsoK,KAAtoK,CAA4oK,KAA5oK,CAAkpK,KAAlpK,CAAwpK,KAAxpK,CAA8pK,KAA9pK,CAAoqK,KAApqK,CAA0qK,KAA1qK,CAAgrK,KAAhrK,CAAsrK,KAAtrK,CAA4rK,KAA5rK,CAAksK,KAAlsK,CAAwsK,KAAxsK,CAA8sK,KAA9sK,CAAotK,KAAptK,CAA0tK,KAA1tK,CAAguK,KAAhuK,CAAsuK,KAAtuK,CAA4uK,KAA5uK,CAAkvK,KAAlvK,CAAwvK,KAAxvK,CAA8vK,KAA9vK,CAAowK,KAApwK,CAA0wK,KAA1wK,CAAgxK,KAAhxK,CAAsxK,KAAtxK,CAA4xK,KAA5xK,CAAkyK,KAAlyK,CAAwyK,KAAxyK,CAA8yK,KAA9yK,CAAozK,KAApzK,CAA0zK,KAA1zK,CAAg0K,KAAh0K,CAAs0K,KAAt0K,CAA40K,KAA50K,CAAk1K,KAAl1K,CAAw1K,KAAx1K,CAA81K,KAA91K,CAAo2K,KAAp2K,CAA02K,KAA12K,CAAg3K,KAAh3K,CAAs3K,KAAt3K,CAA43K,KAA53K,CAAk4K,KAAl4K,CAAw4K,KAAx4K,CAA84K,KAA94K,CAAo5K,KAAp5K,CAA05K,KAA15K,CAAg6K,KAAh6K,CAAs6K,KAAt6K,CAA46K,KAA56K,CAAk7K,KAAl7K,CAAw7K,KAAx7K,CAA87K,KAA97K,CAAo8K,KAAp8K,CAA08K,KAA18K,CAAg9K,KAAh9K,CAAs9K,KAAt9K,CAA49K,KAA59K,CAAk+K,KAAl+K,CAAw+K,KAAx+K,CAA8+K,KAA9+K,CAAo/K,KAAp/K,CAA0/K,KAA1/K,CAAggL,KAAhgL,CAAsgL,KAAtgL,CAA4gL,KAA5gL,CAAkhL,KAAlhL,CAAwhL,KAAxhL,CAA8hL,KAA9hL,CAAoiL,KAApiL,CAA0iL,KAA1iL,CAAgjL,KAAhjL,CAAsjL,KAAtjL,CAA4jL,KAA5jL,CAAkkL,KAAlkL,CAAwkL,KAAxkL,CAA8kL,KAA9kL,CAAolL,KAAplL,CAA0lL,KAA1lL,CAAgmL,KAAhmL,CAAsmL,KAAtmL,CAA4mL,KAA5mL,CAAknL,KAAlnL,CAAwnL,KAAxnL,CAA8nL,KAA9nL,CAAooL,KAApoL,CAA0oL,KAA1oL,CAAgpL,KAAhpL,CAAspL,KAAtpL,CAA4pL,KAA5pL,CAAkqL,KAAlqL,CAAwqL,KAAxqL,CAA8qL,KAA9qL,CAAorL,KAAprL,CAA0rL,KAA1rL,CAAgsL,KAAhsL,CAAssL,KAAtsL,CAA4sL,KAA5sL,CAAktL,KAAltL,CAAwtL,KAAxtL,CAA8tL,KAA9tL,CAAouL,KAApuL,CAA0uL,KAA1uL,CAAgvL,KAAhvL,CAAsvL,KAAtvL,CAA4vL,KAA5vL,CAAkwL,KAAlwL,CAAwwL,KAAxwL,CAA8wL,KAA9wL,CAAoxL,KAApxL,CAA0xL,KAA1xL,CAAgyL,KAAhyL,CAAsyL,KAAtyL,CAA4yL,KAA5yL,CAAkzL,KAAlzL,CAAwzL,KAAxzL,CAA8zL,KAA9zL,CAAo0L,KAAp0L,CAA00L,KAA10L,CAAg1L,KAAh1L,CAAs1L,KAAt1L,CAA41L,KAA51L,CAAk2L,KAAl2L,CAAw2L,KAAx2L,CAA82L,KAA92L,CAAo3L,KAAp3L,CAA03L,KAA13L,CAAg4L,KAAh4L,CAAs4L,KAAt4L,CAA44L,KAA54L,CAAk5L,KAAl5L,CAAw5L,KAAx5L,CAA85L,KAA95L,CA

9KkGsB,C;M8KjGnC,qB9KnFoD,W8KmF/B,K9KnF+B,E8KmFvB,M9KnFuB,C;M8KoFpD,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,I9KlJ8D,Y8KkJ1D,M9KlJ2E,KAAjB,E8KkJjD,c9KlJ8E,KAA7B,C8KkJ1D,IAAJ,C;UAA6B,OAAO,I;QAEpC,S9KxGkD,SAAe,Y8KwGjE,M9KxG4D,KAAK,E8KwGvD,M9KxGmE,KAAZ,CAAf,C;Q8K0GlD,mBAAmB,M;QACnB,S9KrIiD,S8KqIjD,M9KrI2D,KAAK,GAAW,CA2N5C,S8KtFrB,K9KsFqB,CA3N4C,MAAX,IAAf,C;Q8KsIjD,I9KxJ8D,Y8KwJ1D,M9KxJ2E,KAAjB,E8KwGjD,Y9KxJ8E,KAA7B,C8KwGJ1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;IACX,C;;MAQ4C,kCAAsB,EAAtB,C;IAAA,C;;MAWxC,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,B,C;QAAI,IAAI,WAAU,CAAV,EAAa,cAAa,EAAhC,C,C;UAAqC,OAAO,I;QAAA,C;QAAA,C;MAAA,C;MAIhD,a9K6KmC,S8K7CtB,K9K6KsB,C;M8K5KnC,qBjKrIsD,YiKqIjC,KjKrIiC,EbwHjB,UAAW,oB8KanB,M9Kbc,KAAK,CAAL,EAAO,IBAAN,CAAxH,iB,C;MiKsItD,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IjK/L+D,aiK+K/D,K/L,E,MjK/LuE,KAAK,GAAL,EAAU,IAAK,CAAf,C,C;UiKgMvE,OAAO,I;QAEP,SjK1JkD,SAAe,YiK0JjE,MjK1J4D,KAAK,EiK0JvD,MjK1JmE,KAAZ,CAAf,C;QiK2JlD,mBAAmB,M;QACnB,SjKtLiD,SiKsLjD,MjKtL2D,KAAK,GAAW,CA2N5C,SiKvCrB,KjKuCqB,CA3N4C,MAAX,IAAf,C;QiKuLjD,IjKzM8D,YiKyM1D,MjKzM2E,KAAjB,EiKyGjD,YjKzM8E,KAA7B,CiKy

;;;

Q;IAAA,C;;MACG,8B;IAAA,C;;;;MAV7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAiB+B,gB;MAA4B,sB;IAA7B,C;;MAIlB,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,QAAJ,aAAY,GAAZ,W;UAAwB,W;;QACxB,WAAW,GAAI,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,iBAAK,GAAL,C;;;IAGnB,C;;MAGI,iBAAU,SAAK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,YAAzC,C;IAAA,C;;UAKO,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;;MAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gBAAY,SAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAgB,OAAhB,hB,EAAyB,YAAzB,C;MAHZ,W;IAKJ,C;;MAGI,OAAI,yCAAJ,GAA6B,GAA7B,6B,SAAK,cAAL,C;UAAA,C;;MAAA,+BAAI,OAAQ,IAAZ,C;IAAA,C;;MAUwB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,K;QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAI,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;;UAEN,OAAO,gBAAS,wEAAT,C;;;IAGnB,C;;MAGI,gBAAS,KAAT,EAAgB,KAAK,kBAAS,SAAT,EAAoB,yCAApB,4B,SAAK,KAAL,EAAY,eAAZ,EAAqB,IAAI,aAAJ,C;IAAzB,C;;MAAA,K

1.15 alpine-keys 2.4-r1

1.15.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.16 log4j-api 2.17.1

1.16.1 Available under license :

Apache Log4j 1.x Compatibility API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.17 apache-log4j 2.17.1

1.17.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache license, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the license for the specific language governing permissions and
* limitations under the license.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.18 log4j-jcl 2.17.1

1.18.1 Available under license :

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.19 dagger 2.4

1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 Google, Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 Google Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Binds.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-
jar/dagger/multibindings/ElementsIntoSet.java

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java

1.20 protobuf-java-format 1.2

1.20.1 Available under license :

Copyright (c) 2009, Orbitz LLC
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz LLC nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Orbitz World Wide
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz World Wide nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.21 annotations 4.1.1.4

1.21.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/SuppressLint.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/TargetApi.java

1.22 error_prone_annotations 2.3.3

1.22.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/MustBeClosed.java
*
 /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatString.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java

* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
 /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
*
 /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

1.23 jzmq-jni 3.1.1-SNAPSHOT

1.23.1 Available under license :

This package was debianized by
  Alois Belaska <alois.belaska@google.com>

  The packaging scripts are 2009-2010 by these authors and are distributed
  under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for 0MQ

Project homepage, with original source code:
  http://www.zeromq.org/

Copyright and Upstream Authors:

  Copyright 2007-2010 iMatix Corporation

License:

  This package is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy
of the GNU Lesser General Public
License along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
http://code.google.com/p/openpgm/

Copyright and Upstream Authors:
Copyright 2006-2010 Miru Limited.
Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
Most of OpenPGM is licensed under the terms of the GNU Lesser Public
License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are
taken from the Linux kernel and
licensed under the terms of the GNU General
Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of
OpenPGM as being LGPL licensed and the library libpgmplus as being GPL
licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ
doesn't use those files during build or runtime, so it is not relevant for the
license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

On Debian systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
projects that are in some way related to
the "ZeroMQ project", including applications
using "ZeroMQ project" and tools developed
for enhancing "ZeroMQ project". All other projects
(not related to "ZeroMQ project") have to use this
code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see http://www.artifex.com/downloads/doc/Public.htm for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of Frank Vanden Berghen
nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.
GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy,

is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is
covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years
and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation

(including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it,
you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided

by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library
is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters,

data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays
copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library
under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of
following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable
under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 jzmq-devices 3.1.1-SNAPSHOT

1.24.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for 0MQ

Project homepage, with original source code:
http://www.zeromq.org/

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy
of the GNU Lesser General Public
License along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
  http://code.google.com/p/openpgm/

Copyright and Upstream Authors:
  Copyright 2006-2010 Miru Limited.
  Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
  Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
  Most of OpenPGM is licensed under the terms of the GNU Lesser Public
  License, the LGPL, see the file COPYING for details.

  The ultra-high performance partial checksum & folding routines that are
  taken from the Linux kernel and
licensed under the terms of the GNU General
  Public License, the GPL, see the file COPYING.GPL for details.

  Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of
  OpenPGM as being LGPL licensed and the library libpgmplus as being GPL
  licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ
doesn't use those files during build or runtime, so it is not relevant for the
license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

On Debian systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
 projects that are in some way related to
the "ZeroMQ project", including applications
using "ZeroMQ project" and tools developed
for enhancing "ZeroMQ project". All other projects

(not related to "ZeroMQ project") have to use this
code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see http://www.artifex.com/downloads/doc/Public.htm for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
   * Neither the name of Frank Vanden Berghen
 nor the
     names of its contributors may be used to endorse or promote products
     derived from this software without specific prior written permission.
                GNU GENERAL PUBLIC LICENSE
                Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                     Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to
 freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if

you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as
long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source
as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty
or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that

arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library
is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.25 jzmq 3.1.1-SNAPSHOT

1.25.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for 0MQ

Project homepage, with original source code:
http://www.zeromq.org/

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy
of the GNU Lesser General Public
License along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
http://code.google.com/p/openpgm/

Copyright and Upstream Authors:
Copyright 2006-2010 Miru Limited.
Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
Most of OpenPGM is licensed under the terms of the GNU Lesser Public
License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are
taken from the Linux kernel and
licensed under the terms of the GNU General
Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of
OpenPGM as being LGPL licensed and the library libpgmplus as being GPL
licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ
doesn't use those files during build or runtime, so it is not relevant for the

license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

On Debian systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
projects that are in some way related to
the "ZeroMQ project", including applications
using "ZeroMQ project" and tools developed
for enhancing "ZeroMQ project". All other projects
(not related to "ZeroMQ project") have to use this
code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see http://www.artifex.com/downloads/doc/Public.htm for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of Frank Vanden Berghen
nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.
GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is
covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years
and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed

in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have

permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it,
you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,

other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from

a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer

system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you

received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with
independent modules to produce an executable, regardless of the license terms
of these independent modules, and to copy and distribute the resulting
executable
under terms of your choice, provided that you also meet, for each
linked independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or based on
this library. If you modify this library, you must extend this exception to your
version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.26 jzmq-core 3.1.1-SNAPSHOT

1.26.1 Available under license :

This package was debianized by
  Alois Belaska <alois.belaska@google.com>

  The packaging scripts are 2009-2010 by these authors and are distributed
  under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for 0MQ

Project homepage, with original source code:
  http://www.zeromq.org/

Copyright and Upstream Authors:

  Copyright 2007-2010 iMatix Corporation

License:

  This package is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2 of the License, or (at your option) any later version.

  This package is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy
 of the GNU Lesser General Public
  License along with this package; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
  http://code.google.com/p/openpgm/

Copyright and Upstream Authors:
  Copyright 2006-2010 Miru Limited.
  Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
  Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
  Most of OpenPGM is licensed under the terms of the GNU Lesser Public
  License, the LGPL, see the file COPYING for details.

  The ultra-high performance partial checksum & folding routines that are
  taken from the Linux kernel and
licensed under the terms of the GNU General
  Public License, the GPL, see the file COPYING.GPL for details.

  Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of
  OpenPGM as being LGPL licensed and the library libpgmplus as being GPL
  licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ
doesn't use those files during build or runtime, so it is not relevant for the
license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

On Debian systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
 projects that are in some way related to
the "ZeroMQ project", including applications

using "ZeroMQ project" and tools developed
for enhancing "ZeroMQ project". All other projects
(not related to "ZeroMQ project") have to use this
code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see http://www.artifex.com/downloads/doc/Public.htm for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of Frank Vanden Berghen
nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.
GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you

these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1)
assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains,
we
stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The
"System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally
available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is
covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose

of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a

written offer, valid for at least three years
and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source
as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status

of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent

that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty
or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms

of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However,

nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that
arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public
License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it,
you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are

covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library

under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of
following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with
independent modules to produce an executable, regardless of the license terms
of these independent modules, and to copy and distribute the resulting
executable
under terms of your choice, provided that you also meet, for each
linked independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or based on
this library. If you modify this library, you must extend this exception to your
version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.27 protobuf-java 3.19.6

1.27.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.google.protobuf
Bnd-LastModified: 1664485905970
Build-Jdk: 1.8.0_181-google-v7
Built-By: mkruskal
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are
a way of encoding structured data in an efficient yet extensible for
mat.
Bundle-DocURL: https://developers.google.com/protocol-buffers/
Bundle-License: https://opensource.org/licenses/BSD-3-Clause
Bundle-ManifestVersion: 2
Bundle-Name: Protocol Buffers [Core]
Bundle-SymbolicName: com.google.protobuf
Bundle-Version: 3.19.6

Created-By: Apache Maven Bundle Plugin
Export-Package: com.google.protobuf;version="3.19.6"
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;versio
n="[3.19,4)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-3.0.0.201509101326

Found in path(s):
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/struct.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/wrappers.proto
*
 /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/type.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/empty.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/any.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/duration.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-
jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/api.proto

1.28 jctools-core 4.0.1

1.28.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1662622707903
Build-Jdk-Spec: 11

Bundle-Description: Java Concurrency Tools Core Library
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bundle-ManifestVersion: 2
Bundle-Name: Java Concurrency Tools Core Library
Bundle-SymbolicName: org.jctools.core
Bundle-Version: 4.0.1
Created-By: Apache Maven Bundle Plugin 5.1.6
Export-Package: org.jctools.maps;version="4.0.1",org.jctools.util;uses
:="sun.misc";version="4.0.1",org.jctools.queues;version="4.0.1",org.j
ctools.queues.atomic;uses:="org.jctools.queues";version="4.0.1",org.j
ctools.queues.unpadded;uses:="org.jctools.queues";version="4.0.1",org
.jctools.counters;version="4.0.1"
Import-Package: sun.misc;resolution:=optional
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"
Tool: Bnd-6.2.0.202202251641

Found in path(s):
* /opt/cola/permits/1500645298_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1500645298_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

1.29 httpcomponents-mime 4.5.14

1.29.1 Available under license :

Apache HttpComponents Client
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code
Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently,
any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise
exploit its
Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other

equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary

License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability
terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However,
if You become
compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have

come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  ------------------------                                            *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is
 free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*
                                                                       *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
```

* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation
which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.30 gson 2.10.1

1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Created-By: 11.0.16.1 (Azul Systems, Inc.)
Build-Jdk-Spec: 11
Bnd-LastModified: 1673019830620
Bundle-ContactAddress: https://github.com/google/gson
Bundle-Description: Gson JSON library
Bundle-Developers: google;organization=Google;organizationUrl="https://w
ww.google.com"
Bundle-DocURL: https://github.com/google/gson/gson
Bundle-License: "Apache-2.0";link="https://www.apache.org/licenses/LICEN
SE-2.0.txt"
Bundle-ManifestVersion: 2
Bundle-Name: Gson
Bundle-RequiredExecutionEnvironment: JavaSE-1.7, JavaSE-1.8
Bundle-SCM: url="https://github.com/google/gson/gson/",connection="scm:g
it:https://github.com/google/gson.git/gson",developer-connection="scm:g
it:git@github.com:google/gson.git/gson",tag="gson-parent-2.10.1"
Bundle-SymbolicName: com.google.gson
Bundle-Vendor: Google Gson Project
Bundle-Version: 2.10.1
Export-Package: com.google.gson;uses:="com.google.gson.reflect,com.googl
e.gson.stream";version="2.10.1",com.google.gson.annotations;version="2.
 10.1",com.google.gson.reflect;version="2.10.1",com.google.gson.stream;v
ersion="2.10.1"
Import-Package: sun.misc;resolution:=optional,com.google.gson.annotation
s
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-6.4.0.202211291949
Multi-Release: true

Found in path(s):
* /opt/cola/permits/1570533427_1676891842.8285189/0/gson-2-10-1-jar/META-INF/MANIFEST.MF

1.31 commons-fileupload 1.5

1.31.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.32 error_prone_annotations 2.18.0

1.32.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
-->

Found in path(s):
* /opt/cola/permits/1606613656_1679417956.422988/0/error-prone-annotations-2-18-0-1-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.33 opentelemetry-proto 0.11.0

1.33.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.34 bridgeutils 1.7.1-r2

1.34.1 Available under license :

/*
* Copyright (C) 2000 Lennert Buytenhek
*
* This program is free software; you can redistribute it and/or
* modify it under the terms of the GNU General Public License as
* published by the Free Software Foundation; either version 2 of the
* License, or (at your option) any later version.
*
* This program is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program; if not, write to the Free Software
* Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.
*/

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole

or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered
independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based
on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each

time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.35 okhttp 4.11.0

1.35.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

1.36 free-type 2.13.0

1.36.1 Available under license :

Files that don't get a copyright, or which are taken from elsewhere.
#
All lines in this file are patterns (relative to the top-level directory),
including the comment lines; this means that e.g. `FTL.TXT' matches all
files that have this string in the file name (including the path relative
to the current directory, always starting with `./').
#
Don't put empty lines into this file!
#
builds/unix/pkg.m4
#
docs/FTL.TXT
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c

src/base/md5.h
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdflib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/ftzconf.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
#

EOF

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its
main points are that:

- We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)

- You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

- You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a

credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
 """
  Portions
of this software are copyright  <year> The FreeType
  Project (www.freetype.org).  All rights reserved.
 """
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation,
unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display,
copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to

accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

--- end of FTL.TXT ---
FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *you* must choose *one* of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license *with* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General

Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in `docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/fthash.c` and `include/freetype/internal/fthash.h`; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The files `src/autofit/ft-hb.c` and `src/autofit/ft-hb.h` contain code taken almost verbatim from the HarfBuzz file `hb-ft.cc`, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds)
is in the public domain.

--- end of LICENSE.TXT ---

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by

the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed
to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute
and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work

which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies
of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole
or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered
independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based
on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or

executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy
the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each
time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number

of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

  <one line to give the program's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License,
or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) year name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w'
 and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.37 animal-sniffer-annotation 1.23

1.37.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
-->

Found in path(s):
* /opt/cola/permits/1699778818_1685371632.5170038/0/animal-sniffer-annotations-1-23-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

1.38 j2objc-annotations 2.8

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/OnDealloc.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/LoopTranslation.java
*
/opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/WeakOuter.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ObjectiveCName.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/AutoreleasePool.java

1.39 tre 0.8.0-r2

1.39.1 Available under license :

This is the license, copyright notice, and disclaimer for TRE, a regex
matching package (library and tools) with support for approximate
matching.

Copyright (c) 2001-2009 Ville Laurikari <vl@iki.fi>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER
 OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.40 guava 32.0.1-jre

1.40.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.41 pax-utils 1.3.7-r2

1.41.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on

the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can
be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source

code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled
to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based
on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit
royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies
a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software

Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version
2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical
commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General

Public License instead of this License.

1.42 opentelemetry-sdk-extension-autoconfigure-spi 1.29.0

1.42.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.43 opentelemetry-semconv 1.29.0-alpha

1.43.1 Available under license :

Apache-2.0

1.44 okio 3.6.0

1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/PeekSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/RealBufferedSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/SegmentedByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/RealBufferedSink.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/appleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonAppleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/SegmentedByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha512.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/Md5.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha1.kt
*
 /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha256.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/Cinterop.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/unixMain/okio/UnixPosixVariant.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/Path.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/linuxMain/okio/LinuxPosixVariant.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/PosixFileSystem.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/Hmac.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/PosixVariant.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/HashingSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/FileSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/appleMain/okio/ApplePosixVariant.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/FileSink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/FileSystem.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/HashingSink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/FileMetadata.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/Path.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/HashingSink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/ForwardingFileSystem.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/ExperimentalFileSystem.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/HashingSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Path.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/-Utf8.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonAppleMain/okio/ByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Util.kt
*
 /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/CommonPlatform.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/ByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/NonJvmPlatform.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/appleMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/SizetVariant.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 Square, Inc.
*

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/FileSystem.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/FileHandle.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/unixMain/okio/UnixFileHandle.kt
*
/opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nativeMain/okio/FileSystem.kt
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
*  the License.  You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Base64.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Timeout.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/RealBufferedSink.kt
*
 /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/Buffer.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/Timeout.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/Sink.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/internal/Buffer.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Sink.kt
*
 /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/RealBufferedSink.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/SegmentPool.kt
*
/opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/ForwardingSource.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/nonJvmMain/okio/ForwardingSource.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc. and others.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/hashFunctions/okio/internal/HashFunction.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1825538429_1697657800.9267037/0/okio-3-6-0-sources-jar/commonMain/okio/Options.kt

1.45 guava 32.1.3-jre

1.45.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.46 asm 9.6

1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/signature/SignatureVisitor.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/CurrentFrame.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/signature/SignatureWriter.java
*

/opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/RecordComponentWriter.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/TypePath.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/RecordComponentVisitor.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/AnnotationWriter.java
*
/opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/signature/SignatureReader.java
*
/opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/ModuleVisitor.java
*
/opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/Constants.java
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/MethodTooLargeException.java
No license file was found, but licenses were detected in source scan.

<!--
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
-->

Found in path(s):
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/signature/package.html
* /opt/cola/permits/1833602430_1698392687.177041/0/asm-9-6-sources-jar/org/objectweb/asm/package.html

1.47 error_prone_annotations 2.23.0

1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
 Copyright 2015 The Error Prone Authors.

 Licensed under the Apache License, Version 2.0 (the "License");
 you may not use this file except in compliance with the License.
 You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
-->

Found in path(s):
* /opt/cola/permits/1880697838_1704469724.6983197/0/error-prone-annotations-2-23-0-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Created-By: Maven JAR Plugin 3.2.2
Build-Jdk-Spec: 17
Automatic-Module-Name: com.google.errorprone.annotations
Bundle-Description: Error Prone is a static analysis tool for Java that
catches common programming mistakes at compile-time.
Bundle-DocURL: https://errorprone.info/error_prone_annotations
Bundle-License: "Apache 2.0";link="http://www.apache.org/licenses/LICENS
E-2.0.txt"
Bundle-ManifestVersion: 2
Bundle-Name: error-prone annotations
Bundle-SCM: url="https://github.com/google/error-prone/error_prone_annot
ations",connection="scm:git:https://github.com/google/error-prone.git/e
rror_prone_annotations",developer-connection="scm:git:git@github.com:go
ogle/error-prone.git/error_prone_annotations",tag=HEAD
Bundle-SymbolicName: com.google.errorprone.annotations
Bundle-Vendor: Google LLC
Bundle-Version: 2.23.0
Export-Package: com.google.errorprone.annotations;uses:="javax.lang.mode
l.element";version="2.23.0",com.google.errorprone.annotations.concurren
t;version="2.23.0"
Import-Package: javax.lang.model.element
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Found in path(s):
* /opt/cola/permits/1880697838_1704469724.6983197/0/error-prone-annotations-2-23-0-jar/META-INF/MANIFEST.MF

1.48 jline 3.22.0

1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2019, the original author or authors.
*

* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Tmux.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractPty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Editor.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Candidate.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ConfigurationPath.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/ArgumentCompleter.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/InfoCmp.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Status.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/StringsCompleter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2021, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/CompletionMatcherImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ConsoleOptionGetter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Completers.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Nano.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultHighlighter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/widget/TailTipWidgets.java
*

/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/history/DefaultHistory.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/PrintAboveWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/TTop.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Styles.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/impl/ConsoleEngineImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStyle.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/LineReader.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/ConsoleEngine.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Parser.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/TerminalBuilder.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/SystemRegistry.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/ArgDesc.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/AttributedCharSequence.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Highlighter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009-2018 the original author(s).
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/AnsiWriter.java

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/SyntaxError.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/EOFError.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2022, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/exec/ExecTerminalProvider.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/spi/TerminalProvider.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/Diag.java
No license file was found, but licenses were detected in source scan.

#
Copyright (C) 2022 the original author(s).

```
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.jansi.JansiTerminalProvider
```

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jansi
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2002-2020, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
```

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/osx/OsXNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiTerminalProvider.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Display.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/JnaTerminalProvider.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/CommandMethods.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/ScriptEngine.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/CompletionMatcher.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/CmdDesc.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-

jar/org/jline/console/impl/AbstractCommandRegistry.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/widget/Widgets.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/solaris/SolarisNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/freebsd/CLibrary.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/CmdLine.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Log.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/widget/AutosuggestionWidgets.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/console/impl/JlineCommandRegistry.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/console/CommandRegistry.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/ReaderUtils.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/JnaNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/EndOfFileException.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/solaris/CLibrary.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/linux/CLibrary.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/win/JnaWinSysTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Signals.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jansi/win/JansiWinSysTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/widget/AutopairWidgets.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/linux/LinuxNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/LineReaderBuilder.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/DefaultParser.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/freebsd/FreeBsdNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/jna/osx/CLibrary.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/ColorPalette.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/completer/SystemCompleter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-

jar/org/jline/console/CommandInput.java
No license file was found, but licenses were detected in source scan.

<!--

  Copyright (c) 2002-2020, the original author or authors.

  This software is distributable under the BSD license. See the terms of the
  BSD license in the documentation provided with this software.

  https://opensource.org/licenses/BSD-3-Clause

-->

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jansi/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-ssh/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-telnet/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-reader/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jna/pom.xml
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-builtins/pom.xml
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-style/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/NopStyleSource.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java

* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleResolver.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsConsoleWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingPumpReader.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/BufferImpl.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/InterpolationHelper.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/SimpleMaskingCallback.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/Ssh.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/WriterOutputStream.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyledWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Telnet.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/MemoryStyleSource.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingPumpInputStream.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/PumpReader.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Buffer.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleColor.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/ShellFactoryImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/ShellCommand.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleBundle.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/JnaWinConsoleWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleBundleInvocationHandler.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2022, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/impl/DefaultPrinter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/Printer.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemHighlighter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Source.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Commands.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemRegistryImpl.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Less.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/console/impl/Builtins.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/LineReaderImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/SyntaxHighlighter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2018, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,

* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author
nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionManager.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/TelnetIO.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionData.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/PortListener.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionEvent.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Connection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2016, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Based on http://antony.lesuisse.org/software/ajaxterm/
* Public Domain License
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/ScreenTerminal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author

nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionFilter.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionListener.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2020, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND,

either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/Options.java
No license file was found, but licenses were detected in source scan.

#
Copyright (C) 2022 the original author(s).
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
#
class = org.jline.terminal.impl.exec.ExecTerminalProvider

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/exec
No license file was found, but licenses were detected in source scan.

#
Copyright (c) 2002-2018, the original author or authors.
#
This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.
#
https://opensource.org/licenses/BSD-3-Clause
#

black
maroon
green
olive
navy
purple
teal
silver

grey
red
lime
yellow
blue
fuchsia
aqua
white
grey0
navyblue
darkblue
blue3
blue3a
blue1
darkgreen
deepskyblue4
deepskyblue4a
deepskyblue4b
dodgerblue3
dodgerblue2
green4
springgreen4
turquoise4
deepskyblue3
deepskyblue3a
dodgerblue1
green3
springgreen3
darkcyan
lightseagreen
deepskyblue2
deepskyblue1
green3a
springgreen3a
springgreen2
cyan3
darkturquoise
turquoise2
green1
springgreen2a
springgreen1
mediumspringgreen
cyan2
cyan1
darkred
deeppink4
purple4
purple4a

purple3
blueviolet
orange4
grey37
mediumpurple4
slateblue3
slateblue3a
royalblue1
chartreuse4
darkseagreen4
paleturquoise4
steelblue
steelblue3
cornflowerblue
chartreuse3
darkseagreen4a
cadetblue
cadetbluea
skyblue3
steelblue1
chartreuse3a
palegreen3
seagreen3
aquamarine3
mediumturquoise
steelblue1a
chartreuse2
seagreen2
seagreen1
seagreen1a
aquamarine1
darkslategray2
darkreda
deeppink4a
darkmagenta
darkmagentaa
darkviolet
purplea
orange4a
lightpink4
plum4
mediumpurple3
mediumpurple3a
slateblue1
yellow4
wheat4
grey53
lightslategrey

mediumpurple
lightslateblue
yellow4a
darkolivegreen3
darkseagreen
lightskyblue3
lightskyblue3a
skyblue2
chartreuse2a
darkolivegreen3a
palegreen3a
darkseagreen3
darkslategray3
skyblue1
chartreuse1
lightgreen
lightgreena
palegreen1
aquamarine1a
darkslategray1
red3
deeppink4b
mediumvioletred
magenta3
darkvioleta
purpleb
darkorange3
indianred
hotpink3
mediumorchid3
mediumorchid
mediumpurple2
darkgoldenrod
lightsalmon3
rosybrown
grey63
mediumpurple2a
mediumpurple1
gold3
darkkhaki
navajowhite3
grey69
lightsteelblue3
lightsteelblue
yellow3
darkolivegreen3b
darkseagreen3a
darkseagreen2

lightcyan3
lightskyblue1
greenyellow
darkolivegreen2
palegreen1a
darkseagreen2a
darkseagreen1
paleturquoise1
red3a
deeppink3
deeppink3a
magenta3a
magenta3b
magenta2
darkorange3a
indianreda
hotpink3a
hotpink2
orchid
mediumorchid1
orange3
lightsalmon3a
lightpink3
pink3
plum3
violet
gold3a
lightgoldenrod3
tan
mistyrose3
thistle3
plum2
yellow3a
khaki3
lightgoldenrod2
lightyellow3
grey84
lightsteelblue1
yellow2
darkolivegreen1
darkolivegreen1a
darkseagreen1a
honeydew2
lightcyan1
red1
deeppink2
deeppink1
deeppink1a

magenta2a
magenta1
orangered1
indianred1
indianred1a
hotpink
hotpinka
mediumorchid1a
darkorange
salmon1
lightcoral
palevioletred1
orchid2
orchid1
orange1
sandybrown
lightsalmon1
lightpink1
pink1
plum1
gold1
lightgoldenrod2a
lightgoldenrod2b
navajowhite1
mistyrose1
thistle1
yellow1
lightgoldenrod1
khaki1
wheat1
cornsilk1
grey100
grey3
grey7
grey11
grey15
grey19
grey23
grey27
grey30
grey35
grey39
grey42
grey46
grey50
grey54
grey58
grey62

grey66
grey70
grey74
grey78
grey82
grey85
grey89
grey93

Found
in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/colors.txt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2016, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/ExecHelper.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/Attributes.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/ShutdownHooks.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/UserInterruptException.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/DiffHelper.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/AttributedString.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/AggregateCompleter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/OSUtils.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Binding.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/MouseEvent.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/MouseSupport.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Widget.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/spi/Pty.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/package-info.java

*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/package-info.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/NativeSignalHandler.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/utils/ClosedException.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Reference.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/package-
info.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/completer/package-info.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/completer/EnumCompleter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/ExecPty.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/completer/NullCompleter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Macro.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/Cursor.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/AbstractPosixTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Expander.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/DefaultExpander.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/utils/InputStreamReader.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Levenshtein.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/keymap/KeyMap.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/WCWidth.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/UndoTree.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/terminal/impl/CursorSupport.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-
jar/org/jline/reader/impl/history/package-info.java
No license file was found, but licenses were detected in source scan.

#
Copyright (c) 2002-2016, the original author or authors.
#
This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.
#
https://opensource.org/licenses/BSD-3-Clause
#

auto_left_margin, bw, bw
auto_right_margin, am, am
back_color_erase, bce, ut
can_change, ccc, cc
ceol_standout_glitch, xhp, xs
col_addr_glitch, xhpa, YA
cpi_changes_res, cpix, YF
cr_cancels_micro_mode, crxm, YB
dest_tabs_magic_smso, xt, xt
eat_newline_glitch, xenl, xn
erase_overstrike, eo, eo
generic_type, gn, gn
hard_copy, hc, hc
hard_cursor, chts, HC
has_meta_key, km, km
has_print_wheel, daisy, YC
has_status_line, hs, hs
hue_lightness_saturation, hls, hl
insert_null_glitch, in, in
lpi_changes_res, lpix, YG
memory_above, da, da
memory_below, db, db
move_insert_mode, mir, mi
move_standout_mode, msgr, ms
needs_xon_xoff, nxon, nx
no_esc_ctlc, xsb, xb
no_pad_char, npc,
NP
non_dest_scroll_region, ndscr, ND
non_rev_rmcup, nrrmc, NR
over_strike, os, os
prtr_silent, mc5i, 5i
row_addr_glitch, xvpa, YD
semi_auto_right_margin, sam, YE
status_line_esc_ok, eslok, es
tilde_glitch, hz, hz
transparent_underline, ul, ul
xon_xoff, xon, xo
columns, cols, co
init_tabs, it, it
label_height, lh, lh
label_width, lw, lw
lines, lines, li
lines_of_memory, lm, lm
magic_cookie_glitch, xmc, sg
max_attributes, ma, ma
max_colors, colors, Co
max_pairs, pairs, pa

maximum_windows, wnum, MW
no_color_video, ncv, NC
num_labels, nlab, Nl
padding_baud_rate, pb, pb
virtual_terminal, vt, vt
width_status_line, wsl, ws
bit_image_entwining, bitwin, Yo
bit_image_type, bitype, Yp
buffer_capacity, bufsz, Ya
buttons, btns, BT
dot_horz_spacing, spinh, Yc
dot_vert_spacing, spinv, Yb
max_micro_address, maddr, Yd
max_micro_jump, mjump, Ye
micro_col_size, mcs, Yf
micro_line_size, mls, Yg
number_of_pins, npins, Yh
output_res_char, orc, Yi
output_res_horz_inch, orhi, Yk
output_res_line, orl, Yj
output_res_vert_inch,
orvi, Yl
print_rate, cps, Ym
wide_char_size, widcs, Yn
acs_chars, acsc, ac
back_tab, cbt, bt
bell, bel, bl
carriage_return, cr, cr
change_char_pitch, cpi, ZA
change_line_pitch, lpi, ZB
change_res_horz, chr, ZC
change_res_vert, cvr, ZD
change_scroll_region, csr, cs
char_padding, rmp, rP
clear_all_tabs, tbc, ct
clear_margins, mgc, MC
clear_screen, clear, cl
clr_bol, el1, cb
clr_eol, el, ce
clr_eos, ed, cd
column_address, hpa, ch
command_character, cmdch, CC
create_window, cwin, CW
cursor_address, cup, cm
cursor_down, cud1, do
cursor_home, home, ho
cursor_invisible, civis, vi
cursor_left, cub1, le

cursor_mem_address, mrcup, CM
cursor_normal, cnorm, ve
cursor_right, cuf1, nd
cursor_to_ll, ll, ll
cursor_up, cuu1, up
cursor_visible, cvvis, vs
define_char, defc, ZE
delete_character, dch1, dc
delete_line, dl1, dl
dial_phone, dial, DI
dis_status_line, dsl, ds
display_clock, dclk, DK
down_half_line, hd, hd
ena_acs, enacs, eA
enter_alt_charset_mode, smacs, as
enter_am_mode, smam,
SA
enter_blink_mode, blink, mb
enter_bold_mode, bold, md
enter_ca_mode, smcup, ti
enter_delete_mode, smdc, dm
enter_dim_mode, dim, mh
enter_doublewide_mode, swidm, ZF
enter_draft_quality, sdrfq, ZG
enter_insert_mode, smir, im
enter_italics_mode, sitm, ZH
enter_leftward_mode, slm, ZI
enter_micro_mode, smicm, ZJ
enter_near_letter_quality, snlq, ZK
enter_normal_quality, snrmq, ZL
enter_protected_mode, prot, mp
enter_reverse_mode, rev, mr
enter_secure_mode, invis, mk
enter_shadow_mode, sshm, ZM
enter_standout_mode, smso, so
enter_subscript_mode, ssubm, ZN
enter_superscript_mode, ssupm, ZO
enter_underline_mode, smul, us
enter_upward_mode, sum, ZP
enter_xon_mode, smxon, SX
erase_chars, ech, ec
exit_alt_charset_mode, rmacs, ae
exit_am_mode, rmam, RA
exit_attribute_mode, sgr0, me
exit_ca_mode, rmcup, te
exit_delete_mode, rmdc, ed
exit_doublewide_mode, rwidm, ZQ
exit_insert_mode, rmir, ei

exit_italics_mode, ritm, ZR
exit_leftward_mode, rlm, ZS
exit_micro_mode, rmicm, ZT
exit_shadow_mode, rshm,
ZU
exit_standout_mode, rmso, se
exit_subscript_mode, rsubm, ZV
exit_superscript_mode, rsupm, ZW
exit_underline_mode, rmul, ue
exit_upward_mode, rum, ZX
exit_xon_mode, rmxon, RX
fixed_pause, pause, PA
flash_hook, hook, fh
flash_screen, flash, vb
form_feed, ff, ff
from_status_line, fsl, fs
goto_window, wingo, WG
hangup, hup, HU
init_1string, is1, i1
init_2string, is2, is
init_3string, is3, i3
init_file, if, if
init_prog, iprog, iP
initialize_color, initc, Ic
initialize_pair, initp, Ip
insert_character, ich1, ic
insert_line, il1, al
insert_padding, ip, ip
key_a1, ka1, K1
key_a3, ka3, K3
key_b2, kb2, K2
key_backspace, kbs, kb
key_beg, kbeg, @1
key_btab, kcbt, kB
key_c1, kc1, K4
key_c3, kc3, K5
key_cancel, kcan, @2
key_catab, ktbc, ka
key_clear, kclr, kC
key_close, kclo, @3
key_command, kcmd, @4
key_copy, kcpy, @5
key_create, kcrt, @6
key_ctab, kctab, kt
key_dc, kdch1, kD
key_dl, kdl1, kL
key_down, kcud1, kd
key_eic, krmir, kM

key_end, kend, @7
key_enter, kent, @8
key_eol, kel, kE
key_eos,
ked, kS
key_exit, kext, @9
key_f0, kf0, k0
key_f1, kf1, k1
key_f10, kf10, k;
key_f11, kf11, F1
key_f12, kf12, F2
key_f13, kf13, F3
key_f14, kf14, F4
key_f15, kf15, F5
key_f16, kf16, F6
key_f17, kf17, F7
key_f18, kf18, F8
key_f19, kf19, F9
key_f2, kf2, k2
key_f20, kf20, FA
key_f21, kf21, FB
key_f22, kf22, FC
key_f23, kf23, FD
key_f24, kf24, FE
key_f25, kf25, FF
key_f26, kf26, FG
key_f27, kf27, FH
key_f28, kf28, FI
key_f29, kf29, FJ
key_f3, kf3, k3
key_f30, kf30, FK
key_f31, kf31, FL
key_f32, kf32, FM
key_f33, kf33, FN
key_f34, kf34, FO
key_f35, kf35, FP
key_f36, kf36, FQ
key_f37, kf37, FR
key_f38, kf38, FS
key_f39, kf39, FT
key_f4, kf4, k4
key_f40, kf40, FU
key_f41, kf41, FV
key_f42, kf42, FW
key_f43, kf43, FX
key_f44, kf44, FY
key_f45, kf45, FZ
key_f46, kf46, Fa

key_f47, kf47, Fb
key_f48, kf48, Fc
key_f49, kf49, Fd
key_f5, kf5, k5
key_f50, kf50, Fe
key_f51, kf51, Ff
key_f52, kf52, Fg
key_f53, kf53, Fh
key_f54, kf54, Fi
key_f55, kf55, Fj
key_f56, kf56, Fk
key_f57, kf57, Fl
key_f58, kf58,
Fm
key_f59, kf59, Fn
key_f6, kf6, k6
key_f60, kf60, Fo
key_f61, kf61, Fp
key_f62, kf62, Fq
key_f63, kf63, Fr
key_f7, kf7, k7
key_f8, kf8, k8
key_f9, kf9, k9
key_find, kfnd, @0
key_help, khlp, %1
key_home, khome, kh
key_ic, kich1, kI
key_il, kil1, kA
key_left, kcub1, kl
key_ll, kll, kH
key_mark, kmrk, %2
key_message, kmsg, %3
key_move, kmov, %4
key_next, knxt, %5
key_npage, knp, kN
key_open, kopn, %6
key_options, kopt, %7
key_ppage, kpp, kP
key_previous, kprv, %8
key_print, kprt, %9
key_redo, krdo, %0
key_reference, kref, &1
key_refresh, krfr, &2
key_replace, krpl, &3
key_restart, krst, &4
key_resume, kres, &5
key_right, kcuf1, kr
key_save, ksav, &6

key_sbeg, kBEG, &9
key_scancel, kCAN, &0
key_scommand, kCMD, *1
key_scopy, kCPY, *2
key_screate, kCRT, *3
key_sdc, kDC, *4
key_sdl, kDL, *5
key_select, kslt, *6
key_send, kEND, *7
key_seol, kEOL, *8
key_sexit, kEXT, *9
key_sf, kind, kF
key_sfind, kFND, *0
key_shelp, kHLP, #1
key_shome, kHOM, #2
key_sic, kIC, #3
key_sleft, kLFT, #4
key_smessage,
kMSG, %a
key_smove, kMOV, %b
key_snext, kNXT, %c
key_soptions, kOPT, %d
key_sprevious, kPRV, %e
key_sprint, kPRT, %f
key_sr, kri, kR
key_sredo, kRDO, %g
key_sreplace, kRPL, %h
key_sright, kRIT, %i
key_srsume, kRES, %j
key_ssave, kSAV, !1
key_ssuspend, kSPD, !2
key_stab, khts, kT
key_sundo, kUND, !3
key_suspend, kspd, &7
key_undo, kund, &8
key_up, kcuu1, ku
keypad_local, rmkx, ke
keypad_xmit, smkx, ks
lab_f0, lf0, l0
lab_f1, lf1, l1
lab_f10, lf10, la
lab_f2, lf2, l2
lab_f3, lf3, l3
lab_f4, lf4, l4
lab_f5, lf5, l5
lab_f6, lf6, l6
lab_f7, lf7, l7
lab_f8, lf8, l8

lab_f9, lf9, l9
label_format, fln, Lf
label_off, rmln, LF
label_on, smln, LO
meta_off, rmm, mo
meta_on, smm, mm
micro_column_address, mhpa, ZY
micro_down, mcud1, ZZ
micro_left, mcub1, Za
micro_right, mcuf1, Zb
micro_row_address, mvpa, Zc
micro_up, mcuu1, Zd
newline, nel, nw
order_of_pins, porder, Ze
orig_colors, oc, oc
orig_pair, op, op
pad_char, pad, pc
parm_dch, dch, DC
parm_delete_line, dl, DL
parm_down_cursor, cud, DO
parm_down_micro,
mcud, Zf
parm_ich, ich, IC
parm_index, indn, SF
parm_insert_line, il, AL
parm_left_cursor, cub, LE
parm_left_micro, mcub, Zg
parm_right_cursor, cuf, RI
parm_right_micro, mcuf, Zh
parm_rindex, rin, SR
parm_up_cursor, cuu, UP
parm_up_micro, mcuu, Zi
pkey_key, pfkey, pk
pkey_local, pfloc, pl
pkey_xmit, pfx, px
plab_norm, pln, pn
print_screen, mc0, ps
prtr_non, mc5p, pO
prtr_off, mc4, pf
prtr_on, mc5, po
pulse, pulse, PU
quick_dial, qdial, QD
remove_clock, rmclk, RC
repeat_char, rep, rp
req_for_input, rfi, RF
reset_1string, rs1, r1
reset_2string, rs2, r2
reset_3string, rs3, r3

reset_file, rf, rf
restore_cursor, rc, rc
row_address, vpa, cv
save_cursor, sc, sc
scroll_forward, ind, sf
scroll_reverse, ri, sr
select_char_set, scs, Zj
set_attributes, sgr, sa
set_background, setb, Sb
set_bottom_margin, smgb, Zk
set_bottom_margin_parm, smgbp, Zl
set_clock, sclk, SC
set_color_pair, scp, sp
set_foreground, setf, Sf
set_left_margin, smgl, ML
set_left_margin_parm, smglp, Zm
set_right_margin,
smgr, MR
set_right_margin_parm, smgrp, Zn
set_tab, hts, st
set_top_margin, smgt, Zo
set_top_margin_parm, smgtp, Zp
set_window, wind, wi
start_bit_image, sbim, Zq
start_char_set_def, scsd, Zr
stop_bit_image, rbim, Zs
stop_char_set_def, rcsd, Zt
subscript_characters, subcs, Zu
superscript_characters, supcs, Zv
tab, ht, ta
these_cause_cr, docr, Zw
to_status_line, tsl, ts
tone, tone, TO
underline_char, uc, uc
up_half_line, hu, hu
user0, u0, u0
user1, u1, u1
user2, u2, u2
user3, u3, u3
user4, u4, u4
user5, u5, u5
user6, u6, u6
user7, u7, u7
user8, u8, u8
user9, u9, u9
wait_tone, wait, WA
xoff_character, xoffc, XF
xon_character, xonc, XN

zero_motion, zerom, Zx
alt_scancode_esc, scesa, S8
bit_image_carriage_return, bicr, Yv
bit_image_newline, binel, Zz
bit_image_repeat, birep, Xy
char_set_names, csnm, Zy
code_set_init, csin, ci
color_names, colornm, Yw
define_bit_image_region, defbi, Yx
device_type, devt, dv
display_pc_char, dispc, S1
end_bit_image_region, endbi, Yy
enter_pc_charset_mode,
smpch, S2
enter_scancode_mode, smsc, S4
exit_pc_charset_mode, rmpch, S3
exit_scancode_mode, rmsc, S5
get_mouse, getm, Gm
key_mouse, kmous, Km
mouse_info, minfo, Mi
pc_term_options, pctrm, S6
pkey_plab, pfxl, xl
req_mouse_pos, reqmp, RQ
scancode_escape, scesc, S7
set0_des_seq, s0ds, s0
set1_des_seq, s1ds, s1
set2_des_seq, s2ds, s2
set3_des_seq, s3ds, s3
set_a_background, setab, AB
set_a_foreground, setaf, AF
set_color_band, setcolor, Yz
set_lr_margin, smglr, ML
set_page_length, slines, YZ
set_tb_margin, smgtb, MT
enter_horizontal_hl_mode, ehhlm, Xh
enter_left_hl_mode, elhlm, Xl
enter_low_hl_mode, elohlm, Xo
enter_right_hl_mode, erhlm, Xr
enter_top_hl_mode, ethlm, Xt
enter_vertical_hl_mode, evhlm, Xv
set_a_attributes, sgr1, sA
set_pglen_inch, slength, sL

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/capabilities.txt
No license file was found, but licenses were detected in source scan.

#

Copyright (C) 2022 the original author(s).
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
#
class = org.jline.terminal.impl.jna.JnaTerminalProvider

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jna
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2018, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/KillRing.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleExpression.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingInputStream.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlocking.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Curses.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/keymap/BindingReader.java
*
 /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReaderImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/ExternalTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleSource.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-

jar/org/jline/utils/StyleResolver.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/Kernel32.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixSysTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixPtyTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStringBuilder.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/Completer.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/MaskingCallback.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReader.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/CompletingParsedLine.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/InputRC.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Colors.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingInputStreamImpl.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/Size.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/StyleFactory.java
*
/opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/FileNameCompleter.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/utils/Timeout.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/ParsedLine.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/Terminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/LineDisciplineTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/reader/History.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/DumbTerminal.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/style/Styler.java
* /opt/cola/permits/1881382372_1704719110.3418307/0/jline-3-22-0-sources-8-jar/org/jline/builtins/NfaMatcher.java

1.49 zt 1.16

1.49.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/Zips.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
*
 /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntryUtil.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/FileSource.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/NameMapper.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntrySource.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ByteSource.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipInfoCallback.java
*
 /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipUtil.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZTFileUtil.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntryCallback.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with

```
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
*
 /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FilenameUtils.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FileExistsException.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/IOUtils.java
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
*  the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-

jar/org/zeroturnaround/zip/extra/ZipConstants.java
*
/opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/AsiExtraField.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipShort.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipExtraField.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java
* /opt/cola/permits/1886919998_1705485810.177811/0/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipLong.java

1.50 musl 1.2.5-r0

1.50.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox

Ada Worcester
Alex Dowad
Alex Suykov
Alexander Monakov
Andre McCurdy
Andrew Kelley
Anthony G. Basile
Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham
Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehrtens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka

Perkov
M Farkas-Dyck (Strake)
Mahesh Bodapati
Markus Wichmann
Masanori Ogino
Michael Clark
Michael Forney
Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc
Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg* and src/regex/tre*) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (src/math/* and src/complex/*) is
Copyright 1993,2004
Sun Microsystems or
Copyright 2003-2011 David Schultz or

Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or
Copyright 2008 Stephen L. Moshier or
Copyright 2017-2018 Arm Limited
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/arm/memcpy.S) is Copyright 2008
The Android Open Source Project and is licensed under a two-clause BSD
license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (src/string/aarch64/*) are
Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (src/crypt/crypt_des.c) is
Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was
originally written by Solar Designer and placed into the public
domain. The code also comes with a fallback permissive license for use
in jurisdictions that may not recognize the
 public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011
Valentin Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under
the standard MIT terms.

The mips and microblaze ports were originally written by Richard
Pennington for use in the ellcc project. The original code was adapted
by Rich Felker for build system and code conventions during upstream
integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is
licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington,
and later supplemented and integrated by John Spencer. It is licensed
under the standard MIT terms.

All other files which have no copyright comments are original works
produced specifically for use as part of this library, written either
by Rich Felker, the main author of the library, or by one or more
contibutors listed
 above. Details on authorship of individual files
can be found in the git version control history of the project. The
omission of copyright and license comments in each file is in the

interest of source tree size.

In addition, permission is hereby granted for all public header files
(include/* and arch/*/bits/*) and crt files intended to be linked into
applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit
the copyright notice and permission notice otherwise required by the
license, and to use these files without any requirement of
attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington
Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of
the files covered by the above exception were sufficiently trivial not
to be subject to copyright, resulting in confusion over whether it
negated
 the permissions granted in the license. In the spirit of
permissive licensing, and of not having licensing issues being an
obstacle to adoption, that text has been removed.

1.51 zlib 1.3.1-r1

1.51.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be

misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 openjdk 11.0.23

1.52.1 Available under license :

c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ==========

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
```

this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice
<pre>

  Apache Commons BCEL
  Copyright 2004-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (https://www.apache.org/).

</pre>

### Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
```

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity.
For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is
included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any
form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Apache Xerces v2.12.2

Apache Xerces Notice
<pre>
==
== NOTICE file corresponding to section 4(d) of the Apache License,   ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
==

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.
</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with
the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any
Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
 UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
```

a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Pako v1.0

### Pako License
<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any
source distribution.

</pre>
Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of

code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must
be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs
enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary
GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source
code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE
WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims
 all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN
 NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
```



Main Author
---
Marti Maria


Contributors
---
Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
 Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
```

Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

```
## The FreeType Project: Freetype v2.13.2


### FreeType Notice

```
FreeType comes with two licenses from which you can choose the one
which fits your needs best.

  The FreeType License (FTL) is the most commonly used one. It is
  a BSD-style license with a credit clause and thus compatible with
  the GNU Public License (GPL) version 3, but not with the
  GPL version 2.

  The GNU General Public License (GPL), version 2. Use it for all
  projects which use the GPLv2 also, or which need a license
  compatible to the GPLv2.

```

### FreeType License
```

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
==========

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

This license applies to all files found in such packages, and
which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG
(Independent JPEG Group) licenses, which all encourage inclusion
and use of free software in commercial and freeware products

alike. As a consequence, its main points are that:

o We don't promise that this software works. However, we will be interested in any kind
of bug reports. (`as is' distribution)

o You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
"""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source

code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code
forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your

documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

- freetype@nongnu.org

  Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

- freetype-devel@nongnu.org

  Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

```

### GPL v2

```
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom
to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you
these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
```
```

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors'
reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with
modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You
may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement
including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License
will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third
parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section
as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE

DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) year name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
 if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```

### Additional Freetype Attributions
```

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h

libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright
 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or
object code form as indicated by the copyright notice(s) included
herein (collectively, the "Work") is made available, and may only be
used, modified, and distributed under the FreeType Project License,
LICENSE.TXT. Additionally, subject to the terms and conditions of the
FreeType Project License, each contributor to the Work hereby grants
to any individual or legal entity exercising permissions granted by
the FreeType Project License and this section (hereafter, "You" or
"Your") a
 perpetual, worldwide, non-exclusive, no-charge,
royalty-free, irrevocable (except as stated in this section) patent
license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work, where such license applies only to those
patent claims licensable by such contributor that are necessarily
infringed by their contribution(s) alone or by combination of their
contribution(s) with the Work to which such contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that
the Work or a contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of
the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you
have read and understood the terms and conditions of the
FreeType Project License as well as those provided
 in this section,
and you accept them fully.

```

### MIT License
```

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
## xwd v1.0.7

### xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.
```

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of
Technology."

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this

software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

</pre>
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
under the License.
```

MPL v2.0
```
Mozilla Public License Version 2.0
==================================
```

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered
Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its

Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms
of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
Form, as described in Section 3.1, and You must inform recipients of
the Executable Form how they can obtain a copy of such Source Code
Form by reasonable means in a timely manner, at a charge no more
than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
License, or sublicense it under different terms, provided that the
license for the Executable Form does not attempt to limit or alter
the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for

the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from
a particular
Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*                                                                      *
 essential part of this License. No use of any Covered Software is    *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************
```

```
************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any
 character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts
 of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as

defined by the Mozilla Public License, v. 2.0.

```
## PC/SC Lite v1.9.5

### PC/SC Lite License
<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS
 SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING) file for details.

</pre>
## LibFFI v3.2.1

### LibFFI License
<pre>

libffi - Copyright (c) 1996-2014  Anthony Green, Red Hat, Inc and others.
See source files for details.
```

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES
 OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3
license.

The MIT License
```
Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS
 OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
```

THE SOFTWARE.
```

### GPL version 3
```

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its
users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must
pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such
abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the
GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted
under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under
your direction
and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users,
your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent
notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not
make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source
fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially,
and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer
product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source
conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special
password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate

copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions;

the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover,
your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other
than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under
the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether
already acquired or
hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make

such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with
a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent
license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the
present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of

your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING
BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS
```

## xmlsoft.org: libxslt v1.1.32

### libxslt License
<pre>
Copyright (C) 1998-2012 Daniel Veillard. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
```

and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BLFS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Double-conversion v1.1.5

Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
JLine v3.22.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
 FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
Thai Dictionary

Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
 OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
Independent JPEG Group (IJG) JPEG v7

IJG License
<pre>
/*
* jcapimin.c
*
* Copyright (C) 1994-1998, Thomas G. Lane.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*/
[From the README file]

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS", and you,
its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2009, Thomas G. Lane, Guido Vollbeding.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this
software (or portions thereof) for any purpose, without fee, subject to these
conditions:
(1) If any part of the source code for this software is distributed, then this
README file must be included, with this copyright
and no-warranty notice
unaltered; and any additions, deletions, or changes to the original files
must be clearly indicated in accompanying documentation.
(2) If only executable code is distributed, then the accompanying
documentation must state that "this software is based in part on the work of
the Independent JPEG Group".
(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived from
it. This software may be referred to only as "the Independent JPEG Group's
software".

We specifically permit and encourage the use of this software as the basis of
commercial
products, provided that all warranty or liability claims are
assumed by the product vendor.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.

For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
 not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
 to this package which may subsequently be redistributed
and/or involve the use of third party software.
Apache Santuario v3.0.3

Apache 2.0 License
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.
```

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial
ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the
following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within
the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of
Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including,
without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if
such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying
information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```

### Apache Santuario Notice
```

Apache Santuario - XML Security for Java
Copyright 1999-2023
 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
```
## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright  OASIS Open 2020. All Rights Reserved.

   All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[http://www.oasis-open.org/policies-guidelines/ipr]

   This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself
may not be modified in any way, including by removing the copyright
notice or references to OASIS, except as needed for the purpose of
developing any
 document or deliverable produced by an OASIS Technical
Committee (in which case the rules applicable to copyrights, as set
```

forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of

intellectual property rights will at any time be complete, or that any
claims in such list are, in fact, Essential Claims.]

</pre>
DOM Level 3 Core Specification v1.0

W3C Software Notice
<pre>
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.
</pre>

W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided
 by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.

2.Any pre-existing intellectual property disclaimers, notices, or terms and
conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This
version removes the copyright ownership notice such that this
license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>
GNU Glib v2.56.1

Glib Notice
<pre>
You are receiving a copy of GNU Glib, Version: 2.56.1 in either source or object code in the JavaFX runtime or JavaFX SDK. The terms of the Oracle license do NOT apply to the GNU Glib, Version: 2.56.1; it is licensed under the following license, separately from the Oracle programs you receive. If you do not wish to install this library, you may delete this library:

- On Linux systems: N/A (library is not present)

- On Mac OS X systems: delete $(JAVA_HOME)/lib/libglib-lite.dylib
- On Windows systems: delete $(JAVA_HOME)\bin\glib-lite.dll

A copy of the Oracle modified GNU Glib library source code is located in the following OpenJDK Mercurial repository:

http://hg.openjdk.java.net/openjfx/jfx/rt

You can use Mercurial to clone the repository or you can browse the source using a web browser. The root directory of the GNU Glib source code is here:

rt/modules/javafx.media/src/main/native/gstreamer/3rd_party/glib/
</pre>

LGPL 2.1
<pre>
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors
who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get

it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the
library, whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally,
software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore

permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by
limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library
in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly
into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it,
in any medium, provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties
under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and
can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms
of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do

this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the
complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a
"work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute
the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a)
Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will
operate properly with a modified version of the library, if the user installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything
that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined
with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited
by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they
do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution

system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation
may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision
will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED
ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most
effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at
openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU
General Public License <http://www.gnu.org/copyleft/gpl.html> version 2
only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code
is making a combined work based on this library. Thus, the terms
and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this
OpenJDK Code with certain code licensed by Oracle as indicated at
http://openjdk.java.net/legal/exception-modules-2007-05-08.html
("Designated Exception Modules") to produce an executable,
regardless of the license terms of the Designated Exception Modules,
and to copy and distribute the resulting executable under GPL2,
provided that the Designated Exception Modules continue to be
governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code
to build an executable that includes those portions of necessary code that
Oracle could not provide under GPL2 (or that Oracle has provided under GPL2
with the Classpath exception). If you modify or add to the OpenJDK code,
that new GPL2 code may still be combined with Designated Exception Modules
if the new code is made subject to this exception by its copyright holder.

xmlsoft.org: libxml2 v2.9.7

libxml2 License
<pre>
Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
 IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 1. Redistributions of source code must retain the copyright notice,
    this list of conditions and the following disclaimer.

 2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in
    the documentation and/or other materials provided with the
    distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
```

Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
 notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## jopt-simple v5.0.4

### MIT License
<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
```

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
Independent JPEG Group: JPEG release 6b

JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,

not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived
from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
 Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a

Service Mark property of CompuServe Incorporated."

</pre>
jQuery v3.6.1

jQuery License
```
jQuery v 3.6.1
Copyright OpenJS Foundation and other contributors, https://openjsf.org/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
 IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*****************************************

The jQuery JavaScript Library v3.6.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/sizzle

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
```

a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons
 to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

****

```
## Apache Xalan v2.7.2

### Apache Xalan Notice
<pre>

================================================================================
====
  ==  NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  ==  in this case for the Apache Xalan distribution.                           ==
================================================================================
====

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
 The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
 compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
 the source from the packages that are part of the XSLTC sources.
```

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement,
then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement

to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing
the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to

this software, including all implied warranties of merchantability
 and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>
GStreamer v1.14.0

GStreamer Notice
<pre>
You are receiving a copy of GStreamer, Version: 1.14.0 in either source or
object code in the JavaFX runtime or JavaFX SDK. The terms of the
Oracle license do NOT apply to the GStreamer, Version: 1.14.0; it is
licensed under the following license, separately from the Oracle programs
you receive. If you do not wish to install this library, you may delete
this library:

 - On Linux systems: delete $(JAVA_HOME)/lib/libgstreamer-lite.so
 - On Mac OS X systems: delete $(JAVA_HOME)/lib/libgstreamer-lite.dylib
 - On Windows systems: delete $(JAVA_HOME)\bin\gstreamer-lite.dll

A copy of the Oracle modified GStreamer library source code is located
in the following OpenJDK Mercurial repository:

 http://hg.openjdk.java.net/openjfx/jfx/rt

You can use Mercurial to clone the repository or you can browse the
source using a web browser. The root directory of the GStreamer source
code is here:

 rt/modules/javafx.media/src/main/native/gstreamer/gstreamer-lite/
</pre>

###
 LGPL 2.1
<pre>
                GNU LESSER GENERAL PUBLIC LICENSE
                    Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free
Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example,
if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is

modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might
be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General
Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In
this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications
and/or translated
straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work
are not derived from the Library,
and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided
that you accompany
it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to

distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions
of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative
of the Library, you may
distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference

directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works.
These actions are
prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict
the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity
of the free software distribution system which is
implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and

conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to
the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51
Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
GIFLIB v5.2.1

GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997  Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c
```

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

```
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether
 in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.
```

```
This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.
```

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:
    http://www.theFixx.org/Jeff
The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification

follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the

most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source
code for a work means the preferred form of the work for making
modifications to it. For an executable work, complete source code means all
the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation
of the executable. However, as a special exception, the source code
distributed need not include anything that is normally distributed (in either
source or binary form) with the major components (compiler, kernel, and so on)
of the operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the source
code from the same place counts as distribution of the source code, even though
third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as
expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense or distribute the Program is void, and will automatically terminate
your rights under this License. However, parties who have received copies, or
rights, from you under this License will not have their licenses terminated so
long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it.
However, nothing else grants you permission to modify or distribute the Program
or its derivative works. These actions are prohibited by law if you do not
accept this License. Therefore, by modifying or distributing the Program (or
any work based on the Program), you indicate your acceptance of this License to
do so, and all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program),
the recipient automatically
receives a license from the original licensor to
copy, distribute or modify the Program subject to these terms and conditions.
You may not impose any further restrictions on the recipients' exercise of the
rights granted herein. You are not responsible for enforcing compliance by
third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues), conditions
are imposed on you (whether by court order, agreement or otherwise) that
contradict the conditions of this License, they do not excuse you from the
conditions of this License. If you cannot distribute so as to satisfy
simultaneously your obligations under this License and any other pertinent
obligations, then as a consequence you may not distribute the Program at all.

For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the
terms and conditions either of
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation,

write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status of
all derivatives of our free software and of promoting the sharing and reuse of
software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible
use to the public, the best way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)

any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are

subject to the following
 clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

  Linking this library statically or dynamically with other modules is making
  a combined work based on this library. Thus, the terms and conditions of
  the GNU General Public License cover the whole combination.

  As a special exception, the copyright holders of this library give you
  permission to link this library with independent modules to produce an
  executable, regardless of the license terms of these independent modules,
  and to copy and distribute the resulting executable under terms of your
  choice, provided that you also meet, for each linked independent module,
  the terms and conditions of the license of that module. An independent
  module is a module
 which is not derived from or based on this library. If
  you modify this library, you may extend this exception to your version of
  the library, but you are not obligated to do so. If you do not wish to do
  so, delete this exception statement from your version.
jQuery UI v1.13.2

jQuery UI License
```
Copyright jQuery Foundation and other contributors, https://jquery.org/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery-ui

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
```

WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

```
## WebKit Open Source Project: WebKit v606.1

### WebKit Notice
<pre>
You are receiving a copy of WebKit in either source or
object code in the JavaFX runtime or JavaFX SDK. The terms of the
Oracle license do NOT apply to WebKit; it is
licensed under the following license, separately from the Oracle programs
you receive. If you do not wish to install this library, you may delete
this library:

 - On Linux systems: delete $(JAVA_HOME)/lib/libjfxwebkit.so
 - On Mac OS X systems: delete $(JAVA_HOME)/lib/libjfxwebkit.dylib
 - On Windows systems: delete $(JAVA_HOME)\bin\jfxwebkit.dll

A copy of the Oracle modified WebKit library source code is located
in the following OpenJDK Mercurial repository:

 http://hg.openjdk.java.net/openjfx/jfx/rt

You can use Mercurial to clone the repository or you can browse the
source using a web browser. The root directory of the WebKit source
code is here:

 rt/modules/javafx.web/src/main/native/
```

</pre>

LGPL 2.1
<pre>
GNU LESSER
GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can
use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee,

you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant
threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire
combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain

special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software
only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated

straightforwardly into another language. (Hereinafter,
translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent
and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public
License
instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities.
This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License.

Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions
of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by
public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions
of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two
goals of preserving the free status
of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,

INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information
on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
IBM International Components for Unicode (ICU4C) v51.2

ICU License
<pre>
ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2013 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, and/or sell copies of the
Software, and to permit persons to whom the Software is furnished to do so,
provided that the above copyright notice(s) and this permission notice appear
in all copies of the Software and that both the above copyright notice(s) and
this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY
DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be
used in advertising or otherwise to promote the sale, use or other dealings in
this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of
their respective owners.

Third-Party Software Licenses
This section contains third-party software notices and/or additional terms for
licensed third-party software components included within ICU libraries.
1. Unicode Data Files and Software

EXHIBIT
1
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF online
code charts under the directory http://www.unicode.org/Public/. Software
includes any source code published in the Unicode Standard or under the
directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING,
INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"),
AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND
BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE,
DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode,
Inc. All rights reserved. Distributed under the
Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a copy of
the Unicode data files and any associated documentation (the "Data Files") or
Unicode software and any associated documentation (the "Software") to deal in
the Data Files or Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files or
Software are furnished to do so, provided that (a) the above copyright notice(s)
and this permission notice appear with all copies of the Data Files or Software,
(b) both the above copyright notice(s) and this permission notice appear in
associated documentation, and (c) there is clear notice in each modified Data
File or in the Software as well as in the documentation associated with the
Data File(s) or Software that
the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD

PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Unicode and the Unicode logo are trademarks of Unicode, Inc. in the United States
and other countries. All third party trademarks referenced herein are the property of their respective owners.

2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)
The Google Chrome software developed by Google is licensed under the BSD
license. Other software included in this distribution is provided under other
licenses, as set forth below.
#
The BSD License
http://opensource.org/licenses/bsd-license.php
Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
Neither the name of Google Inc. nor the names of its contributors may be used
to endorse or promote products derived from this software without specific
prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
#
#
The word list
 in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated
with an iterative training against Google web corpora.
#
* Libtabe (Chinese)
- https://sourceforge.net/project/?group_id=1519
- Its license terms and conditions are shown below.
#
* IPADIC (Japanese)
- http://chasen.aist-nara.ac.jp/chasen/distribution.html
- Its license terms and conditions are shown below.
#
---------COPYING.libtabe ---- BEGIN--------------------
#
/*
* Copyrighy (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in
 binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the TaBE Project nor the names of its
* contributors may be used to endorse or promote products derived
* from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF
 LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c) 1999 Computer Systems and Communication Lab,
* Institute of Information Science, Academia Sinica.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors
 may be used to endorse or
* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
 University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4

```
#
# ----------COPYING.libtabe-----END----------------------------------
#
#
# ----------COPYING.ipadic-----BEGIN----------------------------------
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence
 or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#
# A large portion of the dictionary entries
# originate from ICOT Free Software. The following conditions for ICOT
# Free Software applies to the current dictionary as well.
#
# Each User may also freely distribute the Program, whether in its
# original form or modified, to any third party or parties, PROVIDED
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
# on, or be attached to, the Program, which is distributed substantially
# in the same form as set out herein and that such intended
# distribution, if actually made, will neither violate or otherwise
# contravene any of the laws and regulations of the countries having
# jurisdiction over the User or the intended distribution itself.
#
# NO WARRANTY
#
# The program was produced on an experimental basis in the course of the
# research and development conducted during the project and
 is provided
# to users as so produced on an experimental basis. Accordingly, the
# program is provided without any warranty whatsoever, whether express,
# implied, statutory or otherwise. The term "warranty" used herein
# includes, but is not limited to, any warranty of the quality,
# performance, merchantability and fitness for a particular purpose of
# the program and the nonexistence of any infringement or violation of
```

any right of any third party.
#
Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.
#
Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable
 for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the
production of secondary products from the program.
#
In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants
 independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#
----------COPYING.ipadic-----END----------

3. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for
its time zone support. The ownership of the TZ database is explained in
BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

 The TZ database itself is not an IETF Contribution or an IETF
 document. Rather it is a pre-existing and regularly updated work
 that is in the public domain, and is intended to remain in the public

domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do not apply
to the TZ Database or contributions that individuals make to it.
Should any claims be made and substantiated against the TZ
Database,
the organization that is providing the IANA Considerations defined in
this RFC, under the memorandum of understanding with the IETF,
currently ICANN, may act in accordance with all competent court
orders. No ownership claims will be made by ICANN or the IETF Trust
on the database or the code. Any person making a contribution to the
database or code waives all rights to future claims in that
contribution or in the TZ Database.

</pre>
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
```

Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
 notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Dynalink v.5

### Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
```

* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN
 NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
 ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.
```

The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---
include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
## libpng v1.6.40

### libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=========================================

PNG Reference Library License version 2
---------------------------------------

Copyright (c) 1995-2023 The PNG Reference Library Authors.
Copyright (c) 2018-2023 Cosmin Truta
Copyright (c) 1998-2018 Glenn Randers-Pehrson
Copyright (c) 1996-1997 Andreas Dilger
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement.  In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of such damage.

Permission is hereby
 granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software.  If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.
```

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
 same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

   Simon-Pierre Cadieux
   Eric S. Raymond
   Mans Rullgard
   Cosmin Truta
   Gilles Vollant
   James Yu
   Mandar Sahastrabuddhe
   Google Inc.
   Vadim Barkov

and with the following additions to the disclaimer:

   There is no warranty against interference with your enjoyment of
   the library or against infringement. There is no warranty that our
   efforts or the library will fulfill any of your particular purposes
   or needs. This library is provided with all faults, and the entire
   risk of satisfactory quality, performance, accuracy, and effort is
   with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000
 Glenn Randers-Pehrson, are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not

be misrepresented as being the original source.

3. This Copyright notice may not be removed or
altered from any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

TRADEMARK
=========

The name "libpng" has not been registered by the Copyright owners
as a trademark in any jurisdiction. However, because libpng has
been distributed and maintained world-wide, continually since 1995,
the Copyright owners claim "common-law trademark protection" in any
jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information
```
PNG REFERENCE LIBRARY AUTHORS
=============================

This is the list of PNG Reference Library ("libpng") Contributing
Authors, for copyright and licensing purposes.

* Andreas Dilger
* Cosmin Truta
* Dave Martindale
* Eric S. Raymond
* Gilles Vollant
 * Glenn Randers-Pehrson
* Greg Roelofs
* Guy Eric Schalnat
* James Yu
* John Bowler
* Kevin Bracey
* Magnus Holmgren
* Mandar Sahastrabuddhe
* Mans Rullgard
* Matt Sarett
* Mike Klein
* Pascal Massimino
```

* Paul Schmidt
* Philippe Antoine
* Qiang Zhou
* Sam Bushell
* Samuel Williams
* Simon-Pierre Cadieux
* Tim Wegner
* Tom Lane
* Tom Tanner
* Vadim Barkov
* Willem van Schaik
* Zhijie Liang
* Arm Holdings
  - Richard Townsend
* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang

The build projects, the build scripts, the test scripts, and other
files in the "ci", "projects", "scripts" and "tests" directories, have
other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files
that are distributed with libpng, have other copyright owners, and are
released under other open source licenses.
```
## Apple Computer: CoreAudio Utility Classes v2.0

### Apple Computer CoreAudio Notice
This software is present only on Mac OS X systems.

### Apple Computer CoreAudio License
<pre>

File:
Abstract: Part of CoreAudio Utility Classes
Version: 1.1

Disclaimer: IMPORTANT: This Apple software is supplied to you by Apple
Inc. ("Apple") in consideration of your agreement to the following
terms, and your use, installation, modification or redistribution of
this Apple software constitutes acceptance of these terms. If you do
not agree with these terms, please do not use, install, modify or
redistribute this Apple software.
```

In consideration of your agreement to abide by the following terms, and subject to these terms, Apple grants you a personal, non-exclusive license, under Apple's copyrights in this original Apple software (the "Apple Software"), to use, reproduce, modify and redistribute the Apple Software, with or without modifications, in source and/or binary forms; provided that if you redistribute
the Apple Software in its entirety and
without modifications, you must retain this notice and the following text and disclaimers in all such redistributions of the Apple Software. Neither the name, trademarks, service marks or logos of Apple Inc. may be used to endorse or promote products derived from the Apple Software without specific prior written permission from Apple. Except as expressly stated in this notice, no other rights or licenses, express or implied, are granted by Apple herein, including but not limited to any patent rights that may be infringed by your derivative works or by other works in which the Apple Software may be incorporated.

The Apple Software is provided by Apple on an "AS IS" basis. APPLE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE APPLE SOFTWARE OR ITS USE AND OPERATION ALONE OR IN COMBINATION WITH YOUR PRODUCTS.

IN
NO EVENT SHALL APPLE BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) ARISING IN ANY WAY OUT OF THE USE, REPRODUCTION, MODIFICATION AND/OR DISTRIBUTION OF THE APPLE SOFTWARE, HOWEVER CAUSED AND WHETHER UNDER THEORY OF CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, EVEN IF APPLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2014 Apple Inc. All Rights Reserved.

</pre>
ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.53 alpine-baselayout 3.6.5-r0

1.53.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.22
pkgrel=1
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdfxml template text"

for type in $_types; do
```

```
 subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
 mkdir -p "$pkgdir"
}

_subpkg() {
 local type=${subpkgname/$pkgname-/}
 pkgdesc="$pkgdesc ($type)"
 install_if="$pkgname=$pkgver-r$pkgrel"
 mkdir -p "$subpkgdir"/usr/share/spdx
 cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
 pkgdesc="$pkgdesc (licence list)"
 mkdir -p "$subpkgdir"/usr/share/spdx
 local i; for i in "$builddir"/text/*.txt; do
  local
 license=${i##*/}
  echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
 done
}

sha512sums="
b213fe66699770d75a4c994a01a5c08325751423516c2fb871088a47e7e7ce605736064f5ce3a63dc1d3c462271832db
7bc464ac968df1888f9823787964c786  license-list-data-3.22.tar.gz
"
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=1
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz"
options="!check" # no tests

build() {
 # some GNU autoconf options are ignored, but it works
 ./configure \
  --build=$CBUILD \
```

```
  --host=$CHOST \
  --prefix=/usr \
  --sysconfdir=/etc \
  --mandir=/usr/share/man \
  --localstatedir=/var/lib # it really shouldn't be in /var
 make
}

package() {
 make DESTDIR="$pkgdir" install
 install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  bsd-games-3.3.tar.gz
"
# Contributor: Dhruvin Gandhi <contact@dhruvin.dev>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license-expression
pkgver=30.3.0
pkgrel=1
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/$_pkgname/$_pkgname-$pkgver.tar.gz"
builddir="$srcdir/$_pkgname-$pkgver"

build() {
 gpep517 build-wheel \
  --wheel-dir .dist \
  --output-fd 3 3>&1 >&2
}

check() {
 python3 -m venv --clear --without-pip --system-site-packages .testenv
 .testenv/bin/python3 -m installer .dist/*.whl
 .testenv/bin/python3 -m pytest
}

package() {
```

```
 python3 -m installer -d "$pkgdir" \
  .dist/*.whl
}

sha512sums="
3fe4ac8830085fe38d8ee713a332047941b2a7a8ff5f31810b124c5903335a8343a222926aefe000da66a49b4d6f8b934
af3cc350448b075a4ec6aa1fdb51aef
  license-expression-30.3.0.tar.gz
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
 WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

```
# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=9
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"
```

```
build() {
 export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
 PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
  INSTALLDIRS=vendor \
  NO_PACKLIST=1 \
  NO_PERLLOCAL=1
 make
}

check() {
 export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
 make test
}

package() {
 make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"
```

```
 Vintage Dreams Waves v 2.0. for Creative Labs' AWE Soundcards
(EMU Soundfont 2 Format)

Copyright (c) Ian Wilson, 1996  (Updated January 1998)

This soundfont is freeware. You may freely use and/or redistribute it subject
to the following terms:
1. It is not altered, edited, modified, ripped, or converted to other formats,
except for private use only.
2. It is distributed with this copyright notice.

This soundfont is distributed WITHOUT WARRANTY, and without the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. No liability
or damages can be inferred upon the said copyright owner, Ian Wilson.

Any feedback, contact Ian Wilson.
vintagedreamworks@hotmail.com
http://www.geocities.com/SiliconValley/Campus/8645/index.html
http://members.nbci.com/silicon39/
http://www.mp3.com/silicon39
https://analoguesque.x10host.com/
mini_sendmail - accept email on behalf of real sendmail

Copyright  1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
```

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

```
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"
options="!check"  # No test suite.
license="LGPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart_lgpl/2.3/libart_lgpl-$pkgver.tar.bz2
 "

builddir="$srcdir"/libart_lgpl-$pkgver

prepare() {
 update_config_sub
 default_prepare
}

build() {
 ./configure \
  --build=$CBUILD \
  --host=$CHOST \
  --prefix=/usr
```

```
 make
}

package() {
 make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020  libart_lgpl-2.3.21.tar.bz2"
# Automatically generated by apkbuild-cpan, template 3
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
pkgname=perl-bsd-resource
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgver=1.2911
pkgrel=9
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
 export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
 PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL INSTALLDIRS=vendor
 make
}

check() {
 export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
 make test
}

package() {
 make DESTDIR="$pkgdir" install
 find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"
```

```
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
 cdefs.h
 queue.h
 tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
 mkdir -p "$pkgdir"
 install -Dm644 -t "$pkgdir"/usr/include/sys \
  cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178  cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750  queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3  tree.h
"
```

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/$_pkgname/$_pkgname-$pkgver.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"   # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
 gpep517 build-wheel \
  --wheel-dir .dist \
  --output-fd 3 3>&1 >&2
}

package() {
 gpep517 install-wheel --destdir "$pkgdir" \
  .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237b316bd503ae7dceed6ca284ccd5a74d
  flake8-copyright-0.2.4.tar.gz
"

```
# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
 default_prepare

 cargo fetch --target="$CTARGET" --locked
}

build() {
 cargo auditable build --release --frozen
}

check() {
 cargo test --frozen
}

package() {
 install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5  cargo-license-0.6.1.tar.gz
"
```

1.54 jsr305 3.0.2

1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2005 Brian Goetz
* Released under the Creative Commons Attribution License
*   (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*/
```

Found in path(s):

* /opt/cola/permits/2035784567_1717163175.5646207/0/jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/Immutable.java
* /opt/cola/permits/2035784567_1717163175.5646207/0/jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/GuardedBy.java
* /opt/cola/permits/2035784567_1717163175.5646207/0/jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/2035784567_1717163175.5646207/0/jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/ThreadSafe.java

1.55 servlet-api 3.0.1

1.55.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You

offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE

IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and

supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or
executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding

source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest

validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license."  If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above.  However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates
 work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

1.56 disruptor 2.11.2.3

1.56.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.57 perfmark-api 0.17.0

1.57.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 Carl Mastrangelo
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/2036532780_1717204606.4493613/0/perfmark-api-0-17-0-sources-3-jar/io/perfmark/PerfMark.java
* /opt/cola/permits/2036532780_1717204606.4493613/0/perfmark-api-0-17-0-sources-3-jar/io/perfmark/Tag.java
* /opt/cola/permits/2036532780_1717204606.4493613/0/perfmark-api-0-17-0-sources-3-jar/io/perfmark/Link.java
* /opt/cola/permits/2036532780_1717204606.4493613/0/perfmark-api-0-17-0-sources-3-jar/io/perfmark/package-info.java
* /opt/cola/permits/2036532780_1717204606.4493613/0/perfmark-api-0-17-0-sources-3-jar/io/perfmark/Impl.java

1.58 busybox 1.36.1-r29

1.58.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)
==

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
  not claim that you wrote the original software. If you use this
  software in a product, an acknowledgment in the product
  documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
  not be misrepresented
 as being the original software.

4. The name of the author may not be used to endorse or promote
  products derived from this software without specific prior written
  permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS

OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org
bzip2/libbzip2 version 1.0.4 of 20 December 2006
--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's
software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent
this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this
License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and
copy and
distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution
of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed
under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the

executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or
its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict
the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity
of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make

exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED
ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice
 like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.59 apk-tools 2.14.4-r1

1.59.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If

the software is modified by someone else and passed on, we want its recipients
to know that what they have is not the original, so that any problems introduced
by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We
wish to avoid the danger that redistributors of a free program will individually
obtain patent licenses, in effect making the program proprietary. To prevent
this, we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification
follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice
placed by the copyright holder saying it may be distributed under
 the terms
of this General Public License. The "Program", below, refers to any such program
or work, and a "work based on the Program" means either the Program or any
derivative work under copyright law: that is to say, a work containing the
Program or a portion of it, either verbatim or with modifications and/or translated
into another language. (Hereinafter, translation is included without limitation
in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered
by this License; they are outside its scope. The act of running the Program
is not restricted, and the output from the Program is covered only if its
contents constitute a work based on the Program (independent of having been
made by running the Program). Whether that is true depends on what the Program
does.

1. You may copy and distribute verbatim copies of the Program's source code
as you receive it, in any medium, provided that you conspicuously
 and appropriately
publish on each copy an appropriate copyright notice and disclaimer of warranty;
keep intact all the notices that refer to this License and to the absence
of any warranty; and give any other recipients of the Program a copy of this
License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you
may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it,
thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all
of these conditions:

a) You must cause the modified files to carry prominent notices stating that
you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or
in part contains or is derived from the Program or any part thereof, to be
licensed as a whole at no charge
to all third parties under the terms of this
License.

c) If the modified program normally reads commands interactively when run,
you must cause it, when started running for such interactive use in the most
ordinary way, to print or display an announcement including an appropriate
copyright notice and a notice that there is no warranty (or else, saying that
you provide a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print
such an announcement, your work based on the Program is not required to print
an announcement.)

These requirements apply to the modified work as a whole. If identifiable
sections of that work are not derived from the Program, and can be reasonably
considered independent and separate works in themselves, then this License,
and its terms, do not apply to those sections when you distribute them as
separate works.
But when you distribute the same sections as part of a whole
which is a work based on the Program, the distribution of the whole must be
on the terms of this License, whose permissions for other licensees extend
to the entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest your
rights to work written entirely by you; rather, the intent is to exercise
the right to control the distribution of derivative or collective works based
on the Program.

In addition, mere aggregation of another work not based on the Program with
the Program (or with a work based on the Program) on a volume of a storage
or distribution medium does not bring the other work under the scope of this
License.

3. You may copy and distribute the Program (or a work based on it, under Section
2) in object code or executable form under the terms of Sections 1 and 2 above
provided that you also do one of the following:

a) Accompany it
with the complete corresponding machine-readable source code,
which must be distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give
any third party, for a charge no more than your cost of physically performing
source distribution, a complete machine-readable copy of the corresponding
source code, to be distributed under the terms of Sections 1 and 2 above on
a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute
corresponding source code. (This alternative is allowed only for noncommercial
distribution and only if you received the program in object code or executable
form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making
modifications to it. For an executable work, complete source code means
all
the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation
of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or
binary form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component itself
accompanies the executable.

If distribution of executable or object code is made by offering access to
copy from a designated place, then offering equivalent access to copy the
source code from the same place counts as distribution of the source code,
even though third parties are not compelled to copy the source along with
the object code.

4. You may not copy, modify, sublicense, or distribute the Program except
as expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense or distribute the Program
is void, and will automatically terminate
your rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses terminated
so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed
it. However, nothing else grants you permission to modify or distribute the
Program or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by modifying or distributing the Program
(or any work based on the Program), you indicate your acceptance of this License
to do so, and all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program),
the recipient automatically receives a license from the original licensor
to copy, distribute or modify the Program subject to these terms and conditions.

You may
not impose any further restrictions on the recipients' exercise of
the rights granted herein. You are not responsible for enforcing compliance
by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement
or for any other reason (not limited to patent issues), conditions are imposed
on you (whether by court order, agreement or otherwise) that contradict the
conditions of this License, they do not excuse you from the conditions of
this License. If you cannot distribute so as to satisfy simultaneously your
obligations under this License and any other pertinent obligations, then as
a consequence you may not distribute the Program at all. For example, if a
patent license would not permit royalty-free redistribution of the Program
by all those who receive copies directly or indirectly through you, then the
only way you could satisfy both it and this License would be to refrain entirely
from distribution of the Program.

If any portion of
this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply and
the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents
or other property right claims or to contest validity of any such claims;
this section has the sole purpose of protecting the integrity of the free
software distribution system, which is implemented by public license practices.
Many people have made generous contributions to the wide range of software
distributed through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing to
distribute software through any other system and a licensee cannot impose
that choice.

This section is intended to make thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted
in certain
countries either by patents or by copyrighted interfaces, the original copyright
holder who places the Program under this License may add an explicit geographical
distribution limitation excluding those countries, so that distribution is
permitted only in or among countries not thus excluded. In such case, this
License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of
the General Public License from time to time. Such new versions will be similar
in spirit to the present version, but may differ in detail to address new
problems or concerns.

Each version is given a distinguishing version number. If the Program specifies
a version number of this License which applies to it and "any later version",
you have the option of following the terms and conditions either of that version
or of any later version published by the Free Software Foundation. If the
Program does not specify a version
number of this License, you may choose
any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs
whose distribution conditions are different, write to the author to ask for
permission. For software which is copyrighted by the Free Software Foundation,
write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing and reuse
of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR
THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE
STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM
"AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR
A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE
OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE
OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA
OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES
OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH
HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible
use to the public, the best
way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion

of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free Software
Foundation; either version 2 of the License, or (at your option) any later
version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a
copy of the GNU General Public License along with
this program; if not, write to the Free Software Foundation, Inc., 51 Franklin
Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when
it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software,
and you are welcome to redistribute it under certain conditions; type `show
c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something other than `show w' and `show c'; they could even be mouse-clicks
or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright
disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision'
(which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General
Public License does not permit incorporating your program into proprietary
programs. If your program is a subroutine library, you may consider it more
useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead
of this License.

1.60 appdynamics-proxysupport-linux-x64 11.72.3

1.60.1 Available under license :

c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ==========

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT
 SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

  Apache Commons BCEL
  Copyright 2004-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (https://www.apache.org/).

</pre>

Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity.
 For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
  exercising permissions granted by this License.

  "Source" form shall mean the preferred form for making modifications,
  including but not limited to software source code, documentation
  source, and configuration files.

  "Object" form shall mean any form resulting from mechanical
  transformation or translation of a Source form, including but
  not limited to compiled object code, generated documentation,
  and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for
that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution
notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms

and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE
file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages
of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty
or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.
```

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Apache Xerces v2.12.2

### Apache Xerces Notice
<pre>
  ========================================================================
  == NOTICE file corresponding to section 4(d) of the Apache License,    ==
  == Version 2.0, in this case for the Apache Xerces Java distribution.  ==
  ========================================================================

  Apache Xerces Java
  Copyright 1999-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (http://www.apache.org/).

  Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.
</pre>

### Apache 2.0 License
<pre>


                    Apache License
                  Version 2.0, January 2004
               http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.
```

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work,

but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make,
have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients
of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
  http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public
License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs

enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface
definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based

on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary
GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to
produce a
work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary
libraries that do not normally
accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute
the Library (or any work based on the
Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE
WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can
redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims
 all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
```

Main Author
---
```

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS

Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

```
## The FreeType Project: Freetype v2.13.2


### FreeType Notice

```
FreeType comes with two licenses from which you can choose the one
which fits your needs best.

  The FreeType License (FTL) is the most commonly used one. It is
  a BSD-style license with a credit clause and thus compatible with
  the GNU Public License (GPL) version 3, but not with the
  GPL version 2.

  The GNU General Public License (GPL), version 2. Use it for all
  projects which use the GPLv2 also, or which need a license
  compatible to the GPLv2.

```

### FreeType License
```

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
 Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.

Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
==========

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)

- You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

- You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and

assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""
  Portions of this software are copyright  <year> The FreeType
  Project (www.freetype.org).  All rights reserved.
"""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code
forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.
If you use
our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation

or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this
license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

```

### GPL v2

```
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble
```
```

The licenses for most software are designed to take away your freedom
to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you
these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors'
reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement
including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany
it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions

of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```

### Additional Freetype Attributions
```

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright
2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or
object code form as indicated by the copyright notice(s) included
herein (collectively, the "Work") is made available, and may only be

used, modified, and distributed under the FreeType Project License,
LICENSE.TXT. Additionally, subject to the terms and conditions of the
FreeType Project License, each contributor to the Work hereby grants
to any individual or legal entity exercising permissions granted by
the FreeType Project License and this section (hereafter, "You" or
"Your") a
 perpetual, worldwide, non-exclusive, no-charge,
royalty-free, irrevocable (except as stated in this section) patent
license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work, where such license applies only to those
patent claims licensable by such contributor that are necessarily
infringed by their contribution(s) alone or by combination of their
contribution(s) with the Work to which such contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that
the Work or a contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of
the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you
have read and understood the terms and conditions of the
FreeType Project License as well as those provided
 in this section,
and you accept them fully.

```

### MIT License
```

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

 Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
 INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
## xwd v1.0.7

### xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998  The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
 FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.
```

</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
  include the following acknowledgment:

  "This product includes software developed by IAIK of Graz University of
   Technology."

  Alternately, this acknowledgment may appear in the software itself, if and
  wherever such third-party
 acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
  Technology" must not be used to endorse or promote products derived from this
  software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
  nor may "IAIK" appear in their name, without prior written permission of
  Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
 OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

</pre>
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>

<pre>
/* ***
****
****
*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.
****
****
**/
</pre>
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

MPL v2.0
```
Mozilla Public License Version 2.0
==================================
```

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered
Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available,

modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,

provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically
if You fail to comply with any of its terms. However, if You become
compliant, then the rights granted under this License from a particular
Contributor are reinstated (a) provisionally, unless and until such
Contributor explicitly and finally terminates Your grants, and (b) on an
ongoing basis, if such Contributor fails to notify You of the
non-compliance by some reasonable means prior to 60 days after You have
come back into compliance. Moreover, Your grants from
 a particular
Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*
 essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************
```

```
************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any
 character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts
 of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.

```
## PC/SC Lite v1.9.5

### PC/SC Lite License
<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS
 SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING) file for details.

</pre>
## Double-conversion v1.1.5

### Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE
```

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
JLine v3.22.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Harfbuzz v8.2.2

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.

Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices consult
the individual files in the package.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.
in the U.S. and other countries.
For terms of use, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information
```

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

```
## Thai Dictionary

### Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
 OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package.  Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
 not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further

distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
 to this package which may subsequently be redistributed
and/or involve the use of third party software.
## Apache Santuario v3.0.3

### Apache 2.0 License
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial
ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
```

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the
following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within
the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying
information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```

### Apache Santuario Notice
```

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
```
## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright  OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[http://www.oasis-open.org/policies-guidelines/ipr]

This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself
may not be modified in any way, including by removing the copyright
notice or references to OASIS, except as needed for the purpose of
developing any
document or deliverable produced by an OASIS Technical
Committee (in which case the rules applicable to copyrights, as set
forth in the OASIS IPR Policy, must be followed) or as required to
translate it into languages other than English.

The limited permissions granted above are perpetual and will not be
revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an
"AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE
INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS
AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY
PART THEREOF.

[OASIS requests that any OASIS Party or any other party that
believes it has patent claims that would necessarily be infringed by
implementations
```

of this OASIS Standards Final Deliverable, to notify
OASIS TC Administrator and provide an indication of its willingness to
grant patent licenses to such patent claims in a manner consistent with
the IPR Mode of the OASIS Technical Committee that produced this
deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it
is aware of a claim of ownership of any patent claims that would
necessarily be infringed by implementations of this OASIS Standards
Final Deliverable by a patent holder that is not willing to provide a
license to such patent claims in a manner consistent with the IPR Mode
of the OASIS Technical Committee that produced this OASIS Standards
Final Deliverable. OASIS may include such claims on its website, but
disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any
intellectual property or other rights that might be claimed to pertain
to the implementation or use of the technology
described in this OASIS
Standards Final Deliverable or the extent to which any license under
such rights might or might not be available; neither does it represent
that it has made any effort to identify any such rights. Information on
OASIS' procedures with respect to rights in any document or deliverable
produced by an OASIS Technical Committee can be found on the OASIS
website. Copies of claims of rights made available for publication and
any assurances of licenses to be made available, or the result of an
attempt made to obtain a general license or permission for the use of
such proprietary rights by implementers or users of this OASIS Standards
Final Deliverable, can be obtained from the OASIS TC Administrator.
OASIS makes no representation that any information or list of
intellectual property rights will at any time be complete, or that any
claims in such list are, in fact, Essential Claims.]

</pre>
DOM Level 3 Core Specification v1.0

W3C Software Notice
<pre>
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the

'org.w3c' package.
</pre>

W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided
by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This
version removes the copyright ownership notice such that this
license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <http://www.gnu.org/copyleft/gpl.html> version 2 only ("GPL2"), with the following clarification and special exception.

> Linking this OpenJDK Code statically or dynamically with other code
> is making a combined work based on this library. Thus, the terms
> and conditions of GPL2 cover the whole combination.
>
> As a special exception, Oracle gives you permission to link this
> OpenJDK Code with certain code licensed by Oracle as indicated at
> http://openjdk.java.net/legal/exception-modules-2007-05-08.html
> ("Designated Exception Modules") to produce an executable,
> regardless of the license terms of the Designated Exception Modules,
> and to copy and distribute the resulting executable under GPL2,
> provided that the Designated Exception Modules continue to be
> governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.
Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 1. Redistributions of source code must retain the copyright notice,
    this list of conditions and the following disclaimer.

 2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in
    the documentation and/or other materials provided with the
    distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
 INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
```

directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Independent JPEG Group: JPEG release 6b

### JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose.  This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
 If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library.  If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived
from it.  This software may be referred to only as "the Independent JPEG
Group's software".
```

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
  Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>
Apache Xalan v2.7.2

Apache Xalan Notice
<pre>

```
=========================================================================
====
  ==  NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  ==  in this case for the Apache Xalan distribution.                    ==
=========================================================================
====

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
 The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
 compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
 the source from the packages that are part of the XSLTC sources.

 Portions of this software was originally based on the following:

   - software copyright (c) 1999-2002, Lotus Development Corporation.,
http://www.lotus.com.
   - software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
   - software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
   - voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
     Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

 "License" shall mean the terms and conditions for use, reproduction,
 and distribution as defined by Sections 1 through 9 of this document.

 "Licensor" shall mean the copyright owner or entity authorized by
 the copyright owner that is granting the License.

 "Legal Entity" shall mean the union of the acting entity and all
 other entities that control,
are controlled by, or are under common
 control with that entity. For the purposes of this definition,
```

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made
available under the License, as indicated by a
copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright
owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement,
then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing
the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>
JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
GIFLIB v5.2.1

GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997  Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.


https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

```
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or

their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether
 in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.
```

```

This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it.  By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users.  This General Public License applies to
most of the Free Software Foundation's software and to any other program whose
authors commit to using it.  (Some other Free Software Foundation software is
covered by the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price.  Our
General Public Licenses are designed to make sure that
 you have the freedom to
distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it if you want it, that you can change
the software or use pieces of it in new free programs; and that you know you
can do these things.
```

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be
distributed under the terms of
this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the

right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify,

sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically
receives a license from the original licensor to
copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain
countries either by patents or by copyrighted interfaces, the original
copyright holder who places the Program under this License may add an explicit
geographical distribution limitation excluding those countries, so that
distribution is permitted only in or among countries not thus excluded. In
such case, this License incorporates the limitation as if written in the body
of this License.

9. The Free Software Foundation may publish revised and/or new versions of the
General Public License from time to time. Such new versions will be similar in
spirit to the present version, but may differ in detail to address new problems
or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any later
version", you have the option of following the
terms and conditions either of
that version or of any later version published by the Free Software Foundation.
If the Program does not specify a version number of this License, you may
choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs
whose distribution conditions are different, write to the author to ask for
permission. For software which is copyrighted by the Free Software Foundation,
write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status of
all derivatives of our free software and of promoting the sharing and reuse of
software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR
THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE
STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE
PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE,
YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL
ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE
THE

PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following
clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module
which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do

so, delete this exception statement from your version.
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
```

(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Dynalink v.5

### Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN
 NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
```

BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain
software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software

2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the
provisions of this Agreement, the provisions of the
Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
 ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses



Component        Location              License
-----------------------------------------------------------------
Main Mesa code    src/mesa/             MIT
Device drivers    src/mesa/drivers/*    MIT, generally
```

Gallium code src/gallium/ MIT

Ext headers GL/glext.h Khronos
GL/glxext.h Khronos
GL/wglext.h Khronos
KHR/khrplatform.h Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---
include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
## libpng v1.6.40

### libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=========================================

PNG Reference Library License version 2
---------------------------------------

Copyright (c) 1995-2023 The PNG Reference Library Authors.
Copyright (c) 2018-2023 Cosmin Truta
Copyright (c) 1998-2018 Glenn Randers-Pehrson
Copyright (c) 1996-1997 Andreas Dilger
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement.  In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of such damage.

Permission is hereby
 granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software.  If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.


PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
-----------------------------------------------------------------------
```

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is
with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000
Glenn Randers-Pehrson, are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler

Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.

3. This Copyright notice may not be removed or
altered from any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

TRADEMARK
=========

The name "libpng" has not been registered by the Copyright owners
as a trademark in any jurisdiction. However, because libpng has
been distributed and maintained world-wide, continually since 1995,
the Copyright owners claim "common-law trademark protection" in any
jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information
```
PNG REFERENCE LIBRARY AUTHORS
=============================

This is the list of PNG Reference Library ("libpng") Contributing
Authors, for copyright and licensing purposes.

* Andreas Dilger
* Cosmin Truta
* Dave Martindale
* Eric S. Raymond
* Gilles Vollant
 * Glenn Randers-Pehrson
* Greg Roelofs
* Guy Eric Schalnat
* James Yu
* John Bowler
* Kevin Bracey
* Magnus Holmgren
* Mandar Sahastrabuddhe
* Mans Rullgard
* Matt Sarett
* Mike Klein
* Pascal Massimino
* Paul Schmidt
* Philippe Antoine
* Qiang Zhou
* Sam Bushell
* Samuel Williams
* Simon-Pierre Cadieux
* Tim Wegner
* Tom Lane
* Tom Tanner
* Vadim Barkov
* Willem van Schaik
```

* Zhijie Liang
* Arm Holdings
  - Richard Townsend
* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang

The build projects, the build scripts, the test scripts, and other
files in the "ci", "projects", "scripts" and "tests" directories, have
other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files
that are distributed with libpng, have other copyright owners, and are
released under other open source licenses.
```
A Classpath Exception File means any source file contained in this distribution which contains the following words in such files header: Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

Azul Systems, Inc. hereby confirms that each Classpath Exception File is subject to the clarification and special exception to the GPL that is outlined in the accompanying LICENSE file (under the heading CLASSPATH EXCEPTION TO THE GPL).
## ASM Bytecode Manipulation Framework v6.0

### ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.
```

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.61 openjdk 11.0.23u9

1.61.1 Available under license :

c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ==========

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
```

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice
<pre>

  Apache Commons BCEL
  Copyright 2004-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (https://www.apache.org/).

</pre>

### Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity.
 For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
```

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is
included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any
form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense,
and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for
that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution
notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms
and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE
file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages
of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty
or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Apache Xerces v2.12.2

Apache Xerces Notice
<pre>
  ==
  == NOTICE file corresponding to section 4(d) of the Apache License,   ==
  == Version 2.0, in this case for the Apache Xerces Java distribution. ==
  ==

  Apache Xerces Java
  Copyright 1999-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (http://www.apache.org/).

  Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.
</pre>

Apache 2.0 License
<pre>

                    Apache License
                  Version 2.0, January 2004
               http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean

an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work,
but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make,
have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients
of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such
damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should
be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
 UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
```

this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE.  If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>
```

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
  http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library

after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must
be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public
License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes

a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs
enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for

making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source
code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to

produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work
that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary
libraries that do not normally
accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute
the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution
of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through
any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,

so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE

WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.

Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
```



Main Author
---
Marti Maria


Contributors
---
Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
 Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
```

Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

```
## The FreeType Project: Freetype v2.13.2


### FreeType Notice

```
FreeType comes with two licenses from which you can choose the one
which fits your needs best.

  The FreeType License (FTL) is the most commonly used one. It is
  a BSD-style license with a credit clause and thus compatible with
  the GNU Public License (GPL) version 3, but not with the
  GPL version 2.

  The GNU General Public License (GPL), version 2. Use it for all
  projects which use the GPLv2 also, or which need a license
  compatible to the GPLv2.

```

### FreeType License
```

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and

Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
==========

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

This license applies to all files found in such packages, and
which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG
(Independent JPEG Group) licenses, which all encourage inclusion
and use of free software in commercial and freeware products
alike. As a consequence, its main points are that:

o We don't promise that this software works. However, we will be
interested in any kind
of bug reports. (`as is' distribution)

o You can use this software for whatever you want, in parts or

full form, without having to pay us. (`royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

"""
Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.
"""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its

original, unmodified form as distributed in the original archive.
If you are unsure whether or not a particular file is covered by
this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner,
Robert Wilhelm, and Werner Lemberg. All rights reserved except as
specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO
USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and
irrevocable right and license to use, execute, perform, compile,
display, copy, create derivative works of, distribute and
sublicense the FreeType Project (in both source and object
code
forms) and derivative works thereof for any purpose; and to
authorize others to exercise some or all of the rights granted
herein, subject to the following conditions:

- Redistribution of source code must retain this license file
  (`FTL.TXT') unaltered; any additions, deletions or changes to
  the original files must be clearly indicated in accompanying
  documentation. The copyright notices of the unaltered,
  original files must be preserved in all copies of source
  files.

- Redistribution in binary form must provide a disclaimer that
  states that the software is based in part of the work of the
  FreeType Team, in the distribution documentation. We also
  encourage you to put an URL to the FreeType web page in your
  documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on
the FreeType Project, not just the unmodified files.
If you use
our work, you must acknowledge us. However, no fee need be paid
to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this
license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

```

### GPL v2

```

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom
to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you
these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors'
reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with
modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You
may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement
including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may
add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate
parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING

OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
 if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```

### Additional Freetype Attributions
```

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h

libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright
2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or
object code form as indicated by the copyright notice(s) included
herein (collectively, the "Work") is made available, and may only be
used, modified, and distributed under the FreeType Project License,
LICENSE.TXT. Additionally, subject to the terms and conditions of the
FreeType Project License, each contributor to the Work hereby grants
to any individual or legal entity exercising permissions granted by
the FreeType Project License and this section (hereafter, "You" or
"Your") a
perpetual, worldwide, non-exclusive, no-charge,
royalty-free, irrevocable (except as stated in this section) patent
license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work, where such license applies only to those
patent claims licensable by such contributor that are necessarily
infringed by their contribution(s) alone or by combination of their
contribution(s) with the Work to which such contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that
the Work or a contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of
the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you
have read and understood the terms and conditions of the
FreeType Project License as well as those provided
in this section,
and you accept them fully.

```

### MIT License
```

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University

Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
## xwd v1.0.7

### xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
```

IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>

<pre>
/* **
****
****
*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.
****
****
**/
</pre>
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.
```

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

### MPL v2.0
```
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered
 Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the
      terms of a Secondary License.

1.6. "Executable Form"
  means any form of the work other than Source Code Form.

1.7. "Larger Work"
  means a work that combines Covered Software with other material, in
  a separate file or files, that is not Covered Software.
```
```

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available,
modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or
as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
for sale, have made, import, and otherwise transfer either its
Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for
each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

(a) for any code that a Contributor has removed from Covered Software;
or

(b) for infringements caused by: (i) Your and any other third party's
modifications of Covered Software, or (ii) the combination of its
Contributions with other software (except as part of its Contributor
Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section

3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more

than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to

statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b)
describe the limitations and the code they affect. Such description must
be placed in a text file included with all distributions of the Covered
Software under this License. Except to the extent prohibited by statute
or regulation, such description must be sufficiently detailed for a
recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically
if You fail to comply with any of its terms. However, if You become
compliant, then the rights granted under this License from a particular
Contributor are reinstated (a) provisionally, unless and until such
Contributor explicitly and finally terminates Your grants, and (b) on an
ongoing basis, if such Contributor fails to notify You of the
non-compliance by some reasonable means prior to 60 days after You have
come back into compliance. Moreover, Your grants from
a particular
Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

****
*
*
* 6. Disclaimer of Warranty *
* ---
*
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *

* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *
****

****
* *
* 7. Limitation of Liability *
* ---------- *
* *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts
of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.

```
## PC/SC Lite v1.9.5

### PC/SC Lite License
<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS
 SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

Some source code files are using other licences. See the [COPYING](https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING) file for details.

</pre>
Double-conversion v1.1.5

Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
JLine v3.22.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Harfbuzz v8.2.2

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi

Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices consult
the individual files in the package.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.
in the U.S. and other countries.
For terms of use, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information
```

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

```
## Thai Dictionary

### Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
 OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package.  Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would

not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
to this package which may subsequently be redistributed
and/or involve the use of third party software.
## Apache Santuario v3.0.3

### Apache 2.0 License
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial
```

ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the
following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within
the Source form or
documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of
Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including,
without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if
such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying
information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```

### Apache Santuario Notice
```

```

Apache Santuario - XML Security for Java
Copyright 1999-2023
 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
```
OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

   All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[http://www.oasis-open.org/policies-guidelines/ipr]

   This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself
may not be modified in any way, including by removing the copyright
notice or references to OASIS, except as needed for the purpose of
developing any
 document or deliverable produced by an OASIS Technical
Committee (in which case the rules applicable to copyrights, as set
forth in the OASIS IPR Policy, must be followed) or as required to
translate it into languages other than English.

   The limited permissions granted above are perpetual and will not be
revoked by OASIS or its successors or assigns.

   This document and the information contained herein is provided on an

"AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations
of this OASIS Standards Final Deliverable, to notify
OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology
described in this OASIS
Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>
DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.
</pre>

W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided
 by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

 1.The full text of this NOTICE in a location viewable to users of the
 redistributed or derivative work.

 2.Any pre-existing intellectual property disclaimers, notices, or terms and
 conditions. If none exist, the W3C Software Short Notice should be included
 (hypertext is preferred, text is permitted) within the body of any
 redistributed or derivative code.

 3.Notice of any changes or modifications to the files, including the date
 changes were made.
(We recommend you provide URIs to the location from
 which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS

MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This
version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <http://www.gnu.org/copyleft/gpl.html> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at http://openjdk.java.net/legal/exception-modules-2007-05-08.html ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be

governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code
to build an executable that includes those portions of necessary code that
Oracle could not provide under GPL2 (or that Oracle has provided under GPL2
with the Classpath exception). If you modify or add to the OpenJDK code,
that new GPL2 code may still be combined with Designated Exception Modules
if the new code is made subject to this exception by its copyright holder.
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the
   distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
 notice appear in associated
Documentation.
```

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```

## Independent JPEG Group: JPEG release 6b

### JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose.  This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
 If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
```

full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived
from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
 Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all

standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>
Apache Xalan v2.7.2

Apache Xalan Notice
<pre>

==
====
  == NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  == in this case for the Apache Xalan distribution.   ==
==
====

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
 The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
 compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
 the source from the packages that are part of the XSLTC sources.

 Portions of this software was originally based on the following:

   - software copyright (c) 1999-2002, Lotus Development Corporation.,
http://www.lotus.com.
   - software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
   - software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
   - voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
     Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made
available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright

owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement,
then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing
the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>
JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
GIFLIB v5.2.1

GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997  Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
```

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

```
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether
 in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.
```

```
This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users. This General Public License applies to
most of the Free Software Foundation's software and to any other program whose

authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be
distributed under the terms of
this General Public License. The "Program", below, refers to any such program

or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided
that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to
be
licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source
code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either

source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as
expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically
receives a license from the original licensor to
copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and

the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the
terms and conditions either of
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR

THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along

with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of

the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module
which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.

Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
```

Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
 notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Dynalink v.5

### Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
```

* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN
 NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain
 software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software

2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
 ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
```

of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---
include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
## libpng v1.6.40

### libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=========================================

PNG Reference Library License version 2
---------------------------------------

Copyright (c) 1995-2023 The PNG Reference Library Authors.
Copyright (c) 2018-2023 Cosmin Truta
Copyright (c) 1998-2018 Glenn Randers-Pehrson
Copyright (c) 1996-1997 Andreas Dilger
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement.  In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of such damage.

Permission is hereby
 granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software.  If you
   use this software in a product, an acknowledgment in the product
```

documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is
with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000
Glenn Randers-Pehrson, are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
   be misrepresented as being the original source.

3. This Copyright notice may not be removed or
 altered from any
   source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

TRADEMARK
=========

The name "libpng" has not been registered by the Copyright owners
as a trademark in any jurisdiction. However, because libpng has
been distributed and maintained world-wide, continually since 1995,
the Copyright owners claim "common-law trademark protection" in any
jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information
```
PNG REFERENCE LIBRARY AUTHORS
=============================

This is the list of PNG Reference Library ("libpng") Contributing
Authors, for copyright and licensing purposes.

* Andreas Dilger
* Cosmin Truta
* Dave Martindale
* Eric S. Raymond
* Gilles Vollant
 * Glenn Randers-Pehrson
* Greg Roelofs
* Guy Eric Schalnat
* James Yu
* John Bowler
* Kevin Bracey
* Magnus Holmgren
* Mandar Sahastrabuddhe
* Mans Rullgard
* Matt Sarett
* Mike Klein
```

* Pascal Massimino
* Paul Schmidt
* Philippe Antoine
* Qiang Zhou
* Sam Bushell
* Samuel Williams
* Simon-Pierre Cadieux
* Tim Wegner
* Tom Lane
* Tom Tanner
* Vadim Barkov
* Willem van Schaik
* Zhijie Liang
* Arm Holdings
  - Richard Townsend
* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang

The build projects, the build scripts, the test scripts, and other
files in the "ci", "projects", "scripts" and "tests" directories, have
other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files
that are distributed with libpng, have other copyright owners, and are
released under other open source licenses.
```
A Classpath Exception File means any source file contained in this distribution which contains the following words in such files header: Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

Azul Systems, Inc. hereby confirms that each Classpath Exception File is subject to the clarification and special exception to the GPL that is outlined in the accompanying LICENSE file (under the heading CLASSPATH EXCEPTION TO THE GPL).
## ASM Bytecode Manipulation Framework v6.0

### ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
```

are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.62 appdynamics-proxysupport-alpine-linux-x64 11.72.3

1.62.1 Available under license :

c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ============================================================

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:
```

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice
<pre>

  Apache Commons BCEL
  Copyright 2004-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (https://www.apache.org/).

</pre>

### Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.
```

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity.
For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is
included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any
form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution
notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms
and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE
file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
 IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Apache Xerces v2.12.2

Apache Xerces Notice
<pre>
  ==
  == NOTICE file corresponding to section 4(d) of the Apache License,   ==
  == Version 2.0, in this case for the Apache Xerces Java distribution. ==
  ==

  Apache Xerces Java
  Copyright 1999-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (http://www.apache.org/).

  Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.
</pre>

Apache 2.0 License
<pre>

                    Apache License
                  Version 2.0, January 2004
               http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work,
but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make,
have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients
of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of
TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
 UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.
```

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE.  If you do not wish to
```

install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
   http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

  Oracle America, Inc.
  Attn: Associate General Counsel,
  Development and Engineering Legal
  500 Oracle Parkway, 10th Floor
  Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

 - The name of the component or binary file(s) for which you are requesting the source code

 - The name and version
 number of the Oracle product containing the binary

 - The date you received the Oracle product

 - Your name

 - Your company name (if applicable)

 - Your return mailing address and email and

 - A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not
price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must
be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public
License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs
enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data

prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source
code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object

file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary
libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your

rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute
the Library (or any work based on the
Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution
of the Library by
all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through
any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE

LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE
WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims
 all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN
 NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
```



Main Author
---
Marti Maria



Contributors
---
Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
 Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
```

Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

```
## The FreeType Project: Freetype v2.13.2


### FreeType Notice

```
FreeType comes with two licenses from which you can choose the one
which fits your needs best.

  The FreeType License (FTL) is the most commonly used one. It is
  a BSD-style license with a credit clause and thus compatible with
  the GNU Public License (GPL) version 3, but not with the
  GPL version 2.

  The GNU General Public License (GPL), version 2. Use it for all
  projects which use the GPLv2 also, or which need a license
  compatible to the GPLv2.

```

### FreeType License
```

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

                The FreeType Project LICENSE

    2006-Jan-27

                Copyright 1996-2002, 2006 by
        David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
============

 The FreeType Project is distributed in several archive packages;
 some of them may contain, in addition to the FreeType font engine,
 various tools and contributions which rely on, or relate to, the
 FreeType Project.

 This license applies to all files found in such packages, and
 which do not fall under their own explicit license. The license
 affects thus the FreeType   font engine, the test programs,
 documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

o We don't promise that this software works. However, we will be interested in any kind
of bug reports. (`as is' distribution)

o You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

"""
Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.
"""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha,

beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code
forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues,

specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

```

### GPL v2

```
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom
to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you
these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
```
```

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors'
reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with
modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate

copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You
may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement
including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License
will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third
parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section
as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may
add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate
parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with
this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) year name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
 if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```

### Additional Freetype Attributions
```

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h

libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright
2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or
object code form as indicated by the copyright notice(s) included
herein (collectively, the "Work") is made available, and may only be
used, modified, and distributed under the FreeType Project License,
LICENSE.TXT. Additionally, subject to the terms and conditions of the
FreeType Project License, each contributor to the Work hereby grants
to any individual or legal entity exercising permissions granted by
the FreeType Project License and this section (hereafter, "You" or
"Your") a
perpetual, worldwide, non-exclusive, no-charge,
royalty-free, irrevocable (except as stated in this section) patent
license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work, where such license applies only to those
patent claims licensable by such contributor that are necessarily
infringed by their contribution(s) alone or by combination of their
contribution(s) with the Work to which such contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that
the Work or a contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of
the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you
have read and understood the terms and conditions of the
FreeType Project License as well as those provided
in this section,
and you accept them fully.

```

### MIT License
```

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

 Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED,
 INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.


```
## xwd v1.0.7

### xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998  The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
```

documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of
Technology."

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party

acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this
software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

</pre>
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>

<pre>
/* **
****
****
*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.
****
****
**/
</pre>
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
```

Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

### MPL v2.0
```
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or
```
```

(b) that the Covered
Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in
a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant or subsequently, any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

(b) any new file in Source Code Form that contains any Covered
Software.

1.11. "Patent Claims" of a Contributor
means any patent
claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making, using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General
Public License, Version 3.0, or any later versions of those
licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,
to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's

modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code

Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:
(a) comply with
the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from
a particular
Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*
 essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any
 character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************

8. Litigation
-------------
```

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

  This Source Code Form is subject to the terms of the Mozilla Public
  License, v. 2.0. If a copy of the MPL was not distributed with this
  file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

  This Source Code Form is "Incompatible With Secondary Licenses", as
  defined by the Mozilla Public License, v. 2.0.

```
## PC/SC Lite v1.9.5

### PC/SC Lite License
<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.
```

THIS
SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING) file for details.

</pre>
Double-conversion v1.1.5

Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
JLine v3.22.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
 FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Harfbuzz v8.2.2

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices consult
 the individual files in the package.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO

PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.
in the U.S. and other countries.
For terms of use, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information
```

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
```

Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

```
## Thai Dictionary

### Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
 OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
```

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software

package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
 not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
 to this package which may subsequently be redistributed
and/or involve the use of third party software.
Apache Santuario v3.0.3

Apache 2.0 License
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
```

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial
ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the
following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if
such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying
information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```

### Apache Santuario Notice
```

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
```
## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright  OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[http://www.oasis-open.org/policies-guidelines/ipr]

This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself
may not be modified in any way, including by removing the copyright
notice or references to OASIS, except as needed for the purpose of
```

developing any
document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations
of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology
described in this OASIS
Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of

such proprietary rights by implementers or users of this OASIS Standards
Final Deliverable, can be obtained from the OASIS TC Administrator.
OASIS makes no representation that any information or list of
intellectual property rights will at any time be complete, or that any
claims in such list are, in fact, Essential Claims.]

</pre>
DOM Level 3 Core Specification v1.0

W3C Software Notice
<pre>
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.
</pre>

W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided
 by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.

2.Any pre-existing intellectual property disclaimers, notices, or terms and

conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This
version removes the copyright ownership notice such that this
license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the
   distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
 INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at
openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU
General Public License <http://www.gnu.org/copyleft/gpl.html> version 2
only ("GPL2"), with the following clarification and special exception.

  Linking this OpenJDK Code statically or dynamically with other code
  is making a combined work based on this library. Thus, the terms
  and conditions of GPL2 cover the whole combination.

  As a special exception, Oracle gives you permission to link this
  OpenJDK Code with certain code licensed by Oracle as indicated at
  http://openjdk.java.net/legal/exception-modules-2007-05-08.html
  ("Designated Exception Modules") to produce an executable,
  regardless of the license terms of the Designated Exception Modules,
  and to copy and distribute the resulting executable under GPL2,
  provided that the Designated Exception Modules continue to be

governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code
to build an executable that includes those portions of necessary code that
Oracle could not provide under GPL2 (or that Oracle has provided under GPL2
with the Classpath exception). If you modify or add to the OpenJDK code,
that new GPL2 code may still be combined with Designated Exception Modules
if the new code is made subject to this exception by its copyright holder.
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
```

(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Independent JPEG Group: JPEG release 6b

### JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose.  This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:
```

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived
from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this

reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>
Apache Xalan v2.7.2

Apache Xalan Notice
<pre>

```
================================================================================
====
  ==  NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  ==  in this case for the Apache Xalan distribution.                           ==
================================================================================
====
```

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made
available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>

JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
 FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
GIFLIB v5.2.1

GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997  Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
```

LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

```
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether
 in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.
```

```
This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in

object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy

simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the
terms and conditions either of
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs

whose distribution conditions are different, write to the author to ask for
permission. For software which is copyrighted by the Free Software Foundation,
write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status of
all derivatives of our free software and of promoting the sharing and reuse of
software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR
THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE
STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE
PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE,
YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL
ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE
THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR
INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA
BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER
OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible
use to the public, the best way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

  One line to give the program's name and a brief idea of what it does.

  Copyright (C) <year> <name of author>

  This program is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)
any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
 clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

  Linking this library statically or dynamically with other modules is making
  a combined work based on this library. Thus, the terms and conditions of
  the GNU General Public License cover the whole combination.

  As a special exception, the copyright holders of this library give you
  permission to link this library with independent modules to produce an
  executable, regardless of the license terms of these independent modules,
  and to copy and distribute the resulting executable under terms of your
  choice, provided that you also meet, for each linked independent module,
  the terms and conditions of the license of that module. An independent
  module is a module
 which is not derived from or based on this library. If
  you modify this library, you may extend this exception to your version of
  the library, but you are not obligated to do so. If you do not wish to do
  so, delete this exception statement from your version.
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
```

DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```

## Dynalink v.5

### Dynalink License
<pre>
```

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN
 NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
The copyrights in this software and any visual or audio work distributed with
the software belong to Azul Systems, Inc. and those included in all other notice
files either listed in the readme file or contained in any other included notice
files with this distribution. All rights are reserved. Installation of this
software and any Azul software bundled with or derived from this software is
licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already
agreed to the terms of a separate license agreement, by installing, using or
distributing this software you, on your own behalf and on behalf of your
employer or principal, agree to be bound by these terms. If you do not agree to
any of these terms, you may not use, copy, transmit, distribute nor install this
software.

The software is developed and owned by Azul and/or any of its affiliates,
subsidiaries or respective suppliers and licensors. The software also includes
certain
 software components and materials ("Open Source Materials") of third
parties ("Third Party Licensors") licensed under certain licenses ("Open Source
Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software

2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---
include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
 so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
## libpng v1.6.40

### libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=========================================

PNG Reference Library License version 2
---------------------------------------

Copyright (c) 1995-2023 The PNG Reference Library Authors.
Copyright (c) 2018-2023 Cosmin Truta
Copyright (c) 1998-2018 Glenn Randers-Pehrson
Copyright (c) 1996-1997 Andreas Dilger
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement.  In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
```

of such damage.

Permission is hereby
 granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software. If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
 same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

   Simon-Pierre Cadieux
   Eric S. Raymond
   Mans Rullgard
   Cosmin Truta
   Gilles Vollant
   James Yu
   Mandar Sahastrabuddhe
   Google Inc.
   Vadim Barkov

and with the following additions to the disclaimer:

   There is no warranty against interference with your enjoyment of
   the library or against infringement. There is no warranty that our
   efforts or the library will fulfill any of your particular purposes
   or needs. This library is provided with all faults, and the entire
   risk of satisfactory quality, performance, accuracy, and effort is
   with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000
Glenn Randers-Pehrson, are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,

incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
  be misrepresented as being the original source.

3. This Copyright notice may not be removed or
 altered from any
  source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

TRADEMARK
=========

The name "libpng" has not been registered by the Copyright owners
as a trademark in any jurisdiction. However, because libpng has
been distributed and maintained world-wide, continually since 1995,
the Copyright owners claim "common-law trademark protection" in any
jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information
```
PNG REFERENCE LIBRARY AUTHORS
=============================

This is the list of PNG Reference Library ("libpng") Contributing
Authors, for copyright and licensing purposes.

* Andreas Dilger
* Cosmin Truta
* Dave Martindale
* Eric S. Raymond
* Gilles Vollant
```

* Glenn Randers-Pehrson
* Greg Roelofs
* Guy Eric Schalnat
* James Yu
* John Bowler
* Kevin Bracey
* Magnus Holmgren
* Mandar Sahastrabuddhe
* Mans Rullgard
* Matt Sarett
* Mike Klein
* Pascal Massimino
* Paul Schmidt
* Philippe Antoine
* Qiang Zhou
* Sam Bushell
* Samuel Williams
* Simon-Pierre Cadieux
* Tim Wegner
* Tom Lane
* Tom Tanner
* Vadim Barkov
* Willem van Schaik
* Zhijie Liang
* Arm Holdings
  - Richard Townsend
* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang

The build projects, the build scripts, the test scripts, and other
files in the "ci", "projects", "scripts" and "tests" directories, have
other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files
that are distributed with libpng, have other copyright owners, and are
released under other open source licenses.
```

A Classpath Exception File means any source file contained in this distribution which contains the following words in such files header: Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

Azul Systems, Inc. hereby confirms that each Classpath Exception File is subject to the clarification and special exception to the GPL that is outlined in the accompanying LICENSE file (under the heading CLASSPATH
```

EXCEPTION TO THE GPL).
ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.63 ca-certificates 20240705-r0

1.63.1 Available under license :

#
This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at http://mozilla.org/MPL/2.0/.

Mozilla Public License
Version 2.0
1. Definitions
1.1. “Contributor”
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. “Contributor Version”
means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor’s Contribution.

1.3. “Contribution”
means Covered Software of a particular Contributor.

1.4. “Covered Software”
means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. “Incompatible With Secondary Licenses”
means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”
means
any form of the work other than Source Code Form.

1.7. “Larger Work”
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”
means this document.

1.9. “Licensable”
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”
means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer
of either its Contributions or its Contributor Version.

1.12. “Secondary License”
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”
means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)
means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions
2.1. Grants
Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive
license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date
The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope
The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for
any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party’s modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses
No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation
Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use
This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions
Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities
3.1. Distribution of Source Form
All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form
If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in
Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work
You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),
so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty

constitutes
an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability
Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so
this exclusion and limitation may not apply to You.

8. Litigation
Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous
This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License
10.1. New Versions
Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other
than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions
You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions
If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in
Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - “Incompatible With Secondary Licenses” Notice
This Source Code Form is “Incompatible With Secondary Licenses”, as defined by the Mozilla Public License, v. 2.0.

1.64 openjdk-jre 11.0.23u9

1.64.1 Available under license :

/*
* Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.
*
* This code is free software; you can redistribute it and/or modify it
* under the terms of the GNU General Public License version 2 only, as
* published by the Free Software Foundation. Oracle designates this
* particular file as subject to the "Classpath" exception as provided
* by Oracle in the LICENSE file that accompanied this code.
*
* This code is distributed in the hope that it will be useful, but WITHOUT
* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
* FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
* version 2 for more details (a copy is included in the LICENSE file that
* accompanied this code).
*
* You should have received a copy of the GNU General Public License version
* 2 along with this work; if not, write to the Free Software Foundation,
* Inc., 51 Franklin St,
 Fifth Floor, Boston, MA 02110-1301 USA.
*
* Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
* or visit www.oracle.com if you need additional information or have any
* questions.
*/
The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in

object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy

simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the
terms and conditions either of
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs

whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)
any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module
which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.

1.65 slf4j 2.0.16

1.65.1 Available under license :

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.66 opentelemetry-exporter-otlp 1.29.0

1.66.1 Available under license :

Apache-2.0

1.67 openssl 3.3.2-r1

1.67.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the
Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive
use
in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding

machine-readable
source code, which must be distributed under the terms of
Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three
years, to give any third party free (except for a nominal charge
for the cost of distribution) a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making
modifications to it. For an executable file, complete source code means
all the source code for all modules it contains; but, as a special
exception, it need not include source code for modules which are standard
libraries that
accompany the operating system on which the executable
file runs, or for standard header files or definitions files that
accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the
Program except as expressly provided under this General Public License.
Any attempt otherwise to copy, modify, sublicense, distribute or transfer
the Program is void, and will automatically terminate your rights to use
the Program under this License. However, parties who have received
copies, or rights to use copies, from you under this General Public
License will not have their licenses terminated so long as such parties
remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based
on the Program) you indicate your acceptance of this license to do so,
and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original
licensor to copy, distribute or modify the Program subject to these
terms and conditions. You may not impose any further restrictions on the
recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these

terms.

To do so,
attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package
may be copied, such that the Copyright Holder maintains some semblance of
artistic control over the development of the package, while giving the users of
the package the right to use and distribute the Package in a more-or-less
customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright
  Holder, and derivatives of that collection
of files created through
  textual modification.
- "Standard Version" refers to such a Package if it has not been modified,
  or has been modified in accordance with the wishes of the Copyright
  Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for
  the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media
  cost, duplication charges, time of people involved, and so on. (You will
  not be required to justify it to the Copyright Holder, but only to the
  computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though
  there may be fees involved in handling the item. It also means that
  recipients of the item may redistribute it under the same conditions they
  received it.

1. You may make and give away verbatim copies of
the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived
from the Public Domain or from the Copyright Holder. A Package modified in such
a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that
you insert a prominent notice in each changed file stating how and when you
changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or an
equivalent medium, or placing the modifications on a major archive site
such as ftp.uu.net, or by allowing the Copyright Holder to include your
modifications in the Standard Version of the Package.

b) use the modified
Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with
standard executables, which must also be provided, and provide a separate
manual page for each non-standard executable that clearly documents how it
differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable
form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where to
get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package
with your modifications.

c) accompany any non-standard executables with their corresponding Standard
Version executables, giving the non-standard executables non-standard
names,
and clearly documenting the differences in manual pages (or
equivalent), together with instructions on where to get the Standard
Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.68 commons-logging 1.3.4

1.68.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Logging
Copyright 2001-2024 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

1.69 commons-io 2.17.0

1.69.1 Available under license :

Apache Commons IO
Copyright 2002-2024 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.70 appdynamics-bindeps-linux-x64 24.8.0

1.70.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Apache Commons FileUpload
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (http://www.apache.org/).

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the
W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the
W3C Software Short Notice should be
included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in

the LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution
and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT
OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT

HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER
SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY),
OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional
copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer listed
in this license in the documentation and/or other materials
provided with the distribution.

- Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache HttpCore
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpClient Cache
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Log4j API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
 ==
 == NOTICE file corresponding to section 4(d) of the Apache License, ==
 == Version 2.0, in this case for the Apache Xerces Java distribution. ==
 ==

 Apache Xerces Java
 Copyright 1999-2022 The Apache Software Foundation

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
    Apache Software Foundation that were originally developed at iClick, Inc.,
    software copyright (c) 1999.
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

===

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

FastDoubleParser

jackson-core bundles a shaded copy of FastDoubleParser <https://github.com/wrandelshofer/FastDoubleParser>.
That code is available under an MIT license
<https://github.com/wrandelshofer/FastDoubleParser/blob/main/LICENSE>
under the following
copyright.

Copyright 2023 Werner Randelshofer, Switzerland. MIT License.

See FastDoubleParser-NOTICE for details of other source code included in FastDoubleParser

and the licenses and copyrights that apply to that code.
xml-commons/java/external/README.dom.txt $Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
the DOM in this repository are distributed under the license
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C
including the following items in the xml-commons project:

  xml-commons/java/external/src/org/w3c
    and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older
version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C
including the following items in the xml-commons project:

  xml-commons/java/external/xdocs/dom
    and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:
  http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html

The specification
 of DOM Level 3's various parts is at:
  http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/
  http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/
  http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/

The specification of DOM Level 2's various parts is at:
  http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/
  http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/
  http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/
  http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/

The specification of DOM Level 1's various parts is at:
  http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html

Links to all available W3C DOM Java Bindings can be found at:
  http://www.w3.org/DOM/DOMTR

The actual classes of The Simple API for CSS (SAC) came from:
  http://www.w3.org/Style/CSS/SAC/
  http://www.w3.org/2002/06/sacjava-1.3.zip

The actual DOM Java Language Binding classes for SMIL came from:
  http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/
   (both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:
  http://www.w3.org/TR/SVG11/java.html
xml-commons/java/external/README.sax.txt $Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
SAX in this repository are distributed freely in the
public domain.

LICENSE.sax.txt covers all software and documentation from the
megginson.com including the following in the xml-commons project:

  xml-commons/java/external/src/org/xml/sax
    and all subdirectories
  xml-commons/java/external/xdocs/sax
    and all subdirectories

The actual SAX classes in xml-commons came from:
  http://www.megginson.com/Software/index.html
 The original versions are tagged 'SAX-2_0-r2-prerelease'
        GNU LESSER GENERAL PUBLIC LICENSE
                Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser

General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version"

applies to it, you have the option of
following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with
independent modules to produce an executable, regardless of the license terms
of these independent modules, and to copy and distribute the resulting
executable
under terms of your choice, provided that you also meet, for each
linked independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or based on
this library. If you modify this library, you must extend this exception to your
version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES

OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under
the following license. By using and/or copying this document, or the W3C
document from which this statement is linked, you (the licensee) agree that
you have read, understood, and will comply with the following terms and
conditions:

Permission to copy, and distribute the contents of this document, or the W3C
document from which this statement is linked, in any medium for any purpose
and without fee or royalty is hereby granted, provided that you include the
following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing
copyright notice of the original author, or if it
   doesn't exist, a notice (hypertext is preferred, but a textual
   representation is permitted) of the form: "Copyright [$date-of-document]
   World Wide Web Consortium, (Massachusetts Institute of Technology,
   European Research Consortium for Informatics and Mathematics, Keio
   University). All Rights Reserved.
   http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be
provided. We request that authorship attribution be provided in any software,
documents, or other items or products that you create pursuant to the
implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted
pursuant to this license. However, if additional requirements (documented in
the Copyright FAQ) are satisfied, the right
 to create modifications or
derivatives is sometimes granted by the W3C to individuals complying with

those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising
or publicity pertaining to this document or its contents without specific,
written prior permission. Title to copyright in this document will at all
times remain with copyright
holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, moves information on
style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is
now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $
Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
```
 ============================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
 ==  distribution.                                                      ==
 ============================================================================
```

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library
is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the

Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays
copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible
with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library

facilities that are not Applications and are not covered by this
License, and convey such a combined library
under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of
following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this
library with independent modules to produce an executable, regardless of
the license terms of these independent modules, and to copy and distribute
the
resulting executable under terms of your choice, provided that you also
meet, for each linked independent module, the terms and conditions of
the license of that module. An independent module is a module which is not

derived from or based on this library. If you modify this library, you must
extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5
of this license, and section 6 of the GNU General Public License.
Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Copyright (c) 2009, Orbitz World Wide
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz World Wide nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Checker Framework qualifiers
Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of

Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You

offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered

Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if

the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for

compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show

them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular

source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Third-party license for
fast_float, Copyright (c) 2021 The fast_float authors. MIT License.
https://github.com/fastfloat/fast_float
https://github.com/fastfloat/fast_float/blob/35d523195bf7d57aba0e735ad6eba1e6f71ba8d6/LICENSE-MIT

MIT License

Copyright (c) 2021 The fast_float authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Third-party license for
bigint, Copyright 2020 Tim Buktu. 2-clause BSD License.
https://github.com/tbuktu/bigint/tree/floatfft
https://github.com/tbuktu/bigint/blob/617c8cd8a7c5e4fb4d919c6a4d11e2586107f029/LICENSE

https://github.com/wrandelshofer/FastDoubleParser/blob/39e123b15b71f29a38a087d16a0bc620fc879aa6/bigint-LICENSE
(We only use those portions of the bigint project that can be licensed under 2-clause BSD License.)

2-clause BSD License

Copyright 2022 Tim Buktu

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
 notice, this
 list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 OF THE POSSIBILITY OF SUCH DAMAGE.
GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of

software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If

the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is
covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that
arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public
License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
Apache Commons Logging
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==========

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University
of Chicago. All rights reserved
==========

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer
==========

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
==========

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source
copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.
FastDoubleParser

This is a Java port of Daniel Lemire's fast_float project.
This project provides parsers for double, float, BigDecimal and BigInteger values.

Copyright

Copyright 2023 Werner Randelshofer, Switzerland.

Licensing

This code is licensed under MIT License.

https://github.com/wrandelshofer/FastDoubleParser/blob/522be16e145f43308c43b23094e31d5efcaa580e/LICENSE
(The file 'LICENSE' is included in the sources and classes Jar files that are released by this project
- as is required by that license.)

Some portions of the code have been derived from other projects.
All these projects require that we include a copyright notice, and some require that we also include some text of their license file.

fast_double_parser, Copyright (c) 2022 Daniel Lemire. BSL License.
https://github.com/lemire/fast_double_parser
https://github.com/lemire/fast_double_parser/blob/07d9189a8fb815fe800cb15ca022e7a07093236e/LICENSE.BSL
(The file 'thirdparty-LICENSE' is included in the sources and
classes Jar files that are released by this project
- as is required by that license.)

fast_float, Copyright (c) 2021 The fast_float authors. MIT License.
https://github.com/fastfloat/fast_float
https://github.com/fastfloat/fast_float/blob/cc1e01e9eee74128e48d51488a6b1df4a767a810/LICENSE-MIT
(The file 'thirdparty-LICENSE' is included in the sources and classes Jar files that are released by this project
- as is required by that license.)

bigint, Copyright 2020 Tim Buktu. 2-clause BSD License.
https://github.com/tbuktu/bigint/tree/floatfft
https://github.com/tbuktu/bigint/blob/617c8cd8a7c5e4fb4d919c6a4d11e2586107f029/LICENSE
https://github.com/wrandelshofer/FastDoubleParser/blob/39e123b15b71f29a38a087d16a0bc620fc879aa6/bigint-LICENSE
(We only use those portions of the bigint project that can be licensed under 2-clause BSD License.)
(The file 'thirdparty-LICENSE' is included in the sources and classes Jar files that are released by this project
- as is required by that license.)

Apache HttpClient
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.71 appdynamics-bindeps-alpine-linux-x64 24.8.0

1.71.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Apache Commons FileUpload
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and
License. The software license requires "Notice of any changes or modifications
to the W3C files, including the date changes were made." Consequently, modified
versions of the DOM bindings must document that they do not conform to the W3C
standard; in the case of the IDL definitions, the pragma prefix can no longer
be 'w3c.org'; in the case of the Java language binding, the package names can no

longer be in the 'org.w3c' package.

Note: The original version of the
W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the
W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without
specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution
and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the

University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT
OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF
ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER
SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY),
OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional
copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer listed
in this license in the documentation and/or other materials
provided with the distribution.

- Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original Mersenne twister C
routines translated in MersenneTwister class in package
org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache HttpCore
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache HttpClient Cache
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache Log4j API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
===
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
===

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,

software copyright (c) 1999.
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

FastDoubleParser

jackson-core bundles a shaded copy of FastDoubleParser <https://github.com/wrandelshofer/FastDoubleParser>.
That code is available under an MIT license
<https://github.com/wrandelshofer/FastDoubleParser/blob/main/LICENSE>
under the following
 copyright.

Copyright 2023 Werner Randelshofer, Switzerland. MIT License.

See FastDoubleParser-NOTICE for details of other source code included in FastDoubleParser
and the licenses and copyrights that apply to that code.
xml-commons/java/external/README.dom.txt $Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
the DOM in this repository are distributed under the license
from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C
including the following items in the xml-commons project:

  xml-commons/java/external/src/org/w3c
    and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older
version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C
including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html

The specification
of DOM Level 3's various parts is at:
http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/
http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/
http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/

The specification of DOM Level 2's various parts is at:
http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/
http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/

The specification of DOM Level 1's various parts is at:
http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html

Links to all available W3C DOM Java Bindings can be found at:
http://www.w3.org/DOM/DOMTR

The actual classes of The Simple API for CSS (SAC) came from:
http://www.w3.org/Style/CSS/SAC/
http://www.w3.org/2002/06/sacjava-1.3.zip

The actual DOM Java Language Binding classes for SMIL came from:
http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/
(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:
http://www.w3.org/TR/SVG11/java.html
xml-commons/java/external/README.sax.txt $Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

HEAR YE, HEAR YE!

All of the .java software and associated documentation about
SAX in this repository are distributed freely in the
public domain.

LICENSE.sax.txt covers all software and documentation from the
megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax
and all subdirectories
xml-commons/java/external/xdocs/sax
and all subdirectories

The actual SAX classes in xml-commons came from:
http://www.megginson.com/Software/index.html
The original versions are tagged 'SAX-2_0-r2-prerelease'
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing
copyright notice of the original author, or if it
doesn't exist, a notice (hypertext is preferred, but a textual
representation is permitted) of the form: "Copyright [$date-of-document]
World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio
University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in

the Copyright FAQ) are satisfied, the right
to create modifications or
derivatives is sometimes granted by the W3C to individuals complying with
those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising
or publicity pertaining to this document or its contents without specific,
written prior permission. Title to copyright in this document will at all
times remain with copyright
holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, moves information on
style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is
now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". See the older
formulation for the policy prior to this date. Please see our Copyright FAQ for
common questions about using materials from our site, such as the translating
or annotating specifications. Other questions about this notice can be directed
to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $
GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public

License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the

function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays
copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form

suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible
with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library
under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may

differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of
following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with
independent modules to produce an executable, regardless of the license terms
of these independent modules, and to copy and distribute the resulting
executable
under terms of your choice, provided that you also meet, for each
linked independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or based on
this library. If you modify this library, you must extend this exception to your
version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
 ===
 == NOTICE file corresponding to section 4(d) of the Apache License, ==
 == Version 2.0, in this case for the Apache xml-commons xml-apis ==
 == distribution. ==
 ===

 Apache XML Commons XML APIs
 Copyright 1999-2009 The Apache Software Foundation.

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
      GNU LESSER GENERAL PUBLIC LICENSE
          Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU

General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of

following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this
library with independent modules to produce an executable, regardless of
the license terms of these independent modules, and to copy and distribute
the
resulting executable under terms of your choice, provided that you also
meet, for each linked independent module, the terms and conditions of
the license of that module. An independent module is a module which is not
derived from or based on this library. If you modify this library, you must
extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5
of this license, and section 6 of the GNU General Public License.
Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Copyright (c) 2009, Orbitz World Wide

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Orbitz World Wide nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Checker Framework qualifiers
Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the

applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or

executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-

free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR

OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Third-party license for
fast_float, Copyright (c) 2021 The fast_float authors. MIT License.
https://github.com/fastfloat/fast_float
https://github.com/fastfloat/fast_float/blob/35d523195bf7d57aba0e735ad6eba1e6f71ba8d6/LICENSE-MIT

MIT License

Copyright (c) 2021 The fast_float authors

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Third-party license for
bigint, Copyright 2020 Tim Buktu. 2-clause BSD License.
https://github.com/tbuktu/bigint/tree/floatfft
https://github.com/tbuktu/bigint/blob/617c8cd8a7c5e4fb4d919c6a4d11e2586107f029/LICENSE
https://github.com/wrandelshofer/FastDoubleParser/blob/39e123b15b71f29a38a087d16a0bc620fc879aa6/bigint-LICENSE
(We only use those portions of the bigint project that can be licensed under 2-clause BSD License.)

2-clause BSD License

Copyright 2022 Tim Buktu

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy,
is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The
"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source
in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source
as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization
keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed
in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the
entire Program shall
be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty
or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions;
the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
Apache Commons Logging
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and

documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==========

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University
of Chicago. All rights reserved
==========

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer
==========

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
==========

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source

copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.
FastDoubleParser

This is a Java port of Daniel Lemire's fast_float project.
This project provides parsers for double, float, BigDecimal and BigInteger values.

Copyright

Copyright 2023 Werner Randelshofer, Switzerland.

Licensing

This code is licensed under MIT License.
https://github.com/wrandelshofer/FastDoubleParser/blob/522be16e145f43308c43b23094e31d5efcaa580e/LICENSE
(The file 'LICENSE' is included in the sources and classes Jar files that are released by this project
- as is required by that license.)

Some portions of the code have been derived from other projects.
All these projects require that we include a copyright notice, and some require that we also include some text of their license file.

fast_double_parser, Copyright (c) 2022 Daniel Lemire. BSL License.
https://github.com/lemire/fast_double_parser
https://github.com/lemire/fast_double_parser/blob/07d9189a8fb815fe800cb15ca022e7a07093236e/LICENSE.BSL
(The file 'thirdparty-LICENSE' is included in the sources and
classes Jar files that are released by this project
- as is required by that license.)

fast_float, Copyright (c) 2021 The fast_float authors. MIT License.
https://github.com/fastfloat/fast_float
https://github.com/fastfloat/fast_float/blob/cc1e01e9eee74128e48d51488a6b1df4a767a810/LICENSE-MIT
(The file 'thirdparty-LICENSE' is included in the sources and classes Jar files that are released by this project
- as is required by that license.)

bigint, Copyright 2020 Tim Buktu. 2-clause BSD License.
https://github.com/tbuktu/bigint/tree/floatfft
https://github.com/tbuktu/bigint/blob/617c8cd8a7c5e4fb4d919c6a4d11e2586107f029/LICENSE
https://github.com/wrandelshofer/FastDoubleParser/blob/39e123b15b71f29a38a087d16a0bc620fc879aa6/bigint-LICENSE
(We only use those portions of the bigint project that can be licensed under 2-clause BSD License.)
(The file 'thirdparty-LICENSE' is included in the sources and classes Jar files that are released by this project

- as is required by that license.)

Apache HttpClient
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.72 jackson 2.17.3

1.72.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.73 jackson-databind 2.17.3

1.73.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.74 jackson-annotations 2.17.3

1.74.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.75 jackson-dataformat-yaml 2.17.3

1.75.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.76 appdynamics-alpine-without-jre 24.11.0.7212

1.76.1 Available under license :

APPDYNAMICS, INC.

END USER LICENSE AGREEMENT

1. SOFTWARE LICENSE.

1.1 LICENSE GRANT.

This End User License Agreement (this Agreement) between AppDynamics, Inc., a Delaware corporation with its principal place of business located at 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107 (AppDynamics) and the customer set forth in the Order Form (as defined below) (End User) is effective as of the date the initial Order Form is executed or the date this Agreement is referenced by the applicable purchase order (the Effective Date). This Agreement shall govern each order form, sales quotation, proposal, purchase order or other ordering document that references this Agreement (each an Order Form). Each Order Form will form part of this Agreement. Subject to the terms and conditions of this Agreement, AppDynamics hereby grants to End User, during the License Term (as defined below), a non-exclusive, non-transferable, non-sublicensable right and license to use the software-as-a-service
and/or on-premises version of AppDynamics application intelligence software product, including one Controller, as designated in the Order Forms (the Software) for internal business purposes only for the quantity of units in the Order Form. AppDynamics Test & Dev Edition licenses shall only be used in test-only non-production environments. For purposes hereof, the License Term begins on the date AppDynamics delivers the Software license keys to End User and extends for the period specified in the applicable Order Form (unless earlier terminated in accordance with this Agreement). For the avoidance of doubt, End Users affiliates (and employees thereof) shall not use the Software without AppDynamics prior written consent. Notwithstanding anything to the contrary herein, this Agreement does not supersede a signed agreement between AppDynamics and End User with respect to the Software.

1.2 RESTRICTIONS ON USE.

Except as otherwise expressly provided in this Agreement, End User shall
not (and shall not permit any third party to): (a) sublicense, sell, resell, transfer, assign, distribute, share, lease, rent, make any external commercial use of, outsource, use on a timeshare or service bureau, or use in an application service provider or managed service provider environment, or otherwise generate income from the Software; (b) copy the Software onto any public or distributed network, except for an internal and secure cloud computing environment; (c) cause the decompiling, disassembly, or reverse engineering of any portion of the Software, or attempt to discover any source code or other operational mechanisms of the Software (except where such restriction is expressly prohibited by law without the possibility of waiver, and then only upon prior written notice to AppDynamics); (d) modify, adapt, translate or create derivative works based on all or any part of the Software; (e) use any Third Party Software (as defined below) provided with the Software other than with
the Software; (f) modify any proprietary rights notices that appear in the Software or components thereof; (g) publish the results of any benchmarking tests run on any Third Party Software; (h) use any Software in violation of

any applicable laws and regulations (including any export laws, restrictions, national security controls and regulations) or outside of the license scope set forth in Section 1.1; (i) use the Software in support of any nuclear proliferation, chemical weapon, biological weapon or missile proliferation activity; (j) configure the Software to collect any (1) social security numbers or other government-issued identification numbers, (2) passwords or other authentication credentials, (3) health information, biometric data, genetic data, or payment/financial information, (4) any data relating to a person under the age of 13 years old, or (5) any other data that is subject to regulatory or contractual handling requirements (e.g., PCI, HIPAA, or state and federal data security laws) (collectively, Prohibited Data); or (k) use the Software to (1) store, download or transmit infringing, libelous, or otherwise unlawful or tortious material, or malicious code or malware, or (2) engage in phishing, spamming, denial-of-service attacks or other fraudulent or criminal activity, (3) interfere with or disrupt the integrity or performance of third party systems, or the Software or data contained therein, or (4) attempt to gain unauthorized access to the Software or AppDynamics' systems or networks, or (5) perform, or engage any third party to perform, authenticated or unauthenticated penetration testing, vulnerability assessments or other security assessments on the SaaS version of the Software. End User shall not export or re-export, directly or indirectly, any Software or technical data or any copy, portions or direct product thereof (i) in violation of any applicable laws and regulations, (ii) to any country for which the United States or any other government, or any agency thereof, at the time of export requires an export license or other governmental approval, including Cuba, Libya, North Korea, Iran, Iraq, or Rwanda or any other Group D:1 or E:2 country (or to a national or resident thereof) specified in the then current Supplement No. 1 to part 740 of the U.S. Export Administration Regulations (or any successor supplement or regulations, without first obtaining such license or approval) or (ii) to anyone on the U.S. Treasury Departments list of Specially Designated Nationals or the U.S. Commerce Departments Table of Denial Orders. End User shall, at its own expense, obtain all necessary customs, import, or other governmental authorizations and approvals.

1.3 EVALUATION USE.

If End User accessed the Software pursuant to a no-fee or beta evaluation (Evaluation Use), then the License Term is for the period enabled by the license key for the Software provided by AppDynamics. AppDynamics shall have the right to downgrade, limit or otherwise modify the Software provided for Evaluation Use at any time without notice, and no warranty, indemnity, Maintenance or Support obligations of AppDynamics will apply to Evaluation Use. End User may use the number and type of licenses indicated by AppDynamics in writing prior to End User downloading or accessing the Software, which will be enabled by End Users specific license key. AppDynamics has the right to immediately revoke and terminate any Evaluation Use at any time. End User agrees to provide feedback related to the Software as reasonably requested by AppDynamics. End User grants to AppDynamics, without charge, the fully paid-up, perpetual, sublicensable right to exploit such feedback for any purpose. Evaluation Use is not a guarantee of future product features and should not be relied upon in making any purchasing decisions.

1.4 UNAUTHORIZED USE.

End User shall notify AppDynamics promptly of any unauthorized use of any password or account or any other known or suspected breach of security or misuse of the Software. End User is responsible for use of the Software by any and all employees, contractors, or other users that it allows to access the Software.

1.5 MAINTENANCE AND SUPPORT.

Support is defined as AppDynamics' obligations to respond to support requests as described in Exhibit A (Enterprise

Support). Maintenance means AppDynamics obligations related to error resolution, bug fixes and the provision of updates and upgrades made generally commercially available by AppDynamics in its sole discretion, all as described in Exhibit A. Subject to End Users payment of the fees set forth in the applicable Order Form(s), AppDynamics will (a) provide Maintenance and Support for the Software, and (b) solely if End User has purchased access to the software-as-a-service version of the Software, make the Software available to End User in accordance with Exhibit B (Availability and Security). For time-limited licenses for the Software (as set forth in an Order Form, Subscription Licenses), the fees for Maintenance and Support are included in the fees for the Software. For perpetual licenses, (i) AppDynamics shall invoice End User the applicable fees for Maintenance and Support (Maintenance and Support Fees) upon execution of the Order Form, and (ii) subject to payment of the Maintenance and Support Fees, AppDynamics will provide Support for the Maintenance and Support period set forth in the Order Form, as it may be renewed (the Maintenance and Support Term). If Maintenance and Support terminates with respect to any perpetual licenses, and End User is in good standing under this Agreement, then End User may reinstate Maintenance and Support on payment of the cumulative Maintenance and Support Fees applicable for the period during which Maintenance and Support lapsed, plus Maintenance and Support Fees for the reinstated Maintenance and Support Term. Notwithstanding anything herein to the contrary, if End User receives Support from an authorized
partner of AppDynamics (Partner), then the support terms agreed upon by End User and such Partner shall govern in lieu of those set forth in Exhibit A, and AppDynamics shall have no support obligations to End User.

1.6 SERVICES.

Subject to the terms hereof (including payment of any applicable fees set forth in the Order Form), AppDynamics will provide the training, enablement and/or other services described in an Order Form (or statement of work referencing this Agreement), if any (Services). All Services will be rendered on a time and materials basis. AppDynamics will not exceed the total time purchased without prior written approval from End User. If the Services purchased have been consumed, AppDynamics will stop the Services until additional Services have been purchased. If End User elects not to purchase additional Services, then the Services will be deemed complete. If not used, pre-purchased Services and expenses expire twelve (12) months after the date purchased (unless otherwise
set forth in the applicable Order Form). End User agrees to provide reasonable cooperation and information as necessary to permit AppDynamics to perform the Services. End User will reimburse AppDynamics for travel and expenses (at cost) incurred in connection with the Services (if any) by the Invoice Due Date (as defined below). Services will be performed on business days (a business day means Monday through Friday, excluding national holidays, during working hours, in the location where the Services are delivered). Saturday Services, and hours worked during the week that exceed the local working hours in a week, will be charged at the agreed rate x 1.5. Services performed on Sundays or national holidays will be charged at 2 x the agreed rate. If End User cancels or delays any scheduled Services less than ten (10) business days before the start date of such Services, then AppDynamics will deduct from End User's account (or End User will pay for) the amount of Services that were scheduled
in any of the ten (10) business days following the date of cancellation (or notification of the delay, as applicable), and End User will fully reimburse AppDynamics for any reasonable travel and expenses incurred by AppDynamics for such Services (and for any Services rescheduled by End User) for which AppDynamics is unable to obtain a refund. During the License Term (for Subscription Licenses) or during the Maintenance and Support Term (for perpetual licenses), and in each case for a period of twelve (12) months thereafter, without AppDynamics prior written approval, End User will not solicit for employment or consultancy any AppDynamics employees who participated in the performance of Services.

2. FEES.

2.1 PRICING.

End User will be invoiced for those amounts and at those prices set forth in an Order Form (an Invoice), provided, however, that, for Evaluation Use, End User shall not be billed unless otherwise specified by AppDynamics in writing prior to End User downloading or accessing (as applicable) the Software. Fees do not include any customization of the Software (nor support for any such customizations, unless otherwise agreed in writing). If End Users usage of the Software is in excess of those amounts set forth in the Order Form, End User will be billed for those overages at a pro-rated amount for the remainder of the applicable License Term, based on AppDynamics then-current standard pricing. If AppDynamics believes in good faith that End Users usage of the Software exceeds that set forth on the applicable Order Form, End User agrees to allow AppDynamics to audit End Users use of the Software (not more frequently than twice per calendar year), upon at least twenty-four (24) hours notice, to determine the actual Software use, using a commercially reasonable auditing procedure. End User acknowledges that purchases made under this Agreement are neither contingent on the delivery of any future functionality or features nor dependent on any oral or written public comments made by AppDynamics regarding future functionality or features.

2.2 PAYMENTS.

End User shall pay Invoices within thirty (30) days of the invoice date (the Invoice Due Date). If End User reasonably disputes any Invoice, (i) End User shall provide AppDynamics with written notice of such dispute, including the grounds therefor (a Dispute Notice), prior to the Invoice Due Date, (ii) End User and AppDynamics shall, for a period of fifteen (15) days following AppDynamics receipt of such Dispute Notice, negotiate in good faith to resolve the dispute and (iii) if such dispute remains unresolved at the end of such period, the parties shall retain all of their respective rights under this Agreement (including, without limitation, any action for non-payment of the fees set forth herein). All payment obligations are non-cancelable and all amounts paid are non-refundable, except (a) for amounts paid in error that are not actually due under this Agreement, and (b) as set forth in Sections 6.1 and 7.1. The fees paid by End User are exclusive of all taxes, levies, or duties imposed by taxing authorities, if any, and End User shall be responsible for payment of all such taxes, levies, or duties, excluding taxes based on AppDynamics income. End User represents and warrants that the billing and contact information provided to AppDynamics is complete and accurate, and AppDynamics shall have no responsibility for any Invoices that are not received due to inaccurate or missing information provided by End User. End User shall pay interest on all payments not received by the Invoice Due Date at a rate of one percent (1%) per month or the maximum amount allowed by law, whichever is lesser. All amounts due under this Agreement shall be paid by End User in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law). If requested by AppDynamics, End User will obtain and furnish to AppDynamics tax receipts or other certificates issued by the competent taxation office showing the payments of the withholding tax within a reasonable time after payment. Following written notice, AppDynamics shall be entitled to suspend End Users access to the Software if payments are not received within thirty (30) days of the Invoice Due Date. Notwithstanding anything herein to the contrary, if End User makes its payments pursuant to this Agreement to a Partner, then the payment terms agreed by End User and such Partner shall govern to the extent anything in this Section 2 conflicts with such Partner payment terms.

3. CONFIDENTIALITY

3.1 SCOPE AND RESTRICTIONS.

Confidential Information means all information of a party (Disclosing Party) disclosed to the other party (Receiving Party) that is designated in writing or identified as confidential at the time of disclosure or should be reasonably

known by the Receiving Party to be confidential due to the nature of the information disclosed and the circumstances
surrounding the disclosure. The terms of this Agreement, the Software, any technical or other documentation relating to the Software, logins, passwords and other access codes and any and all information regarding AppDynamics business, products and services are the Confidential Information of AppDynamics. The Receiving Party will: (i) not use the Disclosing Partys Confidential Information for any purpose outside of this Agreement; (ii) not disclose such Confidential Information to any person or entity, other than its affiliates, employees, consultants, agents and professional advisers who have a need to know for the Receiving Party to exercise its rights or perform its obligations hereunder, provided that such employees, consultants, and agents are bound by agreements or, in the case of professional advisers, ethical duties respecting such Confidential Information in accordance with the terms of this Section 3; and (iii) use reasonable measures to protect the confidentiality
of such Confidential Information. If the Receiving Party is required by applicable law or court order to make any disclosure of such Confidential Information, it will first give written notice of such requirement to the Disclosing Party, and, to the extent within its control, permit the Disclosing Party to intervene in any relevant proceedings to protect its interests in its Confidential Information, and provide full cooperation to the Disclosing Party in seeking to obtain such protection. Further, this Section 3 will not apply to information that the Receiving Party can document: (i) was rightfully in its possession or known to it prior to receipt without any restriction on its disclosure; (ii) is or has become public knowledge or publicly available through no fault of the Receiving Party; (iii) is rightfully obtained by the Receiving Party from a third party without breach of any confidentiality obligation; or (iv) is independently developed by employees of the Receiving Party who had
no access to such information.

3.2 EQUITABLE RELIEF.

The Receiving Party acknowledges that unauthorized disclosure of the Disclosing Partys Confidential Information could cause substantial harm to the Disclosing Party for which damages alone might not be a sufficient remedy and, therefore, that upon any such disclosure by the Receiving Party the Disclosing Party will be entitled to seek appropriate equitable relief in addition to whatever other remedies it might have at law or equity.

4. PROPRIETARY RIGHTS. AppDynamics and its suppliers own and shall retain all proprietary rights, including all copyright, patent, trade secret, trademark and all other intellectual property rights, in and to the Software and the results of any Services. End User acknowledges that the rights granted under this Agreement do not provide End User with title to or ownership of the Software. Certain free or open source based software (the FOSS Software) and third party software included with the Software
(the Third Party Software) is shipped with the Software but is not considered part of the Software hereunder. A list of the FOSS Software and Third Party Software is set forth on the webpage located at https://docs.appdynamics.com/display/DASH/Legal+Notices With respect to Third Party Software included with the Software, such Third Party Software suppliers are third party beneficiaries of this Agreement. End Users use of such FOSS Software is subject to the terms of the licenses set forth on such webpage. The Software and Third Party Software may only be used by End User as prescribed by the AppDynamics documentation located at http://docs.appdynamics.com (as it may be updated from time to time, the Documentation).

5. TERM AND TERMINATION.

The term of this Agreement begins on the Effective Date and will remain in effect until all Subscription Licenses (and Maintenance and Support Terms, if applicable) expire or until this Agreement is otherwise terminated in accordance with the terms

hereof, whichever occurs first (the Term). This Agreement may be renewed at any time by execution of an Order Form referencing this Agreement, and any such renewal will be deemed part of the Term hereunder. If either party commits a material breach of this Agreement, and such breach has not been cured within thirty (30) days after receipt of written notice thereof, the non-breaching party may terminate this Agreement, except that AppDynamics may immediately terminate this Agreement and/or End Users license to the Software upon End Users breach of Section 1.2. Either party may also terminate this Agreement upon written notice if the other party suspends payment of its debts or experiences any other insolvency or bankruptcy-type event. Upon expiration or termination of this Agreement for any reason, (i) with respect to Subscription Licenses, all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; (ii) with respect to perpetual licenses, these will survive termination of this Agreement unless AppDynamics terminates the Agreement for End Users breach of this Agreement in which case all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; and (iii) each Receiving Party will return or destroy, at the Disclosing Partys option, the Disclosing Partys Confidential Information in the Receiving Partys possession or control. All fees that have accrued as of such expiration or termination, and Sections 1.2, 1.3, 1.4, 2, 3, 4, 5, 6.2 and 7 through 12, will survive any expiration or termination hereof.

6. WARRANTIES.

6.1 LIMITED WARRANTY.The limits below will not apply to the extent prohibited by applicable law.

AppDynamics warrants that during the first thirty (30) days following the date the Software is purchased, the Software will, in all material respects, conform to the functionality described in the then-current Documentation for the applicable Software version. AppDynamics sole and exclusive obligation, and End Users sole and exclusive remedy, for a breach of this warranty shall be that AppDynamics shall be required to use commercially reasonable efforts to repair or replace the Software to conform in all material respects to the Documentation, and if AppDynamics is unable to materially restore such functionality within thirty (30) days from the date of written notice of such breach, End User shall be entitled to terminate the license to the affected Software upon written notice and AppDynamics shall promptly provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). End User must notify AppDynamics in writing of any warranty breaches within such warranty period, and End User must have installed and configured the Software in accordance with the Documentation to be eligible for the foregoing remedy.

6.2 WARRANTY DISCLAIMER.

EXCEPT AS EXPRESSLY PROVIDED IN THIS SECTION 6, ALL SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT AND SERVICES ARE PROVIDED AS IS AND APPDYNAMICS AND ITS SUPPLIERS EXPRESSLY DISCLAIM ANY AND ALL OTHER REPRESENTATIONS AND WARRANTIES, EITHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT THERETO, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, OR THE CONTINUOUS, UNINTERRUPTED, ERROR-FREE, VIRUS-FREE, OR SECURE ACCESS TO OR OPERATION OF THE SOFTWARE. APPDYNAMICS EXPRESSLY DISCLAIMS ANY WARRANTY AS TO THE ACCURACY OR COMPLETENESS OF ANY INFORMATION OR DATA ACCESSED OR USED IN CONNECTION WITH THE SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT, OR SERVICES. AppDynamics is not responsible for any delays, delivery failures, or any other loss or damage resulting

from the transfer of data over communications networks and facilities, including the Internet, and End User acknowledges that the Software and Documentation may be subject to limitations, delays and other problems inherent in the use of such communications facilities. The Software is not fault-tolerant and is not designed or intended for use in hazardous environments, including without limitation, in the operation of aircraft or other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles or weaponry systems, or any other application in which failure of the Software could lead to death or serious bodily injury of a person, or to severe physical or environmental damage (each, a High Risk Use). AppDynamics expressly disclaims any express or implied warranty or representation of fitness for High Risk Use. AppDynamics shall not be liable to End User for any loss, damage or harm suffered by End User that is directly or indirectly caused by End Users unauthorized use of the Software to process Prohibited Data.

7. INDEMNIFICATION.

7.1 BY APPDYNAMICS.

AppDynamics agrees at its expense to defend End User against (or, at AppDynamics option, settle), any third party claim to the extent such claim alleges that the Software infringes or misappropriates any patent, copyright, trademark or trade secret of a third party, and AppDynamics shall pay all costs and damages finally awarded against End User by a court of competent jurisdiction as a result of any such claim. In the event that the use of the Software is, or in AppDynamics sole opinion is likely to become, subject to such a claim, AppDynamics, at its option and expense, may (a) replace the applicable Software with functionally equivalent non-infringing technology, (b) obtain a license for End Users continued use of the applicable Software, or (c) terminate the license and provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). The foregoing indemnification obligation of AppDynamics will not apply: (1) if the Software is modified by End User or its agent; (2) if the Software is combined with other non-AppDynamics products, applications, or processes, but solely to the extent the alleged infringement is caused by such combination; or (3) to any unauthorized use of the Software. The foregoing shall be End Users sole remedy with respect to any claim of infringement of third party intellectual property rights.

7.2 BY END USER.

End User agrees to defend, at its expense, AppDynamics and its affiliates, its suppliers and its resellers against any third party claim to the extent such claim arises from or is made in connection with End Users breach of Section 1 or End Users negligence or willful misconduct, and End User shall pay all costs and damages finally awarded against AppDynamics by a court of competent jurisdiction as a result of any such claim.

7.3 INDEMNIFICATION REQUIREMENTS.

In connection with any claim for indemnification under this Section 7, the indemnified party must promptly provide the indemnifying party with notice of any claim that the indemnified party believes is within the scope of the obligation to indemnify, provided, however, that the failure to provide such notice shall not relieve the indemnifying party of its obligations under this Section 7, except to the extent that such failure materially prejudices the indemnifying partys defense of such claim. The indemnified party may, at its own expense, assist in the defense if it so chooses, but the indemnifying party shall control the defense and all negotiations related to the settlement of any such claim. Any such settlement intended to bind either party shall not be final without the other partys written consent, which consent shall not

be unreasonably withheld, conditioned or delayed; provided, however, that End Users consent shall not be required when AppDynamics is the indemnifying party if the settlement involves only the payment of money by AppDynamics.

8. LIMITATION OF LIABILITY. The limits below will not apply to the extent prohibited by applicable law.

8.1 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING DAMAGES FOR LOSS OF REVENUES OR PROFITS, LOSS OF USE, BUSINESS INTERRUPTION, OR LOSS OF DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

8.2 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), NEITHER PARTYS LIABILITY FOR ANY DAMAGES (WHETHER FOR BREACH OF CONTRACT, MISREPRESENTATIONS, NEGLIGENCE, STRICT LIABILITY,
OTHER TORTS OR OTHERWISE) UNDER THIS AGREEMENT SHALL EXCEED AN AMOUNT EQUAL TO THE TOTAL FEES PAID (PLUS FEES PAYABLE) TO APPDYNAMICS DURING THE TWELVE (12) MONTHS IMMEDIATELY PRECEDING THE CLAIM GIVING RISE TO SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY.

9. FORCE MAJEURE.

Except for payment obligations, neither party hereto will be liable for defaults or delays due to acts of God, or the public enemy, acts or demands of any government or governmental agency, fires, earthquakes, floods, accidents, or other unforeseeable causes beyond its reasonable control and not due to its fault or negligence.

10. DATA COLLECTION.

End User acknowledges that AppDynamics application server and machine software agents (the Agents) collect metrics that relate to the performance, health and resource of an application, its components (transactions, code libraries) and related infrastructure (nodes, tiers) that service those components.
In addition, AppDynamics collects metrics on End Users activities, such as web pages visited, length of visit, and which features of the Software an End User uses. If End User provides AppDynamics with any personally identifiable information (personal data), End User represents and warrants that such information has been collected by End User in accordance with the provisions of all applicable data protection legislation and that End User has all right and consents necessary to provide such personal data to AppDynamics. End User will indemnify AppDynamics for reasonable costs and other amounts that AppDynamics may incur relating to any breach of this Section.

11. US GOVERNMENT MATTERS.

As defined in FAR section 2.101, the Software and Documentation are commercial items and according to DFAR section 252.227 7014(a)(1) and (5) are deemed to be commercial computer software and commercial computer software documentation. Consistent with DFAR section 227.7202 and FAR section 12.212, any
use modification, reproduction, release, performance, display, or disclosure of such commercial software or commercial software documentation by the U.S. Government will be governed solely by the terms of this

Agreement and will be prohibited except to the extent expressly permitted by the terms of this Agreement.

12. MISCELLANEOUS.

This Agreement shall be governed by and construed under the laws of the State of California, U.S.A. The parties consent to the exclusive jurisdiction and venue of the courts located in and serving San Francisco, California. Failure by either Party to exercise any of its rights under, or to enforce any provision of, this Agreement will not be deemed a waiver or forfeiture of such rights or ability to enforce such provision. If any provision of this Agreement is held by a court of competent jurisdiction to be illegal, invalid or unenforceable, such provision will be amended to achieve as nearly as possible the same economic effect of the original provision
and the remainder of this Agreement will remain in full force and effect. This Agreement and its exhibits, together with the Order Form(s) and any statements of work incorporating this Agreement, if applicable, represent the entire agreement between the parties and supersede any previous or contemporaneous oral or written agreements or communications regarding the subject matter of this Agreement. The person signing or otherwise accepting this Agreement for End User represents that s/he is duly authorized by all necessary and appropriate corporate action to enter this Agreement on behalf of End User. Any modification to this Agreement must be in writing and signed by a duly authorized agent of both parties. The Uniform Computer Information Transactions Act (UCITA) does not apply to this Agreement. This Agreement shall control over additional or different terms of any purchase order, confirmation, invoice, statement of work or similar document (other than an AppDynamics Order Form, which
will take precedence), even if accepted in writing by both parties, and waivers and amendments to this Agreement shall be effective only if made by non-pre-printed agreements clearly understood by both parties to be an amendment or waiver to this Agreement. For purposes of this Agreement, including means including without limitation. The rights and remedies of the parties hereunder will be deemed cumulative and not exclusive of any other right or remedy conferred by this Agreement or by law or equity. No joint venture, partnership, employment, or agency relationship exists between the parties as a result of this Agreement or use of the Software. AppDynamics reserves the right to perform its obligations from locations and/or through use of affiliates and subcontractors, worldwide, provided that AppDynamics will be responsible for such parties. End User may not assign this Agreement without the prior written approval of AppDynamics and any purported assignment in violation of this section
shall be void; AppDynamics may assign, transfer or subcontract this Agreement in whole or in part. Upon any assignment of this Agreement by End User that is approved by AppDynamics, any licenses that contain an unlimited aspect will, with respect to End User or the successor entity, as applicable, be capped at the number of authorized Software units in use immediately prior to such assignment. End User agrees that AppDynamics may refer to End User by its trade name and logo, and may briefly describe End Users business, in AppDynamics marketing materials and website. AppDynamics may give notice to End User by electronic mail to End Users email address on record in End Users account information, or by written communication sent by first class mail or pre-paid post to End Users address on record in End Users account information. End User may give notice to AppDynamics at any time by any letter delivered by nationally recognized overnight delivery service or first class postage prepaid
mail to AppDynamics at the following address or such other address as may be notified to End User from time to time: AppDynamics, Inc., 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107, Attn: Legal Department. Notice under this Agreement shall be deemed given when received, if personally delivered; when receipt is electronically confirmed, if transmitted by email; the day after it is sent, if sent for next day delivery by recognized overnight delivery service; and upon receipt, if sent by certified or registered mail, return receipt requested.

EXHIBIT A

ENTERPRISE SUPPORT

GENERAL REQUIREMENTS.

AppDynamics will provide access to a ticketing system and email address (help@appdynamics.com), which will be available twenty-four (24) hours per day, seven (7) days per week. The email account will be maintained by qualified support specialists, who shall use commercially reasonable efforts to answer questions and resolve problems regarding the Software.

HOURS OF OPERATION.

Support
is available twenty-four (24) hours per day, seven (7) days per week.

ERROR CLASSIFICATION.

Any reported errors are classified in the following manner, in each case when caused by the Software:

Error Classification Criteria
Urgent End User production application is down or there is a major malfunction, resulting in a business revenue loss and impacting the End User application functionality for a majority of users.
High Critical loss of End User application functionality or performance, impacting the application functionality for a high number of users.
Normal Moderate loss of End User application functionality or performance, impacting multiple users.
Low Minor loss of End User application functionality or product feature in question.

ERROR DEFINITION.

An error means a reproducible malfunction in the Software that is reported by End User through AppDynamics ticketing system that prevents the Software from performing in accordance with the operating specifications described in the then-current Documentation.

AUTHORIZED SUPPORT CONTACTS.

Maintenance and Support will be provided solely to End Users designated support contacts. The Order Form may indicate a maximum number of designated support contacts for End Users service level. End User will provide its designated support contacts, including its primary email address.

END USERS OBLIGATION TO ASSIST.
If End User reports a purported error in the Software to AppDynamics, AppDynamics ticketing system will request the following minimum information:

A general description of the operating environment
A list of all hardware components, operating systems and networks
A reproducible test case
Any log files, trace and systems files

End Users failure to provide this information may prevent or significantly delay AppDynamics ability to identify and fix the reported error. AppDynamics time to respond to any error will begin when AppDynamics has received all requested information
from the End User and is able to reproduce the error.

ERROR RESOLUTION.

If AppDynamics determines there is an error in the Software, AppDynamics may, at its sole option, repair that error in the version of the Software that End User is currently using or instruct End User to install a newer version of the Software with that error repaired. AppDynamics reserves the right to provide End User with a workaround in lieu of fixing an error.

SOFTWARE UPDATES AND UPGRADES. End User must be current on fees in order to receive access to Maintenance.

RESPONSE TIME. AppDynamics shall respond to error tickets in accordance with the tables set forth below. AppDynamics will use reasonable means to repair the error and keep End User informed of progress. AppDynamics makes no representations as to when a full resolution of the error may be made.

Error Initial Response Manager Escalation VP Escalation Email Status Updates
===== ================ ================= ============= ====================
Urgent
1 Hour 1 Business Day 1 Week Daily
High 6 Hours 1 Week 2 Weeks Weekly
Normal 1 Business Day Quarterly Review None None
Low 2 Business Days Semi-Annual Review None None

Maintenance and Support Policy: The Maintenance and Support policy is as follows:

AppDynamics provides Maintenance and Support for each version of the Software for a period of twelve (12) months after the generally available release of the next major version of the Software (a major release is a change in the first number to the right of the decimal point). For example, if version 4.1 is released on January 1, 2015, then AppDynamics will provide Maintenance and Support for version 4.0 until January 1, 2016. AppDynamics does not provide Maintenance or Support for any customized software (or components thereof).

For third party software or technology used by End User with the Software but not included with the Software (a Platform, such as Java Virtual Machines), AppDynamics will follow the end-of-life (EOL) support timeline announced by the third party vendor of such Platform. AppDynamics will stop providing Maintenance and Support for an EOLd Platform version when the Platform vendor stops providing maintenance and support for that Platform version.

EXHIBIT B
AVAILABILITY AND SECURITY

The terms set forth in this Exhibit B apply only if End User has purchased access to the online software-as-a-service (SaaS) version of the Software, as indicated on the Order Form.

AVAILABILITY.

AppDynamics will provide System Availability (as defined below) of ninety-nine and one-half percent (99.5%) (the Availability SLA), excluding situations identified as Exclusions below. For purposes of the Availability SLA, the AppDynamics network extends to, includes and terminates at the data center located router that provides the outside interface of each of AppDynamics WAN connections to its backbone providers (the AppDynamics Network).

Exclusions means any outage that results from any of the following:
a. Any Maintenance performed by AppDynamics during AppDynamics standard Maintenance windows. AppDynamics will notify End User within forty-eight (48) hours of any standard Maintenance and within twenty-four (24) hours for other non-standard emergency Maintenance (collectively referred to herein as Scheduled Maintenance).

b. End User's information content or application programming, or the acts or omissions of End User or its agents, including, without limitation, the following:
1. End Users use of any programs not supplied by AppDynamics;
2. End Users failure to provide AppDynamics with reasonable advance prior notice of any pending unusual large deployments of new nodes (i.e., adding over ten percent (10%) total nodes in less than twenty-four (24) hours);
3. End Users implementation of any significant configuration changes, including changes that lead to a greater than thirty percent (30%) change in a one week period or greater than fifty percent (50%) change in a one month period in the number of key objects in the system including but not limited to metrics, snapshots, nodes, events and business transactions;
4. Any misconfiguration by End User (as determined in AppDynamics sole discretion), including configuration errors and unintended usage of the Software;
5. End Users failure to upgrade the Agents to keep the Agent versions within six (6) months of the Controller version; or
6. End Users implementation of configuration changes in the number of key objects in the Software (including metrics, snapshots, nodes, events and business transactions) that results in, or is likely to result in, an adverse impact on other customers.

c. Force majeure or other circumstances beyond AppDynamics reasonable control that could not be avoided by its exercise of due care.

d. Failures of the Internet backbone itself and the network by which End User connects to the Internet backbone or

any other network unavailability outside of the AppDynamics Network, such as misconfigurations, proxies or firewalls.

e. Any window of time when End User agrees that Software availability/unavailability will not be monitored or counted.

f. Any problems resulting from End User combining or merging the Software with any hardware or software not supplied by AppDynamics or not identified by AppDynamics in the Documentation as being compatible with the Software.

g. End Users or any third partys use of the Software in an unauthorized or unlawful manner.

Remedies for Excessive Downtime:

In the event the availability of the Software falls below the Availability SLA in a given calendar quarter, AppDynamics will pay End User a service credit (Service Credit) as follows, corresponding to the actual Availability of the Software during the applicable calendar quarter (on pro-rated basis for annual or multi-year fees): if the Availability is 99.5% or greater, End User is entitled to receive no credits; if the Availability is 97.0% - 99.49%, then End User is entitled to receive Service Credits equal to five percent of the fees for the applicable calendar quarter (not to exceed $280); if the Availability is 95.0% - 96.9%, then End User is entitled to receive Service Credits equal to ten percent of the fees for the applicable calendar quarter (not to exceed $560); and if the Availability is less than 95.0%, then End User is entitled to receive Service Credits equal to twenty percent of the fees for the applicable calendar quarter (not to exceed $1120). Such Service Credit will be issued as a credit against any fees owed by End User for the next calendar quarter of the Term, or, if End User does not owe any additional fees, then AppDynamics will pay End User the amount of the applicable Service Credit within thirty (30) days after the end of the calendar quarter in which such credit accrued. To receive Service Credits, End User must submit a written request to AppDynamics (to customersuccess@appdynamics.com with a copy to legal@appdynamics.com) within 15 days after the end of the quarter in which the Software was unavailable, or End Users right to receive Service Credits with respect to such unavailability will be waived. The remedies stated in this section are End Users sole and exclusive remedies and AppDynamics sole and exclusive obligations for service interruption or unavailability.

System Availability is measured by the following formula: (n - y) *100 / n
(1) n is the total number of minutes in the given calendar quarter minus the Exclusions (as defined above); and y is the total number of minutes in the given calendar quarter that the Controller is not accessible by End User (as determined by AppDynamics tools).
(2) Specifically excluded from n and y in this calculation are the Exclusions.

SECURITY INFORMATION.

For all End User data stored in the software-as-a-service version of the Software, AppDynamics will satisfy all of its obligations under Section 3 by maintaining the security precautions described below.
Certifications
AppDynamics is SOC 2 Type II compliant, meaning it has been independently audited to verify the validity and functionality of its control activities and processes. Customers may request AppDynamics report at any time. AppDynamics data center provider is also SOC 2 Type II compliant.

Secure Connections
Agents initiate connections to a single Controller, which can either be hosted on-premises by the customer or by AppDynamics via the AppDynamics software-as-a-service platform. The Controller is the central repository and analytics engine where all performance data is stored, baselined, and analyzed. If End User downloads the Agent from End Users controller (ie., using the installation wizard provided by AppDynamics), then transport layer security (TLS) for Agent-to-Controller communication is enabled by default. For other installations, AppDynamics recommends enabling SSL/TLS encryption for Agent communications. For detailed instructions please see docs.appdynamics.com. Agents also support outbound
HTTP proxies for customers using these security mechanisms. For Software user interface access, AppDynamics redirects all traffic to HTTPS.

Access Controls to Data
Access to collected data and data collection features is restricted to authenticated customer users by role-based access controls (RBAC). In addition, customer users do not have native access to run queries on the Controllers MySQL database.

Availability
Servers for the software are operated in fault-tolerant architecture in a manner designed to ensure availability. Data is backed up nightly and stored redundantly. AppDynamics also provides an off-site backup service. Software security updates and patches are evaluated by engineers and are deployed based upon the security risks and stability benefits they offer to the Software and End Users.

Security
Access to the Software platform infrastructure and data by AppDynamics personnel is secured by authentication methods including public key authentication, passwords and
network access control lists. Infrastructure and data access is restricted to AppDynamics employees and contractors subject to confidentiality agreements. System and network activity for the Software are regularly monitored by a team of engineers. Failed authentication attempts are audited and engineers are paged so that intrusions or threats can be investigated. Standard firewall policies are deployed to block access except to ports required for Software and Agent communication.

Sensitive Data
AppDynamics recommends on-premises (rather than software-as-a-service) deployments for customers subject to heightened regulatory oversight of data.

More Information
For more information on data privacy or security processes please contact help@appdynamics.com or your account representative. To report a suspected security breach, contact security@appdynamics.com.
AppDynamics Proprietary and Confidential * Revision 2016.11.01

1.77 appdynamics-without-jre 24.11.0.7212

1.77.1 Available under license :

APPDYNAMICS, INC.

END USER LICENSE AGREEMENT

1. SOFTWARE LICENSE.

1.1 LICENSE GRANT.

This End User License Agreement (this Agreement) between AppDynamics, Inc., a Delaware corporation with its principal place of business located at 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107 (AppDynamics) and the customer set forth in the Order Form (as defined below) (End User) is effective as of the date the initial Order Form is executed or the date this Agreement is referenced by the applicable purchase order (the Effective Date). This Agreement shall govern each order form, sales quotation, proposal, purchase order or other ordering document that references this Agreement (each an Order Form). Each Order Form will form part of this Agreement. Subject to the terms and conditions of this Agreement, AppDynamics hereby grants to End User, during the License Term (as defined below), a non-exclusive, non-transferable, non-sublicensable right and license to use the software-as-a-service
and/or on-premises version of AppDynamics application intelligence software product, including one Controller, as designated in the Order Forms (the Software) for internal business purposes only for the quantity of units in the Order Form. AppDynamics Test & Dev Edition licenses shall only be used in test-only non-production environments. For purposes hereof, the License Term begins on the date AppDynamics delivers the Software license keys to End User and extends for the period specified in the applicable Order Form (unless earlier terminated in accordance with this Agreement). For the avoidance of doubt, End Users affiliates (and employees thereof) shall not use the Software without AppDynamics prior written consent. Notwithstanding anything to the contrary herein, this Agreement does not supersede a signed agreement between AppDynamics and End User with respect to the Software.

1.2 RESTRICTIONS ON USE.

Except as otherwise expressly provided in this Agreement, End User shall
not (and shall not permit any third party to): (a) sublicense, sell, resell, transfer, assign, distribute, share, lease, rent, make any external commercial use of, outsource, use on a timeshare or service bureau, or use in an application service provider or managed service provider environment, or otherwise generate income from the Software; (b) copy the Software onto any public or distributed network, except for an internal and secure cloud computing environment; (c) cause the decompiling, disassembly, or reverse engineering of any portion of the Software, or attempt to discover any source code or other operational mechanisms of the Software (except where such restriction is expressly prohibited by law without the possibility of waiver, and then only upon prior written notice to AppDynamics); (d) modify, adapt, translate or create derivative works based on all or any part of the Software; (e) use any Third Party Software (as defined below) provided with the Software other than with
the Software; (f) modify any proprietary rights notices that appear in the Software or components thereof; (g) publish the results of any benchmarking tests run on any Third Party Software; (h) use any Software in violation of any applicable laws and regulations (including any export laws, restrictions, national security controls and regulations) or outside of the license scope set forth in Section 1.1; (i) use the Software in support of any nuclear proliferation, chemical weapon, biological weapon or missile proliferation activity; (j) configure the Software to collect any (1) social security numbers or other government-issued identification numbers, (2) passwords or other authentication credentials, (3) health information, biometric data, genetic data, or payment/financial information, (4) any data relating to a person under the age of 13 years old, or (5) any other data that is subject to regulatory or contractual handling requirements (e.g., PCI, HIPAA, or state and federal data security
laws) (collectively, Prohibited Data); or (k) use the Software to (1) store, download or transmit infringing, libelous, or otherwise unlawful or tortious material, or malicious code or malware, or (2) engage in phishing, spamming, denial-of-service attacks or other fraudulent or criminal activity, (3) interfere with or disrupt the integrity or performance of third party systems, or the Software or data contained therein, or (4) attempt to gain unauthorized

access to the Software or AppDynamics' systems or networks, or (5) perform, or engage any third party to perform, authenticated or unauthenticated penetration testing, vulnerability assessments or other security assessments on the SaaS version of the Software. End User shall not export or re-export, directly or indirectly, any Software or technical data or any copy, portions or direct product thereof (i) in violation of any applicable laws and regulations, (ii) to any country for which the United States or any other government,
or any agency thereof, at the time of export requires an export license or other governmental approval, including Cuba, Libya, North Korea, Iran, Iraq, or Rwanda or any other Group D:1 or E:2 country (or to a national or resident thereof) specified in the then current Supplement No. 1 to part 740 of the U.S. Export Administration Regulations (or any successor supplement or regulations, without first obtaining such license or approval) or (ii) to anyone on the U.S. Treasury Departments list of Specially Designated Nationals or the U.S. Commerce Departments Table of Denial Orders. End User shall, at its own expense, obtain all necessary customs, import, or other governmental authorizations and approvals.

1.3 EVALUATION USE.

If End User accessed the Software pursuant to a no-fee or beta evaluation (Evaluation Use), then the License Term is for the period enabled by the license key for the Software provided by AppDynamics. AppDynamics shall have the right to downgrade, limit or otherwise
modify the Software provided for Evaluation Use at any time without notice, and no warranty, indemnity, Maintenance or Support obligations of AppDynamics will apply to Evaluation Use. End User may use the number and type of licenses indicated by AppDynamics in writing prior to End User downloading or accessing the Software, which will be enabled by End Users specific license key. AppDynamics has the right to immediately revoke and terminate any Evaluation Use at any time. End User agrees to provide feedback related to the Software as reasonably requested by AppDynamics. End User grants to AppDynamics, without charge, the fully paid-up, perpetual, sublicensable right to exploit such feedback for any purpose. Evaluation Use is not a guarantee of future product features and should not be relied upon in making any purchasing decisions.

1.4 UNAUTHORIZED USE.

End User shall notify AppDynamics promptly of any unauthorized use of any password or account or any other known or suspected breach
of security or misuse of the Software. End User is responsible for use of the Software by any and all employees, contractors, or other users that it allows to access the Software.

1.5 MAINTENANCE AND SUPPORT.

Support is defined as AppDynamics' obligations to respond to support requests as described in Exhibit A (Enterprise Support). Maintenance means AppDynamics obligations related to error resolution, bug fixes and the provision of updates and upgrades made generally commercially available by AppDynamics in its sole discretion, all as described in Exhibit A. Subject to End Users payment of the fees set forth in the applicable Order Form(s), AppDynamics will (a) provide Maintenance and Support for the Software, and (b) solely if End User has purchased access to the software-as-a-service version of the Software, make the Software available to End User in accordance with Exhibit B (Availability and Security). For time-limited licenses for the Software (as set forth in an Order Form, Subscription Licenses), the fees for Maintenance and Support are included in the fees for the Software. For perpetual licenses, (i) AppDynamics shall invoice End User the applicable fees for Maintenance and Support (Maintenance and Support Fees) upon execution of the Order Form, and (ii) subject to payment of the Maintenance and Support Fees, AppDynamics will provide Support for the Maintenance and Support period set forth in the Order Form, as it may be renewed (the Maintenance and Support Term). If Maintenance and Support terminates with

respect to any perpetual licenses, and End User is in good standing under this Agreement, then End User may reinstate Maintenance and Support on payment of the cumulative Maintenance and Support Fees applicable for the period during which Maintenance and Support lapsed, plus Maintenance and Support Fees for the reinstated Maintenance and Support Term. Notwithstanding anything herein to the contrary, if End User receives Support from an authorized
partner of AppDynamics (Partner), then the support terms agreed upon by End User and such Partner shall govern in lieu of those set forth in Exhibit A, and AppDynamics shall have no support obligations to End User.

1.6 SERVICES.

Subject to the terms hereof (including payment of any applicable fees set forth in the Order Form), AppDynamics will provide the training, enablement and/or other services described in an Order Form (or statement of work referencing this Agreement), if any (Services). All Services will be rendered on a time and materials basis. AppDynamics will not exceed the total time purchased without prior written approval from End User. If the Services purchased have been consumed, AppDynamics will stop the Services until additional Services have been purchased. If End User elects not to purchase additional Services, then the Services will be deemed complete. If not used, pre-purchased Services and expenses expire twelve (12) months after the date purchased (unless otherwise
set forth in the applicable Order Form). End User agrees to provide reasonable cooperation and information as necessary to permit AppDynamics to perform the Services. End User will reimburse AppDynamics for travel and expenses (at cost) incurred in connection with the Services (if any) by the Invoice Due Date (as defined below). Services will be performed on business days (a business day means Monday through Friday, excluding national holidays, during working hours, in the location where the Services are delivered). Saturday Services, and hours worked during the week that exceed the local working hours in a week, will be charged at the agreed rate x 1.5. Services performed on Sundays or national holidays will be charged at 2 x the agreed rate. If End User cancels or delays any scheduled Services less than ten (10) business days before the start date of such Services, then AppDynamics will deduct from End User's account (or End User will pay for) the amount of Services that were scheduled
in any of the ten (10) business days following the date of cancellation (or notification of the delay, as applicable), and End User will fully reimburse AppDynamics for any reasonable travel and expenses incurred by AppDynamics for such Services (and for any Services rescheduled by End User) for which AppDynamics is unable to obtain a refund. During the License Term (for Subscription Licenses) or during the Maintenance and Support Term (for perpetual licenses), and in each case for a period of twelve (12) months thereafter, without AppDynamics prior written approval, End User will not solicit for employment or consultancy any AppDynamics employees who participated in the performance of Services.

2. FEES.

2.1 PRICING.

End User will be invoiced for those amounts and at those prices set forth in an Order Form (an Invoice), provided, however, that, for Evaluation Use, End User shall not be billed unless otherwise specified by AppDynamics in writing prior to End User downloading
or accessing (as applicable) the Software. Fees do not include any customization of the Software (nor support for any such customizations, unless otherwise agreed in writing). If End Users usage of the Software is in excess of those amounts set forth in the Order Form, End User will be billed for those overages at a pro-rated amount for the remainder of the applicable License Term, based on AppDynamics then-current standard pricing. If AppDynamics believes in good faith that End Users usage of the Software exceeds that set forth on the applicable Order Form, End User agrees to allow AppDynamics to audit End Users use of the Software (not more frequently than twice per

calendar year), upon at least twenty-four (24) hours notice, to determine the actual Software use, using a commercially reasonable auditing procedure. End User acknowledges that purchases made under this Agreement are neither contingent on the delivery of any future functionality or features nor dependent on any oral or written public comments made by AppDynamics regarding future functionality or features.

2.2 PAYMENTS.

End User shall pay Invoices within thirty (30) days of the invoice date (the Invoice Due Date). If End User reasonably disputes any Invoice, (i) End User shall provide AppDynamics with written notice of such dispute, including the grounds therefor (a Dispute Notice), prior to the Invoice Due Date, (ii) End User and AppDynamics shall, for a period of fifteen (15) days following AppDynamics receipt of such Dispute Notice, negotiate in good faith to resolve the dispute and (iii) if such dispute remains unresolved at the end of such period, the parties shall retain all of their respective rights under this Agreement (including, without limitation, any action for non-payment of the fees set forth herein). All payment obligations are non-cancelable and all amounts paid are non-refundable, except (a) for amounts paid in error that are not actually due under this Agreement, and (b) as set forth in Sections 6.1 and 7.1. The fees paid by End User are exclusive of all taxes, levies, or duties imposed by taxing authorities, if any, and End User shall be responsible for payment of all such taxes, levies, or duties, excluding taxes based on AppDynamics income. End User represents and warrants that the billing and contact information provided to AppDynamics is complete and accurate, and AppDynamics shall have no responsibility for any Invoices that are not received due to inaccurate or missing information provided by End User. End User shall pay interest on all payments not received by the Invoice Due Date at a rate of one percent (1%) per month or the maximum amount allowed by law, whichever is lesser. All amounts due under this Agreement shall be paid by End User in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law). If requested by AppDynamics, End User will obtain and furnish to AppDynamics tax receipts or other certificates issued by the competent taxation office showing the payments of the withholding tax within a reasonable time after payment. Following written notice, AppDynamics shall be entitled to suspend End Users access to the Software if payments are not received within thirty (30) days of the Invoice Due Date. Notwithstanding anything herein to the contrary, if End User makes its payments pursuant to this Agreement to a Partner, then the payment terms agreed by End User and such Partner shall govern to the extent anything in this Section 2 conflicts with such Partner payment terms.

3. CONFIDENTIALITY

3.1 SCOPE AND RESTRICTIONS.

Confidential Information means all information of a party (Disclosing Party) disclosed to the other party (Receiving Party) that is designated in writing or identified as confidential at the time of disclosure or should be reasonably known by the Receiving Party to be confidential due to the nature of the information disclosed and the circumstances surrounding the disclosure. The terms of this Agreement, the Software, any technical or other documentation relating to the Software, logins, passwords and other access codes and any and all information regarding AppDynamics business, products and services are the Confidential Information of AppDynamics. The Receiving Party will: (i) not use the Disclosing Partys Confidential Information for any purpose outside of this Agreement; (ii) not disclose such Confidential Information to any person or entity, other than its affiliates, employees, consultants, agents and professional advisers who have a need to know for the Receiving Party to exercise its rights or perform its obligations hereunder, provided that such employees, consultants, and agents are bound by agreements or, in the case of professional advisers, ethical duties respecting such Confidential Information in accordance with the terms of this Section 3; and (iii) use reasonable measures to protect the confidentiality

of such Confidential Information. If the Receiving Party is required by applicable law or court order to make any disclosure of such Confidential Information, it will first give written notice of such requirement to the Disclosing Party, and, to the extent within its control, permit the Disclosing Party to intervene in any relevant proceedings to protect its interests in its Confidential Information, and provide full cooperation to the Disclosing Party in seeking to obtain such protection. Further, this Section 3 will not apply to information that the Receiving Party can document: (i) was rightfully in its possession or known to it prior to receipt without any restriction on its disclosure; (ii) is or has become public knowledge or publicly available through no fault of the Receiving Party; (iii) is rightfully obtained by the Receiving Party from a third party without breach of any confidentiality obligation; or (iv) is independently developed by employees of the Receiving Party who had
no access to such information.

3.2 EQUITABLE RELIEF.

The Receiving Party acknowledges that unauthorized disclosure of the Disclosing Partys Confidential Information could cause substantial harm to the Disclosing Party for which damages alone might not be a sufficient remedy and, therefore, that upon any such disclosure by the Receiving Party the Disclosing Party will be entitled to seek appropriate equitable relief in addition to whatever other remedies it might have at law or equity.

4. PROPRIETARY RIGHTS. AppDynamics and its suppliers own and shall retain all proprietary rights, including all copyright, patent, trade secret, trademark and all other intellectual property rights, in and to the Software and the results of any Services. End User acknowledges that the rights granted under this Agreement do not provide End User with title to or ownership of the Software. Certain free or open source based software (the FOSS Software) and third party software included with the Software
(the Third Party Software) is shipped with the Software but is not considered part of the Software hereunder. A list of the FOSS Software and Third Party Software is set forth on the webpage located at https://docs.appdynamics.com/display/DASH/Legal+Notices With respect to Third Party Software included with the Software, such Third Party Software suppliers are third party beneficiaries of this Agreement. End Users use of such FOSS Software is subject to the terms of the licenses set forth on such webpage. The Software and Third Party Software may only be used by End User as prescribed by the AppDynamics documentation located at http://docs.appdynamics.com (as it may be updated from time to time, the Documentation).

5. TERM AND TERMINATION.

The term of this Agreement begins on the Effective Date and will remain in effect until all Subscription Licenses (and Maintenance and Support Terms, if applicable) expire or until this Agreement is otherwise terminated in accordance with the terms
hereof, whichever occurs first (the Term). This Agreement may be renewed at any time by execution of an Order Form referencing this Agreement, and any such renewal will be deemed part of the Term hereunder. If either party commits a material breach of this Agreement, and such breach has not been cured within thirty (30) days after receipt of written notice thereof, the non-breaching party may terminate this Agreement, except that AppDynamics may immediately terminate this Agreement and/or End Users license to the Software upon End Users breach of Section 1.2. Either party may also terminate this Agreement upon written notice if the other party suspends payment of its debts or experiences any other insolvency or bankruptcy-type event. Upon expiration or termination of this Agreement for any reason, (i) with respect to Subscription Licenses, all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession
and control; (ii) with respect to perpetual licenses, these will survive termination of this Agreement unless AppDynamics terminates the Agreement for End Users breach of this Agreement in which case all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End

Users possession and control; and (iii) each Receiving Party will return or destroy, at the Disclosing Partys option, the Disclosing Partys Confidential Information in the Receiving Partys possession or control. All fees that have accrued as of such expiration or termination, and Sections 1.2, 1.3, 1.4, 2, 3, 4, 5, 6.2 and 7 through 12, will survive any expiration or termination hereof.

6. WARRANTIES.

6.1 LIMITED WARRANTY.The limits below will not apply to the extent prohibited by applicable law.

AppDynamics warrants that during the first thirty (30) days following the date the Software is purchased, the Software will, in all material respects, conform to the
functionality described in the then-current Documentation for the applicable Software version. AppDynamics sole and exclusive obligation, and End Users sole and exclusive remedy, for a breach of this warranty shall be that AppDynamics shall be required to use commercially reasonable efforts to repair or replace the Software to conform in all material respects to the Documentation, and if AppDynamics is unable to materially restore such functionality within thirty (30) days from the date of written notice of such breach, End User shall be entitled to terminate the license to the affected Software upon written notice and AppDynamics shall promptly provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). End User must notify AppDynamics in writing of any warranty breaches within such warranty period,
and End User must have installed and configured the Software in accordance with the Documentation to be eligible for the foregoing remedy.

6.2 WARRANTY DISCLAIMER.

EXCEPT AS EXPRESSLY PROVIDED IN THIS SECTION 6, ALL SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT AND SERVICES ARE PROVIDED AS IS AND APPDYNAMICS AND ITS SUPPLIERS EXPRESSLY DISCLAIM ANY AND ALL OTHER REPRESENTATIONS AND WARRANTIES, EITHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT THERETO, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, OR THE CONTINUOUS, UNINTERRUPTED, ERROR-FREE, VIRUS-FREE, OR SECURE ACCESS TO OR OPERATION OF THE SOFTWARE. APPDYNAMICS EXPRESSLY DISCLAIMS ANY WARRANTY AS TO THE ACCURACY OR COMPLETENESS OF ANY INFORMATION OR DATA ACCESSED OR USED IN CONNECTION WITH THE SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT, OR SERVICES. AppDynamics is not responsible for any delays, delivery failures, or any other loss or damage resulting
from the transfer of data over communications networks and facilities, including the Internet, and End User acknowledges that the Software and Documentation may be subject to limitations, delays and other problems inherent in the use of such communications facilities. The Software is not fault-tolerant and is not designed or intended for use in hazardous environments, including without limitation, in the operation of aircraft or other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles or weaponry systems, or any other application in which failure of the Software could lead to death or serious bodily injury of a person, or to severe physical or environmental damage (each, a High Risk Use). AppDynamics expressly disclaims any express or implied warranty or representation of fitness for High Risk Use. AppDynamics shall not be liable to End User for any loss, damage or harm suffered by End User that
is directly or indirectly caused by End Users unauthorized use of the Software to process Prohibited Data.

7. INDEMNIFICATION.

7.1 BY APPDYNAMICS.

AppDynamics agrees at its expense to defend End User against (or, at AppDynamics option, settle), any third party claim to the extent such claim alleges that the Software infringes or misappropriates any patent, copyright, trademark or trade secret of a third party, and AppDynamics shall pay all costs and damages finally awarded against End User by a court of competent jurisdiction as a result of any such claim. In the event that the use of the Software is, or in AppDynamics sole opinion is likely to become, subject to such a claim, AppDynamics, at its option and expense, may (a) replace the applicable Software with functionally equivalent non-infringing technology, (b) obtain a license for End Users continued use of the applicable Software, or (c) terminate the license and provide a pro-rata refund of the Software license fees (or Maintenance
and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). The foregoing indemnification obligation of AppDynamics will not apply: (1) if the Software is modified by End User or its agent; (2) if the Software is combined with other non-AppDynamics products, applications, or processes, but solely to the extent the alleged infringement is caused by such combination; or (3) to any unauthorized use of the Software. The foregoing shall be End Users sole remedy with respect to any claim of infringement of third party intellectual property rights.

7.2 BY END USER.

End User agrees to defend, at its expense, AppDynamics and its affiliates, its suppliers and its resellers against any third party claim to the extent such claim arises from or is made in connection with End Users breach of Section 1 or End Users negligence or willful misconduct, and End User shall pay all
costs and damages finally awarded against AppDynamics by a court of competent jurisdiction as a result of any such claim.

7.3 INDEMNIFICATION REQUIREMENTS.

In connection with any claim for indemnification under this Section 7, the indemnified party must promptly provide the indemnifying party with notice of any claim that the indemnified party believes is within the scope of the obligation to indemnify, provided, however, that the failure to provide such notice shall not relieve the indemnifying party of its obligations under this Section 7, except to the extent that such failure materially prejudices the indemnifying partys defense of such claim. The indemnified party may, at its own expense, assist in the defense if it so chooses, but the indemnifying party shall control the defense and all negotiations related to the settlement of any such claim. Any such settlement intended to bind either party shall not be final without the other partys written consent, which consent shall not
be unreasonably withheld, conditioned or delayed; provided, however, that End Users consent shall not be required when AppDynamics is the indemnifying party if the settlement involves only the payment of money by AppDynamics.

8. LIMITATION OF LIABILITY. The limits below will not apply to the extent prohibited by applicable law.

8.1 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING DAMAGES FOR LOSS OF REVENUES OR PROFITS, LOSS OF USE, BUSINESS INTERRUPTION, OR LOSS OF DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

8.2 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), NEITHER PARTYS LIABILITY FOR ANY DAMAGES (WHETHER FOR BREACH OF CONTRACT, MISREPRESENTATIONS, NEGLIGENCE, STRICT LIABILITY, OTHER TORTS OR OTHERWISE) UNDER THIS AGREEMENT SHALL EXCEED AN AMOUNT EQUAL TO THE TOTAL FEES PAID (PLUS FEES PAYABLE) TO APPDYNAMICS DURING THE TWELVE (12) MONTHS IMMEDIATELY PRECEDING THE CLAIM GIVING RISE TO SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY.

9. FORCE MAJEURE.

Except for payment obligations, neither party hereto will be liable for defaults or delays due to acts of God, or the public enemy, acts or demands of any government or governmental agency, fires, earthquakes, floods, accidents, or other unforeseeable causes beyond its reasonable control and not due to its fault or negligence.

10. DATA COLLECTION.

End User acknowledges that AppDynamics application server and machine software agents (the Agents) collect metrics that relate to the performance, health and resource of an application, its components (transactions, code libraries) and related infrastructure (nodes, tiers) that service those components. In addition, AppDynamics collects metrics on End Users activities, such as web pages visited, length of visit, and which features of the Software an End User uses. If End User provides AppDynamics with any personally identifiable information (personal data), End User represents and warrants that such information has been collected by End User in accordance with the provisions of all applicable data protection legislation and that End User has all right and consents necessary to provide such personal data to AppDynamics. End User will indemnify AppDynamics for reasonable costs and other amounts that AppDynamics may incur relating to any breach of this Section.

11. US GOVERNMENT MATTERS.

As defined in FAR section 2.101, the Software and Documentation are commercial items and according to DFAR section 252.227 7014(a)(1) and (5) are deemed to be commercial computer software and commercial computer software documentation. Consistent with DFAR section 227.7202 and FAR section 12.212, any use modification, reproduction, release, performance, display, or disclosure of such commercial software or commercial software documentation by the U.S. Government will be governed solely by the terms of this Agreement and will be prohibited except to the extent expressly permitted by the terms of this Agreement.

12. MISCELLANEOUS.

This Agreement shall be governed by and construed under the laws of the State of California, U.S.A. The parties consent to the exclusive jurisdiction and venue of the courts located in and serving San Francisco, California. Failure by either Party to exercise any of its rights under, or to enforce any provision of, this Agreement will not be deemed a waiver or forfeiture of such rights or ability to enforce such provision. If any provision of this Agreement is held by a court of competent jurisdiction to be illegal, invalid or unenforceable, such provision will be amended to achieve as nearly as possible the same economic effect of the original provision and the remainder of this Agreement will remain in full force and effect. This Agreement and its exhibits, together with the Order Form(s) and any statements of work incorporating this Agreement, if applicable, represent the entire

agreement between the parties and supersede any previous or contemporaneous oral or written agreements or communications regarding the subject matter of this Agreement. The person signing or otherwise accepting this Agreement for End User represents that s/he is duly authorized by all necessary and appropriate corporate action to enter this Agreement on behalf of End User. Any modification to this Agreement must be in writing and signed by a duly authorized agent of both parties. The Uniform Computer Information Transactions Act (UCITA) does not apply to this Agreement. This Agreement shall control over additional or different terms of any purchase order, confirmation, invoice, statement of work or similar document (other than an AppDynamics Order Form, which will take precedence), even if accepted in writing by both parties, and waivers and amendments to this Agreement shall be effective only if made by non-pre-printed agreements clearly understood by both parties to be an amendment or waiver to this Agreement. For purposes of this Agreement, including means including without limitation. The rights and remedies of the parties hereunder will be deemed cumulative and not exclusive of any other right or remedy conferred by this Agreement or by law or equity. No joint venture, partnership, employment, or agency relationship exists between the parties as a result of this Agreement or use of the Software. AppDynamics reserves the right to perform its obligations from locations and/or through use of affiliates and subcontractors, worldwide, provided that AppDynamics will be responsible for such parties. End User may not assign this Agreement without the prior written approval of AppDynamics and any purported assignment in violation of this section
shall be void; AppDynamics may assign, transfer or subcontract this Agreement in whole or in part. Upon any assignment of this Agreement by End User that is approved by AppDynamics, any licenses that contain an unlimited aspect will, with respect to End User or the successor entity, as applicable, be capped at the number of authorized Software units in use immediately prior to such assignment. End User agrees that AppDynamics may refer to End User by its trade name and logo, and may briefly describe End Users business, in AppDynamics marketing materials and website. AppDynamics may give notice to End User by electronic mail to End Users email address on record in End Users account information, or by written communication sent by first class mail or pre-paid post to End Users address on record in End Users account information. End User may give notice to AppDynamics at any time by any letter delivered by nationally recognized overnight delivery service or first class postage prepaid
mail to AppDynamics at the following address or such other address as may be notified to End User from time to time: AppDynamics, Inc., 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107, Attn: Legal Department. Notice under this Agreement shall be deemed given when received, if personally delivered; when receipt is electronically confirmed, if transmitted by email; the day after it is sent, if sent for next day delivery by recognized overnight delivery service; and upon receipt, if sent by certified or registered mail, return receipt requested.

EXHIBIT A

ENTERPRISE SUPPORT

GENERAL REQUIREMENTS.

AppDynamics will provide access to a ticketing system and email address (help@appdynamics.com), which will be available twenty-four (24) hours per day, seven (7) days per week. The email account will be maintained by qualified support specialists, who shall use commercially reasonable efforts to answer questions and resolve problems regarding the Software.

HOURS OF OPERATION.

Support

is available twenty-four (24) hours per day, seven (7) days per week.

ERROR CLASSIFICATION.

Any reported errors are classified in the following manner, in each case when caused by the Software:

Error Classification Criteria	
Urgent	End User production application is down or there is a major malfunction, resulting in a business revenue loss and impacting the End User application functionality for a majority of users.
High	Critical loss of End User application functionality or performance, impacting the application functionality for a high number of users.
Normal	Moderate loss of End User application functionality or performance, impacting multiple users.
Low	Minor loss of End User application functionality or product feature in question.

ERROR DEFINITION.

An error means a reproducible malfunction in the Software that is reported by End User through AppDynamics ticketing system that prevents the Software from performing in accordance with the operating specifications described in the then-current Documentation.

AUTHORIZED SUPPORT CONTACTS.

Maintenance and Support will be provided solely to End Users designated support contacts. The Order Form may indicate a maximum number of designated support contacts for End Users service level. End User will provide its designated support contacts, including its primary email address.

END USERS OBLIGATION TO ASSIST.

If End User reports a purported error in the Software to AppDynamics, AppDynamics ticketing system will request the following minimum information:

A general description of the operating environment
A list of all hardware components, operating systems and networks
A reproducible test case
Any log files, trace and systems files

End Users failure to provide this information may prevent or significantly delay AppDynamics ability to identify and fix the reported error. AppDynamics time to respond to any error will begin when AppDynamics has received

all requested information
from the End User and is able to reproduce the error.

ERROR RESOLUTION.

If AppDynamics determines there is an error in the Software, AppDynamics may, at its sole option, repair that error in the version of the Software that End User is currently using or instruct End User to install a newer version of the Software with that error repaired. AppDynamics reserves the right to provide End User with a workaround in lieu of fixing an error.

SOFTWARE UPDATES AND UPGRADES. End User must be current on fees in order to receive access to Maintenance.

RESPONSE TIME. AppDynamics shall respond to error tickets in accordance with the tables set forth below. AppDynamics will use reasonable means to repair the error and keep End User informed of progress. AppDynamics makes no representations as to when a full resolution of the error may be made.

Error Initial Response Manager Escalation VP Escalation Email Status Updates
===== ================ ================= ============= ====================
Urgent
1 Hour 1 Business Day 1 Week Daily
High 6 Hours 1 Week 2 Weeks Weekly
Normal 1 Business Day Quarterly Review None None
Low 2 Business Days Semi-Annual Review None None

Maintenance and Support Policy: The Maintenance and Support policy is as follows:

AppDynamics provides Maintenance and Support for each version of the Software for a period of twelve (12) months after the generally available release of the next major version of the Software (a major release is a change in the first number to the right of the decimal point). For example, if version 4.1 is released on January 1, 2015, then AppDynamics will provide Maintenance and Support for version 4.0 until January 1, 2016. AppDynamics does not provide Maintenance or Support for any customized software (or components thereof).

For third party software or technology used by End User with the Software but not included with the Software (a Platform, such as Java Virtual Machines), AppDynamics will follow the end-of-life
(EOL) support timeline announced by the third party vendor of such Platform. AppDynamics will stop providing Maintenance and Support for an EOLd Platform version when the Platform vendor stops providing maintenance and support for that Platform version.

EXHIBIT B
AVAILABILITY AND SECURITY

The terms set forth in this Exhibit B apply only if End User has purchased access to the online software-as-a-service (SaaS) version of the Software, as indicated on the Order Form.

AVAILABILITY.

AppDynamics will provide System Availability (as defined below) of ninety-nine and one-half percent (99.5%) (the Availability SLA), excluding situations identified as Exclusions below. For purposes of the Availability SLA, the AppDynamics network extends to, includes and terminates at the data center located router that provides the outside interface of each of AppDynamics WAN connections to its backbone providers (the AppDynamics Network).

Exclusions means any outage that results from any of the following:
a.
Any Maintenance performed by AppDynamics during AppDynamics standard Maintenance windows. AppDynamics will notify End User within forty-eight (48) hours of any standard Maintenance and within twenty-four (24) hours for other non-standard emergency Maintenance (collectively referred to herein as Scheduled Maintenance).

b. End User's information content or application programming, or the acts or omissions of End User or its agents, including, without limitation, the following:
1. End Users use of any programs not supplied by AppDynamics;
2. End Users failure to provide AppDynamics with reasonable advance prior notice of any pending unusual large deployments of new nodes (i.e., adding over ten percent (10%) total nodes in less than twenty-four (24) hours);
3. End Users implementation of any significant configuration changes, including changes that lead to a greater than thirty percent (30%) change in a one week period or greater than fifty percent (50%) change in a one month period in the number of key
objects in the system including but not limited to metrics, snapshots, nodes, events and business transactions;
4. Any misconfiguration by End User (as determined in AppDynamics sole discretion), including configuration errors and unintended usage of the Software;
5. End Users failure to upgrade the Agents to keep the Agent versions within six (6) months of the Controller version; or
6. End Users implementation of configuration changes in the number of key objects in the Software (including metrics, snapshots, nodes, events and business transactions) that results in, or is likely to result in, an adverse impact on other customers.

c. Force majeure or other circumstances beyond AppDynamics reasonable control that could not be avoided by its exercise of due care.

d. Failures of the Internet backbone itself and the network by which End User connects to the Internet backbone or any other network unavailability outside of the AppDynamics Network, such as misconfigurations, proxies or firewalls.

e. Any window of time when End User agrees that Software availability/unavailability will not be monitored or counted.

f. Any problems resulting from End User combining or merging the Software with any hardware or software not supplied by AppDynamics or not identified by AppDynamics in the Documentation as being compatible with the Software.

g. End Users or any third partys use of the Software in an unauthorized or unlawful manner.

Remedies for Excessive Downtime:

In the event the availability of the Software falls below the Availability SLA in a given calendar quarter, AppDynamics will pay End User a service credit (Service Credit) as follows, corresponding to the actual Availability of the Software during the applicable calendar quarter (on pro-rated basis for annual or multi-year fees): if the Availability is 99.5% or greater, End User is entitled to receive no credits; if the Availability is 97.0% - 99.49%, then End User is entitled to receive
Service Credits equal to five percent of the fees for the applicable calendar quarter (not to exceed $280); if the Availability is 95.0% - 96.9%, then End User is entitled to receive Service Credits equal to ten percent of the fees for the applicable calendar quarter (not to exceed $560); and if the Availability is less than 95.0%, then End User is entitled to receive Service Credits equal to twenty percent of the fees for the applicable calendar quarter (not to exceed $1120). Such Service Credit will be issued as a credit against any fees owed by End User for the next calendar quarter of the Term, or, if End User does not owe any additional fees, then AppDynamics will pay End User the amount of the applicable Service Credit within thirty (30) days after the end of the calendar quarter in which such credit accrued. To receive Service Credits, End User must submit a written request to AppDynamics (to customersuccess@appdynamics.com with a copy to legal@appdynamics.com) within 15 days after
the end of the quarter in which the Software was unavailable, or End Users right to receive Service Credits with respect to such unavailability will be waived. The remedies stated in this section are End Users sole and exclusive remedies and AppDynamics sole and exclusive obligations for service interruption or unavailability.

System Availability is measured by the following formula: (n - y) *100 / n
(1) n is the total number of minutes in the given calendar quarter minus the Exclusions (as defined above); and y is the total number of minutes in the given calendar quarter that the Controller is not accessible by End User (as determined by AppDynamics tools).
(2) Specifically excluded from n and y in this calculation are the Exclusions.

SECURITY INFORMATION.

For all End User data stored in the software-as-a-service version of the Software, AppDynamics will satisfy all of its obligations under Section 3 by maintaining the security precautions described below.
Certifications
AppDynamics
is SOC 2 Type II compliant, meaning it has been independently audited to verify the validity and functionality of its control activities and processes. Customers may request AppDynamics report at any time. AppDynamics data center provider is also SOC 2 Type II compliant.

Secure Connections
Agents initiate connections to a single Controller, which can either be hosted on-premises by the customer or by AppDynamics via the AppDynamics software-as-a-service platform. The Controller is the central repository and analytics engine where all performance data is stored, baselined, and analyzed. If End User downloads the Agent from End Users controller (ie., using the installation wizard provided by AppDynamics), then transport layer security (TLS) for Agent-to-Controller communication is enabled by default. For other installations, AppDynamics recommends enabling SSL/TLS encryption for Agent communications. For detailed instructions please see docs.appdynamics.com. Agents also support outbound
HTTP proxies for customers using these security mechanisms. For Software user interface access, AppDynamics redirects all traffic to HTTPS.

Access Controls to Data

Access to collected data and data collection features is restricted to authenticated customer users by role-based access controls (RBAC). In addition, customer users do not have native access to run queries on the Controllers MySQL database.

Availability
Servers for the software are operated in fault-tolerant architecture in a manner designed to ensure availability. Data is backed up nightly and stored redundantly. AppDynamics also provides an off-site backup service. Software security updates and patches are evaluated by engineers and are deployed based upon the security risks and stability benefits they offer to the Software and End Users.

Security
Access to the Software platform infrastructure and data by AppDynamics personnel is secured by authentication methods including public key authentication, passwords and
network access control lists. Infrastructure and data access is restricted to AppDynamics employees and contractors subject to confidentiality agreements. System and network activity for the Software are regularly monitored by a team of engineers. Failed authentication attempts are audited and engineers are paged so that intrusions or threats can be investigated. Standard firewall policies are deployed to block access except to ports required for Software and Agent communication.

Sensitive Data
AppDynamics recommends on-premises (rather than software-as-a-service) deployments for customers subject to heightened regulatory oversight of data.

More Information
For more information on data privacy or security processes please contact help@appdynamics.com or your account representative. To report a suspected security breach, contact security@appdynamics.com.
AppDynamics Proprietary and Confidential * Revision 2016.11.01

1.78 appdynamics 24.11.0.7212

1.78.1 Available under license :

APPDYNAMICS, INC.

END USER LICENSE AGREEMENT

1. SOFTWARE LICENSE.

1.1 LICENSE GRANT.

This End User License Agreement (this Agreement) between AppDynamics, Inc., a Delaware corporation with its principal place of business located at 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107 (AppDynamics) and the customer set forth in the Order Form (as defined below) (End User) is effective as of the date the initial Order Form is executed or the date this Agreement is referenced by the applicable purchase order (the Effective Date). This Agreement shall govern each order form, sales quotation, proposal, purchase order or other ordering document that references this Agreement (each an Order Form). Each Order Form will form part of this Agreement. Subject to the terms and conditions of this Agreement, AppDynamics hereby grants to End User, during the License Term (as defined below), a non-exclusive, non-transferable, non-sublicensable right and license to use

the software-as-a-service
and/or on-premises version of AppDynamics application intelligence software product, including one Controller, as designated in the Order Forms (the Software) for internal business purposes only for the quantity of units in the Order Form. AppDynamics Test & Dev Edition licenses shall only be used in test-only non-production environments. For purposes hereof, the License Term begins on the date AppDynamics delivers the Software license keys to End User and extends for the period specified in the applicable Order Form (unless earlier terminated in accordance with this Agreement). For the avoidance of doubt, End Users affiliates (and employees thereof) shall not use the Software without AppDynamics prior written consent. Notwithstanding anything to the contrary herein, this Agreement does not supersede a signed agreement between AppDynamics and End User with respect to the Software.

1.2 RESTRICTIONS ON USE.

Except as otherwise expressly provided in this Agreement, End User shall
not (and shall not permit any third party to): (a) sublicense, sell, resell, transfer, assign, distribute, share, lease, rent, make any external commercial use of, outsource, use on a timeshare or service bureau, or use in an application service provider or managed service provider environment, or otherwise generate income from the Software; (b) copy the Software onto any public or distributed network, except for an internal and secure cloud computing environment; (c) cause the decompiling, disassembly, or reverse engineering of any portion of the Software, or attempt to discover any source code or other operational mechanisms of the Software (except where such restriction is expressly prohibited by law without the possibility of waiver, and then only upon prior written notice to AppDynamics); (d) modify, adapt, translate or create derivative works based on all or any part of the Software; (e) use any Third Party Software (as defined below) provided with the Software other than with
the Software; (f) modify any proprietary rights notices that appear in the Software or components thereof; (g) publish the results of any benchmarking tests run on any Third Party Software; (h) use any Software in violation of any applicable laws and regulations (including any export laws, restrictions, national security controls and regulations) or outside of the license scope set forth in Section 1.1; (i) use the Software in support of any nuclear proliferation, chemical weapon, biological weapon or missile proliferation activity; (j) configure the Software to collect any (1) social security numbers or other government-issued identification numbers, (2) passwords or other authentication credentials, (3) health information, biometric data, genetic data, or payment/financial information, (4) any data relating to a person under the age of 13 years old, or (5) any other data that is subject to regulatory or contractual handling requirements (e.g., PCI, HIPAA, or state and federal data security
laws) (collectively, Prohibited Data); or (k) use the Software to (1) store, download or transmit infringing, libelous, or otherwise unlawful or tortious material, or malicious code or malware, or (2) engage in phishing, spamming, denial-of-service attacks or other fraudulent or criminal activity, (3) interfere with or disrupt the integrity or performance of third party systems, or the Software or data contained therein, or (4) attempt to gain unauthorized access to the Software or AppDynamics' systems or networks, or (5) perform, or engage any third party to perform, authenticated or unauthenticated penetration testing, vulnerability assessments or other security assessments on the SaaS version of the Software. End User shall not export or re-export, directly or indirectly, any Software or technical data or any copy, portions or direct product thereof (i) in violation of any applicable laws and regulations, (ii) to any country for which the United States or any other government,
or any agency thereof, at the time of export requires an export license or other governmental approval, including Cuba, Libya, North Korea, Iran, Iraq, or Rwanda or any other Group D:1 or E:2 country (or to a national or resident thereof) specified in the then current Supplement No. 1 to part 740 of the U.S. Export Administration Regulations (or any successor supplement or regulations, without first obtaining such license or approval) or (ii) to anyone on the U.S. Treasury Departments list of Specially Designated Nationals or the U.S. Commerce Departments Table of Denial Orders. End User shall, at its own expense, obtain all necessary customs, import, or other governmental authorizations and approvals.

1.3 EVALUATION USE.

If End User accessed the Software pursuant to a no-fee or beta evaluation (Evaluation Use), then the License Term is for the period enabled by the license key for the Software provided by AppDynamics. AppDynamics shall have the right to downgrade, limit or otherwise
modify the Software provided for Evaluation Use at any time without notice, and no warranty, indemnity, Maintenance or Support obligations of AppDynamics will apply to Evaluation Use. End User may use the number and type of licenses indicated by AppDynamics in writing prior to End User downloading or accessing the Software, which will be enabled by End Users specific license key. AppDynamics has the right to immediately revoke and terminate any Evaluation Use at any time. End User agrees to provide feedback related to the Software as reasonably requested by AppDynamics. End User grants to AppDynamics, without charge, the fully paid-up, perpetual, sublicensable right to exploit such feedback for any purpose. Evaluation Use is not a guarantee of future product features and should not be relied upon in making any purchasing decisions.

1.4 UNAUTHORIZED USE.

End User shall notify AppDynamics promptly of any unauthorized use of any password or account or any other known or suspected breach
of security or misuse of the Software. End User is responsible for use of the Software by any and all employees, contractors, or other users that it allows to access the Software.

1.5 MAINTENANCE AND SUPPORT.

Support is defined as AppDynamics' obligations to respond to support requests as described in Exhibit A (Enterprise Support). Maintenance means AppDynamics obligations related to error resolution, bug fixes and the provision of updates and upgrades made generally commercially available by AppDynamics in its sole discretion, all as described in Exhibit A. Subject to End Users payment of the fees set forth in the applicable Order Form(s), AppDynamics will (a) provide Maintenance and Support for the Software, and (b) solely if End User has purchased access to the software-as-a-service version of the Software, make the Software available to End User in accordance with Exhibit B (Availability and Security). For time-limited licenses for the Software (as set forth in an Order Form, Subscription Licenses), the fees for Maintenance and Support are included in the fees for the Software. For perpetual licenses, (i) AppDynamics shall invoice End User the applicable fees for Maintenance and Support (Maintenance and Support Fees) upon execution of the Order Form, and (ii) subject to payment of the Maintenance and Support Fees, AppDynamics will provide Support for the Maintenance and Support period set forth in the Order Form, as it may be renewed (the Maintenance and Support Term). If Maintenance and Support terminates with respect to any perpetual licenses, and End User is in good standing under this Agreement, then End User may reinstate Maintenance and Support on payment of the cumulative Maintenance and Support Fees applicable for the period during which Maintenance and Support lapsed, plus Maintenance and Support Fees for the reinstated Maintenance and Support Term. Notwithstanding anything herein to the contrary, if End User receives Support from an authorized
partner of AppDynamics (Partner), then the support terms agreed upon by End User and such Partner shall govern in lieu of those set forth in Exhibit A, and AppDynamics shall have no support obligations to End User.

1.6 SERVICES.

Subject to the terms hereof (including payment of any applicable fees set forth in the Order Form), AppDynamics will provide the training, enablement and/or other services described in an Order Form (or statement of work

referencing this Agreement), if any (Services). All Services will be rendered on a time and materials basis. AppDynamics will not exceed the total time purchased without prior written approval from End User. If the Services purchased have been consumed, AppDynamics will stop the Services until additional Services have been purchased. If End User elects not to purchase additional Services, then the Services will be deemed complete. If not used, pre-purchased Services and expenses expire twelve (12) months after the date purchased (unless otherwise set forth in the applicable Order Form). End User agrees to provide reasonable cooperation and information as necessary to permit AppDynamics to perform the Services. End User will reimburse AppDynamics for travel and expenses (at cost) incurred in connection with the Services (if any) by the Invoice Due Date (as defined below). Services will be performed on business days (a business day means Monday through Friday, excluding national holidays, during working hours, in the location where the Services are delivered). Saturday Services, and hours worked during the week that exceed the local working hours in a week, will be charged at the agreed rate x 1.5. Services performed on Sundays or national holidays will be charged at 2 x the agreed rate. If End User cancels or delays any scheduled Services less than ten (10) business days before the start date of such Services, then AppDynamics will deduct from End User's account (or End User will pay for) the amount of Services that were scheduled in any of the ten (10) business days following the date of cancellation (or notification of the delay, as applicable), and End User will fully reimburse AppDynamics for any reasonable travel and expenses incurred by AppDynamics for such Services (and for any Services rescheduled by End User) for which AppDynamics is unable to obtain a refund. During the License Term (for Subscription Licenses) or during the Maintenance and Support Term (for perpetual licenses), and in each case for a period of twelve (12) months thereafter, without AppDynamics prior written approval, End User will not solicit for employment or consultancy any AppDynamics employees who participated in the performance of Services.

2. FEES.

2.1 PRICING.

End User will be invoiced for those amounts and at those prices set forth in an Order Form (an Invoice), provided, however, that, for Evaluation Use, End User shall not be billed unless otherwise specified by AppDynamics in writing prior to End User downloading or accessing (as applicable) the Software. Fees do not include any customization of the Software (nor support for any such customizations, unless otherwise agreed in writing). If End Users usage of the Software is in excess of those amounts set forth in the Order Form, End User will be billed for those overages at a pro-rated amount for the remainder of the applicable License Term, based on AppDynamics then-current standard pricing. If AppDynamics believes in good faith that End Users usage of the Software exceeds that set forth on the applicable Order Form, End User agrees to allow AppDynamics to audit End Users use of the Software (not more frequently than twice per calendar year), upon at least twenty-four (24) hours notice, to determine the actual Software use, using a commercially reasonable auditing procedure. End User acknowledges that purchases made under this Agreement are neither contingent on the delivery of any future functionality or features nor dependent on any oral or written public comments made by AppDynamics regarding future functionality or features.

2.2 PAYMENTS.

End User shall pay Invoices within thirty (30) days of the invoice date (the Invoice Due Date). If End User reasonably disputes any Invoice, (i) End User shall provide AppDynamics with written notice of such dispute, including the grounds therefor (a Dispute Notice), prior to the Invoice Due Date, (ii) End User and AppDynamics shall, for a period of fifteen (15) days following AppDynamics receipt of such Dispute Notice, negotiate in good faith to resolve the dispute and (iii) if such dispute remains unresolved at the end of such period, the parties shall

retain all of their respective rights under this Agreement (including, without limitation, any action for non-payment of the fees set forth herein). All payment obligations are non-cancelable and all amounts paid are non-refundable, except (a) for amounts paid in error that are not actually due under this Agreement, and (b) as set forth in Sections 6.1 and 7.1. The fees paid by End User are exclusive of all taxes, levies, or duties imposed by taxing authorities, if any, and End User shall be responsible for payment of all such taxes, levies, or duties, excluding taxes based on AppDynamics income. End User represents and warrants that the billing and contact information provided to AppDynamics is complete and accurate, and AppDynamics shall have no responsibility for any Invoices that are not received due to inaccurate or missing information provided by End User. End User shall pay interest on all payments not received by the Invoice Due Date at a rate of one percent (1%) per month or the maximum amount allowed by law, whichever is lesser. All amounts due under this Agreement shall be paid by End User in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law). If requested by AppDynamics, End User will obtain and furnish to AppDynamics tax receipts or other certificates issued by the competent taxation office showing the payments of the withholding tax within a reasonable time after payment. Following written notice, AppDynamics shall be entitled to suspend End Users access to the Software if payments are not received within thirty (30) days of the Invoice Due Date. Notwithstanding anything herein to the contrary, if End User makes its payments pursuant to this Agreement to a Partner, then the payment terms agreed by End User and such Partner shall govern to the extent anything in this Section 2 conflicts with such Partner payment terms.

3. CONFIDENTIALITY

3.1 SCOPE AND RESTRICTIONS.

Confidential Information means all information of a party (Disclosing Party) disclosed to the other party (Receiving Party) that is designated in writing or identified as confidential at the time of disclosure or should be reasonably known by the Receiving Party to be confidential due to the nature of the information disclosed and the circumstances surrounding the disclosure. The terms of this Agreement, the Software, any technical or other documentation relating to the Software, logins, passwords and other access codes and any and all information regarding AppDynamics business, products and services are the Confidential Information of AppDynamics. The Receiving Party will: (i) not use the Disclosing Partys Confidential Information for any purpose outside of this Agreement; (ii) not disclose such Confidential Information to any person or entity, other than its affiliates, employees, consultants, agents and professional advisers who have a need to know for the Receiving Party to exercise its rights or perform its obligations hereunder, provided that such employees, consultants, and agents are bound by agreements or, in the case of professional advisers, ethical duties respecting such Confidential Information in accordance with the terms of this Section 3; and (iii) use reasonable measures to protect the confidentiality of such Confidential Information. If the Receiving Party is required by applicable law or court order to make any disclosure of such Confidential Information, it will first give written notice of such requirement to the Disclosing Party, and, to the extent within its control, permit the Disclosing Party to intervene in any relevant proceedings to protect its interests in its Confidential Information, and provide full cooperation to the Disclosing Party in seeking to obtain such protection. Further, this Section 3 will not apply to information that the Receiving Party can document: (i) was rightfully in its possession or known to it prior to receipt without any restriction on its disclosure; (ii) is or has become public knowledge or publicly available through no fault of the Receiving Party; (iii) is rightfully obtained by the Receiving Party from a third party without breach of any confidentiality obligation; or (iv) is independently developed by employees of the Receiving Party who had no access to such information.

3.2 EQUITABLE RELIEF.

The Receiving Party acknowledges that unauthorized disclosure of the Disclosing Partys Confidential Information could cause substantial harm to the Disclosing Party for which damages alone might not be a sufficient remedy and, therefore, that upon any such disclosure by the Receiving Party the Disclosing Party will be entitled to seek appropriate equitable relief in addition to whatever other remedies it might have at law or equity.

4. PROPRIETARY RIGHTS. AppDynamics and its suppliers own and shall retain all proprietary rights, including all copyright, patent, trade secret, trademark and all other intellectual property rights, in and to the Software and the results of any Services. End User acknowledges that the rights granted under this Agreement do not provide End User with title to or ownership of the Software. Certain free or open source based software (the FOSS Software) and third party software included with the Software
(the Third Party Software) is shipped with the Software but is not considered part of the Software hereunder. A list of the FOSS Software and Third Party Software is set forth on the webpage located at https://docs.appdynamics.com/display/DASH/Legal+Notices With respect to Third Party Software included with the Software, such Third Party Software suppliers are third party beneficiaries of this Agreement. End Users use of such FOSS Software is subject to the terms of the licenses set forth on such webpage. The Software and Third Party Software may only be used by End User as prescribed by the AppDynamics documentation located at http://docs.appdynamics.com (as it may be updated from time to time, the Documentation).

5. TERM AND TERMINATION.

The term of this Agreement begins on the Effective Date and will remain in effect until all Subscription Licenses (and Maintenance and Support Terms, if applicable) expire or until this Agreement is otherwise terminated in accordance with the terms
hereof, whichever occurs first (the Term). This Agreement may be renewed at any time by execution of an Order Form referencing this Agreement, and any such renewal will be deemed part of the Term hereunder. If either party commits a material breach of this Agreement, and such breach has not been cured within thirty (30) days after receipt of written notice thereof, the non-breaching party may terminate this Agreement, except that AppDynamics may immediately terminate this Agreement and/or End Users license to the Software upon End Users breach of Section 1.2. Either party may also terminate this Agreement upon written notice if the other party suspends payment of its debts or experiences any other insolvency or bankruptcy-type event. Upon expiration or termination of this Agreement for any reason, (i) with respect to Subscription Licenses, all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession
and control; (ii) with respect to perpetual licenses, these will survive termination of this Agreement unless AppDynamics terminates the Agreement for End Users breach of this Agreement in which case all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; and (iii) each Receiving Party will return or destroy, at the Disclosing Partys option, the Disclosing Partys Confidential Information in the Receiving Partys possession or control. All fees that have accrued as of such expiration or termination, and Sections 1.2, 1.3, 1.4, 2, 3, 4, 5, 6.2 and 7 through 12, will survive any expiration or termination hereof.

6. WARRANTIES.

6.1 LIMITED WARRANTY.The limits below will not apply to the extent prohibited by applicable law.

AppDynamics warrants that during the first thirty (30) days following the date the Software is purchased, the Software will, in all material respects, conform to the

functionality described in the then-current Documentation for the applicable Software version. AppDynamics sole and exclusive obligation, and End Users sole and exclusive remedy, for a breach of this warranty shall be that AppDynamics shall be required to use commercially reasonable efforts to repair or replace the Software to conform in all material respects to the Documentation, and if AppDynamics is unable to materially restore such functionality within thirty (30) days from the date of written notice of such breach, End User shall be entitled to terminate the license to the affected Software upon written notice and AppDynamics shall promptly provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). End User must notify AppDynamics in writing of any warranty breaches within such warranty period,
and End User must have installed and configured the Software in accordance with the Documentation to be eligible for the foregoing remedy.

6.2 WARRANTY DISCLAIMER.

EXCEPT AS EXPRESSLY PROVIDED IN THIS SECTION 6, ALL SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT AND SERVICES ARE PROVIDED AS IS AND APPDYNAMICS AND ITS SUPPLIERS EXPRESSLY DISCLAIM ANY AND ALL OTHER REPRESENTATIONS AND WARRANTIES, EITHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT THERETO, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, OR THE CONTINUOUS, UNINTERRUPTED, ERROR-FREE, VIRUS-FREE, OR SECURE ACCESS TO OR OPERATION OF THE SOFTWARE. APPDYNAMICS EXPRESSLY DISCLAIMS ANY WARRANTY AS TO THE ACCURACY OR COMPLETENESS OF ANY INFORMATION OR DATA ACCESSED OR USED IN CONNECTION WITH THE SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT, OR SERVICES. AppDynamics is not responsible for any delays, delivery failures, or any other loss or damage resulting
from the transfer of data over communications networks and facilities, including the Internet, and End User acknowledges that the Software and Documentation may be subject to limitations, delays and other problems inherent in the use of such communications facilities. The Software is not fault-tolerant and is not designed or intended for use in hazardous environments, including without limitation, in the operation of aircraft or other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles or weaponry systems, or any other application in which failure of the Software could lead to death or serious bodily injury of a person, or to severe physical or environmental damage (each, a High Risk Use). AppDynamics expressly disclaims any express or implied warranty or representation of fitness for High Risk Use. AppDynamics shall not be liable to End User for any loss, damage or harm suffered by End User that
is directly or indirectly caused by End Users unauthorized use of the Software to process Prohibited Data.

7. INDEMNIFICATION.

7.1 BY APPDYNAMICS.

AppDynamics agrees at its expense to defend End User against (or, at AppDynamics option, settle), any third party claim to the extent such claim alleges that the Software infringes or misappropriates any patent, copyright, trademark or trade secret of a third party, and AppDynamics shall pay all costs and damages finally awarded against End User by a court of competent jurisdiction as a result of any such claim. In the event that the use of the Software is, or in AppDynamics sole opinion is likely to become, subject to such a claim, AppDynamics, at its option and expense, may (a) replace the applicable Software with functionally equivalent non-infringing technology, (b) obtain a license for End Users continued use of the applicable Software, or (c) terminate the license and provide a pro-rata refund of the Software license fees (or Maintenance

and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). The foregoing indemnification obligation of AppDynamics will not apply: (1) if the Software is modified by End User or its agent; (2) if the Software is combined with other non-AppDynamics products, applications, or processes, but solely to the extent the alleged infringement is caused by such combination; or (3) to any unauthorized use of the Software. The foregoing shall be End Users sole remedy with respect to any claim of infringement of third party intellectual property rights.

7.2 BY END USER.

End User agrees to defend, at its expense, AppDynamics and its affiliates, its suppliers and its resellers against any third party claim to the extent such claim arises from or is made in connection with End Users breach of Section 1 or End Users negligence or willful misconduct, and End User shall pay all
costs and damages finally awarded against AppDynamics by a court of competent jurisdiction as a result of any such claim.

7.3 INDEMNIFICATION REQUIREMENTS.

In connection with any claim for indemnification under this Section 7, the indemnified party must promptly provide the indemnifying party with notice of any claim that the indemnified party believes is within the scope of the obligation to indemnify, provided, however, that the failure to provide such notice shall not relieve the indemnifying party of its obligations under this Section 7, except to the extent that such failure materially prejudices the indemnifying partys defense of such claim. The indemnified party may, at its own expense, assist in the defense if it so chooses, but the indemnifying party shall control the defense and all negotiations related to the settlement of any such claim. Any such settlement intended to bind either party shall not be final without the other partys written consent, which consent shall not
be unreasonably withheld, conditioned or delayed; provided, however, that End Users consent shall not be required when AppDynamics is the indemnifying party if the settlement involves only the payment of money by AppDynamics.

8. LIMITATION OF LIABILITY. The limits below will not apply to the extent prohibited by applicable law.

8.1 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING DAMAGES FOR LOSS OF REVENUES OR PROFITS, LOSS OF USE, BUSINESS INTERRUPTION, OR LOSS OF DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

8.2 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), NEITHER PARTYS LIABILITY FOR ANY DAMAGES (WHETHER FOR BREACH OF CONTRACT, MISREPRESENTATIONS, NEGLIGENCE, STRICT LIABILITY,
OTHER TORTS OR OTHERWISE) UNDER THIS AGREEMENT SHALL EXCEED AN AMOUNT EQUAL TO THE TOTAL FEES PAID (PLUS FEES PAYABLE) TO APPDYNAMICS DURING THE TWELVE (12) MONTHS IMMEDIATELY PRECEDING THE CLAIM GIVING RISE TO SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY.

9. FORCE MAJEURE.

Except for payment obligations, neither party hereto will be liable for defaults or delays due to acts of God, or the public enemy, acts or demands of any government or governmental agency, fires, earthquakes, floods, accidents, or other unforeseeable causes beyond its reasonable control and not due to its fault or negligence.

10. DATA COLLECTION.

End User acknowledges that AppDynamics application server and machine software agents (the Agents) collect metrics that relate to the performance, health and resource of an application, its components (transactions, code libraries) and related infrastructure (nodes, tiers) that service those components.
In addition, AppDynamics collects metrics on End Users activities, such as web pages visited, length of visit, and which features of the Software an End User uses. If End User provides AppDynamics with any personally identifiable information (personal data), End User represents and warrants that such information has been collected by End User in accordance with the provisions of all applicable data protection legislation and that End User has all right and consents necessary to provide such personal data to AppDynamics. End User will indemnify AppDynamics for reasonable costs and other amounts that AppDynamics may incur relating to any breach of this Section.

11. US GOVERNMENT MATTERS.

As defined in FAR section 2.101, the Software and Documentation are commercial items and according to DFAR section 252.227 7014(a)(1) and (5) are deemed to be commercial computer software and commercial computer software documentation. Consistent with DFAR section 227.7202 and FAR section 12.212, any
use modification, reproduction, release, performance, display, or disclosure of such commercial software or commercial software documentation by the U.S. Government will be governed solely by the terms of this Agreement and will be prohibited except to the extent expressly permitted by the terms of this Agreement.

12. MISCELLANEOUS.

This Agreement shall be governed by and construed under the laws of the State of California, U.S.A. The parties consent to the exclusive jurisdiction and venue of the courts located in and serving San Francisco, California. Failure by either Party to exercise any of its rights under, or to enforce any provision of, this Agreement will not be deemed a waiver or forfeiture of such rights or ability to enforce such provision. If any provision of this Agreement is held by a court of competent jurisdiction to be illegal, invalid or unenforceable, such provision will be amended to achieve as nearly as possible the same economic effect of the original provision
and the remainder of this Agreement will remain in full force and effect. This Agreement and its exhibits, together with the Order Form(s) and any statements of work incorporating this Agreement, if applicable, represent the entire agreement between the parties and supersede any previous or contemporaneous oral or written agreements or communications regarding the subject matter of this Agreement. The person signing or otherwise accepting this Agreement for End User represents that s/he is duly authorized by all necessary and appropriate corporate action to enter this Agreement on behalf of End User. Any modification to this Agreement must be in writing and signed by a duly authorized agent of both parties. The Uniform Computer Information Transactions Act (UCITA) does not apply to this Agreement. This Agreement shall control over additional or different terms of any purchase order, confirmation, invoice, statement of work or similar document (other than an AppDynamics Order Form, which
will take precedence), even if accepted in writing by both parties, and waivers and amendments to this Agreement shall be effective only if made by non-pre-printed agreements clearly understood by both parties to be an amendment or waiver to this Agreement. For purposes of this Agreement, including means including without limitation. The rights and remedies of the parties hereunder will be deemed cumulative and not exclusive of any

other right or remedy conferred by this Agreement or by law or equity. No joint venture, partnership, employment, or agency relationship exists between the parties as a result of this Agreement or use of the Software. AppDynamics reserves the right to perform its obligations from locations and/or through use of affiliates and subcontractors, worldwide, provided that AppDynamics will be responsible for such parties. End User may not assign this Agreement without the prior written approval of AppDynamics and any purported assignment in violation of this section
shall be void; AppDynamics may assign, transfer or subcontract this Agreement in whole or in part. Upon any assignment of this Agreement by End User that is approved by AppDynamics, any licenses that contain an unlimited aspect will, with respect to End User or the successor entity, as applicable, be capped at the number of authorized Software units in use immediately prior to such assignment. End User agrees that AppDynamics may refer to End User by its trade name and logo, and may briefly describe End Users business, in AppDynamics marketing materials and website. AppDynamics may give notice to End User by electronic mail to End Users email address on record in End Users account information, or by written communication sent by first class mail or pre-paid post to End Users address on record in End Users account information. End User may give notice to AppDynamics at any time by any letter delivered by nationally recognized overnight delivery service or first class postage prepaid
mail to AppDynamics at the following address or such other address as may be notified to End User from time to time: AppDynamics, Inc., 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107, Attn: Legal Department. Notice under this Agreement shall be deemed given when received, if personally delivered; when receipt is electronically confirmed, if transmitted by email; the day after it is sent, if sent for next day delivery by recognized overnight delivery service; and upon receipt, if sent by certified or registered mail, return receipt requested.

EXHIBIT A

ENTERPRISE SUPPORT

GENERAL REQUIREMENTS.

AppDynamics will provide access to a ticketing system and email address (help@appdynamics.com), which will be available twenty-four (24) hours per day, seven (7) days per week. The email account will be maintained by qualified support specialists, who shall use commercially reasonable efforts to answer questions and resolve problems regarding the Software.

HOURS OF OPERATION.

Support
is available twenty-four (24) hours per day, seven (7) days per week.

ERROR CLASSIFICATION.

Any reported errors are classified in the following manner, in each case when caused by the Software:

Error Classification Criteria
========== ========
Urgent End User production application is down or there is a
major malfunction, resulting in a business revenue loss and

impacting the End User application functionality for a majority of users.

High Critical loss of End User application functionality or performance, impacting the application functionality for a high number of users.

Normal Moderate loss of End User application functionality or performance, impacting multiple users.

Low Minor loss of End User application functionality or product feature in question.

ERROR DEFINITION.

An error means a reproducible malfunction in the Software that is reported by End User through AppDynamics ticketing system that prevents the Software from performing in accordance with the operating specifications described in the then-current Documentation.

AUTHORIZED SUPPORT CONTACTS.

Maintenance and Support will be provided solely to End Users designated support contacts. The Order Form may indicate a maximum number of designated support contacts for End Users service level. End User will provide its designated support contacts, including its primary email address.

END USERS OBLIGATION TO ASSIST.
If End User reports a purported error in the Software to AppDynamics, AppDynamics ticketing system will request the following minimum information:

A general description of the operating environment
A list of all hardware components, operating systems and networks
A reproducible test case
Any log files, trace and systems files

End Users failure to provide this information may prevent or significantly delay AppDynamics ability to identify and fix the reported error. AppDynamics time to respond to any error will begin when AppDynamics has received all requested information from the End User and is able to reproduce the error.

ERROR RESOLUTION.

If AppDynamics determines there is an error in the Software, AppDynamics may, at its sole option, repair that error in the version of the Software that End User is currently using or instruct End User to install a newer version of the Software with that error repaired. AppDynamics reserves the right to provide End User with a workaround in lieu of fixing an error.

SOFTWARE UPDATES AND UPGRADES. End User must be current on fees in order to receive access to Maintenance.

RESPONSE TIME. AppDynamics shall respond to error tickets in accordance with the tables set forth below. AppDynamics will use reasonable means to repair the error and keep End User informed of progress. AppDynamics makes no representations as to when a full resolution of the error may be made.

Error	Initial Response	Manager Escalation	VP Escalation	Email Status Updates
Urgent	1 Hour	1 Business Day	1 Week	Daily
High	6 Hours	1 Week	2 Weeks	Weekly
Normal	1 Business Day	Quarterly Review	None	None
Low	2 Business Days	Semi-Annual Review	None	None

Maintenance and Support Policy: The Maintenance and Support policy is as follows:

AppDynamics provides Maintenance and Support for each version of the Software for a period of twelve (12) months after the generally available release of the next major version of the Software (a major release is a change in the first number to the right of the decimal point). For example, if version 4.1 is released on January 1, 2015, then AppDynamics will provide Maintenance and Support for version 4.0 until January 1, 2016. AppDynamics does not provide Maintenance or Support for any customized software (or components thereof).

For third party software or technology used by End User with the Software but not included with the Software (a Platform, such as Java Virtual Machines), AppDynamics will follow the end-of-life (EOL) support timeline announced by the third party vendor of such Platform. AppDynamics will stop providing Maintenance and Support for an EOLd Platform version when the Platform vendor stops providing maintenance and support for that Platform version.

EXHIBIT B
AVAILABILITY AND SECURITY

The terms set forth in this Exhibit B apply only if End User has purchased access to the online software-as-a-service (SaaS) version of the Software, as indicated on the Order Form.

AVAILABILITY.

AppDynamics will provide System Availability (as defined below) of ninety-nine and one-half percent (99.5%) (the Availability SLA), excluding situations identified as Exclusions below. For purposes of the Availability SLA, the AppDynamics network extends to, includes and terminates at the data center located router that provides the outside interface of each of AppDynamics WAN connections to its backbone providers (the AppDynamics Network).

Exclusions means any outage that results from any of the following:
a.

Any Maintenance performed by AppDynamics during AppDynamics standard Maintenance windows. AppDynamics will notify End User within forty-eight (48) hours of any standard Maintenance and within twenty-four (24) hours for other non-standard emergency Maintenance (collectively referred to herein as Scheduled Maintenance).

b. End User's information content or application programming, or the acts or omissions of End User or its agents, including, without limitation, the following:
1. End Users use of any programs not supplied by AppDynamics;
2. End Users failure to provide AppDynamics with reasonable advance prior notice of any pending unusual large deployments of new nodes (i.e., adding over ten percent (10%) total nodes in less than twenty-four (24) hours);
3. End Users implementation of any significant configuration changes, including changes that lead to a greater than thirty percent (30%) change in a one week period or greater than fifty percent (50%) change in a one month period in the number of key
objects in the system including but not limited to metrics, snapshots, nodes, events and business transactions;
4. Any misconfiguration by End User (as determined in AppDynamics sole discretion), including configuration errors and unintended usage of the Software;
5. End Users failure to upgrade the Agents to keep the Agent versions within six (6) months of the Controller version; or
6. End Users implementation of configuration changes in the number of key objects in the Software (including metrics, snapshots, nodes, events and business transactions) that results in, or is likely to result in, an adverse impact on other customers.

c. Force majeure or other circumstances beyond AppDynamics reasonable control that could not be avoided by its exercise of due care.

d. Failures of the Internet backbone itself and the network by which End User connects to the Internet backbone or any other network unavailability outside of the AppDynamics Network, such as misconfigurations, proxies or firewalls.

e. Any window of time when End User agrees that Software availability/unavailability will not be monitored or counted.

f. Any problems resulting from End User combining or merging the Software with any hardware or software not supplied by AppDynamics or not identified by AppDynamics in the Documentation as being compatible with the Software.

g. End Users or any third partys use of the Software in an unauthorized or unlawful manner.

Remedies for Excessive Downtime:

In the event the availability of the Software falls below the Availability SLA in a given calendar quarter, AppDynamics will pay End User a service credit (Service Credit) as follows, corresponding to the actual Availability of the Software during the applicable calendar quarter (on pro-rated basis for annual or multi-year fees): if the Availability is 99.5% or greater, End User is entitled to receive no credits; if the Availability is 97.0% - 99.49%, then End User is entitled to receive
Service Credits equal to five percent of the fees for the applicable calendar quarter (not to exceed $280); if the Availability is 95.0% - 96.9%, then End User is entitled to receive Service Credits equal to ten percent of the fees for the applicable calendar quarter (not to exceed $560); and if the Availability is less than 95.0%, then End User is

entitled to receive Service Credits equal to twenty percent of the fees for the applicable calendar quarter (not to exceed $1120). Such Service Credit will be issued as a credit against any fees owed by End User for the next calendar quarter of the Term, or, if End User does not owe any additional fees, then AppDynamics will pay End User the amount of the applicable Service Credit within thirty (30) days after the end of the calendar quarter in which such credit accrued. To receive Service Credits, End User must submit a written request to AppDynamics (to customersuccess@appdynamics.com with a copy to legal@appdynamics.com) within 15 days after the end of the quarter in which the Software was unavailable, or End Users right to receive Service Credits with respect to such unavailability will be waived. The remedies stated in this section are End Users sole and exclusive remedies and AppDynamics sole and exclusive obligations for service interruption or unavailability.

System Availability is measured by the following formula: (n - y) *100 / n
(1) n is the total number of minutes in the given calendar quarter minus the Exclusions (as defined above); and y is the total number of minutes in the given calendar quarter that the Controller is not accessible by End User (as determined by AppDynamics tools).
(2) Specifically excluded from n and y in this calculation are the Exclusions.

SECURITY INFORMATION.

For all End User data stored in the software-as-a-service version of the Software, AppDynamics will satisfy all of its obligations under Section 3 by maintaining the security precautions described below.
Certifications
AppDynamics is SOC 2 Type II compliant, meaning it has been independently audited to verify the validity and functionality of its control activities and processes. Customers may request AppDynamics report at any time. AppDynamics data center provider is also SOC 2 Type II compliant.

Secure Connections
Agents initiate connections to a single Controller, which can either be hosted on-premises by the customer or by AppDynamics via the AppDynamics software-as-a-service platform. The Controller is the central repository and analytics engine where all performance data is stored, baselined, and analyzed. If End User downloads the Agent from End Users controller (ie., using the installation wizard provided by AppDynamics), then transport layer security (TLS) for Agent-to-Controller communication is enabled by default. For other installations, AppDynamics recommends enabling SSL/TLS encryption for Agent communications. For detailed instructions please see docs.appdynamics.com. Agents also support outbound HTTP proxies for customers using these security mechanisms. For Software user interface access, AppDynamics redirects all traffic to HTTPS.

Access Controls to Data
Access to collected data and data collection features is restricted to authenticated customer users by role-based access controls (RBAC). In addition, customer users do not have native access to run queries on the Controllers MySQL database.

Availability
Servers for the software are operated in fault-tolerant architecture in a manner designed to ensure availability. Data is backed up nightly and stored redundantly. AppDynamics also provides an off-site backup service. Software security updates and patches are evaluated by engineers and are deployed based upon the security risks and stability benefits they offer to the Software and End Users.

Security
Access to the Software platform infrastructure and data by AppDynamics personnel is secured by authentication methods including public key authentication, passwords and
network access control lists. Infrastructure and data access is restricted to AppDynamics employees and contractors subject to confidentiality agreements. System and network activity for the Software are regularly monitored by a team of engineers. Failed authentication attempts are audited and engineers are paged so that intrusions or threats can be investigated. Standard firewall policies are deployed to block access except to ports required for Software and Agent communication.

Sensitive Data
AppDynamics recommends on-premises (rather than software-as-a-service) deployments for customers subject to heightened regulatory oversight of data.

More Information
For more information on data privacy or security processes please contact help@appdynamics.com or your account representative. To report a suspected security breach, contact security@appdynamics.com.
AppDynamics Proprietary and Confidential * Revision 2016.11.01

1.79 appdynamics-alpine 24.11.0.7212

1.79.1 Available under license :

APPDYNAMICS, INC.

END USER LICENSE AGREEMENT

1. SOFTWARE LICENSE.

1.1 LICENSE GRANT.

This End User License Agreement (this Agreement) between AppDynamics, Inc., a Delaware corporation with its principal place of business located at 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107 (AppDynamics) and the customer set forth in the Order Form (as defined below) (End User) is effective as of the date the initial Order Form is executed or the date this Agreement is referenced by the applicable purchase order (the Effective Date). This Agreement shall govern each order form, sales quotation, proposal, purchase order or other ordering document that references this Agreement (each an Order Form). Each Order Form will form part of this Agreement. Subject to the terms and conditions of this Agreement, AppDynamics hereby grants to End User, during the License Term (as defined below), a non-exclusive, non-transferable, non-sublicensable right and license to use the software-as-a-service
and/or on-premises version of AppDynamics application intelligence software product, including one Controller, as designated in the Order Forms (the Software) for internal business purposes only for the quantity of units in the Order Form. AppDynamics Test & Dev Edition licenses shall only be used in test-only non-production environments. For purposes hereof, the License Term begins on the date AppDynamics delivers the Software license keys to End User and extends for the period specified in the applicable Order Form (unless earlier terminated in accordance with this Agreement). For the avoidance of doubt, End Users affiliates (and employees thereof) shall not use the Software without AppDynamics prior written consent. Notwithstanding anything to the contrary herein, this Agreement does not supersede a signed agreement between AppDynamics and End User with respect to the Software.

1.2 RESTRICTIONS ON USE.

Except as otherwise expressly provided in this Agreement, End User shall not (and shall not permit any third party to): (a) sublicense, sell, resell, transfer, assign, distribute, share, lease, rent, make any external commercial use of, outsource, use on a timeshare or service bureau, or use in an application service provider or managed service provider environment, or otherwise generate income from the Software; (b) copy the Software onto any public or distributed network, except for an internal and secure cloud computing environment; (c) cause the decompiling, disassembly, or reverse engineering of any portion of the Software, or attempt to discover any source code or other operational mechanisms of the Software (except where such restriction is expressly prohibited by law without the possibility of waiver, and then only upon prior written notice to AppDynamics); (d) modify, adapt, translate or create derivative works based on all or any part of the Software; (e) use any Third Party Software (as defined below) provided with the Software other than with the Software; (f) modify any proprietary rights notices that appear in the Software or components thereof; (g) publish the results of any benchmarking tests run on any Third Party Software; (h) use any Software in violation of any applicable laws and regulations (including any export laws, restrictions, national security controls and regulations) or outside of the license scope set forth in Section 1.1; (i) use the Software in support of any nuclear proliferation, chemical weapon, biological weapon or missile proliferation activity; (j) configure the Software to collect any (1) social security numbers or other government-issued identification numbers, (2) passwords or other authentication credentials, (3) health information, biometric data, genetic data, or payment/financial information, (4) any data relating to a person under the age of 13 years old, or (5) any other data that is subject to regulatory or contractual handling requirements (e.g., PCI, HIPAA, or state and federal data security laws) (collectively, Prohibited Data); or (k) use the Software to (1) store, download or transmit infringing, libelous, or otherwise unlawful or tortious material, or malicious code or malware, or (2) engage in phishing, spamming, denial-of-service attacks or other fraudulent or criminal activity, (3) interfere with or disrupt the integrity or performance of third party systems, or the Software or data contained therein, or (4) attempt to gain unauthorized access to the Software or AppDynamics' systems or networks, or (5) perform, or engage any third party to perform, authenticated or unauthenticated penetration testing, vulnerability assessments or other security assessments on the SaaS version of the Software. End User shall not export or re-export, directly or indirectly, any Software or technical data or any copy, portions or direct product thereof (i) in violation of any applicable laws and regulations, (ii) to any country for which the United States or any other government, or any agency thereof, at the time of export requires an export license or other governmental approval, including Cuba, Libya, North Korea, Iran, Iraq, or Rwanda or any other Group D:1 or E:2 country (or to a national or resident thereof) specified in the then current Supplement No. 1 to part 740 of the U.S. Export Administration Regulations (or any successor supplement or regulations, without first obtaining such license or approval) or (ii) to anyone on the U.S. Treasury Departments list of Specially Designated Nationals or the U.S. Commerce Departments Table of Denial Orders. End User shall, at its own expense, obtain all necessary customs, import, or other governmental authorizations and approvals.

1.3 EVALUATION USE.

If End User accessed the Software pursuant to a no-fee or beta evaluation (Evaluation Use), then the License Term is for the period enabled by the license key for the Software provided by AppDynamics. AppDynamics shall have the right to downgrade, limit or otherwise modify the Software provided for Evaluation Use at any time without notice, and no warranty, indemnity, Maintenance or Support obligations of AppDynamics will apply to Evaluation Use. End User may use the number and type of licenses indicated by AppDynamics in writing prior to End User downloading or accessing the Software, which will be enabled by End Users specific license key. AppDynamics has the right to immediately revoke and

terminate any Evaluation Use at any time. End User agrees to provide feedback related to the Software as reasonably requested by AppDynamics. End User grants to AppDynamics, without charge, the fully paid-up, perpetual, sublicensable right to exploit such feedback for any purpose. Evaluation Use is not a guarantee of future product features and should not be relied upon in making any purchasing decisions.

1.4 UNAUTHORIZED USE.

End User shall notify AppDynamics promptly of any unauthorized use of any password or account or any other known or suspected breach
of security or misuse of the Software. End User is responsible for use of the Software by any and all employees, contractors, or other users that it allows to access the Software.

1.5 MAINTENANCE AND SUPPORT.

Support is defined as AppDynamics' obligations to respond to support requests as described in Exhibit A (Enterprise Support). Maintenance means AppDynamics obligations related to error resolution, bug fixes and the provision of updates and upgrades made generally commercially available by AppDynamics in its sole discretion, all as described in Exhibit A. Subject to End Users payment of the fees set forth in the applicable Order Form(s), AppDynamics will (a) provide Maintenance and Support for the Software, and (b) solely if End User has purchased access to the software-as-a-service version of the Software, make the Software available to End User in accordance with Exhibit B (Availability and Security). For time-limited licenses for the Software (as set forth in an Order Form, Subscription Licenses), the fees for Maintenance and Support are included in the fees for the Software. For perpetual licenses, (i) AppDynamics shall invoice End User the applicable fees for Maintenance and Support (Maintenance and Support Fees) upon execution of the Order Form, and (ii) subject to payment of the Maintenance and Support Fees, AppDynamics will provide Support for the Maintenance and Support period set forth in the Order Form, as it may be renewed (the Maintenance and Support Term). If Maintenance and Support terminates with respect to any perpetual licenses, and End User is in good standing under this Agreement, then End User may reinstate Maintenance and Support on payment of the cumulative Maintenance and Support Fees applicable for the period during which Maintenance and Support lapsed, plus Maintenance and Support Fees for the reinstated Maintenance and Support Term. Notwithstanding anything herein to the contrary, if End User receives Support from an authorized
partner of AppDynamics (Partner), then the support terms agreed upon by End User and such Partner shall govern in lieu of those set forth in Exhibit A, and AppDynamics shall have no support obligations to End User.

1.6 SERVICES.

Subject to the terms hereof (including payment of any applicable fees set forth in the Order Form), AppDynamics will provide the training, enablement and/or other services described in an Order Form (or statement of work referencing this Agreement), if any (Services). All Services will be rendered on a time and materials basis. AppDynamics will not exceed the total time purchased without prior written approval from End User. If the Services purchased have been consumed, AppDynamics will stop the Services until additional Services have been purchased. If End User elects not to purchase additional Services, then the Services will be deemed complete. If not used, pre-purchased Services and expenses expire twelve (12) months after the date purchased (unless otherwise
set forth in the applicable Order Form). End User agrees to provide reasonable cooperation and information as necessary to permit AppDynamics to perform the Services. End User will reimburse AppDynamics for travel and expenses (at cost) incurred in connection with the Services (if any) by the Invoice Due Date (as defined below). Services will be performed on business days (a business day means Monday through Friday, excluding national holidays, during working hours, in the location where the Services are delivered). Saturday Services, and hours

worked during the week that exceed the local working hours in a week, will be charged at the agreed rate x 1.5. Services performed on Sundays or national holidays will be charged at 2 x the agreed rate. If End User cancels or delays any scheduled Services less than ten (10) business days before the start date of such Services, then AppDynamics will deduct from End User's account (or End User will pay for) the amount of Services that were scheduled
in any of the ten (10) business days following the date of cancellation (or notification of the delay, as applicable), and End User will fully reimburse AppDynamics for any reasonable travel and expenses incurred by AppDynamics for such Services (and for any Services rescheduled by End User) for which AppDynamics is unable to obtain a refund. During the License Term (for Subscription Licenses) or during the Maintenance and Support Term (for perpetual licenses), and in each case for a period of twelve (12) months thereafter, without AppDynamics prior written approval, End User will not solicit for employment or consultancy any AppDynamics employees who participated in the performance of Services.

2. FEES.

2.1 PRICING.

End User will be invoiced for those amounts and at those prices set forth in an Order Form (an Invoice), provided, however, that, for Evaluation Use, End User shall not be billed unless otherwise specified by AppDynamics in writing prior to End User downloading
or accessing (as applicable) the Software. Fees do not include any customization of the Software (nor support for any such customizations, unless otherwise agreed in writing). If End Users usage of the Software is in excess of those amounts set forth in the Order Form, End User will be billed for those overages at a pro-rated amount for the remainder of the applicable License Term, based on AppDynamics then-current standard pricing. If AppDynamics believes in good faith that End Users usage of the Software exceeds that set forth on the applicable Order Form, End User agrees to allow AppDynamics to audit End Users use of the Software (not more frequently than twice per calendar year), upon at least twenty-four (24) hours notice, to determine the actual Software use, using a commercially reasonable auditing procedure. End User acknowledges that purchases made under this Agreement are neither contingent on the delivery of any future functionality or features nor dependent on any oral or written
public comments made by AppDynamics regarding future functionality or features.

2.2 PAYMENTS.

End User shall pay Invoices within thirty (30) days of the invoice date (the Invoice Due Date). If End User reasonably disputes any Invoice, (i) End User shall provide AppDynamics with written notice of such dispute, including the grounds therefor (a Dispute Notice), prior to the Invoice Due Date, (ii) End User and AppDynamics shall, for a period of fifteen (15) days following AppDynamics receipt of such Dispute Notice, negotiate in good faith to resolve the dispute and (iii) if such dispute remains unresolved at the end of such period, the parties shall retain all of their respective rights under this Agreement (including, without limitation, any action for non-payment of the fees set forth herein). All payment obligations are non-cancelable and all amounts paid are non-refundable, except (a) for amounts paid in error that are not actually due under this Agreement, and (b) as set forth
in Sections 6.1 and 7.1. The fees paid by End User are exclusive of all taxes, levies, or duties imposed by taxing authorities, if any, and End User shall be responsible for payment of all such taxes, levies, or duties, excluding taxes based on AppDynamics income. End User represents and warrants that the billing and contact information provided to AppDynamics is complete and accurate, and AppDynamics shall have no responsibility for any Invoices that are not received due to inaccurate or missing information provided by End User. End User shall pay interest on all payments not received by the Invoice Due Date at a rate of one percent (1%) per month or the maximum amount allowed by law, whichever is lesser. All amounts due under this Agreement shall be paid by End User in full without

any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law). If requested by AppDynamics, End User will obtain and furnish to AppDynamics tax receipts or other certificates issued by the competent taxation office showing the payments of the withholding tax within a reasonable time after payment. Following written notice, AppDynamics shall be entitled to suspend End Users access to the Software if payments are not received within thirty (30) days of the Invoice Due Date. Notwithstanding anything herein to the contrary, if End User makes its payments pursuant to this Agreement to a Partner, then the payment terms agreed by End User and such Partner shall govern to the extent anything in this Section 2 conflicts with such Partner payment terms.

3. CONFIDENTIALITY

3.1 SCOPE AND RESTRICTIONS.

Confidential Information means all information of a party (Disclosing Party) disclosed to the other party (Receiving Party) that is designated in writing or identified as confidential at the time of disclosure or should be reasonably known by the Receiving Party to be confidential due to the nature of the information disclosed and the circumstances surrounding the disclosure. The terms of this Agreement, the Software, any technical or other documentation relating to the Software, logins, passwords and other access codes and any and all information regarding AppDynamics business, products and services are the Confidential Information of AppDynamics. The Receiving Party will: (i) not use the Disclosing Partys Confidential Information for any purpose outside of this Agreement; (ii) not disclose such Confidential Information to any person or entity, other than its affiliates, employees, consultants, agents and professional advisers who have a need to know for the Receiving Party to exercise its rights or perform its obligations hereunder, provided that such employees, consultants, and agents are bound by agreements or, in the case of professional advisers, ethical duties respecting such Confidential Information in accordance with the terms of this Section 3; and (iii) use reasonable measures to protect the confidentiality of such Confidential Information. If the Receiving Party is required by applicable law or court order to make any disclosure of such Confidential Information, it will first give written notice of such requirement to the Disclosing Party, and, to the extent within its control, permit the Disclosing Party to intervene in any relevant proceedings to protect its interests in its Confidential Information, and provide full cooperation to the Disclosing Party in seeking to obtain such protection. Further, this Section 3 will not apply to information that the Receiving Party can document: (i) was rightfully in its possession or known to it prior to receipt without any restriction on its disclosure; (ii) is or has become public knowledge or publicly available through no fault of the Receiving Party; (iii) is rightfully obtained by the Receiving Party from a third party without breach of any confidentiality obligation; or (iv) is independently developed by employees of the Receiving Party who had no access to such information.

3.2 EQUITABLE RELIEF.

The Receiving Party acknowledges that unauthorized disclosure of the Disclosing Partys Confidential Information could cause substantial harm to the Disclosing Party for which damages alone might not be a sufficient remedy and, therefore, that upon any such disclosure by the Receiving Party the Disclosing Party will be entitled to seek appropriate equitable relief in addition to whatever other remedies it might have at law or equity.

4. PROPRIETARY RIGHTS. AppDynamics and its suppliers own and shall retain all proprietary rights, including all copyright, patent, trade secret, trademark and all other intellectual property rights, in and to the Software and the results of any Services. End User acknowledges that the rights granted under this Agreement do not provide End User with title to or ownership of the Software. Certain free or open source based software (the FOSS Software) and

third party software included with the Software
(the Third Party Software) is shipped with the Software but is not considered part of the Software hereunder. A list of the FOSS Software and Third Party Software is set forth on the webpage located at https://docs.appdynamics.com/display/DASH/Legal+Notices With respect to Third Party Software included with the Software, such Third Party Software suppliers are third party beneficiaries of this Agreement. End Users use of such FOSS Software is subject to the terms of the licenses set forth on such webpage. The Software and Third Party Software may only be used by End User as prescribed by the AppDynamics documentation located at http://docs.appdynamics.com (as it may be updated from time to time, the Documentation).

5. TERM AND TERMINATION.

The term of this Agreement begins on the Effective Date and will remain in effect until all Subscription Licenses (and Maintenance and Support Terms, if applicable) expire or until this Agreement is otherwise terminated in accordance with the terms
hereof, whichever occurs first (the Term). This Agreement may be renewed at any time by execution of an Order Form referencing this Agreement, and any such renewal will be deemed part of the Term hereunder. If either party commits a material breach of this Agreement, and such breach has not been cured within thirty (30) days after receipt of written notice thereof, the non-breaching party may terminate this Agreement, except that AppDynamics may immediately terminate this Agreement and/or End Users license to the Software upon End Users breach of Section 1.2. Either party may also terminate this Agreement upon written notice if the other party suspends payment of its debts or experiences any other insolvency or bankruptcy-type event. Upon expiration or termination of this Agreement for any reason, (i) with respect to Subscription Licenses, all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession
and control; (ii) with respect to perpetual licenses, these will survive termination of this Agreement unless AppDynamics terminates the Agreement for End Users breach of this Agreement in which case all rights granted to End User shall terminate and End User shall destroy any copies of the Software and Documentation within End Users possession and control; and (iii) each Receiving Party will return or destroy, at the Disclosing Partys option, the Disclosing Partys Confidential Information in the Receiving Partys possession or control. All fees that have accrued as of such expiration or termination, and Sections 1.2, 1.3, 1.4, 2, 3, 4, 5, 6.2 and 7 through 12, will survive any expiration or termination hereof.

6. WARRANTIES.

6.1 LIMITED WARRANTY.The limits below will not apply to the extent prohibited by applicable law.

AppDynamics warrants that during the first thirty (30) days following the date the Software is purchased, the Software will, in all material respects, conform to the
functionality described in the then-current Documentation for the applicable Software version. AppDynamics sole and exclusive obligation, and End Users sole and exclusive remedy, for a breach of this warranty shall be that AppDynamics shall be required to use commercially reasonable efforts to repair or replace the Software to conform in all material respects to the Documentation, and if AppDynamics is unable to materially restore such functionality within thirty (30) days from the date of written notice of such breach, End User shall be entitled to terminate the license to the affected Software upon written notice and AppDynamics shall promptly provide a pro-rata refund of the Software license fees (or Maintenance and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). End User must notify AppDynamics in writing of any warranty breaches within such warranty period,
and End User must have installed and configured the Software in accordance with the Documentation to be eligible for the foregoing remedy.

6.2 WARRANTY DISCLAIMER.

EXCEPT AS EXPRESSLY PROVIDED IN THIS SECTION 6, ALL SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT AND SERVICES ARE PROVIDED AS IS AND APPDYNAMICS AND ITS SUPPLIERS EXPRESSLY DISCLAIM ANY AND ALL OTHER REPRESENTATIONS AND WARRANTIES, EITHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT THERETO, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, OR THE CONTINUOUS, UNINTERRUPTED, ERROR-FREE, VIRUS-FREE, OR SECURE ACCESS TO OR OPERATION OF THE SOFTWARE. APPDYNAMICS EXPRESSLY DISCLAIMS ANY WARRANTY AS TO THE ACCURACY OR COMPLETENESS OF ANY INFORMATION OR DATA ACCESSED OR USED IN CONNECTION WITH THE SOFTWARE, DOCUMENTATION, MAINTENANCE AND SUPPORT, OR SERVICES. AppDynamics is not responsible for any delays, delivery failures, or any other loss or damage resulting
from the transfer of data over communications networks and facilities, including the Internet, and End User acknowledges that the Software and Documentation may be subject to limitations, delays and other problems inherent in the use of such communications facilities. The Software is not fault-tolerant and is not designed or intended for use in hazardous environments, including without limitation, in the operation of aircraft or other modes of human mass transportation, nuclear or chemical facilities, life support systems, implantable medical equipment, motor vehicles or weaponry systems, or any other application in which failure of the Software could lead to death or serious bodily injury of a person, or to severe physical or environmental damage (each, a High Risk Use). AppDynamics expressly disclaims any express or implied warranty or representation of fitness for High Risk Use. AppDynamics shall not be liable to End User for any loss, damage or harm suffered by End User that
is directly or indirectly caused by End Users unauthorized use of the Software to process Prohibited Data.

7. INDEMNIFICATION.

7.1 BY APPDYNAMICS.

AppDynamics agrees at its expense to defend End User against (or, at AppDynamics option, settle), any third party claim to the extent such claim alleges that the Software infringes or misappropriates any patent, copyright, trademark or trade secret of a third party, and AppDynamics shall pay all costs and damages finally awarded against End User by a court of competent jurisdiction as a result of any such claim. In the event that the use of the Software is, or in AppDynamics sole opinion is likely to become, subject to such a claim, AppDynamics, at its option and expense, may (a) replace the applicable Software with functionally equivalent non-infringing technology, (b) obtain a license for End Users continued use of the applicable Software, or (c) terminate the license and provide a pro-rata refund of the Software license fees (or Maintenance
and Support Fees, for perpetual licenses) that have been paid in advance for the remainder of the License Term for the applicable Software (beginning on the date of termination). The foregoing indemnification obligation of AppDynamics will not apply: (1) if the Software is modified by End User or its agent; (2) if the Software is combined with other non-AppDynamics products, applications, or processes, but solely to the extent the alleged infringement is caused by such combination; or (3) to any unauthorized use of the Software. The foregoing shall be End Users sole remedy with respect to any claim of infringement of third party intellectual property rights.

7.2 BY END USER.

End User agrees to defend, at its expense, AppDynamics and its affiliates, its suppliers and its resellers against any third party claim to the extent such claim arises from or is made in connection with End Users breach of Section 1 or

End Users negligence or willful misconduct, and End User shall pay all
costs and damages finally awarded against AppDynamics by a court of competent jurisdiction as a result of any such claim.

7.3 INDEMNIFICATION REQUIREMENTS.

In connection with any claim for indemnification under this Section 7, the indemnified party must promptly provide the indemnifying party with notice of any claim that the indemnified party believes is within the scope of the obligation to indemnify, provided, however, that the failure to provide such notice shall not relieve the indemnifying party of its obligations under this Section 7, except to the extent that such failure materially prejudices the indemnifying partys defense of such claim. The indemnified party may, at its own expense, assist in the defense if it so chooses, but the indemnifying party shall control the defense and all negotiations related to the settlement of any such claim. Any such settlement intended to bind either party shall not be final without the other partys written consent, which consent shall not
be unreasonably withheld, conditioned or delayed; provided, however, that End Users consent shall not be required when AppDynamics is the indemnifying party if the settlement involves only the payment of money by AppDynamics.

8. LIMITATION OF LIABILITY. The limits below will not apply to the extent prohibited by applicable law.

8.1 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING DAMAGES FOR LOSS OF REVENUES OR PROFITS, LOSS OF USE, BUSINESS INTERRUPTION, OR LOSS OF DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

8.2 EXCEPT FOR LIABILITY ARISING OUT OF END USERS BREACH OF SECTION 1.2 (RESTRICTIONS ON USE), NEITHER PARTYS LIABILITY FOR ANY DAMAGES (WHETHER FOR BREACH OF CONTRACT, MISREPRESENTATIONS, NEGLIGENCE, STRICT LIABILITY,
OTHER TORTS OR OTHERWISE) UNDER THIS AGREEMENT SHALL EXCEED AN AMOUNT EQUAL TO THE TOTAL FEES PAID (PLUS FEES PAYABLE) TO APPDYNAMICS DURING THE TWELVE (12) MONTHS IMMEDIATELY PRECEDING THE CLAIM GIVING RISE TO SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING ANY FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY.

9. FORCE MAJEURE.

Except for payment obligations, neither party hereto will be liable for defaults or delays due to acts of God, or the public enemy, acts or demands of any government or governmental agency, fires, earthquakes, floods, accidents, or other unforeseeable causes beyond its reasonable control and not due to its fault or negligence.

10. DATA COLLECTION.

End User acknowledges that AppDynamics application server and machine software agents (the Agents) collect metrics that relate to the performance, health and resource of an application, its components (transactions, code libraries) and related infrastructure (nodes, tiers) that service those components.

In addition, AppDynamics collects metrics on End Users activities, such as web pages visited, length of visit, and which features of the Software an End User uses. If End User provides AppDynamics with any personally identifiable information (personal data), End User represents and warrants that such information has been collected by End User in accordance with the provisions of all applicable data protection legislation and that End User has all right and consents necessary to provide such personal data to AppDynamics. End User will indemnify AppDynamics for reasonable costs and other amounts that AppDynamics may incur relating to any breach of this Section.

11. US GOVERNMENT MATTERS.

As defined in FAR section 2.101, the Software and Documentation are commercial items and according to DFAR section 252.227 7014(a)(1) and (5) are deemed to be commercial computer software and commercial computer software documentation. Consistent with DFAR section 227.7202 and FAR section 12.212, any use modification, reproduction, release, performance, display, or disclosure of such commercial software or commercial software documentation by the U.S. Government will be governed solely by the terms of this Agreement and will be prohibited except to the extent expressly permitted by the terms of this Agreement.

12. MISCELLANEOUS.

This Agreement shall be governed by and construed under the laws of the State of California, U.S.A. The parties consent to the exclusive jurisdiction and venue of the courts located in and serving San Francisco, California. Failure by either Party to exercise any of its rights under, or to enforce any provision of, this Agreement will not be deemed a waiver or forfeiture of such rights or ability to enforce such provision. If any provision of this Agreement is held by a court of competent jurisdiction to be illegal, invalid or unenforceable, such provision will be amended to achieve as nearly as possible the same economic effect of the original provision and the remainder of this Agreement will remain in full force and effect. This Agreement and its exhibits, together with the Order Form(s) and any statements of work incorporating this Agreement, if applicable, represent the entire agreement between the parties and supersede any previous or contemporaneous oral or written agreements or communications regarding the subject matter of this Agreement. The person signing or otherwise accepting this Agreement for End User represents that s/he is duly authorized by all necessary and appropriate corporate action to enter this Agreement on behalf of End User. Any modification to this Agreement must be in writing and signed by a duly authorized agent of both parties. The Uniform Computer Information Transactions Act (UCITA) does not apply to this Agreement. This Agreement shall control over additional or different terms of any purchase order, confirmation, invoice, statement of work or similar document (other than an AppDynamics Order Form, which will take precedence), even if accepted in writing by both parties, and waivers and amendments to this Agreement shall be effective only if made by non-pre-printed agreements clearly understood by both parties to be an amendment or waiver to this Agreement. For purposes of this Agreement, including means including without limitation. The rights and remedies of the parties hereunder will be deemed cumulative and not exclusive of any other right or remedy conferred by this Agreement or by law or equity. No joint venture, partnership, employment, or agency relationship exists between the parties as a result of this Agreement or use of the Software. AppDynamics reserves the right to perform its obligations from locations and/or through use of affiliates and subcontractors, worldwide, provided that AppDynamics will be responsible for such parties. End User may not assign this Agreement without the prior written approval of AppDynamics and any purported assignment in violation of this section shall be void; AppDynamics may assign, transfer or subcontract this Agreement in whole or in part. Upon any assignment of this Agreement by End User that is approved by AppDynamics, any licenses that contain an unlimited aspect will, with respect to End User or the successor entity, as applicable, be capped at the number of authorized Software units in use immediately prior to such assignment. End User agrees that AppDynamics may refer to End

User by its trade name and logo, and may briefly describe End Users business, in AppDynamics marketing materials and website. AppDynamics may give notice to End User by electronic mail to End Users email address on record in End Users account information, or by written communication sent by first class mail or pre-paid post to End Users address on record in End Users account information. End User may give notice to AppDynamics at any time by any letter delivered by nationally recognized overnight delivery service or first class postage prepaid mail to AppDynamics at the following address or such other address as may be notified to End User from time to time: AppDynamics, Inc., 303 Second Street, North Tower, 8th Floor, San Francisco, CA 94107, Attn: Legal Department. Notice under this Agreement shall be deemed given when received, if personally delivered; when receipt is electronically confirmed, if transmitted by email; the day after it is sent, if sent for next day delivery by recognized overnight delivery service; and upon receipt, if sent by certified or registered mail, return receipt requested.

EXHIBIT A

ENTERPRISE SUPPORT

GENERAL REQUIREMENTS.

AppDynamics will provide access to a ticketing system and email address (help@appdynamics.com), which will be available twenty-four (24) hours per day, seven (7) days per week. The email account will be maintained by qualified support specialists, who shall use commercially reasonable efforts to answer questions and resolve problems regarding the Software.

HOURS OF OPERATION.

Support is available twenty-four (24) hours per day, seven (7) days per week.

ERROR CLASSIFICATION.

Any reported errors are classified in the following manner, in each case when caused by the Software:

Error Classification Criteria
Urgent End User production application is down or there is a major malfunction, resulting in a business revenue loss and impacting the End User application functionality for a majority of users.
High Critical loss of End User application functionality or performance, impacting the application functionality for a high number of users.
Normal Moderate loss of End User application functionality or performance, impacting multiple users.

Low Minor loss of End User application functionality or
product feature in question.

ERROR DEFINITION.

An error means a reproducible malfunction in the Software that is reported by End User through AppDynamics ticketing system that prevents the Software from performing in accordance
with the operating specifications described in the then-current Documentation.

AUTHORIZED SUPPORT CONTACTS.

Maintenance and Support will be provided solely to End Users designated support contacts. The Order Form may indicate a maximum number of designated support contacts for End Users service level. End User will provide its designated support contacts, including its primary email address.

END USERS OBLIGATION TO ASSIST.
If End User reports a purported error in the Software to AppDynamics, AppDynamics ticketing system will request the following minimum information:

A general description of the operating environment
A list of all hardware components, operating systems and networks
A reproducible test case
Any log files, trace and systems files

End Users failure to provide this information may prevent or significantly delay AppDynamics ability to identify and fix the reported error. AppDynamics time to respond to any error will begin when AppDynamics has received all requested information
from the End User and is able to reproduce the error.

ERROR RESOLUTION.

If AppDynamics determines there is an error in the Software, AppDynamics may, at its sole option, repair that error in the version of the Software that End User is currently using or instruct End User to install a newer version of the Software with that error repaired. AppDynamics reserves the right to provide End User with a workaround in lieu of fixing an error.

SOFTWARE UPDATES AND UPGRADES. End User must be current on fees in order to receive access to Maintenance.

RESPONSE TIME. AppDynamics shall respond to error tickets in accordance with the tables set forth below. AppDynamics will use reasonable means to repair the error and keep End User informed of progress. AppDynamics makes no representations as to when a full resolution of the error may be made.

Error Initial Response Manager Escalation VP Escalation Email Status Updates

===== ================ ================= ============ ====================

Urgent
1 Hour 1 Business Day 1 Week Daily
High 6 Hours 1 Week 2 Weeks Weekly
Normal 1 Business Day Quarterly Review None None
Low 2 Business Days Semi-Annual Review None None

Maintenance and Support Policy: The Maintenance and Support policy is as follows:

AppDynamics provides Maintenance and Support for each version of the Software for a period of twelve (12) months after the generally available release of the next major version of the Software (a major release is a change in the first number to the right of the decimal point). For example, if version 4.1 is released on January 1, 2015, then AppDynamics will provide Maintenance and Support for version 4.0 until January 1, 2016. AppDynamics does not provide Maintenance or Support for any customized software (or components thereof).

For third party software or technology used by End User with the Software but not included with the Software (a Platform, such as Java Virtual Machines), AppDynamics will follow the end-of-life
(EOL) support timeline announced by the third party vendor of such Platform. AppDynamics will stop providing Maintenance and Support for an EOLd Platform version when the Platform vendor stops providing maintenance and support for that Platform version.

EXHIBIT B
AVAILABILITY AND SECURITY

The terms set forth in this Exhibit B apply only if End User has purchased access to the online software-as-a-service (SaaS) version of the Software, as indicated on the Order Form.

AVAILABILITY.

AppDynamics will provide System Availability (as defined below) of ninety-nine and one-half percent (99.5%) (the Availability SLA), excluding situations identified as Exclusions below. For purposes of the Availability SLA, the AppDynamics network extends to, includes and terminates at the data center located router that provides the outside interface of each of AppDynamics WAN connections to its backbone providers (the AppDynamics Network).

Exclusions means any outage that results from any of the following:
a.
Any Maintenance performed by AppDynamics during AppDynamics standard Maintenance windows. AppDynamics will notify End User within forty-eight (48) hours of any standard Maintenance and within twenty-four (24) hours for other non-standard emergency Maintenance (collectively referred to herein as Scheduled Maintenance).

b. End User's information content or application programming, or the acts or omissions of End User or its agents, including, without limitation, the following:
1. End Users use of any programs not supplied by AppDynamics;
2. End Users failure to provide AppDynamics with reasonable advance prior notice of any pending unusual large deployments of new nodes (i.e., adding over ten percent (10%) total nodes in less than twenty-four (24) hours);
3. End Users implementation of any significant configuration changes, including changes that lead to a greater than

thirty percent (30%) change in a one week period or greater than fifty percent (50%) change in a one month period in the number of key
objects in the system including but not limited to metrics, snapshots, nodes, events and business transactions;
4. Any misconfiguration by End User (as determined in AppDynamics sole discretion), including configuration errors and unintended usage of the Software;
5. End Users failure to upgrade the Agents to keep the Agent versions within six (6) months of the Controller version; or
6. End Users implementation of configuration changes in the number of key objects in the Software (including metrics, snapshots, nodes, events and business transactions) that results in, or is likely to result in, an adverse impact on other customers.

c. Force majeure or other circumstances beyond AppDynamics reasonable control that could not be avoided by its exercise of due care.

d. Failures of the Internet backbone itself and the network by which End User connects to the Internet backbone or any other network unavailability outside of the AppDynamics Network, such as misconfigurations, proxies or firewalls.

e. Any window of time when End User agrees that Software availability/unavailability will not be monitored or counted.

f. Any problems resulting from End User combining or merging the Software with any hardware or software not supplied by AppDynamics or not identified by AppDynamics in the Documentation as being compatible with the Software.

g. End Users or any third partys use of the Software in an unauthorized or unlawful manner.

Remedies for Excessive Downtime:

In the event the availability of the Software falls below the Availability SLA in a given calendar quarter, AppDynamics will pay End User a service credit (Service Credit) as follows, corresponding to the actual Availability of the Software during the applicable calendar quarter (on pro-rated basis for annual or multi-year fees): if the Availability is 99.5% or greater, End User is entitled to receive no credits; if the Availability is 97.0% - 99.49%, then End User is entitled to receive
Service Credits equal to five percent of the fees for the applicable calendar quarter (not to exceed $280); if the Availability is 95.0% - 96.9%, then End User is entitled to receive Service Credits equal to ten percent of the fees for the applicable calendar quarter (not to exceed $560); and if the Availability is less than 95.0%, then End User is entitled to receive Service Credits equal to twenty percent of the fees for the applicable calendar quarter (not to exceed $1120). Such Service Credit will be issued as a credit against any fees owed by End User for the next calendar quarter of the Term, or, if End User does not owe any additional fees, then AppDynamics will pay End User the amount of the applicable Service Credit within thirty (30) days after the end of the calendar quarter in which such credit accrued. To receive Service Credits, End User must submit a written request to AppDynamics (to customersuccess@appdynamics.com with a copy to legal@appdynamics.com) within 15 days after
the end of the quarter in which the Software was unavailable, or End Users right to receive Service Credits with respect to such unavailability will be waived. The remedies stated in this section are End Users sole and exclusive remedies and AppDynamics sole and exclusive obligations for service interruption or unavailability.

System Availability is measured by the following formula: (n - y) *100 / n

(1) n is the total number of minutes in the given calendar quarter minus the Exclusions (as defined above); and y is the total number of minutes in the given calendar quarter that the Controller is not accessible by End User (as determined by AppDynamics tools).
(2) Specifically excluded from n and y in this calculation are the Exclusions.

SECURITY INFORMATION.

For all End User data stored in the software-as-a-service version of the Software, AppDynamics will satisfy all of its obligations under Section 3 by maintaining the security precautions described below.
Certifications
AppDynamics
is SOC 2 Type II compliant, meaning it has been independently audited to verify the validity and functionality of its control activities and processes. Customers may request AppDynamics report at any time. AppDynamics data center provider is also SOC 2 Type II compliant.

Secure Connections
Agents initiate connections to a single Controller, which can either be hosted on-premises by the customer or by AppDynamics via the AppDynamics software-as-a-service platform. The Controller is the central repository and analytics engine where all performance data is stored, baselined, and analyzed. If End User downloads the Agent from End Users controller (ie., using the installation wizard provided by AppDynamics), then transport layer security (TLS) for Agent-to-Controller communication is enabled by default. For other installations, AppDynamics recommends enabling SSL/TLS encryption for Agent communications. For detailed instructions please see docs.appdynamics.com. Agents also support outbound
HTTP proxies for customers using these security mechanisms. For Software user interface access, AppDynamics redirects all traffic to HTTPS.

Access Controls to Data
Access to collected data and data collection features is restricted to authenticated customer users by role-based access controls (RBAC). In addition, customer users do not have native access to run queries on the Controllers MySQL database.

Availability
Servers for the software are operated in fault-tolerant architecture in a manner designed to ensure availability. Data is backed up nightly and stored redundantly. AppDynamics also provides an off-site backup service. Software security updates and patches are evaluated by engineers and are deployed based upon the security risks and stability benefits they offer to the Software and End Users.

Security
Access to the Software platform infrastructure and data by AppDynamics personnel is secured by authentication methods including public key authentication, passwords and
network access control lists. Infrastructure and data access is restricted to AppDynamics employees and contractors subject to confidentiality agreements. System and network activity for the Software are regularly monitored by a team of engineers. Failed authentication attempts are audited and engineers are paged so that intrusions or threats can be investigated. Standard firewall policies are deployed to block access except to ports required for Software and Agent communication.

Sensitive Data
AppDynamics recommends on-premises (rather than software-as-a-service) deployments for customers subject to

heightened regulatory oversight of data.

More Information

For more information on data privacy or security processes please contact help@appdynamics.com or your account representative. To report a suspected security breach, contact security@appdynamics.com.

AppDynamics Proprietary and Confidential * Revision 2016.11.01

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries.To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.