SpeechView Cisco Webex in-house transcription service for Unity Connection

Contents

Introduction Abbreviations Prerequisites Requirements Components Used Background Information SpeechView Operation Data Flow Diagram Configure Unity Connection Configuration Verify Troubleshoot

Introduction

This document walks through the configuration of Unity Connection Release 14 SU4 or later in order to enable SpeechView voicemail transcription in a Cisco Unity Connection. While the screenshots are sourced from specific versions of Unity Connection, the concepts should apply to any later version of the product.

Abbreviations

- CUC Cisco Unity Connection
- CCUC Cloud Connected Unified Collaboration
- CSSM Cisco Smart Software Manager

Prerequisites

Requirements

Cisco recommends that you have knowledge of these topics:

- Unity Connection.
- Webex Cloud-Connected UC. For details, refer <u>Webex Cloud-Connected</u> <u>UC Overview.</u>

Components Used

The information in this document is based on these software versions:

• Unity Connection Release 14 SU4 or later.

The information in this document was created from the devices in a specific lab environment. All the devices used in this document started with a cleared (default) configuration. If your network is live, make sure that you understand the potential impact of any command.

Background Information

The third-party service supporting the Cisco Unity Connection SpeechView transcription service will reach end of life on or after December 30, 2024. As a result, Cisco migrated Cisco Unity Connection SpeechView transcription service from the third-party vendor to Cisco Webex in-house transcription service.

Cisco Webex offers in-house transcription to power closed captions and transcription in English, French, German, Spanish, and Italian (September 2024). Cisco Webex in-house transcription is a Cisco-built machine learning model that leverages automatic speech recognition to provide closed captions and transcription features. In-house transcription takes speech audio input; performs feature extraction; decodes with the use of acoustic, language, and other models; and produces the text output. The model is trained with unique Cisco data sets that are curated for diverse demographics and further fine-tuned for specific feature use with Cisco Webex Meetings, Cisco Webex Contact Center, Cisco Webex Calling, Cisco devices, and Vidcast. Bringing transcription services in-house will enable Cisco to offer best-in-class technology, utilizing the latest models to transcribe voice messages across multiple languages and dialects.

SpeechView Operation

This process outlines the general message flow for a SpeechView operation. The steps to this configuration are in these sections.

- 1. Unity Connection sends the voicemail message to Cisco Webex in-house transcription service for transcription.
- 2. Cisco Webex in-house transcription service processes the audio and converts it into text.
- 3. Once transcription is complete, the transcribed text is sent back to the Unity Connection through Cisco Webex Cloud-Connected UC.
- 4. When Unity Connection receives the response, it takes the transcription and sends it to whatever notification device(s) are defined for the user who received the voicemail.

Data Flow Diagram

Data flow diagram for SpeechView is shown in figure 1 below.



Figure 1. Data flow diagram

Configure

Unity Connection Configuration

- 1. Configure Disaster Recovery System (DRS) at Unity Connection Cluster. For more information, refer https://www.cisco.com/c/en/us/td/docs/voice ip comm/connection/14/install upgrade/guide/b 14cuciu mg/b_14cuciumg_chapter_01.html#concept_965CA33CF88F4142B98784BC55C42B0D.
- 2. Onboard Unity Connection Server/Cluster to Cisco Webex Cloud-Connected UC. For more information, refer <u>Set up Webex Cloud-Connected UC for on-premises devices</u>.

Network Requirements for Webex Cloud-Connected UC: <u>https://help.webex.com/en-us/article/fg3qim/Network-Requirements-for-Webex-Cloud-Connected-UC</u>.

\leftrightarrow \rightarrow C \sim admin-in	nt.webex.com/ccuc-services/ucm	anagement/clusterdetail					\$	ጏ ±	
	webexone ²⁴	Technical training, I	imited seats. C	DCT 21-24, Ft. Laude	erdale, FL	Register Nov	v		
	Hub	Search				Dark theme	o 🗘	? ₿	IA
Bt Apps ▲	< StandAloneC vm161.cisco.com	uster - ucbu-aric	ent-						
Organization Settings	Cluster Group	VM161_162	Service Speech	iow Voicemail Transer	nt		Events	History	
SERVICES	Services	Disabled Certificate	e Management, O	perational Metrics, Vo	cemail, Deployme	nt Insights			
C Updates & Migrations	Node Nam Node	V IP Addr	Pro Typ	verifi	Age Eve	ents		Last Co	nnect
Messaging	ucbu-aricent-vm16 14	10.65.156.247	CUC PUE	BLISHER JBM4NMGN	I Online Em	ergency Inf	0	08-28-20	0 <mark>24 0</mark> 6:04
Calling	ucbu-aricent-vm16 14	10.65.156.66	CUC SUE	SCRIBEF YG/AU5NG	Online Em	ergency Inf	0	08-28-20	024 06:04
Connected UC									
Hybrid									
11_5_IN I_ORG_Azure									

Ensure that the status of **Telemetry Module** is **Online**.

← → C S admin-int.webex.com/ccuc-services/ucmanagement/analytics-inventory					☆ ⊅	i 🛃 🕑 🗄
	webexone	24 Technic	al training, limited seats.	. OCT 21-24, Ft. Lauder	dale, FL Register Now	
≡ webex Contr	rol Hub	Q Search			🚫 Dark theme 🔇 🎝 🕜	
8± Apps	 ucbu-aricent-vm44. 	cisco.cc 15	StandAloneCluster	Cluster Name	StandAloneCluster - ucbu-aricent-vm423.cis	co.com
f Account	ucbu-aricent-vm540	D.cisco.c 14	StandAloneCluster	Cluster Group Name	vm423	
🖞 Security	ucbu-aricent-vm88.	cisco.cc 14	StandAloneCluster	Agent Version	20240821-80	
Organization Settings	ucbu-aricent-vm423	3.cisco.c 14	StandAloneCluster	Agent Status	Online	
	ucbu-aricent-vm421	l.cisco.c 14	StandAloneCluster	Agent Last Connection	08-23-2024 08:14:13	
SERVICES	ucbu-aricent-vm608	3.cisco.c 15	StandAloneCluster			
C Updates & Migrations	ucbu-aricent-vm107	cisco.cc 15	StandAloneCluster	Telemetry Module De	etails	
Ø Messaging	ucbu-aricent-vm210).cisco.c 15	StandAloneCluster	Telemetry Module Version	2249	
🗞 Calling	ucbu-aricent-vm204	4.cisco.c 15	StandAloneCluster	Telemetry Module	Online	
> Vidcast	ucbu-aricent-vm296	6.cisco.c 14	StandAloneCluster	Status		
Seconnected UC	ucbu-aricent-vm591	l.cisco.c 14	StandAloneCluster	Telemetry Module Last	08-23-2024 08:12:49	
 Hybrid 	• ucbu-aricent-vm326	6.cisco.c 14	StandAloneCluster	Connection		- 1
11_5_INT_ORG_Azure	ucbu-aricent-vm181.	.cisco.cc 14	StandAloneCluster	Telemetry Module Ad	ction	

3. Enable "**SpeechView Voicemail Transcript**" on the Service Management Page of Cisco Webex Cloud-Connected UC. For more information, refer <u>Enable or Disable Webex Cloud-Connected UC</u> <u>Services in Control Hub</u>.

← → C 25 admin-int.webex.com/ccuc-services/ucmanagement/clusterdetail	후 ː 한 · 주 🔞 🗄
Service M	lanagement
Changes to these settings will take a short time to take effect.	
Directory Service	× Disabled
Certificate Management	Enabled
Operational Metrics	Disabled
Voicemail	Disabled
Speechview Voicemail Transcript	Enabled
Deployment Insights	× Disabled
Cancel	Submit

4. Register Unity Connection with **Cisco Smart Software Manager (CSSM)** or **Cisco Smart Software Manager satellite** and ensure that you have acquired proper licenses, SpeechView from Cisco to use this feature. For more information, refer <u>Managing Licenses</u>.

Lices Unity Conne	action Administration		Newigation Cisco Unit	Connection Administra	tion M Co	
Cisco onity connection Administration			Ravigation Cisco onity connection Administration			
For Cisco Unified Communica	ations Solutions		admin Search Docu	imentation About	Sign Out	
Cisco Unity Connection	Licenses				Licenses	
Branch Management	License Refresh Help					
HTTP(S) Links					_	
Locations	To view and manage Smart Licenses for y	your Cisco Smart Account, go to <u>Smart Software Manager</u>				
VPIM	Smart Software Licensing Status					
Connection Location Passwords	Registration Status	Registered (Aug 21, 2024)		Actions	~	
Unified Messaging	Registration Status					
	License Authorization Status	Authorized (Aug 23, 2024)				
	Smart Account	BU Production Test				
■ SpeechView Transcription	Virtual Account	GGN-Alpha 2				
3 Video	Product Instance Name	UDI_PID: Cisco Unity Connection; UDI_SN: f8723abb42524233b1dcc66	dce95			
Video Services	Transport Settings	Direct View/Edit				
Video Services Accounts Status	Export-Controlled Functionality Allowed					
Dial Plan						
Partitions	License Usage Report					
Search Spaces	License	Description	Usage	Status		
System Settings	CLIC Residence	Total Number of Veicemail Users	7	Authorized		
General Configuration	CUC_DasicHessaging	Tatal Number of Encesh Connect Eccelence	,	Ne License in Lice		
Cluster	CUC_SpeechConnectPort	Tatal Number of Speech Connect Sessions	0	No License in Use		
Authentication Rules	CUC_SpeechViewPro	Table Number of Speechview Professional Osers	0	No License in Use		
tt Roles	CUC_EnnancedMessaging	The Number of Enhanced Messaging Users	0	No License in Use		
Restriction Tables	CUC_SpeechConnectGuestUser	lotal number of Contacts	0	No License in Use		
Licenses	CUC_SpeechView	Total Number of SpeechView Standard Users	7	Muthorized		
Schedules						
Holiday Schedules	Usage details last updated: Aug 23, 20	24 14:34:19 IST				
Giobar Nickhames	- Smort Lisensing Dreduct Conjutation					
Subject Line Formats	Smart Licensing Product Registration	on				
*	The licenses for this system are mana	ged by <u>Smart Software Manager</u>				

5. Once the above steps are completed, navigate to SpeechView Transcription Services page on Unity Connection and verify that **SpeechView Status** is **Enabled**. If you are registering the license for the first

time or if the Unity Connection SpeechView license needs to be updated, click on the **Sync license status** button to get the latest compliance state for SpeechView.

Transcription services can be accessed by Unity Connection server directly or through proxy location.

- If this server is going to access transcription services directly, do the given steps:
 - Select Access Transcription Service Directly field.
 - If you want this server to offer transcription proxy services to other Unity Connection locations in a digital network, check the Advertise Transcription Proxy Services to Other Unity Connection Locations check box.
- If this server accesses the transcription services through another digitally networked Unity Connection location, select the Access Transcription Services through Unity Connection Proxy Location field. Select the name of the Unity Connection location from the list.

Select Save and then Sync License Status.

Cisco Unity Connection Administration For Cisco Unified Communications Solutions		Navigation Cisco Unity Connection Administration V Go admin Search Documentation About Sign Out
 Cisco Unity Connection 	Transcription Service for SpeechView	Transcription Service for SpeechView
 □ Call Management ¬System Call Handlers ¬Directory Handlers ¬Literview Handlers ¬Custom Recordings ⊕ Call Routing ⊕ Message Storage ⊡ Networking ⊕ Legacy Links ⊕ Branch Management →HTTP(S) Links →Locations ¬VPIM ¬Connection Location Passwords 	Transcription Service for SpeechView Refresh Help Save Sync License Status Transcription Service for SpeechView SpeechView Status: Enabled • Access Transcription Service Directly Advertise Transcription Proxy Services to Other Connection Locations Access Transcription Services through Connection Proxy Location None Status of Last Transcription Operation Action Type Transcribe	
Unified Messaging Unified Messaging Services Unified Messaging Accounts Status SpeechView Transcription Services Video Video Services Video Services Accounts Status Dial Plan Partitions Search Spaces	Action Status Fall Action Date 2024-08-21 18:49:08.058 Save Sync License Status Test	

6. Assign users to a class of service that provides SpeechView transcription of voice messages.



For more information on configuring SpeechView, refer <u>SpeechView Cisco Webex in-house transcription</u> <u>service</u> chapter of System Administration Guide for Cisco Unity Connection Release 14 available at <u>https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/14/administration/guide/b_14cucsag.html</u>

Verify

To verify the SpeechView Configuration, navigate to SpeechView Transcription Services page and click on "**Test**" button.

The Test performs the following actions and shows the results with recommendation(s) for failure cases if any:

- Checks the status of Connection SpeechView Processor service.
- Checks if the SpeechView license is in compliance with the configuration.
- Checks if Cisco Unity Connection server is onboarded and SpeechView Voicemail Transcript is enabled on Cisco Webex Cloud-Connected UC.
- Checks if communication with Cisco Webex Cloud-Connected UC is persistent.
- Checks if Cisco Webex in-house transcription is healthy. This ensures that Webex in-house transcription service domain is in allowlist.
- Sends a test transcription request to Webex in-house transcription service and looks for a response. This ensures that the transcription request is routed correctly, the service is reachable and that a response is received.

ڬ Cisco Unity Co	nnection Administration Task Alerts — Mozilla Firefox	-	O	×
	ttps://ucbu-aricent-vm724.cisco.com/cuadmin/speech-to-text.do?op=getTaskStatus&sttTaskRequestId=96a48213-f9c8-42ba-b493-d9e675051084		E ☆	≡
Status Task has fi	nished.			
Task Executio	n Results			
Severity	Issue	Recommendation	Detai	ls
(j)	Connection SpeechView Processor service is active and running.			
í	Cisco Unity Connection SpeechView license complies with the configuration.			
(i)	Cisco Unity Connection server is onboarded on Webex Cloud-Connected UC.			
(i)	SpeechView Transcription service is enabled on Webex Cloud-Connected UC.			
í	Communication with Webex Cloud-Connected UC is persistent.			
í	Webex in-house transcription service is healthy.			
(i)	Test transcription request sent to Webex in-house transcription service, processed successfully.			
Close				

Troubleshoot

÷

For information related to Troubleshooting SpeechView with Cisco Webex in-house transcription service, refer <u>Troubleshooting SpeechView (Cisco Webex in-house transcription service)</u> chapter of Troubleshooting Guide for Cisco Unity Connection Release 14 available at https://www.cisco.com/c/en/us/td/docs/voice in comm/connection/14/troubleshooting/guide/b 14cuctsg.html