

New and Changed Information

This chapter contains the following sections:

• New and Changed Information, on page 1

New and Changed Information

The following tables provide an overview of the significant changes to this guide for this release. The tables do not provide an exhaustive list of all changes made to the guide or of the new features up to this release.

Table 1: New Features and Changed Behavior in Cisco APIC Release 6.0 (4)

Feature or Change	Description	Where Documented
	This document has no changes from the previous release.	N/A

Table 2: New Features and Changed Behavior in Cisco APIC Release 6.0 (3)

Fea	ture or Change	Description	Where Documented
N/A	-	This document has no changes from the previous release.	N/A

Table 3: New Features and Changed Information for Cisco APIC Release 6.0(2)

Feature	Description	Where Documented
New GUI for bringing up the APIC cluster	Beginning with Cisco APIC release 6.0(2), the initial cluster set up and bootstrapping procedure has been simplified with the addition of GUI screen(s) for bringing up the APIC cluster. The APIC Cluster Bringup GUI supports virtual and physical APIC platforms. Connectivity between out-of-band and the CIMC is now mandatory.	

Feature	Description	Where Documented
Cisco Nexus 9000 switch secure erase	Cisco Nexus 9000 switches utilize persistent storage to maintain system software images, switch configuration, software logs, and operational history. Each of these areas can contain user-specific information such as details on network architecture and design, and potential target vectors for would-be attackers. The secure erase feature enables you comprehensively to erase this information, which you can do when you return a switch with return merchandise authorization (RMA), upgrade or replace a switch, or decommission a system that has reached its end-of-life.	About Cisco Nexus 9000 Switch Secure Erase

Table 4: New Features and Changed Information for Cisco APIC Release 6.0(1)