

H323 through HYPERWAVE-ISP

- H323, page 3
- HA-CLUSTER, page 5
- HAMACHI, page 7
- HAP, page 9
- HASSLE, page 11
- HCP-WISMAR, page 12
- HDAP, page 13
- HELLO-PORT, page 14
- HEMS, page 16
- HEROIX-LONGITUDE, page 18
- HIP, page 19
- HITACHI-SPC, page 21
- HL7, page 22
- HMMP-IND, page 23
- HMMP-OP, page 24
- HMP, page 25
- HOLLYWOOD-REPORTER, page 27
- HOOTSUITE, page 28
- HOPOPT, page 29
- HOSTGATOR, page 30
- HOSTNAME, page 31
- HOTELS-COM, page 33
- HOTMAIL, page 34
- HP-ALARM-MGR, page 36

- HP-COLLECTOR, page 37
- HP-MANAGED-NODE, page 38
- HP-PDL-DATASTR, page 40
- HTC-SERVICES, page 41
- HTTP-ALT, page 42
- HTTP-LOCAL-NET, page 43
- HTTP-MGMT, page 44
- HTTP-RPC-EPMAP, page 45
- HTTP, page 46
- HTTPS, page 48
- HUFFINGTONPOST, page 49
- HULU, page 50
- HYBRID-POP, page 51
- HYPER-G, page 52
- HYPERWAVE-ISP, page 53

H323

Name/CLI Keyword	h323
Full Name	H.323 Protocol
Description	H.323 is a recommendation from the ITU Telecommunication Standardization Sector (ITU-T) that defines the protocols to provide audio-visual communication sessions on any packet network. The H.323 standard addresses call signaling and control, multimedia transport and control, and bandwidth control for point-to-point and multi-point conferences.
Reference	http://www.h323forum.org/
Global ID	L7:64
ID	64
Known Mappings	1
UDP Port	1300,1718,1719,1720,11720
TCP Port	1300,1718,1719,1720,11720
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	voice-and-video
Sub Category	control-and-signaling
P2P Technology	No
Encrypted	No
Traffic-class	signaling. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

H323

HA-CLUSTER

Name/CLI Keyword	ha-cluster
Full Name	ha-cluster
Description	High-availability clusters (also known as HA clusters or failover clusters) are groups of computers that supportserverapplications that can be reliably utilized with a minimum of downtime. They operate by harnessing redundant computers in groups or clusters that provide continued service when system components fail. HA clusters usually use a private network connection to monitor the health and status of each node in the cluster.
Reference	http://en.wikipedia.org/wiki/Ha-cluster
Global ID	L4:694
ID	602
Known Mappings	
UDP Port	694
TCP Port	694
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No

Underlying Protocols	-

HAMACHI

Name/CLI Keyword	hamachi
Full Name	Hamachi VPN Application
Description	Hamachi is a zero-configuration virtual private network (VPN) shareware application that is capable of establishing direct links between computers that are behind NAT firewalls without requiring reconfiguration. It is available for Microsoft Windows, Linux and MAC OS.
Reference	http://www.hamachi.cc/
Global ID	L4:10080
ID	1382
Known Mappings	
UDP Port	
TCP Port	10080,12975
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HAMACHI

HAP

Name/CLI Keyword	hap
Full Name	Host Access Protocol
Description	The Host Access Protocol (HAP) is a network layer protocol that defines the different types of host-to-network control messages and host-to-host data messages that may be exchanged over the access link connecting a host and the network packet switch node. The protocol establishes formats for these messages, and describes procedures for determining when each type of message should be transmitted and what it means when one is received.
Reference	http://tools.ietf.org/html/rfc1221
Global ID	L4:661
ID	569
Known Mappings	
UDP Port	661
TCP Port	661
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	trojan
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No

HAP

Underlying Protocols	-

HASSLE

Name/CLI Keyword	hassle
Full Name	Hierarchical Access System for Sequence Libraries in Europe
Description	Registered with IANA on port 375 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:375
ID	291
Known Mappings	
UDP Port	375
TCP Port	375
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	remote-access-terminal
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HCP-WISMAR

Name/CLI Keyword	hcp-wismar
Full Name	Hardware Control Protocol Wismar
Description	Registered with IANA on port 686 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:686
ID	594
Known Mappings	
UDP Port	686
TCP Port	686
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HDAP

Name/CLI Keyword	hdap
Full Name	HDAP
Description	Registered with IANA on port 263 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:263
ID	1135
Known Mappings	
UDP Port	263
TCP Port	263
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	authentication-services
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HELLO-PORT

Name/CLI Keyword	hello-port
Full Name	HELLO Port
Description	The Dynamic Tunnel Configuration Protocol (DTCP) protocol provides a means for receivers to dynamically discover the presence of feeds and to maintain a list of operational tunnel end-points. Feeds periodically announce their tunnel end-point addresses over the unidirectional link using the HELLO message.
Reference	http://tools.ietf.org/html/rfc3077
Global ID	L4:652
ID	561
Known Mappings	
UDP Port	652
TCP Port	652
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	routing-protocol
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HEMS

Name/CLI Keyword	hems
Full Name	High-Level Entity Management System
Description	High-Level Entity Management System (HEMS) is made up of three parts: a query processor which can reside on any addressable entity, an event generator which also resides on entities, and applications which know how to send requests to the query processor and interpret the replies.
Reference	http://tools.ietf.org/html/rfc1021
Global ID	L4:151
ID	981
Known Mappings	
UDP Port	151
TCP Port	151
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	business-and-productivity-tools
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HEROIX-LONGITUDE

Name/CLI Keyword	heroix-longitude
Full Name	Heroix Longitude
Description	Heroix Longitude is a self-service applications and networking performance monitoring solution. It delivers immediate, comprehensive performance information to solve multiple monitoring challenges.
Reference	http://www.heroix.com/longitude_overview.html
Global ID	L4:7220
ID	1383
Known Mappings	
UDP Port	
TCP Port	7220,7223
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HIP

Name/CLI Keyword	hip
Full Name	Host Identity Protocol
Description	The Host Identity Protocol (HIP) is a host identification technology for use on Internet Protocol (IP) networks. The Internet has two main name spaces, IP addresses and the Domain Name System. HIP separates the end-point identifier and locator roles of IP addresses. It introduces a Host Identity (HI) name space, based on a public key security infrastructure.
Reference	http://tools.ietf.org/html/rfc5201
Global ID	L3:139
ID	1237
Known Mappings	1
UDP Port	-
TCP Port	-
IP Protocol	139
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HIP

HITACHI-SPC

Name/CLI Keyword	hitachi-spc
•	•
Full Name	Hitachi Universal Storage Platform
Description	Hitachi Universal Storage Platformis the brand name for anHitachi Data Systemsline ofenterprise storagearrays.
Reference	http://en.wikipedia.org/wiki/Universal_Storage_Platform
Global ID	L4:20016
ID	1348
Known Mappings	
UDP Port	
TCP Port	20016
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HL7

Name/CLI Keyword	hl7
Full Name	Health Level 7
Description	Health Level Seven is a protocol designated to exchange information between health applications. The protocol is messaged based and can give the client various information regarding his health.
Reference	http://www.hl7.org/about/index.cfm?ref=nav
Global ID	L7:73
ID	73
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	business-and-productivity-tools
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HMMP-IND

Name/CLI Keyword	hmmp-ind
Full Name	HMMP Indication
Description	Registered with IANA on port 612 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:612
ID	521
Known Mappings	
UDP Port	612
TCP Port	612
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HMMP-0P

Name/CLI Keyword	hmmp-op
Full Name	HMMP Operation
Description	Registered with IANA on port 613 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:613
ID	522
Known Mappings	
UDP Port	613
TCP Port	613
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HMP

Name/CLI Keyword	hmp
Full Name	Host Monitoring Protocol
Description	The Host Monitoring Protocol (HMP) is a connection less transport protocol. It was designed to facilitate certain simple interactions between two internet entities, one of which may be considered to be monitoring the other. It is used to collect information from Internet Gateways and TACs, and from hosts in various networks.
Reference	http://tools.ietf.org/html/rfc869
Global ID	L3:20
ID	774
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	20
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HMP

HOLLYWOOD-REPORTER

Name/CLI Keyword	hollywood-reporter
Full Name	The Hollywood Reporter
Description	The Hollywood Reporter - News related to the entertainment industry.
Reference	http://hollywoodreporter.com
Global ID	L7:790
ID	1718
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HOOTSUITE

Name/CLI Keyword	hootsuite
Full Name	HootSuite
Description	HootSuite - Social Network management.
Reference	http://hootsuite.com
Global ID	L7:668
ID	1597
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HOPOPT

Name/CLI Keyword	hopopt
Full Name	hopopt
Description	DEPRECATED traffic will not match
Reference	
Global ID	L3:0
ID	756
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	No
IPv6 Support	No
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HOSTGATOR

Name/CLI Keyword	hostgator
Full Name	HostGator
Description	HostGator - Web hosting portal.
Reference	http://hostgator.com
Global ID	L7:709
ID	1639
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HOSTNAME

Name/CLI Keyword	hostname
Full Name	NIC Internet Hostname Server
Description	NIC Internet Hostname Server is a TCP-based host information program and protocol running on the SRI-NIC machine. The function of this particular server is to deliver machine-readable name/address information describing networks, gateways, hosts and eventually domains, within the internet environment. As currently implemented, the server provides the information outlined in the DoD Internet Host Table Specification.
Reference	http://tools.ietf.org/html/rfc953
Global ID	L4:101
ID	972
Known Mappings	
UDP Port	101
TCP Port	101
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	naming-services
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No

HOSTNAME

Underlying Protocols	-

HOTELS-COM

Name/CLI Keyword	hotels-com	
Full Name	Hotels.com	
Description	Hotels.com - Webportal for finding hotel deals and booking it online.	
Reference	http://hotels.com	
Global ID	L7:715	
ID	1645	
Known Mappings		
UDP Port	53,5353	
TCP Port	53,80,443,5353	
IP Protocol	-	
IP Version		
IPv4 Support	Yes	
IPv6 Support	Yes	
Application Group	other	
Category	browsing	
Sub Category	other	
P2P Technology	No	
Encrypted	No	
Tunnel	No	
Underlying Protocols	ssl,http,dns,quic	

HOTMAIL

Name/CLI Keyword	hotmail
Full Name	Hotmail Email Services
Description	Hotmail is a well-known email service provider, it is also known as Microsoft Hotmail and Live Hotmail; it provides email services (send, receive, file attachments, etc.) and Hotmail Calendar service as well. Hotmail service is replaced with Outlook.com.
Reference	http://www.hotmail.com
Global ID	L7:511
ID	1446
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	No
IPv6 Support	No
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	email
Sub Category	other
P2P Technology	No
Encrypted	Yes
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HP-ALARM-MGR

Name/CLI Keyword	hp-alarm-mgr
Full Name	HP Network Management Center.
Description	Used by HP OpenView product family that consists of network and systems management products. In 2007, HP OpenView was rebranded as HP Network Management Center.
Reference	http://en.wikipedia.org/wiki/HP_OpenView
Global ID	L4:383
ID	299
Known Mappings	
UDP Port	383
TCP Port	383
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HP-COLLECTOR

Name/CLI Keyword	hp-collector
Full Name	HP Performance Data Collector
Description	Registered with IANA on port 381 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:381
ID	297
Known Mappings	
UDP Port	381
TCP Port	381
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HP-MANAGED-NODE

Name/CLI Keyword	hp-managed-node
Full Name	HP Performance Data Managed Node
Description	The HP OpenView Performance manager, agents, and monitor combine to provide flexible distributed management solution. This solution is a single interface for centrally monitoring, analyzing, and forecasting resource utilization for distributed multivendor environments.
Reference	https://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=PERFMINFO
Global ID	L4:382
ID	298
Known Mappings	
UDP Port	382
TCP Port	382
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No

Underlying Protocols	_

HP-PDL-DATASTR

Name/CLI Keyword	hp-pdl-datastr
Full Name	PDL data streaming port
Description	Page description language (PDL) is a language that describes the appearance of a printed page in a higher level than an actual output bitmap.
Reference	http://www.pclviewer.com/resources/reference/
Global ID	L4:9100
ID	1384
Known Mappings	
UDP Port	9100
TCP Port	9100
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HTC-SERVICES

Name/CLI Keyword	htc-services
Full Name	HTC Services
Description	HTC Services are HTC mobile devices software support and HTC website traffic.
Reference	http://www.htc.com
Global ID	L7:595
ID	1534
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	No
IPv6 Support	No
Application Group	-
Business Relevance	business-irrelevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	-
Sub Category	-
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HTTP-ALT

Name/CLI Keyword	http-alt
Full Name	HTTP Alternate
Description	HTTP Alternate is alternative port to port 80 that is used by HTTP.
Reference	http://www.ietf.org/rfc/rfc2616.txt
Global ID	L4:591
ID	505
Known Mappings	
UDP Port	8080
TCP Port	8080
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HTTP-LOCAL-NET

Name/CLI Keyword	http-local-net
Full Name	LOCAL NET HTTP
Description	Local network generic HTTP traffic.
Reference	
Global ID	L7:812
ID	1743
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	browsing
Sub Category	enterprise-transactional-apps
P2P Technology	No
Encrypted	No
Traffic-class	transactional-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	http,dns

HTTP-MGMT

Name/CLI Keyword	http-mgmt
Full Name	HTTP Management
Description	Registered with IANA on port 280 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/ service-names-port-numbers.xml
Global ID	L4:280
ID	1141
Known Mappings	
UDP Port	280
TCP Port	280
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Traffic-class	ops-admin-mgmt. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HTTP-RPC-EPMAP

Name/CLI Keyword	http-rpc-epmap
Full Name	HTTP RPC Ep Map
Description	The http-rpc-epmap endpoint mapper provides CIS (COM+ Internet Services) parameters for RPC (Remote Procedure Call).
Reference	http://www.cavionplus.com/pdfs/RVA_Sample.pdf
Global ID	L4:593
ID	507
Known Mappings	
UDP Port	593
TCP Port	593
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	business-and-productivity-tools
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	transactional-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HTTP

Name/CLI Keyword	http
Full Name	HyperText Transfer Protocol
Description	Hypertext Transfer Protocol (HTTP) is a standard for communication between web browsers and servers over the World Wide Web. The protocol works in a request-response manner over a client server computing model. The server usually listens on port 80.
Reference	http://www.w3.org/Protocols/rfc2616/rfc2616.html
Global ID	L4:80
ID	3
Known Mappings	
UDP Port	
TCP Port	80
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Traffic-class	transactional-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	-

HTTPS

Name/CLI Keyword	https
Full Name	HTTPS
Description	Hypertext Transfer Protocol Secure (HTTPS)
Reference	https://tools.ietf.org/html/rfc2818
Global ID	L4:1443
ID	1738
Known Mappings	
UDP Port	443
TCP Port	443
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	browsing
Sub Category	enterprise-transactional-apps
P2P Technology	No
Encrypted	Yes
Traffic-class	transactional-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	tcp,udp

HUFFINGTONPOST

Name/CLI Keyword	huffingtonpost
Full Name	The Huffington Post
Description	The Huffington Post - Online news website.
Reference	http://huffingtonpost.co.uk
Global ID	L7:628
ID	1557
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	browsing
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HULU

Name/CLI Keyword	hulu
Full Name	Hulu
Description	Hulu is a Flash-based, ad-supported streaming video website that carries movies and TV series.
Reference	http://www.hulu.com
Global ID	L7:458
ID	1317
Known Mappings	
UDP Port	53,5353
TCP Port	53,80,443,5353
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Category	voice-and-video
Sub Category	streaming
P2P Technology	No
Encrypted	Yes
Traffic-class	multimedia-streaming. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.
Tunnel	No
Underlying Protocols	ssl,http,dns,quic

HYBRID-POP

Name/CLI Keyword	hybrid-pop	
Full Name	Hybrid Point of Presence	
Description	A Hybrid Point of Presence (PoP) is an Internet router with T1 lines into the internet. The POP takes TCP/IP packets from the Internet, modulates them into a standard TV channels and feeds them to a TV system.	
Reference	http://cookreport.com/hybrid.shtml	
Global ID	L4:473	
ID	387	
Known Mappings		
UDP Port	473	
TCP Port	473	
IP Protocol	-	
IP Version		
IPv4 Support	Yes	
IPv6 Support	Yes	
Application Group	other	
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Category	other	
Sub Category	other	
P2P Technology	No	
Encrypted	No	
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Tunnel	No	
Underlying Protocols	-	

HYPER-G

Name/CLI Keyword	hyper-g	
Full Name	hyper-g	
Description	Hyper-G is a multi-user, multi-protocol, structured hypermedia information system. It runs as a client-server application on the Internet.	
Reference	http://www.jucs.org/jucs_1_4/the_hyper_g_network/Andrews_K.pdf	
Global ID	L4:418	
ID	333	
Known Mappings		
UDP Port	418	
TCP Port	418	
IP Protocol	-	
IP Version		
IPv4 Support	Yes	
IPv6 Support	Yes	
Application Group	other	
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Category	other	
Sub Category	other	
P2P Technology	No	
Encrypted	No	
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Tunnel	No	
Underlying Protocols	-	

HYPERWAVE-ISP

Name/CLI Keyword	hyperwave-isp	
Full Name	Hyperwave-ISP	
Description	Hyperwave-ISP is part of the Hyperwave document management system, which focuses on document and knowledge management in intranet environments.	
Reference	http://www.hyperwave.com/e/index.html	
Global ID	L4:692	
ID	600	
Known Mappings		
UDP Port	692	
TCP Port	692	
IP Protocol	-	
IP Version		
IPv4 Support	Yes	
IPv6 Support	Yes	
Application Group	other	
Business Relevance	default. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Category	other	
Sub Category	other	
P2P Technology	No	
Encrypted	No	
Traffic-class	bulk-data. From Cisco IOS XE 3.16S and IOS 15.5(3)M only.	
Tunnel	No	
Underlying Protocols	-	

HYPERWAVE-ISP