



3COM-AMP3 through AYIYA-IPV6-TUNNELED

Last Updated: November 27, 2012

- [3COM-AMP3](#), page 2
- [3COM-TSMUX](#), page 3
- [3PC](#), page 4
- [9PFS](#), page 5
- [914C G](#), page 6
- [ACAP](#), page 6
- [ACAS](#), page 7
- [ACCESSBUILDER](#), page 8
- [ACCESSNETWORK](#), page 9
- [ACP](#), page 10
- [ACR-NEMA](#), page 11
- [ACTIVE-DIRECTORY](#), page 11
- [ACTIVESYNC](#), page 12
- [ADOBE-CONNECT](#), page 13
- [AED-512](#), page 14
- [AFPOVERTCP](#), page 15
- [AGENTX](#), page 16
- [ALPES](#), page 17
- [AMINET](#), page 17
- [AN](#), page 18
- [ANET](#), page 19
- [ANSANOTIFY](#), page 20
- [ANSATRADER](#), page 21
- [ANY-HOST-INTERNAL](#), page 21
- [AODV](#), page 22
- [AOL-MESSENGER](#), page 23
- [AOL-MESSENGER-AUDIO](#), page 24
- [AOL-MESSENGER-FT](#), page 25
- [AOL-MESSENGER-VIDEO](#), page 25
- [AOL-PROTOCOL](#), page 26
- [APC-POWERCHUTE](#), page 27



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

- [APERTUS-LDP](#), page 28
- [APPLEJUICE](#), page 29
- [APPLEQTC](#), page 30
- [APPLEQTCSRVR](#), page 30
- [APPLIX](#), page 31
- [ARCISDMS](#), page 32
- [ARGUS](#), page 33
- [ARIEL1](#), page 34
- [ARIEL2](#), page 34
- [ARIEL3](#), page 35
- [ARIS](#), page 36
- [ARNS](#), page 37
- [ARUBA-PAPI](#), page 38
- [ASA](#), page 38
- [ASA-APPL-PROTO](#), page 39
- [ASIPREGISTRY](#), page 40
- [ASIP-WEBADMIN](#), page 41
- [AS-SERVERMAP](#), page 42
- [AT-3](#), page 43
- [AT-5](#), page 43
- [AT-7](#), page 44
- [AT-8](#), page 45
- [AT-ECHO](#), page 46
- [AT-NBP](#), page 47
- [AT-RTMP](#), page 47
- [AT-ZIS](#), page 48
- [AUDIO-OVER-HTTP](#), page 49
- [AUDIT](#), page 50
- [AUDITD](#), page 51
- [AURORA-CMGR](#), page 52
- [AURP](#), page 52
- [AUTH](#), page 53
- [AVIAN](#), page 54
- [AVOCENT](#), page 55
- [AX25](#), page 56
- [AYIYA-IPV6-TUNNELED](#), page 56

3COM-AMP3

Name/CLI Keyword	3com-amp3
Full Name	3Com AMP3
Description	Registered with IANA on port 629 TCP/UDP

Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:629
ID	538
Known Mappings	
UDP Port	629
TCP Port	629
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

3COM-TSMUX

Name/CLI Keyword	3com-tsmux
Full Name	3Com TSMUX
Description	Registered with IANA on port 106 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:106
ID	977
Known Mappings	
UDP Port	106

TCP Port	106
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	obsolete
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

3PC

Name/CLI Keyword	3pc
Full Name	Third Party Connect Protocol
Description	Registered with IANA as IP Protocol 34
Reference	http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml
Global ID	L3:34
ID	788
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	34
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

9PFS

Name/CLI Keyword	9pfs
Full Name	9P
Description	9P(or thePlan 9 Filesystem ProtocolorStyx) is anetwork protocoldeveloped for thePlan 9 from Bell Labsdistributed operating systemsas the means of connecting the components of a Plan 9 system. Files are key objects in Plan 9. They representwindows, networkconnections,processes, and almost anything else available in the operating system. UnlikeNFS, 9P encouragescachingand also servingsynthetic files.
Reference	http://en.wikipedia.org/wiki/9P
Global ID	L4:564
ID	479
Known Mappings	
UDP Port	564
TCP Port	564
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	storage
P2P Technology	No

Encrypted	No
Tunnel	No
Underlying Protocols	-

914C G

Name/CLI Keyword	914c/g
Full Name	Texas Instruments 914 Terminal
Description	Registered with IANA on port 211 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:211
ID	1109
Known Mappings	
UDP Port	211
TCP Port	211
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	remote-access-terminal
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACAP

Name/CLI Keyword	acap
Full Name	Application Configuration Access Protocol
Description	The Application Configuration Access Protocol (ACAP) is a protocol for storing and synchronizing general configuration and preference data. It was originally developed so that IMAP clients can easily access address books, user options, and other data on a central server and be kept in sync across all clients.
Reference	http://www.ietf.org/rfc/rfc2244.txt
Global ID	L4:674
ID	582
Known Mappings	
UDP Port	674
TCP Port	674
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACAS

Name/CLI Keyword	acas
Full Name	ACA Services
Description	Registered with IANA on port 62 TCP/UDP

Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:62
ID	939
Known Mappings	
UDP Port	62
TCP Port	62
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACCESSBUILDER

Name/CLI Keyword	accessbuilder
Full Name	AccessBuilder
Description	AccessBuilder (Access Builder) is a family of dial-in remote access servers that give mobile computer users and remote office workers full access to workgroup, departmental, and enterprise network resources. Remote users dial into AccessBuilder via analog or digital connections to get direct, transparent links to Ethernet and Token Ring LANs-just as if they were connected locally. AccessBuilder products support a broad range of computing platforms, network operating systems, and protocols to fit a variety of network environments. They provide multi-protocol bridging and routing for wide area Client-to-LAN connections and remote LAN extensions to the central site.
Reference	http://www.all3com.com/accessbuilder.html

Global ID	L4:888
ID	662
Known Mappings	
UDP Port	888
TCP Port	888
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACCESSNETWORK

Name/CLI Keyword	accessnetwork
Full Name	accessnetwork
Description	Access Network
Reference	-
Global ID	L4:699
ID	607
Known Mappings	
UDP Port	699
TCP Port	699
IP Protocol	-

IP Version

IPv4 Support	Yes
--------------	-----

IPv6 Support	Yes
--------------	-----

Application Group	other
--------------------------	-------

Category	other
-----------------	-------

Sub Category	other
---------------------	-------

P2P Technology	No
-----------------------	----

Encrypted	No
------------------	----

Tunnel	No
---------------	----

Underlying Protocols	-
-----------------------------	---

ACP

Name/CLI Keyword	acp
-------------------------	-----

Full Name	Aeolon Core Protocol
------------------	----------------------

Description	Registered with IANA on port 599 TCP/UDP
--------------------	--

Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
------------------	---

Global ID	L4:599
------------------	--------

ID	513
-----------	-----

Known Mappings

UDP Port	599
----------	-----

TCP Port	599
----------	-----

IP Protocol	-
-------------	---

IP Version

IPv4 Support	Yes
--------------	-----

IPv6 Support	Yes
--------------	-----

Application Group	other
--------------------------	-------

Category	other
-----------------	-------

Sub Category	other
---------------------	-------

P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACR-NEMA

Name/CLI Keyword	acr-nema
Full Name	ACR-NEMA Digital Img
Description	ACR-NEMA Digital Img is a standard for handling, storing, printing, and transmitting information in medical imaging.
Reference	http://medical.nema.org/Dicom/2011/11_01pu.pdf
Global ID	L4:104
ID	975
Known Mappings	
UDP Port	104
TCP Port	104
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	industrial-protocols
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ACTIVE-DIRECTORY

Name/CLI Keyword	active-directory
Full Name	Active Directory
Description	a directory service created by Microsoft for Windows domain networks, responsible for authenticating and authorizing all users and computers within a network of Windows domain type, assigning and enforcing security policies for all computers in a network and installing or updating software on network computers
Reference	http://www.microsoft.com/en-us/server-cloud/windows-server/active-directory.aspx
Global ID	L7:473
ID	1194
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	No

ACTIVESYNC

Name/CLI Keyword	activesync
Full Name	ActiveSync

Description	ActiveSync is a mobile data synchronization technology and protocol based on HTTP, developed by Microsoft. There are two implementations of the technology: one which synchronizes data and information with handheld devices with a specific desktop computer, and another technology, commonly known as Exchange ActiveSync (or EAS), which provides push synchronization of contacts, calendars, tasks, and email between ActiveSync-enabled servers and devices.
Reference	http://msdn.microsoft.com/en-us/library/dd299446(v=exchg.80).aspx
Global ID	L7:490
ID	1419
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	business-and-productivity-tools
Sub Category	client-server
P2P Technology	No
Encrypted	Yes
Tunnel	No
Underlying Protocols	No

ADOBE-CONNECT

Name/CLI Keyword	adobe-connect
Full Name	web conferencing solution for web meetings
Description	Adobe Connect is a web conferencing solution for web meetings, eLearning, and webinars.
Reference	http://www.adobe.com/products/adobeconnect.html

Global ID	L7:505
ID	1441
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	No
IPv6 Support	No
Application Group	other
Category	business-and-productivity-tools
Sub Category	remote-access-terminal
P2P Technology	No
Encrypted	Yes
Tunnel	No
Underlying Protocols	-

AED-512

Name/CLI Keyword	aed-512
Full Name	AED 512 Emulation service
Description	Registered with IANA on port 149 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:149
ID	963
Known Mappings	
UDP Port	149
TCP Port	149
IP Protocol	-

IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	obsolete
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AFPOVERTCP

Name/CLI Keyword	afpovertcp
Full Name	Apple Filing Protocol over TCP
Description	Apple Filing Protocol (AFP) is a proprietary network protocol that offers file services for Mac OS X and original Mac OS.
Reference	https://developer.apple.com/library/mac/#documentation/Networking/Conceptual/AFP/Introduction/Introduction.html
Global ID	L4:548
ID	1327
Known Mappings	
UDP Port	548
TCP Port	548
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	business-and-productivity-tools

Sub Category	backup-systems
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AGENTX

Name/CLI Keyword	agentx
Full Name	AgentX
Description	A protocol used to communicate between processing entities called master, agents and subagents, and the elements of procedure by which the extensible agent processes SNMP protocol messages.
Reference	http://www.ietf.org/rfc/rfc2741.txt
Global ID	L4:705
ID	609
Known Mappings	
UDP Port	705
TCP Port	705
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	snmp-group
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ALPES

Name/CLI Keyword	alpes
Full Name	Administration Delocalisee Par Emissions Securisee (remote administration using secured messages)
Description	ALPES is a client server protocol build on top of TCP. Its main goal is to secure the administration of a network of computers by transferring configuration text files between an information server and its clients and executing programs on them.
Reference	http://tools.ietf.org/id/draft-durand-alpes-00.txt
Global ID	L4:463
ID	377
Known Mappings	
UDP Port	463
TCP Port	463
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	remote-access-terminal
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AMINET

Name/CLI Keyword	aminet
Full Name	aminet

Description	AMInet
Reference	-
Global ID	L4:2639
ID	558
Known Mappings	
UDP Port	2639
TCP Port	2639
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	file-sharing
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AN

Name/CLI Keyword	an
Full Name	an
Description	Active Networks
Reference	-
Global ID	L3:107
ID	861
Known Mappings	
UDP Port	-

TCP Port	-
IP Protocol	107
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ANET

Name/CLI Keyword	anet
Full Name	ATEXSSTR
Description	Registered with IANA on port 212 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:212
ID	1110
Known Mappings	
UDP Port	212
TCP Port	212
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ANSANOTIFY

Name/CLI Keyword	ansanotify
Full Name	ANSA REX Notify
Description	The Remote EXecution Protocol (REX) provides a simple service for process-to-process interactions across a network, as part of ANSA Engineering Module.
Reference	http://www.ansa.co.uk/ANSATech/89/ANSAREF/Aref_07b.pdf
Global ID	L4:116
ID	986
Known Mappings	
UDP Port	116
TCP Port	116
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No

Underlying Protocols -

ANSATRADER

Name/CLI Keyword	ansatrader
Full Name	ansatrader
Description	ansatrader
Reference	-
Global ID	L4:993
ID	993
Known Mappings	
UDP Port	124
TCP Port	124
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ANY-HOST-INTERNAL

Name/CLI Keyword	any-host-internal
Full Name	any host internal protocol
Description	Registered with IANA as IP Protocol 61

Reference	http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml
Global ID	L3:61
ID	815
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	61
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AODV

Name/CLI Keyword	aodv
Full Name	Ad hoc On-Demand Distance Vector Routing
Description	Ad hoc On-Demand Distance Vector (AODV) is a routing protocol for mobile ad hoc networks (MANETs) and other wireless ad-hoc networks.
Reference	http://www.ietf.org/rfc/rfc3561.txt
Global ID	L4:654
ID	563
Known Mappings	
UDP Port	654
TCP Port	654

IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	routing-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AOL-MESSENGER

Name/CLI Keyword	aol-messenger
Full Name	AOL Instant Messenger
Description	AOL-Messenger software allows users to communicate either through AIM contacts or Facebook/Google-talk contacts and share photos. AIM uses mixed protocols to support its rich feature sets, which include OSCAR, HTTP, STUN, UDP, TCP as well as SIP / RTP.
Reference	http://www.aim.com/
Global ID	L7:79
ID	79
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	aol-group

Category	instant-messaging
Sub Category	voice-video-chat-collaboration
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	No

AOL-MESSENGER-AUDIO

Name/CLI Keyword	aol-messenger-audio
Full Name	AOL Instant Messenger Audio
Description	AOL Instant Messenger Audio Calls classification. Flows can be over TCP or over UDP if the two clients were on the same network. AIM uses RTP over STUN to send audio data over UDP.
Reference	http://www.aim.com/
Global ID	L7:500
ID	1436
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	aol-group
Category	voice-and-video
Sub Category	voice-video-chat-collaboration
P2P Technology	No
Encrypted	No
Tunnel	No

Underlying Protocols No

AOL-MESSENGER-FT

Name/CLI Keyword	aol-messenger-ft
Full Name	AOL Instant Messenger File Transfer
Description	AOL Instant Messenger File transfer flows classification. AIM File transfer flows Flows are TCP flows.
Reference	http://www.aim.com
Global ID	L7:502
ID	1438
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	aol-group
Category	file-sharing
Sub Category	file-sharing
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AOL-MESSENGER-VIDEO

Name/CLI Keyword	aol-messenger-video
Full Name	AOL Instant Messenger Video

Description AOL Instant Messenger Video Calls classification. Flows can be over TCP or over UDP if the two clients were on the same network. AIM uses RTP over STUN to send video data over UDP.

Reference <http://www.aim.com/>

Global ID L7:501

ID 1437

Known Mappings

UDP Port -

TCP Port -

IP Protocol -

IP Version

IPv4 Support Yes

IPv6 Support Yes

Application Group aol-group

Category voice-and-video

Sub Category voice-video-chat-collaboration

P2P Technology No

Encrypted No

Tunnel No

Underlying Protocols No

AOL-PROTOCOL

Name/CLI Keyword aol-protocol

Full Name AOL Protocol

Description AOL-Protocol (also known as OSCAR) is an underlying protocol used in AIM and ICQ.

Reference <http://daol.aol.com/software/aoldesktop96/>

Global ID L7:452

ID 1224

Known Mappings

UDP Port	-
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	instant-messaging
Sub Category	voice-video-chat-collaboration
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

APC-POWERCHUTE

Name/CLI Keyword	apc-powerchute
Full Name	American Power Conversion PowerChute
Description	PowerChute is a computer program by APC used to control the uninterruptible power supplies (UPS) the company produces. It provides unattended shutdown of servers and workstations in the event of an extended power outage. It also monitors and logs the UPS status.
Reference	http://www.apc.com/
Global ID	L4:2160
ID	1374
Known Mappings	
UDP Port	2160,2161,2260,3052,3506,5454,5455,5456,6547,6548,6549,7845,7846,9950,9951,9952
TCP Port	2160,2161,2260,3052,3506,5454,5455,5456,6547,6548,6549,7845,7846,9950,9951,9952
IP Protocol	-
IP Version	

IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

APERTUS-LDP

Name/CLI Keyword	apertus-ldp
Full Name	Apertus Tech Load Distribution
Description	Registered with IANA on port 539 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:539
ID	457
Known Mappings	
UDP Port	539
TCP Port	539
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	other
P2P Technology	No

Encrypted	No
Tunnel	No
Underlying Protocols	-

APPLEJUICE

Name/CLI Keyword	applejuice
Full Name	Apple juice P2P file sharing
Description	Applejuice is a semi-centralized peer-to-peer file sharing network. The network is decentralized over many servers. It offers server and client software for Applejuicenet. The Applejuicenet is used for content distribution with a given Hashlink. The system has also a built-in search to search servers for keywords.
Reference	http://en.wikipedia.org/wiki/Applejuice
Global ID	L4:9022
ID	1375
Known Mappings	
UDP Port	9022
TCP Port	9022
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

APPLEQTC

Name/CLI Keyword	appleqtc
Full Name	Apple QuickTime
Description	Apple QuickTime is an extensible proprietary multimedia framework developed by Apple Inc., capable of handling various formats of digital video, picture, sound, panoramic images, and interactivity. QuickTime is available for Windows XP and later, as well as Mac OS X Leopard and later operating systems.
Reference	http://www.apple.com/quicktime/
Global ID	L4:458
ID	92
Known Mappings	
UDP Port	458
TCP Port	458
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	voice-and-video
Sub Category	streaming
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

APPLEQTC SRVR

Name/CLI Keyword	appleqtcsrvr
Full Name	appleqtcsrvr

Description	Registered with IANA on port 545 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:545
ID	463
Known Mappings	
UDP Port	545
TCP Port	545
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	voice-and-video
Sub Category	streaming
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

APPLIX

Name/CLI Keyword	applix
Full Name	applix
Description	Applix ac
Reference	-
Global ID	L7:264
ID	680
Known Mappings	
UDP Port	999

TCP Port	999
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARCISDMS

Name/CLI Keyword	arcisdms
Full Name	Arcisdms
Description	Registered with IANA on port 262 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:262
ID	1134
Known Mappings	
UDP Port	262
TCP Port	262
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARGUS

Name/CLI Keyword	argus
Full Name	Argus
Description	Registered with IANA as IP Protocol 13
Reference	http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml
Global ID	L3:13
ID	768
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	13
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARIEL1

Name/CLI Keyword	ariel1
Full Name	Ariel1
Description	Ariel is a client/server application developed to facilitate transfer of documents between libraries that are located in different geographical locations.
Reference	http://www.infotrieve.com/sites/default/files/ariel-userguide-4-1.pdf
Global ID	L4:419
ID	334
Known Mappings	
UDP Port	419
TCP Port	419
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARIEL2

Name/CLI Keyword	ariel2
Full Name	Ariel2
Description	Ariel allows users to send high-detail electronic images to other Ariel workstations anywhere in the world, using either FTP or email, converting the images to PDF files for easy delivery.

Reference	http://www.infotrieve.com/ariel-interlibrary-loan-software
Global ID	L4:421
ID	336
Known Mappings	
UDP Port	421
TCP Port	421
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARIEL3

Name/CLI Keyword	ariel3
Full Name	Ariel3
Description	Ariel allows users to send high-detail electronic images to other Ariel workstations anywhere in the world, using either FTP or email, converting the images to PDF files for easy delivery.
Reference	http://www.infotrieve.com/ariel-interlibrary-loan-software
Global ID	L4:422
ID	337
Known Mappings	
UDP Port	422

TCP Port	422
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARIS

Name/CLI Keyword	aris
Full Name	Aggregate Route-Based IP Switching
Description	Aggregate Route-Based IP Switching (ARIS) establishes switched paths through a network, leveraging the advantages of switching technologies in an internet network.
Reference	http://tools.ietf.org/html/draft-viswanathan-aris-overview-00
Global ID	L3:104
ID	858
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	104
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes

Application Group	other
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ARNS

Name/CLI Keyword	arns
Full Name	Adaptive Receive Node Scheduling
Description	Registered with IANA on port 384 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:384
ID	300
Known Mappings	
UDP Port	384
TCP Port	384
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No

Underlying Protocols -

ARUBA-PAPI

Name/CLI Keyword	aruba-papi
Full Name	Process Application Programming Interface
Description	The Process Application Programming Interface (PAPI) is used by Aruba Networks, Inc.in their network management tools to control and manage access points.
Reference	http://papi.rediris.es/
Global ID	L4:8211
ID	1328
Known Mappings	
UDP Port	8211
TCP Port	-
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ASA

Name/CLI Keyword	asa
Full Name	ASA Message Router Object Def.

Description	Registered with IANA on port 386 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:386
ID	302
Known Mappings	
UDP Port	386
TCP Port	386
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ASA-APPL-PROTO

Name/CLI Keyword	asa-appl-proto
Full Name	asa-appl-proto
Description	Registered with IANA on port 502 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:502
ID	416
Known Mappings	

UDP Port	502
TCP Port	502
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	industrial-protocols
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ASIPREGISTRY

Name/CLI Keyword	asipregistry
Full Name	Asipregistry
Description	Registered with IANA on port 687 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:687
ID	595
Known Mappings	
UDP Port	687
TCP Port	687
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes

Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

ASIP-WEBADMIN

Name/CLI Keyword	asip-webadmin
Full Name	AppleShare IP WebAdmin
Description	AppleShare is a product from Apple which implemented various network services such as file server, a print server, web server, electronic mail server. AppleShare IP is a version of AppleShare that supports the use of TCP/IP protocol stack. AppleShare IP WebAdmin is the remote administration service of AppleShare IP where an administrator can perform administrative operations using a web browser.
Reference	http://support.apple.com/kb/TA26109?viewlocale=en_US
Global ID	L4:311
ID	1151
Known Mappings	
UDP Port	311
TCP Port	311
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management

P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AS-SERVERMAP

Name/CLI Keyword	as-servermap
Full Name	AS Server Mapper
Description	The server mapper daemon is a batch job that runs in some IBM subsystems. It provides a method for client applications to determine the port number associated with a particular server.
Reference	http://publib.boulder.ibm.com/infocenter/iserics/v5r4/index.jsp?topic=%2Frzaii%2Frzaiidaemon.htm
Global ID	L4:449
ID	364
Known Mappings	
UDP Port	449
TCP Port	449
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-3

Name/CLI Keyword	at-3
Full Name	AppleTalk Unused
Description	Registered with IANA on port 203 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:203
ID	1101
Known Mappings	
UDP Port	203
TCP Port	203
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-5

Name/CLI Keyword	at-5
Full Name	AppleTalk Unused
Description	Registered with IANA on port 205 TCP/UDP

Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:205
ID	1103
Known Mappings	
UDP Port	205
TCP Port	205
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-7

Name/CLI Keyword	at-7
Full Name	AppleTalk Unused
Description	Registered with IANA on port 207 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:207
ID	1105
Known Mappings	
UDP Port	207

TCP Port	207
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-8

Name/CLI Keyword	at-8
Full Name	AppleTalk Unused
Description	Registered with IANA on port 208 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:208
ID	1106
Known Mappings	
UDP Port	208
TCP Port	208
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group

Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-ECHO

Name/CLI Keyword	at-echo
Full Name	AppleTalk Echo
Description	AppleTalk Echo Protocol (AEP) is a transport layer protocol designed to test the reachability of network nodes. AEP generates packets to be sent to the network node and is identified in the Type field of a packet as an AEP packet.
Reference	http://en.wikipedia.org/wiki/AppleTalk#AppleTalk_Echo_Protocol
Global ID	L4:204
ID	1102
Known Mappings	
UDP Port	204
TCP Port	204
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No

Underlying Protocols -

AT-NBP

Name/CLI Keyword	at-nbp
Full Name	AppleTalk Name Binding
Description	AppleTalk Name Binding (NBP) was a dynamic, distributed system for managing AppleTalk names. When a service started up on a machine, it registered a name for itself as chosen by a human administrator.
Reference	http://en.wikipedia.org/wiki/AppleTalk#Name_Binding_Protocol
Global ID	L4:202
ID	1100
Known Mappings	
UDP Port	202
TCP Port	202
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-RTMP

Name/CLI Keyword	at-rtmp
Full Name	AppleTalk Routing Maintenance

Description	The AppleTalk Routing Table Maintenance Protocol (RTMP) was the protocol by which routers kept each other informed about the topology of the network.
Reference	http://en.wikipedia.org/wiki/AppleTalk#Routing_Table_Maintenance_Protocol
Global ID	L4:201
ID	1099
Known Mappings	
UDP Port	201
TCP Port	201
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	routing-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AT-ZIS

Name/CLI Keyword	at-zis
Full Name	AppleTalk Zone Information Protocol
Description	The Zone Information Protocol was the protocol by which AppleTalk network numbers were associated with zone names. Azone was a subdivision of the network that made sense to humans. While a network number had to be assigned to a topologically-contiguous section of the network, a zone could include several different discontinuous portions of the network.
Reference	http://en.wikipedia.org/wiki/AppleTalk#Zone_Information_Protocol
Global ID	L4:206

ID	1104
Known Mappings	
UDP Port	206
TCP Port	206
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	apple-talk-group
Category	net-admin
Sub Category	network-protocol
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AUDIO-OVER-HTTP

Name/CLI Keyword	audio-over-http
Full Name	Audio Over HTTP
Description	Audio over HTTP represents a classification of transferring Audio data (such as radio and audio) streaming over the HTTP protocol. If a flow is classified as a more specific protocol, it will not be classified by audio-over-http.
Reference	-
Global ID	L7:430
ID	120
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	-

IP Version

IPv4 Support	Yes
--------------	-----

IPv6 Support	Yes
--------------	-----

Application Group	other
--------------------------	-------

Category	voice-and-video
-----------------	-----------------

Sub Category	streaming
---------------------	-----------

P2P Technology	No
-----------------------	----

Encrypted	No
------------------	----

Tunnel	No
---------------	----

Underlying Protocols	No
-----------------------------	----

AUDIT

Name/CLI Keyword	audit
-------------------------	-------

Full Name	Unisys Audit SITP
------------------	-------------------

Description	Registered with IANA on port 182 TCP/UDP
--------------------	--

Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
------------------	---

Global ID	L4:182
------------------	--------

ID	1025
-----------	------

Known Mappings

UDP Port	182
----------	-----

TCP Port	182
----------	-----

IP Protocol	-
-------------	---

IP Version

IPv4 Support	Yes
--------------	-----

IPv6 Support	Yes
--------------	-----

Application Group	other
--------------------------	-------

Category	other
-----------------	-------

Sub Category	other
---------------------	-------

P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AUDITD

Name/CLI Keyword	auditd
Full Name	Digital Audit daemon
Description	The audit daemon, auditd, operates as a server, monitoring /dev/audit for local audit data, monitoring a known port for data from remote cooperating audit daemons, and monitoring an AF_UNIX socket for input from the system administrator.
Reference	http://h30097.www3.hp.com/docs/base_doc/DOCUMENTATION/V51_HTML/MAN/MAN8/0030____.HTM
Global ID	L4:48
ID	928
Known Mappings	
UDP Port	48
TCP Port	48
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AURORA-CMGR

Name/CLI Keyword	aurora-cmgr
Full Name	Aurora CMGR
Description	Registered with IANA on port 364 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:364
ID	280
Known Mappings	
UDP Port	364
TCP Port	364
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AURP

Name/CLI Keyword	aurp
Full Name	AppleTalk Update-based Routing Protocol
Description	The AppleTalk Update-based Routing Protocol (AURP) provides wide area routing enhancements to the AppleTalk routing protocols and is fully compatible with AppleTalk Phase 2.

Reference	http://tools.ietf.org/html/rfc1504
Global ID	L4:387
ID	303
Known Mappings	
UDP Port	387
TCP Port	387
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	routing-protocol
P2P Technology	No
Encrypted	No
Tunnel	Yes
Underlying Protocols	-

AUTH

Name/CLI Keyword	auth
Full Name	Authentication Service
Description	The Identification Protocol (formerly called the Authentication Server Protocol) provides a means to determine the identity of a user of a particular TCP connection. Given a TCP port number pair, it returns a character string which identifies the owner of that connection on the server's system.
Reference	http://www.ietf.org/rfc/rfc1413.txt
Global ID	L4:113
ID	983
Known Mappings	
UDP Port	113

TCP Port	113
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AVIAN

Name/CLI Keyword	avian
Full Name	Avian
Description	Registered with IANA on port 486 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:486
ID	400
Known Mappings	
UDP Port	486
TCP Port	486
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AVOCENT

Name/CLI Keyword	avocent
Full Name	Secure management and installation discovery
Description	Registered with IANA on ports 3211,3502,3871 TCP/UDP
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	L4:3211
ID	1376
Known Mappings	
UDP Port	3211,3502,3871
TCP Port	3211,3502,3871
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	other
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AX25

Name/CLI Keyword	ax25
Full Name	AX.25 Frames
Description	AX.25 is a data link layer protocol derived from the X.25 protocol suite and designed for use by amateur radio operators. It is used extensively on amateur packet radio networks. It occupies the first, second, and often the third layers of the OSI networking model, and is responsible for transferring data (encapsulated in packets) between nodes and detecting errors introduced by the communications channel.
Reference	http://en.wikipedia.org/wiki/AX.25
Global ID	L3:93
ID	847
Known Mappings	
UDP Port	-
TCP Port	-
IP Protocol	93
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	layer3-over-ip
Sub Category	other
P2P Technology	No
Encrypted	No
Tunnel	No
Underlying Protocols	-

AYIYA-IPV6-TUNNELED

Name/CLI Keyword	ayiya-ipv6-tunneled
Full Name	Ayiya IPv6 Tunneled

Description	Anything In Anything (AYIYA) is a tunneling protocol that connects islands of IP traffic. The protocol in NBAR supports only IPV6 tunneled over IPV4 (not IPV6 over IPV6).
Reference	http://www.sixxs.net/tools/ayiya/
Global ID	L7:327
ID	1220
Known Mappings	
UDP Port	5072
TCP Port	5072
IP Protocol	-
IP Version	
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Category	net-admin
Sub Category	network-management
P2P Technology	No
Encrypted	No
Tunnel	Yes
Underlying Protocols	-

© 2012 Cisco Systems, Inc. All rights reserved.