



## Protocols: E

---

- [E-ONLINE](#), on page 2
- [EBAY](#), on page 2
- [ECHO](#), on page 3
- [EDONKEY](#), on page 4
- [EDONKEY-STATIC](#), on page 5
- [EGP](#), on page 6
- [EHOW-WEB-PORTAL](#), on page 6
- [EIGRP](#), on page 7
- [ELCSD](#), on page 8
- [EMBL-NDT](#), on page 9
- [EMCON](#), on page 9
- [EMFIS-CNTL](#), on page 10
- [EMFIS-DATA](#), on page 11
- [ENCAP](#), on page 12
- [ENCRYPTED-BITTORRENT](#), on page 12
- [ENCRYPTED-EMULE](#), on page 13
- [ENGADGET](#), on page 14
- [ENTERTAINMENT-WEEKLY](#), on page 15
- [ENTOMB](#), on page 15
- [ENTRUST-AAAS](#), on page 16
- [ENTRUST-AAMS](#), on page 17
- [ENTRUST-ASH](#), on page 17
- [ENTRUST-KMSH](#), on page 18
- [ENTRUST-SPS](#), on page 19
- [EPMAP](#), on page 20
- [ERPC](#), on page 20
- [ESCP-IP](#), on page 21
- [ESIGNAL](#), on page 22
- [ESPN-BROWSING](#), on page 23
- [ESPN-VIDEO](#), on page 23
- [ESRO-EMSDP](#), on page 24
- [ESRO-GEN](#), on page 25
- [ETHERIP](#), on page 26

- ETSY, on page 26
- EUDORA-SET, on page 27
- EUROPEAN-UNION-PORTAL, on page 28
- EVENTBRITE, on page 29
- EVERNOTE, on page 29
- EXCHANGE, on page 30
- EXEC, on page 31

## E-ONLINE

<b>Name/CLI Keyword</b>	e-online
<b>Full Name</b>	E! Online
<b>Description</b>	E! Online - Online entertainment news.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://eonline.com">http://eonline.com</a>
<b>Global ID</b>	13:723
<b>ID</b>	1653
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EBAY

<b>Name/CLI Keyword</b>	ebay
-------------------------	------

<b>Full Name</b>	eBay
<b>Description</b>	ebay is a multinational e-commerce corporation that facilitates consumer-to-consumer and business-to-consumer sales through its website.
<b>Introduced</b>	38.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ebay.com">http://ebay.com</a>
<b>Global ID</b>	13:270
<b>ID</b>	270
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	consumer-web-browsing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ECHO

<b>Name/CLI Keyword</b>	echo
<b>Full Name</b>	Echo Protocol
<b>Description</b>	Echo is a protocol that is used for debugging and measurement. It works by sending back all the data that was received from the source. The protocol works on TCP and UDP, typically on port 7.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.faqs.org/rfcs/rfc862.html">http://www.faqs.org/rfcs/rfc862.html</a>
<b>Global ID</b>	3:7

<b>ID</b>	101
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## EDONKEY

<b>Name/CLI Keyword</b>	edonkey
<b>Full Name</b>	eDonkey
<b>Description</b>	eDonkey is peer-to-peer file sharing adopted to share large files. The network is based on multiple decentralized servers. Each client must be connected to a server to enter the network. edonkey-static and eMule are also required to fully detect or prevent this application traffic.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://web.archive.org/web/20010213200827/www.edonkey2000.com/overview.html">http://web.archive.org/web/20010213200827/www.edonkey2000.com/overview.html</a>
<b>Global ID</b>	13:67
<b>ID</b>	67
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	edonkey-emule-group
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-file-sharing

<b>Sub Category</b>	p2p-file-transfer
<b>P2P Technology</b>	True
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EDONKEY-STATIC

<b>Name/CLI Keyword</b>	edonkey-static
<b>Full Name</b>	eDonkey Static
<b>Description</b>	eDonkey is a peer-to-peer file sharing adopted to share large files. The network is based on multiple decentralized servers ,each client must be connected to a server to enter the network. edonkey-static and eMule are also required to fully detect or prevent this application traffic.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://en.wikipedia.org/wiki/EDonkey_network">http://en.wikipedia.org/wiki/EDonkey_network</a>
<b>Global ID</b>	13:416
<b>ID</b>	1333
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	edonkey-emule-group
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-file-sharing
<b>Sub Category</b>	p2p-file-transfer
<b>P2P Technology</b>	True
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EGP

<b>Name/CLI Keyword</b>	egp
<b>Full Name</b>	Exterior Gateway Protocol
<b>Description</b>	Exterior Gateway Protocol (EGP) is a protocol used to convey network information between neighboring gateways, or autonomic systems. This way the gateways acquire neighbors, monitor neighbor reachability and exchange net-reachability information in the form of update messages. EGP is IP protocol number 8.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc904">http://tools.ietf.org/html/rfc904</a>
<b>Global ID</b>	1:8
<b>ID</b>	4
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	routing-protocol
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	False

## EHOW-WEB-PORTAL

<b>Name/CLI Keyword</b>	ehow-web-portal
<b>Full Name</b>	eHow
<b>Description</b>	eHow - Website featuring tutorials on a wide variety of subjects.
<b>Introduced</b>	14.0.0

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ehow.com">http://ehow.com</a>
<b>Global ID</b>	13:727
<b>ID</b>	1657
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EIGRP

<b>Name/CLI Keyword</b>	eigrp
<b>Full Name</b>	Interior Gateway Routing Protocol
<b>Description</b>	Enhanced Interior Gateway Routing Protocol (EIGRP) is an interior gateway protocol. It is an advanced distance-vector routing protocol, with optimizations to minimize both the routing instability incurred after topology changes, as well as the use of bandwidth and processing power in the router. The protocol is usually known as IP protocol 88 as default.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/tech/tk365/technologies_white_paper09186a0080094cb7.shtml">http://www.cisco.com/en/US/tech/tk365/technologies_white_paper09186a0080094cb7.shtml</a>
<b>Global ID</b>	1:88
<b>ID</b>	7
<b>IPv4 Support</b>	Yes

<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	routing-protocol
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	False

## ELCSD

<b>Name/CLI Keyword</b>	elcsd
<b>Full Name</b>	Errlog Copy/Server Daemon
<b>Description</b>	Registered with IANA on port 704 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:704
<b>ID</b>	608
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	ops-admin-mgmt



<b>Tunnel</b>	unassigned
---------------	------------

## EMBL-NDT

<b>Name/CLI Keyword</b>	embl-ndt
<b>Full Name</b>	EMBL Nucleic Data Transfer
<b>Description</b>	Registered with IANA on port 394 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:394
<b>ID</b>	310
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EMCON

<b>Name/CLI Keyword</b>	emcon
<b>Full Name</b>	Emission Control Protocol
<b>Description</b>	Registered with IANA as IP Protocol 14
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml">http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml</a>
<b>Global ID</b>	1:14
<b>ID</b>	769
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## EMFIS-CNTL

<b>Name/CLI Keyword</b>	emfis-cntl
<b>Full Name</b>	EMFIS Control Service
<b>Description</b>	Registered with IANA on port 141 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:141
<b>ID</b>	933
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default

<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EMFIS-DATA

<b>Name/CLI Keyword</b>	emfis-data
<b>Full Name</b>	EMFIS Data Service
<b>Description</b>	Registered with IANA on port 140 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:140
<b>ID</b>	929
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

# ENCAP

<b>Name/CLI Keyword</b>	encap
<b>Full Name</b>	Encapsulation Header
<b>Description</b>	Encapsulation Protocol is an IP tunneling protocol implemented by encapsulating the IP datagram within an additional IP header, thus enabling a destination to be reached transparently without the source having to know topology specifics.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc1241">http://tools.ietf.org/html/rfc1241</a>
<b>Global ID</b>	1:98
<b>ID</b>	852
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

# ENCRYPTED-BITTORRENT

<b>Name/CLI Keyword</b>	encrypted-bittorrent
<b>Full Name</b>	Encrypted Bittorrent
<b>Description</b>	Encrypted BitTorrent is an attempt to provide anonymous and private BitTorrent traffic. BitTorrent is a peer-to-peer file sharing protocol used for distributing files over the internet. It identifies content by URL and is designed to integrate seamlessly with the web. The BitTorrent protocol is based on a BitTorrent tracker (server) that initializes the connections between the clients (peers).

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.bittorrent.com/">http://www.bittorrent.com/</a>
<b>Global ID</b>	13:313
<b>ID</b>	1206
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	bittorrent-group
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-file-sharing
<b>Sub Category</b>	p2p-file-transfer
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ENCRYPTED-EMULE

<b>Name/CLI Keyword</b>	encrypted-emule
<b>Full Name</b>	Encrypted eMule (eDonkey and Kademlia)
<b>Description</b>	encrypted-emule, represents the encrypted traffic of eMule which is a peer-to-peer file sharing application based on eDonkey, eDonkey2000 and Kad network
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.emule-project.net/">http://www.emule-project.net/</a>
<b>Global ID</b>	13:417
<b>ID</b>	885
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	edonkey-emule-group

<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-file-sharing
<b>Sub Category</b>	p2p-file-transfer
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ENGADGET

<b>Name/CLI Keyword</b>	engadget
<b>Full Name</b>	Engadget
<b>Description</b>	Engadget - E-commerce for gadgets and electronics.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://engadget.com">http://engadget.com</a>
<b>Global ID</b>	13:667
<b>ID</b>	1596
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ENTERTAINMENT-WEEKLY

<b>Name/CLI Keyword</b>	entertainment-weekly
<b>Full Name</b>	Entertainment Weekly
<b>Description</b>	Entertainment Weekly - Entertainment new and video clips.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ew.com">http://ew.com</a>
<b>Global ID</b>	13:800
<b>ID</b>	1728
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ENTOMB

<b>Name/CLI Keyword</b>	entomb
<b>Full Name</b>	Entomb
<b>Description</b>	Registered with IANA on port 775 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>

<b>Global ID</b>	3:775
<b>ID</b>	647
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ENTRUST-AAAS

<b>Name/CLI Keyword</b>	entrust-aaas
<b>Full Name</b>	Entrust-Aaas
<b>Description</b>	Registered with IANA on port 680 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:680
<b>ID</b>	588
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services



<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## ENTRUST-AAMS

<b>Name/CLI Keyword</b>	entrust-aams
<b>Full Name</b>	Entrust-Aams
<b>Description</b>	Registered with IANA on port 681 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:681
<b>ID</b>	589
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## ENTRUST-ASH

<b>Name/CLI Keyword</b>	entrust-ash
-------------------------	-------------

<b>Full Name</b>	Entrust Administration Service Handler
<b>Description</b>	Registered with IANA on port 710 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:710
<b>ID</b>	613
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## ENTRUST-KMSH

<b>Name/CLI Keyword</b>	entrust-kmsh
<b>Full Name</b>	Entrust Key Management Service Handler
<b>Description</b>	Entrust Key Management Service Handler (Entrust-KMSH) is a cryptographic key management service for Entrust, a network security company, authentication products.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.entrust.com/">http://www.entrust.com/</a>
<b>Global ID</b>	3:709

<b>ID</b>	612
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## ENTRUST-SPS

<b>Name/CLI Keyword</b>	entrust-sps
<b>Full Name</b>	Entrust SPS
<b>Description</b>	Registered with IANA on port 640 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:640
<b>ID</b>	549
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False

<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## EPMAP

<b>Name/CLI Keyword</b>	epmap
<b>Full Name</b>	DCE endpoint resolution
<b>Description</b>	Registered with IANA on port 135 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:135
<b>ID</b>	1311
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	inter-process-rpc
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ERPC

<b>Name/CLI Keyword</b>	erpc
<b>Full Name</b>	Encore Expedited Remote Pro.Call

<b>Description</b>	Registered with IANA on port 121 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:121
<b>ID</b>	990
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	inter-process-rpc
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ESCP-IP

<b>Name/CLI Keyword</b>	escp-ip
<b>Full Name</b>	ESCP
<b>Description</b>	Registered with IANA on port 621 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:621
<b>ID</b>	530
<b>IPv4 Support</b>	Yes

<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ESIGNAL

<b>Name/CLI Keyword</b>	esignal
<b>Full Name</b>	eSignal
<b>Description</b>	Used by eSignal in their online trading line of products.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.esignal.com/">http://www.esignal.com/</a>
<b>Global ID</b>	3:2189
<b>ID</b>	1380
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data

<b>Tunnel</b>	False
---------------	-------

## ESPN-BROWSING

<b>Name/CLI Keyword</b>	espn-browsing
<b>Full Name</b>	ESPN web browsing
<b>Description</b>	ESPN is a global television network focused on sports-related programming. Espn-browsing protocol is used for accessing and browsing the network's websites and mobile applications for iPhone, iPad, Android and WinRT. There is a separate protocol, espn-video, for the network's video streaming services.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.espn.com/">http://www.espn.com/</a>
<b>Global ID</b>	13:551
<b>ID</b>	1486
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	espn-group
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-internet
<b>Sub Category</b>	consumer-web-browsing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ESPN-VIDEO

<b>Name/CLI Keyword</b>	espn-video
<b>Full Name</b>	ESPN video streaming

<b>Description</b>	ESPN is a global television network focused on sports-related programming. Espn-video is the protocol used for watching video streams using browser or mobile applications for iPhone, iPad, Android and WinRT.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.espn.com/">http://www.espn.com/</a>
<b>Global ID</b>	13:552
<b>ID</b>	1487
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	espn-group
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-streaming
<b>Sub Category</b>	consumer-video-streaming
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-streaming
<b>Tunnel</b>	False

## ESRO-EMSDP

<b>Name/CLI Keyword</b>	esro-emsdp
<b>Full Name</b>	ESRO-EMSDP V1.3
<b>Description</b>	Registered with IANA on port 642 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:642
<b>ID</b>	551



<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## ESRO-GEN

<b>Name/CLI Keyword</b>	esro-gen
<b>Full Name</b>	Efficient Short Remote Operations
<b>Description</b>	Efficient Short Remote Operations (ESRO) provide an efficient mechanism for realization of Remote Procedure Call.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc2188">http://tools.ietf.org/html/rfc2188</a>
<b>Global ID</b>	3:259
<b>ID</b>	1131
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	inter-process-rpc
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False

<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## ETHERIP

<b>Name/CLI Keyword</b>	etherip
<b>Full Name</b>	Ethernet-within-IP Encapsulation
<b>Description</b>	EtherIP is a protocol used for tunneling Ethernet packets and IEEE 802.3 MAC frames across an IP internet. It is usually used when the Layer 3 protocol is not IP, or when the Layer 3 data is obscured by encryption. EtherIP is IP protocol number 97.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc3378">http://tools.ietf.org/html/rfc3378</a>
<b>Global ID</b>	1:97
<b>ID</b>	851
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## ETSY

<b>Name/CLI Keyword</b>	etsy
<b>Full Name</b>	Etsy

<b>Description</b>	Etsy - E-commerce website for homemade or vintage items.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://etsy.com">http://etsy.com</a>
<b>Global ID</b>	13:646
<b>ID</b>	1575
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EUDORA-SET

<b>Name/CLI Keyword</b>	eudora-set
<b>Full Name</b>	Eudora Set
<b>Description</b>	Registered with IANA on port 592 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:592
<b>ID</b>	506
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes

<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	email
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EUROPEAN-UNION-PORTAL

<b>Name/CLI Keyword</b>	european-union-portal
<b>Full Name</b>	European Union
<b>Description</b>	European Union - Official website for European Union.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://europa.eu">http://europa.eu</a>
<b>Global ID</b>	13:784
<b>ID</b>	1712
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EVENTBRITE

<b>Name/CLI Keyword</b>	eventbrite
<b>Full Name</b>	Eventbrite
<b>Description</b>	Eventbrite - Event organization and invite site.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://eventbrite.com">http://eventbrite.com</a>
<b>Global ID</b>	13:717
<b>ID</b>	1647
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EVERNOTE

<b>Name/CLI Keyword</b>	evernote
<b>Full Name</b>	Evernote
<b>Description</b>	Evernote - Synched note taking and web bookmarking app.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://evernote.com">http://evernote.com</a>

<b>Global ID</b>	13:687
<b>ID</b>	1617
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## EXCHANGE

<b>Name/CLI Keyword</b>	exchange
<b>Full Name</b>	Microsoft Exchange
<b>Description</b>	Exchange is a protocol that allows users to synchronize and connect to their exchange server
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://support.microsoft.com/kb/262986">http://support.microsoft.com/kb/262986</a>
<b>Global ID</b>	13:49
<b>ID</b>	49
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	email
<b>Sub Category</b>	enterprise-transactional-apps

<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## EXEC

<b>Name/CLI Keyword</b>	exec
<b>Full Name</b>	Remote Execution Protocol
<b>Description</b>	Remote Execution (EXEC) protocol is used to run a program on a remote server as if it was being run on the local machine. This is accomplished by redirecting standard in/out and standard error through the connection.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://wiki.wireshark.org/Exec">http://wiki.wireshark.org/Exec</a>
<b>Global ID</b>	3:512
<b>ID</b>	426
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	remote-access-terminal
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

