



## Protocols: G

---

- [GACP, on page 2](#)
- [GAME-SPY, on page 3](#)
- [GBRIDGE, on page 4](#)
- [GDOMAP, on page 4](#)
- [GDS\\_DB, on page 5](#)
- [GENIE, on page 6](#)
- [GENRAD-MUX, on page 7](#)
- [GGF-NCP, on page 7](#)
- [GGP, on page 8](#)
- [GHOSTSURF, on page 9](#)
- [GINAD, on page 10](#)
- [GITHUB, on page 11](#)
- [GIZMODO, on page 11](#)
- [GKRELLM, on page 12](#)
- [GMAIL, on page 13](#)
- [GMTP, on page 14](#)
- [GMX-MAIL, on page 14](#)
- [GNUTELLA, on page 15](#)
- [GO-LOGIN, on page 16](#)
- [GOBOOGY, on page 17](#)
- [GODADDY, on page 17](#)
- [GOODREADS, on page 18](#)
- [GOOGLE-ACCOUNTS, on page 19](#)
- [GOOGLE-CHAT, on page 19](#)
- [GOOGLE-DOCS, on page 20](#)
- [GOOGLE-DOWNLOADS, on page 21](#)
- [GOOGLE-EARTH, on page 22](#)
- [GOOGLE-MAPS, on page 22](#)
- [GOOGLE-MEET, on page 23](#)
- [GOOGLE-MEET-AUDIO, on page 24](#)
- [GOOGLE-MEET-MEDIA, on page 25](#)
- [GOOGLE-MEET-VIDEO, on page 25](#)
- [GOOGLE-PHOTOS, on page 26](#)

- GOOGLE-PLAY, on page 27
- GOOGLE-PLUS, on page 28
- GOOGLE-SERVICES, on page 28
- GOOGLE-SERVICES-AUDIO, on page 29
- GOOGLE-SERVICES-MEDIA, on page 30
- GOOGLE-SERVICES-VIDEO, on page 31
- GOOGLE-TRANSLATE, on page 31
- GOPHER, on page 32
- GOTODEVICE, on page 33
- GOTOMEETING, on page 34
- GOTOMYPC, on page 34
- GRAPHICS, on page 35
- GRE, on page 36
- GREE, on page 37
- GRIDFTP, on page 37
- GROOVE, on page 38
- GROUPWISE, on page 39
- GSIFTP, on page 40
- GSS-HTTP, on page 41
- GSS-XLICEN, on page 41
- GTALK, on page 42
- GTALK-CHAT, on page 43
- GTALK-FT, on page 44
- GTALK-VIDEO, on page 44
- GTALK-VOIP, on page 45
- GTP-USER, on page 46
- GURUGURU, on page 47
- GYAO, on page 48

## GACP

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | gacp  |
| <b>Full Name</b>        | Gateway Access Control Protocol   |
| <b>Description</b>      | Registered with IANA on port 190 TCP/UDP  |
| <b>Introduced</b>       | -   |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>        | 3:190   |
| <b>ID</b>               | 1034  |

|                           |                   |
|---------------------------|-------------------|
| <b>IPv4 Support</b>       | Yes               |
| <b>IPv6 Support</b>       | Yes               |
| <b>Application Group</b>  | other             |
| <b>Business Relevance</b> | business-relevant |
| <b>Category</b>           | net-admin         |
| <b>Sub Category</b>       | routing-protocol  |
| <b>P2P Technology</b>     | False             |
| <b>Encrypted</b>          | False             |
| <b>Traffic-class</b>      | network-control   |
| <b>Tunnel</b>             | False             |

## GAME-SPY

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | game-spy   |
| <b>Full Name</b>          | GameSpy Online Gaming  |
| <b>Description</b>        | GameSpy is network of game websites that provides online video game related services and software. GameSpy is available on PC and many other game platforms. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.gamespy.com/">http://www.gamespy.com/</a>  |
| <b>Global ID</b>          | 13:506   |
| <b>ID</b>                 | 1349   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | gaming   |
| <b>Sub Category</b>       | other  |
| <b>P2P Technology</b>     | False  |

|                      |                      |
|----------------------|----------------------|
| <b>Encrypted</b>     | False                |
| <b>Traffic-class</b> | multimedia-streaming |
| <b>Tunnel</b>        | False                |

## GBRIDGE

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gbridge   |
| <b>Full Name</b>          | Gbridge   |
| <b>Description</b>        | Deprecated: Gbridge is a free software that allows users to control PCs remotely, sync folders, share files and chat securely using a Google Account. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | 32.0.0  |
| <b>Reference</b>          | <a href="http://www.gbridge.com">http://www.gbridge.com</a>   |
| <b>Global ID</b>          | 13:530  |
| <b>ID</b>                 | 1465  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-streaming  |
| <b>Sub Category</b>       | consumer-multimedia-messaging   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | multimedia-conferencing   |
| <b>Tunnel</b>             | False   |

## GDOMAP

|                         |        |
|-------------------------|--------|
| <b>Name/CLI Keyword</b> | gdomap |
| <b>Full Name</b>        | gdomap |

|                           |  |
|---------------------------|--|
| <b>Description</b>        | The gdomap daemon is used by GNUMstep programs to look up distributed objects of processes running across the network (and between different user accounts on a single machine). The daemon is not used for lookup where two processes belonging to the same user are using a host-local connection. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.gnustep.org/resources/documentation/Developer/Tools/Reference/gdomap.html">http://www.gnustep.org/resources/documentation/Developer/Tools/Reference/gdomap.html</a>  |
| <b>Global ID</b>          | 3:538  |
| <b>ID</b>                 | 456  |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | other  |
| <b>Sub Category</b>       | other  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | False  |
| <b>Traffic-class</b>      | bulk-data  |
| <b>Tunnel</b>             | False  |

## GDS\_DB

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | gds_db  |
| <b>Full Name</b>        | GDS DataBase  |
| <b>Description</b>      | Registered with IANA on port 3050 TCP/UDP   |
| <b>Introduced</b>       | -   |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>        | 3:3050  |

|                           |                               |
|---------------------------|-------------------------------|
| <b>ID</b>                 | 1343                          |
| <b>IPv4 Support</b>       | Yes                           |
| <b>IPv6 Support</b>       | Yes                           |
| <b>Application Group</b>  | other                         |
| <b>Business Relevance</b> | business-relevant             |
| <b>Category</b>           | database                      |
| <b>Sub Category</b>       | enterprise-transactional-apps |
| <b>P2P Technology</b>     | False                         |
| <b>Encrypted</b>          | False                         |
| <b>Traffic-class</b>      | transactional-data            |
| <b>Tunnel</b>             | False                         |

## GENIE

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | genie   |
| <b>Full Name</b>          | Genie Protocol  |
| <b>Description</b>        | Registered with IANA on port 402 TCP/UDP  |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:402   |
| <b>ID</b>                 | 317   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |

|                      |           |
|----------------------|-----------|
| <b>Encrypted</b>     | False     |
| <b>Traffic-class</b> | bulk-data |
| <b>Tunnel</b>        | False     |

## GENRAD-MUX

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | genrad-mux  |
| <b>Full Name</b>          | GenRad MUX  |
| <b>Description</b>        | Registered with IANA on port 176 TCP/UDP  |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:176   |
| <b>ID</b>                 | 1021  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GGF-NCP

|                         |                               |
|-------------------------|-------------------------------|
| <b>Name/CLI Keyword</b> | ggf-ncp                       |
| <b>Full Name</b>        | GNU Generation Foundation NCP |

|                           |   |
|---------------------------|---|
| <b>Description</b>        | Registered with IANA on port 678 TCP/UDP  |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:678   |
| <b>ID</b>                 | 586   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GGP

|                         |  |
|-------------------------|--|
| <b>Name/CLI Keyword</b> | ggp  |
| <b>Full Name</b>        | GGP  |
| <b>Description</b>      | The Gateway-to-Gateway Protocol (GGP) is an obsolete protocol defined for routing datagrams between Internet gateways. The Gateway-to-Gateway Protocol was designed as an Internet Protocol (IP) datagram service similar to the Transmission Control Protocol (TCP) and the User Datagram Protocol (UDP). However, it is classified as an Internet Layer protocol. GGP uses a minimum hop algorithm, in which it measures distance in router hops. A router is defined to be zero hops from directly connected networks, one hop from networks that are reachable through one other gateway. The protocol implements a distributed shortest-path methodologies, and therefore requires global convergence of the routing tables after any change of link connectivity in the network. |
| <b>Introduced</b>       | -  |
| <b>Deprecated</b>       | -  |



|                           |   |
|---------------------------|---|
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/Gateway-to-Gateway_Protocol">http://en.wikipedia.org/wiki/Gateway-to-Gateway_Protocol</a> |
| <b>Global ID</b>          | 1:3   |
| <b>ID</b>                 | 759   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GHOSTSURF

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | ghostsurf   |
| <b>Full Name</b>          | GhostSurf Anonymous Internet Surfing Application  |
| <b>Description</b>        | GhostSurf is an Internet privacy product that makes users virtually invisible on the Internet and ensures a secure surfing experience. GhostSurf uses an advanced encryption model to encrypt the Internet connection |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | 7.0.0   |
| <b>Reference</b>          | <a href="http://www.ghostsurf-pro.com/">http://www.ghostsurf-pro.com/</a>   |
| <b>Global ID</b>          | 13:503  |
| <b>ID</b>                 | 1439  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |

|                       |           |
|-----------------------|-----------|
| <b>Category</b>       | other     |
| <b>Sub Category</b>   | other     |
| <b>P2P Technology</b> | False     |
| <b>Encrypted</b>      | False     |
| <b>Traffic-class</b>  | bulk-data |
| <b>Tunnel</b>         | False     |

## GINAD

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | ginad   |
| <b>Full Name</b>          | Ginad   |
| <b>Description</b>        | Registered with IANA on port 634 TCP/UDP  |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:634   |
| <b>ID</b>                 | 543   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

# GITHUB

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | github  |
| <b>Full Name</b>          | GitHub  |
| <b>Description</b>        | GitHub - Code management portal for open Source projects. |
| <b>Introduced</b>         | 14.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://github.com">http://github.com</a>         |
| <b>Global ID</b>          | 13:625  |
| <b>ID</b>                 | 1554  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-relevant   |
| <b>Category</b>           | browsing  |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False   |

# GIZMODO

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | gizmodo   |
| <b>Full Name</b>        | Gizmodo   |
| <b>Description</b>      | Gizmodo - Blogs about design and technology.        |
| <b>Introduced</b>       | 14.0.0  |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="http://gizmodo.com">http://gizmodo.com</a> |

|                           |                     |
|---------------------------|---------------------|
| <b>Global ID</b>          | 13:688              |
| <b>ID</b>                 | 1618                |
| <b>IPv4 Support</b>       | Yes                 |
| <b>IPv6 Support</b>       | Yes                 |
| <b>Application Group</b>  | other               |
| <b>Business Relevance</b> | business-irrelevant |
| <b>Category</b>           | browsing            |
| <b>Sub Category</b>       | other               |
| <b>P2P Technology</b>     | False               |
| <b>Encrypted</b>          | False               |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False               |

## GKRELLM

|                          |   |
|--------------------------|---|
| <b>Name/CLI Keyword</b>  | gkrellm   |
| <b>Full Name</b>         | GKrellM   |
| <b>Description</b>       | GNU Krell Monitors (GKrellM) is a computer program based on the GTK+ toolkit that creates a single process stack of system monitors. It can be used to monitor the status of CPUs, main memory, hard disks, network interfaces, local and remote mailboxes, and many other things. Plugins are available for a multitude of tasks, for example, controlling the XMMS media player or a SETI@home client from within the stacked monitor. GKrellM is popular among users of Linux and other Unix-like operating systems. |
| <b>Introduced</b>        | -   |
| <b>Deprecated</b>        | -   |
| <b>Reference</b>         | <a href="http://www.gkrellm.net/">http://www.gkrellm.net/</a>   |
| <b>Global ID</b>         | 3:19150   |
| <b>ID</b>                | 1344  |
| <b>IPv4 Support</b>      | Yes   |
| <b>IPv6 Support</b>      | Yes   |
| <b>Application Group</b> | other   |

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Business Relevance</b> | business-relevant               |
| <b>Category</b>           | business-and-productivity-tools |
| <b>Sub Category</b>       | network-management              |
| <b>P2P Technology</b>     | False                           |
| <b>Encrypted</b>          | False                           |
| <b>Traffic-class</b>      | ops-admin-mgmt                  |
| <b>Tunnel</b>             | False                           |

# GMAIL

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gmail  |
| <b>Full Name</b>          | Gmail  |
| <b>Description</b>        | GMAIL is a free web based email service provided by Google Inc. The underlying protocols for GMAIL are SSL and HTTP. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://mail.google.com/mail/">http://mail.google.com/mail/</a>  |
| <b>Global ID</b>          | 13:462   |
| <b>ID</b>                 | 1073   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | consumer-internet  |
| <b>Sub Category</b>       | consumer-web-browsing  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | bulk-data  |
| <b>Tunnel</b>             | False  |

## GMTP

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gntp  |
| <b>Full Name</b>          | GMTP  |
| <b>Description</b>        | Graphical Media Transfer Protocol (gMTP) is a lightweight graphical MTP media client for UNIX and UNIX-like systems. It supports all MTP-based devices including MP3 players, Media Players, Tablets and Mobile Phones. gMTP Is IP protocol number 100. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://gntp.sourceforge.net">http://gntp.sourceforge.net</a>   |
| <b>Global ID</b>          | 1:100   |
| <b>ID</b>                 | 854   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | unassigned  |
| <b>Encrypted</b>          | unassigned  |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | unassigned  |

## GMX-MAIL

|                         |  |
|-------------------------|--|
| <b>Name/CLI Keyword</b> | gmx-mail                                 |
| <b>Full Name</b>        | GMX Mail                                 |
| <b>Description</b>      | GMX Mail - German based webmail service. |
| <b>Introduced</b>       | 14.0.0                                   |

|                           |   |
|---------------------------|---|
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://gmx.co">http://gmx.co</a> |
| <b>Global ID</b>          | 13:662                                    |
| <b>ID</b>                 | 1591                                      |
| <b>IPv4 Support</b>       | Yes                                       |
| <b>IPv6 Support</b>       | Yes                                       |
| <b>Application Group</b>  | other                                     |
| <b>Business Relevance</b> | business-irrelevant                       |
| <b>Category</b>           | browsing                                  |
| <b>Sub Category</b>       | other                                     |
| <b>P2P Technology</b>     | False                                     |
| <b>Encrypted</b>          | False                                     |
| <b>Traffic-class</b>      | transactional-data                        |
| <b>Tunnel</b>             | False                                     |

## GNUTELLA

|                          |   |
|--------------------------|---|
| <b>Name/CLI Keyword</b>  | gnutella  |
| <b>Full Name</b>         | Gnutella  |
| <b>Description</b>       | Gnutella is decentralized and open-source peer-to-peer file sharing protocol used by various clients such as BearShare, Shareeza, Morpheus, etc. Using a Gnutella client, files can be shared, located and downloaded by another Gnutella client. |
| <b>Introduced</b>        | -   |
| <b>Deprecated</b>        | -   |
| <b>Reference</b>         | <a href="http://rfc-gnutella.sourceforge.net/">http://rfc-gnutella.sourceforge.net/</a>   |
| <b>Global ID</b>         | 13:58   |
| <b>ID</b>                | 58  |
| <b>IPv4 Support</b>      | Yes   |
| <b>IPv6 Support</b>      | Yes   |
| <b>Application Group</b> | gnutella-group  |

|                           |                       |
|---------------------------|-----------------------|
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-file-sharing |
| <b>Sub Category</b>       | p2p-file-transfer     |
| <b>P2P Technology</b>     | True                  |
| <b>Encrypted</b>          | False                 |
| <b>Traffic-class</b>      | bulk-data             |
| <b>Tunnel</b>             | False                 |

## GO-LOGIN

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | go-login  |
| <b>Full Name</b>          | GraphOn Login   |
| <b>Description</b>        | GraphOn Login is a protocol used by GraphOn, a company that develops secure cloud application delivery solutions. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.graphon.com/">http://www.graphon.com/</a>   |
| <b>Global ID</b>          | 3:491   |
| <b>ID</b>                 | 405   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-relevant   |
| <b>Category</b>           | net-admin   |
| <b>Sub Category</b>       | authentication-services   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | ops-admin-mgmt  |
| <b>Tunnel</b>             | False   |



# GOBOOGY

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | goboogy   |
| <b>Full Name</b>          | GoBoogy   |
| <b>Description</b>        | A korean P2P file sharing software.                   |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://goboogy.com/">http://goboogy.com/</a> |
| <b>Global ID</b>          | 3:5325  |
| <b>ID</b>                 | 1345  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant                                   |
| <b>Category</b>           | consumer-file-sharing                                 |
| <b>Sub Category</b>       | file-transfer   |
| <b>P2P Technology</b>     | True  |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

# GODADDY

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | godaddy   |
| <b>Full Name</b>        | GoDaddy   |
| <b>Description</b>      | GoDaddy - Domain registrar.                         |
| <b>Introduced</b>       | 14.0.0  |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="http://godaddy.com">http://godaddy.com</a> |

|                           |                     |
|---------------------------|---------------------|
| <b>Global ID</b>          | 13:640              |
| <b>ID</b>                 | 1569                |
| <b>IPv4 Support</b>       | Yes                 |
| <b>IPv6 Support</b>       | Yes                 |
| <b>Application Group</b>  | other               |
| <b>Business Relevance</b> | business-irrelevant |
| <b>Category</b>           | browsing            |
| <b>Sub Category</b>       | other               |
| <b>P2P Technology</b>     | False               |
| <b>Encrypted</b>          | False               |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False               |

## GOODREADS

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | goodreads   |
| <b>Full Name</b>          | Goodreads   |
| <b>Description</b>        | Goodreads - Book review and cataloging.                 |
| <b>Introduced</b>         | 14.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://goodreads.com">http://goodreads.com</a> |
| <b>Global ID</b>          | 13:670  |
| <b>ID</b>                 | 1599  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant                                     |
| <b>Category</b>           | browsing  |
| <b>Sub Category</b>       | other   |

|                       |                    |
|-----------------------|--------------------|
| <b>P2P Technology</b> | False              |
| <b>Encrypted</b>      | False              |
| <b>Traffic-class</b>  | transactional-data |
| <b>Tunnel</b>         | False              |

## GOOGLE-ACCOUNTS

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | google-accounts  |
| <b>Full Name</b>          | Google Accounts Authentication   |
| <b>Description</b>        | Google Accounts Authentication protocol covers the traffic logging into Google services using Google certificates. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/Google_Account">http://en.wikipedia.org/wiki/Google_Account</a>              |
| <b>Global ID</b>          | 13:528   |
| <b>ID</b>                 | 1440   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | consumer-internet  |
| <b>Sub Category</b>       | consumer-web-browsing  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | transactional-data   |
| <b>Tunnel</b>             | False  |

## GOOGLE-CHAT

|                         |             |
|-------------------------|-------------|
| <b>Name/CLI Keyword</b> | google-chat |
|-------------------------|-------------|

|                           |   |
|---------------------------|---|
| <b>Full Name</b>          | Google Chat   |
| <b>Description</b>        | Google Chat is a messaging and team collaboration platform supporting text, images, video, and file transfer. |
| <b>Introduced</b>         | 64.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://chat.google.com">https://chat.google.com</a>   |
| <b>Global ID</b>          | 13:1288   |
| <b>ID</b>                 | 1288  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | instant-messaging   |
| <b>Sub Category</b>       | consumer-multimedia-messaging   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False   |

## GOOGLE-DOCS

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | google-docs   |
| <b>Full Name</b>        | Google Docs\Drive   |
| <b>Description</b>      | Google Docs also known as Google Drive, is a free, web-based office suite and data storage service, offered by Google Inc. It enables the user to create and edit documents in different formats. In addition, it allows to upload, host view and share files with other users. |
| <b>Introduced</b>       | -   |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="https://docs.google.com/#home">https://docs.google.com/#home</a>   |
| <b>Global ID</b>        | 13:522  |

|                           |                        |
|---------------------------|------------------------|
| <b>ID</b>                 | 1458                   |
| <b>IPv4 Support</b>       | Yes                    |
| <b>IPv6 Support</b>       | Yes                    |
| <b>Application Group</b>  | google-group           |
| <b>Business Relevance</b> | business-irrelevant    |
| <b>Category</b>           | consumer-file-sharing  |
| <b>Sub Category</b>       | consumer-cloud-storage |
| <b>P2P Technology</b>     | True                   |
| <b>Encrypted</b>          | True                   |
| <b>Traffic-class</b>      | transactional-data     |
| <b>Tunnel</b>             | False                  |

## GOOGLE-DOWNLOADS

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-downloads  |
| <b>Full Name</b>          | Google Downloads Services                                 |
| <b>Description</b>        | Google downloads and updates used by google applications. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://dl.google.com/">http://dl.google.com/</a> |
| <b>Global ID</b>          | 13:1081   |
| <b>ID</b>                 | 1081  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | software-updates  |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |

|                      |            |
|----------------------|------------|
| <b>Encrypted</b>     | unassigned |
| <b>Traffic-class</b> | bulk-data  |
| <b>Tunnel</b>        | False      |

## GOOGLE-EARTH

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-earth  |
| <b>Full Name</b>          | Google Earth  |
| <b>Description</b>        | Google Earth is an application that lets the user view the world virtually through satellite imagery, maps and 3D buildings, etc. The application runs on Windows, MAC and Linux OS. The underlying protocol of Google Earth is HTTP. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.google.com/earth/index.html">http://www.google.com/earth/index.html</a>   |
| <b>Global ID</b>          | 13:441  |
| <b>ID</b>                 | 897   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-internet   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False   |

## GOOGLE-MAPS

|                         |             |
|-------------------------|-------------|
| <b>Name/CLI Keyword</b> | google-maps |
|-------------------------|-------------|

|                           |   |
|---------------------------|---|
| <b>Full Name</b>          | Google Maps   |
| <b>Description</b>        | Google Maps is a platform for creating maps, and a consumer application for viewing maps, street views, satellite imagery, and so on. |
| <b>Introduced</b>         | 65.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://maps.google.com/">https://maps.google.com/</a>   |
| <b>Global ID</b>          | 13:1290   |
| <b>ID</b>                 | 1290  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-internet   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False   |

## GOOGLE-MEET

|                         |  |
|-------------------------|--|
| <b>Name/CLI Keyword</b> | google-meet  |
| <b>Full Name</b>        | Google Meet  |
| <b>Description</b>      | Google Meet (formerly Hangouts Meet) is a videoconferencing service. |
| <b>Introduced</b>       | 64.0.0   |
| <b>Deprecated</b>       | -  |
| <b>Reference</b>        | <a href="https://meet.google.com/">https://meet.google.com/</a>      |
| <b>Global ID</b>        | 13:1284  |
| <b>ID</b>               | 1284   |
| <b>IPv4 Support</b>     | Yes  |

|                           |                               |
|---------------------------|-------------------------------|
| <b>IPv6 Support</b>       | Yes                           |
| <b>Application Group</b>  | google-group                  |
| <b>Business Relevance</b> | business-irrelevant           |
| <b>Category</b>           | instant-messaging             |
| <b>Sub Category</b>       | consumer-multimedia-messaging |
| <b>P2P Technology</b>     | False                         |
| <b>Encrypted</b>          | True                          |
| <b>Traffic-class</b>      | multimedia-conferencing       |
| <b>Tunnel</b>             | False                         |

## GOOGLE-MEET-AUDIO

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-meet-audio   |
| <b>Full Name</b>          | Google Meet Audio   |
| <b>Description</b>        | Audio traffic for Google Meet (formerly Hangouts Meet).         |
| <b>Introduced</b>         | 64.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://meet.google.com/">https://meet.google.com/</a> |
| <b>Global ID</b>          | 13:1285   |
| <b>ID</b>                 | 1285  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-messaging  |
| <b>Sub Category</b>       | consumer-multimedia-messaging                                   |
| <b>P2P Technology</b>     | True  |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | voip-telephony  |



|               |       |
|---------------|-------|
| <b>Tunnel</b> | False |
|---------------|-------|

## GOOGLE-MEET-MEDIA

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-meet-media   |
| <b>Full Name</b>          | Google Meet Media   |
| <b>Description</b>        | Media traffic for Google Meet (formerly Hangouts Meet).         |
| <b>Introduced</b>         | 64.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://meet.google.com/">https://meet.google.com/</a> |
| <b>Global ID</b>          | 13:1287   |
| <b>ID</b>                 | 1287  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-messaging  |
| <b>Sub Category</b>       | consumer-multimedia-messaging                                   |
| <b>P2P Technology</b>     | True  |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | multimedia-conferencing   |
| <b>Tunnel</b>             | False   |

## GOOGLE-MEET-VIDEO

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | google-meet-video                                       |
| <b>Full Name</b>        | Google Meet Video                                       |
| <b>Description</b>      | Video traffic for Google Meet (formerly Hangouts Meet). |
| <b>Introduced</b>       | 64.0.0  |
| <b>Deprecated</b>       | -   |

|                           |   |
|---------------------------|---|
| <b>Reference</b>          | <a href="https://meet.google.com/">https://meet.google.com/</a> |
| <b>Global ID</b>          | 13:1286   |
| <b>ID</b>                 | 1286  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-messaging  |
| <b>Sub Category</b>       | consumer-multimedia-messaging                                   |
| <b>P2P Technology</b>     | True  |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | multimedia-conferencing   |
| <b>Tunnel</b>             | False   |

## GOOGLE-PHOTOS

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-photos   |
| <b>Full Name</b>          | Google Photos   |
| <b>Description</b>        | Google Photos is a photo sharing and storage service developed by Google. |
| <b>Introduced</b>         | 46.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://photos.google.com/">https://photos.google.com/</a>       |
| <b>Global ID</b>          | 13:1264   |
| <b>ID</b>                 | 1264  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-file-sharing   |

|                       |                        |
|-----------------------|------------------------|
| <b>Sub Category</b>   | consumer-cloud-storage |
| <b>P2P Technology</b> | False                  |
| <b>Encrypted</b>      | True                   |
| <b>Traffic-class</b>  | transactional-data     |
| <b>Tunnel</b>         | False                  |

## GOOGLE-PLAY

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | google-play   |
| <b>Full Name</b>          | Google Play   |
| <b>Description</b>        | Google Play, formerly known as Android Market, is a Google operated digital store for applications developed with the Android operating system SDK, published through Google. |
| <b>Introduced</b>         | 11.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://play.google.com">https://play.google.com</a>   |
| <b>Global ID</b>          | 13:589  |
| <b>ID</b>                 | 1528  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | software-updates  |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GOOGLE-PLUS

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | google-plus  |
| <b>Full Name</b>          | Google+  |
| <b>Description</b>        | Google plus is a social networking web and mobile application provided by Google Inc. It enables the user to open account, invite other friends and sort them into circles. It also has features such as chat, video chat, games, apps, photos sharing and more. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | 65.0.0   |
| <b>Reference</b>          | <a href="https://plus.google.com/">https://plus.google.com/</a>  |
| <b>Global ID</b>          | 13:521   |
| <b>ID</b>                 | 1457   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | social-networking  |
| <b>Sub Category</b>       | consumer-web-browsing  |
| <b>P2P Technology</b>     | True   |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | transactional-data   |
| <b>Tunnel</b>             | False  |

## GOOGLE-SERVICES

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | google-services   |
| <b>Full Name</b>        | Google Services   |
| <b>Description</b>      | google-services is a set of tools and APIs used by Google applications. |
| <b>Introduced</b>       | -   |

|                           |   |
|---------------------------|---|
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://www.google.com/">https://www.google.com/</a> |
| <b>Global ID</b>          | 13:520  |
| <b>ID</b>                 | 1456  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | True  |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False   |

## GOOGLE-SERVICES-AUDIO

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | google-services-audio  |
| <b>Full Name</b>          | Google Services Audio  |
| <b>Description</b>        | Audio streaming related to various Google services, APIs and collaboration software. |
| <b>Introduced</b>         | 23.0.0   |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.google.com">http://www.google.com</a>                            |
| <b>Global ID</b>          | 13:1061  |
| <b>ID</b>                 | 1061   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | default  |

|                       |                               |
|-----------------------|-------------------------------|
| <b>Category</b>       | voice-and-video               |
| <b>Sub Category</b>   | enterprise-media-conferencing |
| <b>P2P Technology</b> | False                         |
| <b>Encrypted</b>      | False                         |
| <b>Traffic-class</b>  | voip-telephony                |
| <b>Tunnel</b>         | False                         |

## GOOGLE-SERVICES-MEDIA

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | google-services-media  |
| <b>Full Name</b>          | Google Services Media  |
| <b>Description</b>        | Media streaming related to various Google services, APIs and collaboration software. |
| <b>Introduced</b>         | 23.0.0   |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.google.com">http://www.google.com</a>                            |
| <b>Global ID</b>          | 13:1071  |
| <b>ID</b>                 | 1071   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | voice-and-video  |
| <b>Sub Category</b>       | enterprise-voice-collaboration   |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | False  |
| <b>Traffic-class</b>      | multimedia-conferencing  |
| <b>Tunnel</b>             | False  |

# GOOGLE-SERVICES-VIDEO

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | google-services-video  |
| <b>Full Name</b>          | Google Services Video  |
| <b>Description</b>        | Video streaming related to various Google services, APIs and collaboration software. |
| <b>Introduced</b>         | 23.0.0   |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.google.com">http://www.google.com</a>                            |
| <b>Global ID</b>          | 13:1062  |
| <b>ID</b>                 | 1062   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | voice-and-video  |
| <b>Sub Category</b>       | enterprise-voice-collaboration   |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | False  |
| <b>Traffic-class</b>      | multimedia-conferencing  |
| <b>Tunnel</b>             | False  |

# GOOGLE-TRANSLATE

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | google-translate  |
| <b>Full Name</b>        | Google Translate  |
| <b>Description</b>      | Google Translate is a multilingual translation service.                   |
| <b>Introduced</b>       | 65.0.0  |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="https://translate.google.com/">https://translate.google.com/</a> |

|                           |                     |
|---------------------------|---------------------|
| <b>Global ID</b>          | 13:1289             |
| <b>ID</b>                 | 1289                |
| <b>IPv4 Support</b>       | Yes                 |
| <b>IPv6 Support</b>       | Yes                 |
| <b>Application Group</b>  | google-group        |
| <b>Business Relevance</b> | business-irrelevant |
| <b>Category</b>           | consumer-internet   |
| <b>Sub Category</b>       | other               |
| <b>P2P Technology</b>     | False               |
| <b>Encrypted</b>          | True                |
| <b>Traffic-class</b>      | transactional-data  |
| <b>Tunnel</b>             | False               |

## GOPHER

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gopher   |
| <b>Full Name</b>          | Gopher   |
| <b>Description</b>        | Gopher is a TCP/IP application layer protocol designed for distributing, searching, and retrieving documents over the Internet. The protocol is based on a client-server architecture and usually uses TCP port 70 as default. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://tools.ietf.org/html/rfc1436">http://tools.ietf.org/html/rfc1436</a>  |
| <b>Global ID</b>          | 3:70   |
| <b>ID</b>                 | 15   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | other  |



|                       |           |
|-----------------------|-----------|
| <b>Sub Category</b>   | other     |
| <b>P2P Technology</b> | False     |
| <b>Encrypted</b>      | False     |
| <b>Traffic-class</b>  | bulk-data |
| <b>Tunnel</b>         | False     |

## GOTODEVICE

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gotodevice  |
| <b>Full Name</b>          | GotoDevice  |
| <b>Description</b>        | GoToDevice is a cross-platform control and administration software. It offers the remote manager different management options such as remote control of the desktop, file system browsing, services and processes control, registry editing and viewing. The software usually uses TCP/UDP port 2217. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.gotodevice.com/">http://www.gotodevice.com/</a>   |
| <b>Global ID</b>          | 3:2217  |
| <b>ID</b>                 | 1346  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-streaming  |
| <b>Sub Category</b>       | desktop-virtualization  |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | multimedia-streaming  |
| <b>Tunnel</b>             | False   |

## GOTOMEETING

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gotomeeting  |
| <b>Full Name</b>          | GoToMeeting  |
| <b>Description</b>        | GoToMeeting is a web-hosted service for online meeting, desktop sharing, and video conferencing that enables the user to meet with other computer users, customers, clients or colleagues via the Internet in real time. |
| <b>Introduced</b>         | 34.0.0   |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="https://www.gotomeeting.com/">https://www.gotomeeting.com/</a>  |
| <b>Global ID</b>          | 13:1166  |
| <b>ID</b>                 | 1166   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | gotomeeting-group  |
| <b>Business Relevance</b> | business-relevant  |
| <b>Category</b>           | voice-and-video  |
| <b>Sub Category</b>       | enterprise-media-conferencing  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | multimedia-conferencing  |
| <b>Tunnel</b>             | False  |

## GOTOMYPC

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | gotomypc  |
| <b>Full Name</b>        | GoToMyPC  |
| <b>Description</b>      | GoToMyPC is a remote control software service that enables users to operate their computer remotely from any device. It is produced by Citrix Online. |
| <b>Introduced</b>       | -   |

|                           |   |
|---------------------------|---|
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.gotomypc.com/">http://www.gotomypc.com/</a> |
| <b>Global ID</b>          | 13:499  |
| <b>ID</b>                 | 1435  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-streaming  |
| <b>Sub Category</b>       | desktop-virtualization  |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | multimedia-streaming  |
| <b>Tunnel</b>             | False   |

## GRAPHICS

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | graphics  |
| <b>Full Name</b>          | Graphics  |
| <b>Description</b>        | Registered with IANA on port 41 TCP/UDP   |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:41  |
| <b>ID</b>                 | 921   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |

|                       |           |
|-----------------------|-----------|
| <b>Category</b>       | other     |
| <b>Sub Category</b>   | other     |
| <b>P2P Technology</b> | False     |
| <b>Encrypted</b>      | False     |
| <b>Traffic-class</b>  | bulk-data |
| <b>Tunnel</b>         | False     |

## GRE

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gre  |
| <b>Full Name</b>          | GRE  |
| <b>Description</b>        | Generic Routing Encapsulation (GRE) is a protocol used for encapsulation of a network layer over another. The protocol encapsulates the packet and saves the protocol type of the payload packet so the receivers know what network layer was encapsulated, and digests the packet respectively. Usually the protocol uses IP port 47. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://tools.ietf.org/html/rfc2784">http://tools.ietf.org/html/rfc2784</a>  |
| <b>Global ID</b>          | 1:47   |
| <b>ID</b>                 | 5  |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | layer3-over-ip   |
| <b>Sub Category</b>       | tunneling-protocols  |
| <b>P2P Technology</b>     | unassigned   |
| <b>Encrypted</b>          | unassigned   |
| <b>Traffic-class</b>      | bulk-data  |
| <b>Tunnel</b>             | unassigned   |

# GREE

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gree   |
| <b>Full Name</b>          | GREE   |
| <b>Description</b>        | GREE is a Japanese social gaming platform. Games developed for GREE offer the users a gaming intended social network on which they can share comments and likes, upload photos and game screenshots, create avatars, share games and more. |
| <b>Introduced</b>         | 12.0.0   |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://gree.net">http://gree.net</a>  |
| <b>Global ID</b>          | 13:597   |
| <b>ID</b>                 | 1536   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | gaming   |
| <b>Sub Category</b>       | other  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | bulk-data  |
| <b>Tunnel</b>             | False  |

# GRIDFTP

|                         |  |
|-------------------------|--|
| <b>Name/CLI Keyword</b> | gridftp  |
| <b>Full Name</b>        | GridFTP  |
| <b>Description</b>      | GridFTP is an extension of the standard File Transfer Protocol (FTP) for use with Grid computing. It is defined as part of the Globus toolkit, under the organization of the Global Grid Forum. The aim of GridFTP is to provide a more reliable and high performance file transfer for Grid computing applications. |

|                           |   |
|---------------------------|---|
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.globus.org/grid_software/data/gridftp.php">http://www.globus.org/grid_software/data/gridftp.php</a> |
| <b>Global ID</b>          | 13:451  |
| <b>ID</b>                 | 1309  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | ftp-group   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | file-sharing  |
| <b>Sub Category</b>       | file-transfer   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GROOVE

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | groove  |
| <b>Full Name</b>        | Groove  |
| <b>Description</b>      | Microsoft SharePoint Workspace, previously known as Microsoft Office Groove, is a desktop application designed for document collaboration in teams with members who are regularly off-line or who do not share the same network security clearance. |
| <b>Introduced</b>       | -   |
| <b>Deprecated</b>       | -   |
| <b>Reference</b>        | <a href="http://office.com/sharepoint-workspace/">http://office.com/sharepoint-workspace/</a>   |
| <b>Global ID</b>        | 3:2492  |
| <b>ID</b>               | 715   |
| <b>IPv4 Support</b>     | Yes   |

|                           |                |
|---------------------------|----------------|
| <b>IPv6 Support</b>       | Yes            |
| <b>Application Group</b>  | ms-cloud-group |
| <b>Business Relevance</b> | default        |
| <b>Category</b>           | other          |
| <b>Sub Category</b>       | other          |
| <b>P2P Technology</b>     | False          |
| <b>Encrypted</b>          | False          |
| <b>Traffic-class</b>      | bulk-data      |
| <b>Tunnel</b>             | False          |

## GROUPWISE

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | groupwise   |
| <b>Full Name</b>          | GroupWise   |
| <b>Description</b>        | Novell GroupWise is a messaging and collaborative (groupware) platform that provides email, instant messaging, calendar, documents and personal information management. The platform is based on a client-server architecture where client software is available for Windows, Mac OS X, and Linux and server software is supported on Windows Server, NetWare, and Linux. GroupWise usually uses TCP/UDP port 1677. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="http://www.novell.com/products/groupwise/">http://www.novell.com/products/groupwise/</a>   |
| <b>Global ID</b>          | 3:1677  |
| <b>ID</b>                 | 1347  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-relevant   |
| <b>Category</b>           | email   |
| <b>Sub Category</b>       | enterprise-transactional-apps   |

|                       |           |
|-----------------------|-----------|
| <b>P2P Technology</b> | False     |
| <b>Encrypted</b>      | False     |
| <b>Traffic-class</b>  | bulk-data |
| <b>Tunnel</b>         | False     |

## GSIFTP

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gsiftp   |
| <b>Full Name</b>          | Globus GridFTP   |
| <b>Description</b>        | The Globus GridFTP (GSI-FTP, Grid Security Infrastructure) server and client tools and libraries make up a robust product suite designed to move large amounts of data faster, more securely, and more reliably than standard FTP. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://www.globus.org/toolkit/data/gridftp/">http://www.globus.org/toolkit/data/gridftp/</a>  |
| <b>Global ID</b>          | 3:2811   |
| <b>ID</b>                 | 1313   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | ftp-group  |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | file-sharing   |
| <b>Sub Category</b>       | file-transfer  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | bulk-data  |
| <b>Tunnel</b>             | False  |



# GSS-HTTP

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gss-http   |
| <b>Full Name</b>          | GSS-HTTP   |
| <b>Description</b>        | GSS-HTTP is an authentication mechanism for HTTP based on a multi-roundrip handshake using base64-encoded GSS-API tokens encoded in the WWW-Authenticate Response Header and the Authorization Request Header. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://tools.ietf.org/html/draft-johansson-http-gss-04#page-4">http://tools.ietf.org/html/draft-johansson-http-gss-04#page-4</a>  |
| <b>Global ID</b>          | 3:488  |
| <b>ID</b>                 | 402  |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | business-relevant  |
| <b>Category</b>           | browsing   |
| <b>Sub Category</b>       | authentication-services  |
| <b>P2P Technology</b>     | unassigned   |
| <b>Encrypted</b>          | unassigned   |
| <b>Traffic-class</b>      | ops-admin-mgmt   |
| <b>Tunnel</b>             | unassigned   |

# GSS-XLICEN

|                         |  |
|-------------------------|--|
| <b>Name/CLI Keyword</b> | gss-xlicen                               |
| <b>Full Name</b>        | GNU Generation Foundation NCP            |
| <b>Description</b>      | Registered with IANA on port 128 TCP/UDP |
| <b>Introduced</b>       | -  |
| <b>Deprecated</b>       | -  |

|                           |   |
|---------------------------|---|
| <b>Reference</b>          | <a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a> |
| <b>Global ID</b>          | 3:128   |
| <b>ID</b>                 | 997   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GTALK

|                          |   |
|--------------------------|---|
| <b>Name/CLI Keyword</b>  | gtalk   |
| <b>Full Name</b>         | Google Talk   |
| <b>Description</b>       | Google Talk (GTALK) is an instant messaging service that provides both text and voice communication. Gtalk is available as an application or as a plugin in gmail. Gtalk service is being replaced with "Hangouts" service. |
| <b>Introduced</b>        | -   |
| <b>Deprecated</b>        | 63.0.0  |
| <b>Reference</b>         | <a href="http://en.wikipedia.org/wiki/Google_talk">http://en.wikipedia.org/wiki/Google_talk</a>   |
| <b>Global ID</b>         | 13:470  |
| <b>ID</b>                | 1030  |
| <b>IPv4 Support</b>      | Yes   |
| <b>IPv6 Support</b>      | Yes   |
| <b>Application Group</b> | google-group  |

|                           |                               |
|---------------------------|-------------------------------|
| <b>Business Relevance</b> | business-irrelevant           |
| <b>Category</b>           | instant-messaging             |
| <b>Sub Category</b>       | consumer-multimedia-messaging |
| <b>P2P Technology</b>     | False                         |
| <b>Encrypted</b>          | True                          |
| <b>Traffic-class</b>      | multimedia-conferencing       |
| <b>Tunnel</b>             | False                         |

## GTALK-CHAT

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gtalk-chat  |
| <b>Full Name</b>          | Google Talk Chat  |
| <b>Description</b>        | Google Talk Chat is the instant messaging feature of Google Talk. The underlying protocol for Google TalkChat is Extensible Messaging and Presence Protocol(XMPP), which allows users of other XMPP clients to communicate with Google Talk users. Google Talk is now being replaced by Google Hangouts |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | 63.0.0  |
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/Google_talk">http://en.wikipedia.org/wiki/Google_talk</a>   |
| <b>Global ID</b>          | 13:464  |
| <b>ID</b>                 | 1324  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | instant-messaging   |
| <b>Sub Category</b>       | consumer-multimedia-messaging   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | transactional-data  |

|               |       |
|---------------|-------|
| <b>Tunnel</b> | False |
|---------------|-------|

## GTALK-FT

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gtalk-ft  |
| <b>Full Name</b>          | Google Talk File Transfer   |
| <b>Description</b>        | Google Talk File Transfer (FT) is a feature of Google Talk (GTALK) that allows users to transfer files via GTALK. The underlying protocols for Google Talk File Transfer are Google Talk (GTALK), STUN and HTTP. Google Talk is now being replaced by Google Hangouts |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | 63.0.0  |
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/Google_talk">http://en.wikipedia.org/wiki/Google_talk</a>   |
| <b>Global ID</b>          | 13:308  |
| <b>ID</b>                 | 1201  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | google-group  |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-file-sharing   |
| <b>Sub Category</b>       | file-transfer   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

## GTALK-VIDEO

|                         |                   |
|-------------------------|-------------------|
| <b>Name/CLI Keyword</b> | gtalk-video       |
| <b>Full Name</b>        | Google Talk Video |

|                           |  |
|---------------------------|--|
| <b>Description</b>        | Google talk-video is a feature of GTALK that allows users to make video calls via Google-talk (GTALK). The underlying protocols for GTALK-VIDEO are GTALK, STUN and HTTP. Google Talk is now being replaced by Google Hangouts |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | 63.0.0   |
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/Google_talk">http://en.wikipedia.org/wiki/Google_talk</a>  |
| <b>Global ID</b>          | 13:471   |
| <b>ID</b>                 | 1403   |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | google-group   |
| <b>Business Relevance</b> | business-irrelevant  |
| <b>Category</b>           | consumer-messaging   |
| <b>Sub Category</b>       | consumer-multimedia-messaging  |
| <b>P2P Technology</b>     | False  |
| <b>Encrypted</b>          | True   |
| <b>Traffic-class</b>      | multimedia-conferencing  |
| <b>Tunnel</b>             | False  |

## GTALK-VOIP

|                         |   |
|-------------------------|---|
| <b>Name/CLI Keyword</b> | gtalk-voip  |
| <b>Full Name</b>        | Google Talk Voice   |
| <b>Description</b>      | Google Talk Voice is a feature of Google Talk (GTALK) that allows users to make VoIP calls. The protocol is based on Google Talk (GTALK), STUN and HTTP. Google Talk is now being replaced by Google Hangouts |
| <b>Introduced</b>       | -   |
| <b>Deprecated</b>       | 63.0.0  |
| <b>Reference</b>        | <a href="http://en.wikipedia.org/wiki/Google_talk">http://en.wikipedia.org/wiki/Google_talk</a>   |
| <b>Global ID</b>        | 13:305  |

|                           |                               |
|---------------------------|-------------------------------|
| <b>ID</b>                 | 1198                          |
| <b>IPv4 Support</b>       | Yes                           |
| <b>IPv6 Support</b>       | Yes                           |
| <b>Application Group</b>  | google-group                  |
| <b>Business Relevance</b> | business-irrelevant           |
| <b>Category</b>           | consumer-messaging            |
| <b>Sub Category</b>       | consumer-multimedia-messaging |
| <b>P2P Technology</b>     | False                         |
| <b>Encrypted</b>          | True                          |
| <b>Traffic-class</b>      | voip-telephony                |
| <b>Tunnel</b>             | False                         |

## GTP-USER

|                           |  |
|---------------------------|--|
| <b>Name/CLI Keyword</b>   | gtp-user   |
| <b>Full Name</b>          | GTP-U Plane  |
| <b>Description</b>        | GTP-U is a GPRS Tunneling Protocol used for carrying user data within the GPRS Core Network and between the Radio Access Network and the core network. The user data transported can be packets in any of IPv4,IPv6, or PPP formats. |
| <b>Introduced</b>         | -  |
| <b>Deprecated</b>         | -  |
| <b>Reference</b>          | <a href="http://en.wikipedia.org/wiki/GPRS_Tunnelling_Protocol">http://en.wikipedia.org/wiki/GPRS_Tunnelling_Protocol</a>  |
| <b>Global ID</b>          | 3:2152   |
| <b>ID</b>                 | 740  |
| <b>IPv4 Support</b>       | Yes  |
| <b>IPv6 Support</b>       | Yes  |
| <b>Application Group</b>  | other  |
| <b>Business Relevance</b> | default  |
| <b>Category</b>           | net-admin  |

|                       |                     |
|-----------------------|---------------------|
| <b>Sub Category</b>   | tunneling-protocols |
| <b>P2P Technology</b> | False               |
| <b>Encrypted</b>      | False               |
| <b>Traffic-class</b>  | bulk-data           |
| <b>Tunnel</b>         | True                |

## GURUGURU

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | guruguru  |
| <b>Full Name</b>          | guruguru  |
| <b>Description</b>        | The Guruguru protocol is used by the Guruguru file-sharing application mostly in Japan. |
| <b>Introduced</b>         | -   |
| <b>Deprecated</b>         | 7.0.0   |
| <b>Reference</b>          | <a href="http://www.guruguru.co.jp">http://www.guruguru.co.jp</a>                       |
| <b>Global ID</b>          | 13:436  |
| <b>ID</b>                 | 757   |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | default   |
| <b>Category</b>           | other   |
| <b>Sub Category</b>       | other   |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | False   |
| <b>Traffic-class</b>      | bulk-data   |
| <b>Tunnel</b>             | False   |

# GYAO

|                           |   |
|---------------------------|---|
| <b>Name/CLI Keyword</b>   | gyao  |
| <b>Full Name</b>          | Gyao  |
| <b>Description</b>        | Gyao is a video site operated by yahoo Japan                      |
| <b>Introduced</b>         | 34.0.0  |
| <b>Deprecated</b>         | -   |
| <b>Reference</b>          | <a href="https://gyao.yahoo.co.jp/">https://gyao.yahoo.co.jp/</a> |
| <b>Global ID</b>          | 13:1164   |
| <b>ID</b>                 | 1164  |
| <b>IPv4 Support</b>       | Yes   |
| <b>IPv6 Support</b>       | Yes   |
| <b>Application Group</b>  | other   |
| <b>Business Relevance</b> | business-irrelevant   |
| <b>Category</b>           | consumer-streaming  |
| <b>Sub Category</b>       | consumer-video-streaming  |
| <b>P2P Technology</b>     | False   |
| <b>Encrypted</b>          | True  |
| <b>Traffic-class</b>      | multimedia-streaming  |
| <b>Tunnel</b>             | False   |