



Protocols: H

- [H225](#), on page 2
- [H245](#), on page 3
- [H323](#), on page 3
- [HA-CLUSTER](#), on page 4
- [HAMACHI](#), on page 5
- [HANGOUTS](#), on page 6
- [HANGOUTS-AUDIO](#), on page 7
- [HANGOUTS-CHAT](#), on page 7
- [HANGOUTS-FILE-TRANSFER](#), on page 8
- [HANGOUTS-MEDIA](#), on page 9
- [HANGOUTS-VIDEO](#), on page 9
- [HAP](#), on page 10
- [HASSLE](#), on page 11
- [HCP-WISMAR](#), on page 12
- [HDAP](#), on page 12
- [HELLO-PORT](#), on page 13
- [HEMS](#), on page 14
- [HEROIX-LONGITUDE](#), on page 15
- [HIP](#), on page 16
- [HITACHI-SPC](#), on page 16
- [HL7](#), on page 17
- [HMMP-IND](#), on page 18
- [HMMP-OP](#), on page 19
- [HMP](#), on page 19
- [HOLLYWOOD-REPORTER](#), on page 20
- [HOOTSUITE](#), on page 21
- [HOPOPT](#), on page 22
- [HOSTGATOR](#), on page 22
- [HOSTNAME](#), on page 23
- [HOTELS-COM](#), on page 24
- [HOTMAIL](#), on page 25
- [HP-ALARM-MGR](#), on page 25
- [HP-COLLECTOR](#), on page 26

- [HP-MANAGED-NODE](#), on page 27
- [HP-PDL-DATASTR](#), on page 28
- [HTC-SERVICES](#), on page 28
- [HTTP](#), on page 29
- [HTTP-ALT](#), on page 30
- [HTTP-LOCAL-NET](#), on page 31
- [HTTP-MGMT](#), on page 31
- [HTTP-RPC-EPMAP](#), on page 32
- [HTTPS](#), on page 33
- [HUBSPOT](#), on page 33
- [HUFFINGTONPOST](#), on page 34
- [HULU](#), on page 35
- [HYBRID-POP](#), on page 36
- [HYPER-G](#), on page 36
- [HYPERWAVE-ISP](#), on page 37

H225

Name/CLI Keyword	h225
Full Name	H.225
Description	H.225 is part of the H.323 family of telecommunication protocols, used for call signaling and control.
Introduced	34.0.0
Deprecated	-
Reference	http://www.h323forum.org/standards/
Global ID	13:1172
ID	1172
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	voice-and-video
Sub Category	control-and-signaling
P2P Technology	False
Encrypted	False

Traffic-class	signaling
Tunnel	False

H245

Name/CLI Keyword	h245
Full Name	H.245
Description	H.245 is a control channel protocol used within H.323 and H.324 communication sessions, and involves the line transmission of non-telephone signals.
Introduced	34.0.0
Deprecated	-
Reference	http://www.h323forum.org/standards/
Global ID	13:1173
ID	1173
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	voice-and-video
Sub Category	control-and-signaling
P2P Technology	False
Encrypted	False
Traffic-class	signaling
Tunnel	False

H323

Name/CLI Keyword	h323
Full Name	H.323

Description	H.323 is a recommendation from the ITU Telecommunication Standardization Sector (ITU-T) that defines the protocols to provide audio-visual communication sessions on any packet network. The H.323 standard addresses call signaling and control, multimedia transport and control, and bandwidth control for point-to-point and multi-point conferences.
Introduced	-
Deprecated	-
Reference	http://www.h323forum.org/
Global ID	13:64
ID	64
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	voice-and-video
Sub Category	control-and-signaling
P2P Technology	False
Encrypted	False
Traffic-class	signaling
Tunnel	False

HA-CLUSTER

Name/CLI Keyword	ha-cluster
Full Name	High-Availability-Cluster
Description	High-availability clusters (also known as HA clusters or failover clusters) are groups of computers that support server applications that can be reliably utilized with a minimum of downtime. They operate by harnessing redundant computers in groups or clusters that provide continued service when system components fail. HA clusters usually use a private network connection to monitor the health and status of each node in the cluster.
Introduced	-
Deprecated	-

Reference	http://en.wikipedia.org/wiki/Ha-cluster
Global ID	3:694
ID	602
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HAMACHI

Name/CLI Keyword	hamachi
Full Name	Hamachi VPN Application
Description	Hamachi is a zero-configuration virtual private network (VPN) shareware application that is capable of establishing direct links between computers that are behind NAT firewalls without requiring reconfiguration. It is available for Microsoft Windows, Linux and MAC OS.
Introduced	-
Deprecated	-
Reference	http://www.hamachi.cc/
Global ID	3:12975
ID	1382
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HANGOUTS

Name/CLI Keyword	hangouts
Full Name	Hangouts
Description	Google Hangouts is a communication platform developed by Google which includes instant messaging, video chat, SMS and VOIP features
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/
Global ID	13:1087
ID	1087
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	instant-messaging
Sub Category	consumer-multimedia-messaging
P2P Technology	False
Encrypted	True
Traffic-class	multimedia-conferencing
Tunnel	False

HANGOUTS-AUDIO

Name/CLI Keyword	hangouts-audio
Full Name	Hangouts Audio
Description	Google Hangouts audio
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/
Global ID	13:1090
ID	1090
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	consumer-messaging
Sub Category	consumer-multimedia-messaging
P2P Technology	True
Encrypted	True
Traffic-class	voip-telephony
Tunnel	False

HANGOUTS-CHAT

Name/CLI Keyword	hangouts-chat
Full Name	Hangouts Chat
Description	Google Hangouts chat
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/

Global ID	13:1091
ID	1091
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	instant-messaging
Sub Category	consumer-multimedia-messaging
P2P Technology	False
Encrypted	True
Traffic-class	transactional-data
Tunnel	False

HANGOUTS-FILE-TRANSFER

Name/CLI Keyword	hangouts-file-transfer
Full Name	Hangouts File Transfer
Description	Google Hangouts file transfer
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/
Global ID	13:1092
ID	1092
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	consumer-file-sharing
Sub Category	file-transfer

P2P Technology	True
Encrypted	True
Traffic-class	bulk-data
Tunnel	False

HANGOUTS-MEDIA

Name/CLI Keyword	hangouts-media
Full Name	Hangouts Media
Description	Google Hangouts media
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/
Global ID	13:1088
ID	1088
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	consumer-messaging
Sub Category	consumer-multimedia-messaging
P2P Technology	True
Encrypted	True
Traffic-class	multimedia-conferencing
Tunnel	False

HANGOUTS-VIDEO

Name/CLI Keyword	hangouts-video
Full Name	Hangouts Video

Description	Google Hangouts video
Introduced	-
Deprecated	64.0.0
Reference	https://hangouts.google.com/
Global ID	13:1089
ID	1089
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	google-group
Business Relevance	business-irrelevant
Category	consumer-messaging
Sub Category	consumer-multimedia-messaging
P2P Technology	True
Encrypted	True
Traffic-class	multimedia-conferencing
Tunnel	False

HAP

Name/CLI Keyword	hap
Full Name	Host Access Protocol
Description	The Host Access Protocol (HAP) is a network layer protocol that defines the different types of host-to-network control messages and host-to-host data messages that may be exchanged over the access link connecting a host and the network packet switch node. The protocol establishes formats for these messages, and describes procedures for determining when each type of message should be transmitted and what it means when one is received.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc1221
Global ID	3:661

ID	569
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	trojan
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HASSLE

Name/CLI Keyword	hassle
Full Name	Hierarchical Access System for Sequence Libraries in Europe
Description	Registered with IANA on port 375 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:375
ID	291
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	remote-access-terminal
P2P Technology	False

Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HCP-WISMAR

Name/CLI Keyword	hcp-wismar
Full Name	Hardware Control Protocol Wismar
Description	Registered with IANA on port 686 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:686
ID	594
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HDAP

Name/CLI Keyword	hdap
Full Name	HDAP

Description	Registered with IANA on port 263 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:263
ID	1135
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	authentication-services
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HELLO-PORT

Name/CLI Keyword	hello-port
Full Name	HELLO Port
Description	The Dynamic Tunnel Configuration Protocol (DTCP) protocol provides a means for receivers to dynamically discover the presence of feeds and to maintain a list of operational tunnel end-points. Feeds periodically announce their tunnel end-point addresses over the unidirectional link using the HELLO message.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc3077
Global ID	3:652
ID	561

IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	routing-protocol
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HEMS

Name/CLI Keyword	hems
Full Name	High-Level Entity Management System
Description	High-Level Entity Management System (HEMS) is made up of three parts: a query processor which can reside on any addressable entity, an event generator which also resides on entities, and applications which know how to send requests to the query processor and interpret the replies.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc1021
Global ID	3:151
ID	981
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other

P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HEROIX-LONGITUDE

Name/CLI Keyword	heroix-longitude
Full Name	Heroix Longitude
Description	Heroix Longitude is a self-service applications and networking performance monitoring solution. It delivers immediate, comprehensive performance information to solve multiple monitoring challenges.
Introduced	-
Deprecated	-
Reference	http://www.heroix.com/longitude_overview.html
Global ID	3:7220
ID	1383
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HIP

Name/CLI Keyword	hip
Full Name	Host Identity Protocol
Description	The Host Identity Protocol (HIP) is a host identification technology for use on Internet Protocol (IP) networks. The Internet has two main name spaces, IP addresses and the Domain Name System. HIP separates the end-point identifier and locator roles of IP addresses. It introduces a Host Identity (HI) name space, based on a public key security infrastructure.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc5201
Global ID	1:139
ID	1237
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HITACHI-SPC

Name/CLI Keyword	hitachi-spc
Full Name	Hitachi Universal Storage Platform
Description	Hitachi Universal Storage Platform is the brand name for an Hitachi Data Systems line of enterprise storage arrays.

Introduced	-
Deprecated	-
Reference	http://en.wikipedia.org/wiki/Universal_Storage_Platform
Global ID	3:20016
ID	1348
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HL7

Name/CLI Keyword	hl7
Full Name	Health Level 7
Description	Health Level Seven is a protocol designated to exchange information between health applications. The protocol is messaged based and can give the client various information regarding his health.
Introduced	-
Deprecated	-
Reference	http://www.hl7.org/about/index.cfm?ref=nav
Global ID	13:73
ID	73
IPv4 Support	Yes
IPv6 Support	Yes

Application Group	other
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HMMP-IND

Name/CLI Keyword	hmmp-ind
Full Name	HMMP Indication
Description	Registered with IANA on port 612 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:612
ID	521
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HMMP-OP

Name/CLI Keyword	hmmp-op
Full Name	HMMP Operation
Description	Registered with IANA on port 613 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:613
ID	522
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HMP

Name/CLI Keyword	hmp
Full Name	Host Monitoring Protocol
Description	The Host Monitoring Protocol (HMP) is a connection less transport protocol. It was designed to facilitate certain simple interactions between two internet entities, one of which may be considered to be monitoring the other. It is used to collect information from Internet Gateways and TACs, and from hosts in various networks.

Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc869
Global ID	1:20
ID	774
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	unassigned
Encrypted	unassigned
Traffic-class	bulk-data
Tunnel	unassigned

HOLLYWOOD-REPORTER

Name/CLI Keyword	hollywood-reporter
Full Name	The Hollywood Reporter
Description	The Hollywood Reporter - News related to the entertainment industry.
Introduced	14.0.0
Deprecated	-
Reference	http://hollywoodreporter.com
Global ID	13:790
ID	1718
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HOOTSUITE

Name/CLI Keyword	hootsuite
Full Name	HootSuite
Description	HootSuite - Social Network management.
Introduced	14.0.0
Deprecated	-
Reference	http://hootsuite.com
Global ID	13:668
ID	1597
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HOPOPT

Name/CLI Keyword	hopopt
Full Name	hopopt
Description	Deprecated: IPv6 Hop-by-Hop Option
Introduced	-
Deprecated	9.0.0
Reference	http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml
Global ID	1:0
ID	756
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HOSTGATOR

Name/CLI Keyword	hostgator
Full Name	HostGator
Description	HostGator - Web hosting portal.
Introduced	14.0.0
Deprecated	-
Reference	http://hostgator.com

Global ID	13:709
ID	1639
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HOSTNAME

Name/CLI Keyword	hostname
Full Name	NIC Internet Hostname Server
Description	NIC Internet Hostname Server is a TCP-based host information program and protocol running on the SRI-NIC machine. The function of this particular server is to deliver machine-readable name/address information describing networks, gateways, hosts and eventually domains, within the internet environment. As currently implemented, the server provides the information outlined in the DoD Internet Host Table Specification.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc953
Global ID	3:101
ID	972
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Business Relevance	business-relevant
Category	net-admin
Sub Category	naming-services
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HOTELS-COM

Name/CLI Keyword	hotels-com
Full Name	Hotels.com
Description	Hotels.com - Webportal for finding hotel deals and booking it online.
Introduced	14.0.0
Deprecated	-
Reference	http://hotels.com
Global ID	13:715
ID	1645
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HOTMAIL

Name/CLI Keyword	hotmail
Full Name	Hotmail Email Services
Description	Hotmail is a well-known email service provider, it is also known as Microsoft Hotmail and Live Hotmail; it provides email services (send, receive, file attachments, ... etc.) and Hotmail Calendar service as well. Hotmail service is replaced with Outlook.com .
Introduced	-
Deprecated	7.0.0
Reference	http://www.hotmail.com
Global ID	13:511
ID	1446
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	other
Sub Category	other
P2P Technology	unassigned
Encrypted	unassigned
Traffic-class	bulk-data
Tunnel	unassigned

HP-ALARM-MGR

Name/CLI Keyword	hp-alarm-mgr
Full Name	HP Network Management Center.
Description	Used by HP OpenView product family that consists of network and systems management products. In 2007, HP OpenView was rebranded as HP Network Management Center.

Introduced	-
Deprecated	-
Reference	http://en.wikipedia.org/wiki/HP_OpenView
Global ID	3:383
ID	299
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HP-COLLECTOR

Name/CLI Keyword	hp-collector
Full Name	HP Performance Data Collector
Description	Registered with IANA on port 381 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:381
ID	297
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HP-MANAGED-NODE

Name/CLI Keyword	hp-managed-node
Full Name	HP Performance Data Managed Node
Description	The HP OpenView Performance manager, agents, and monitor combine to provide flexible distributed management solution. This solution is a single interface for centrally monitoring, analyzing, and forecasting resource utilization for distributed multivendor environments.
Introduced	-
Deprecated	-
Reference	https://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=PERFMINFO
Global ID	3:382
ID	298
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt

Tunnel	False
---------------	-------

HP-PDL-DATASTR

Name/CLI Keyword	hp-pdl-datastr
Full Name	PDL data streaming port
Description	Page description language (PDL) is a language that describes the appearance of a printed page in a higher level than an actual output bitmap.
Introduced	-
Deprecated	-
Reference	http://www.pclviewer.com/resources/reference/
Global ID	3:9100
ID	1384
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	business-and-productivity-tools
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HTC-SERVICES

Name/CLI Keyword	htc-services
Full Name	HTC Services
Description	HTC Services are HTC mobile devices software support and HTC website traffic.
Introduced	11.0.0

Deprecated	-
Reference	http://www.htc.com
Global ID	13:595
ID	1534
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	True
Traffic-class	bulk-data
Tunnel	False

HTTP

Name/CLI Keyword	http
Full Name	HyperText Transfer Protocol
Description	Hypertext Transfer Protocol (HTTP) is a standard for communication between web browsers and servers over the World Wide Web. The protocol works in a request-response manner over a client server computing model. The server usually listens on port 80.
Introduced	-
Deprecated	-
Reference	http://www.w3.org/Protocols/rfc2616/rfc2616.html
Global ID	3:80
ID	3
IPv4 Support	Yes
IPv6 Support	Yes

Application Group	other
Business Relevance	default
Category	browsing
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HTTP-ALT

Name/CLI Keyword	http-alt
Full Name	HTTP Alternate
Description	HTTP Alternate is alternative port to port 80 that is used by HTTP.
Introduced	-
Deprecated	-
Reference	http://www.ietf.org/rfc/rfc2616.txt
Global ID	3:591
ID	505
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HTTP-LOCAL-NET

Name/CLI Keyword	http-local-net
Full Name	Local Network HTTP
Description	Local network generic HTTP traffic.
Introduced	-
Deprecated	-
Reference	None
Global ID	13:812
ID	1743
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	browsing
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HTTP-MGMT

Name/CLI Keyword	http-mgmt
Full Name	HTTP Management
Description	Registered with IANA on port 280 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml

Global ID	3:280
ID	1141
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

HTTP-RPC-EPMAP

Name/CLI Keyword	http-rpc-epmap
Full Name	HTTP RPC Ep Map
Description	The http-rpc-epmap endpoint mapper provides CIS (COM+ Internet Services) parameters for RPC (Remote Procedure Call).
Introduced	-
Deprecated	-
Reference	http://www.cavionplus.com/pdfs/RVA_Sample.pdf
Global ID	3:593
ID	507
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	enterprise-transactional-apps

P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HTTPS

Name/CLI Keyword	https
Full Name	Hypertext Transfer Protocol Secure (HTTPS)
Description	Hypertext Transfer Protocol Secure (HTTPS)
Introduced	-
Deprecated	-
Reference	https://tools.ietf.org/html/rfc2818
Global ID	3:1443
ID	1738
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	browsing
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	True
Traffic-class	transactional-data
Tunnel	False

HUBSPOT

Name/CLI Keyword	hubspot
Full Name	HubSpot

Description	HubSpot is a developer and marketer of software products for inbound marketing and sales. Its products and services aim to provide tools for social media marketing, content management, web analytics and search engine optimization.
Introduced	35.0.0
Deprecated	-
Reference	https://www.hubspot.com/
Global ID	13:1197
ID	1197
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	hubspot-group
Business Relevance	business-irrelevant
Category	other
Sub Category	enterprise-cloud-services
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HUFFINGTONPOST

Name/CLI Keyword	huffingtonpost
Full Name	The Huffington Post
Description	The Huffington Post - Online news website.
Introduced	14.0.0
Deprecated	-
Reference	http://huffingtonpost.co.uk
Global ID	13:628
ID	1557
IPv4 Support	Yes

IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

HULU

Name/CLI Keyword	hulu
Full Name	Hulu
Description	Hulu is a Flash-based, ad-supported streaming video website that carries movies and TV series.
Introduced	-
Deprecated	-
Reference	http://www.hulu.com
Global ID	13:458
ID	1317
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	consumer-streaming
Sub Category	consumer-video-streaming
P2P Technology	False
Encrypted	True
Traffic-class	multimedia-streaming

Tunnel	False
---------------	-------

HYBRID-POP

Name/CLI Keyword	hybrid-pop
Full Name	Hybrid Point of Presence
Description	A Hybrid Point of Presence (PoP) is an Internet router with T1 lines into the internet. The POP takes TCP/IP packets from the Internet, modulates them into a standard TV channels and feeds them to a TV system.
Introduced	-
Deprecated	-
Reference	http://cookreport.com/hybrid.shtml
Global ID	3:473
ID	387
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HYPER-G

Name/CLI Keyword	hyper-g
Full Name	Hyper-G
Description	Hyper-G is a multi-user, multi-protocol, structured hypermedia information system. It runs as a client-server application on the Internet.

Introduced	-
Deprecated	-
Reference	http://www.jucs.org/jucs_1_4/the_hyper_g_network/Andrews_K.pdf
Global ID	3:418
ID	333
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

HYPERWAVE-ISP

Name/CLI Keyword	hyperwave-isp
Full Name	Hyperwave-ISP
Description	Hyperwave-ISP is part of the Hyperwave document management system, which focuses on document and knowledge management in intranet environments.
Introduced	-
Deprecated	-
Reference	http://www.hyperwave.com/e/index.html
Global ID	3:692
ID	600
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other

Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False