



Protocols: 0

- [OBEX](#), on page 2
- [OBJCALL](#), on page 2
- [OCBINDER](#), on page 3
- [OCS_AMU](#), on page 4
- [OCS_CMU](#), on page 5
- [OCSERVER](#), on page 5
- [OCSP](#), on page 6
- [ODMR](#), on page 7
- [OHIMSRV](#), on page 8
- [OKCUPID](#), on page 8
- [OLSR](#), on page 9
- [OMGINITIALREFS](#), on page 10
- [OMHS](#), on page 11
- [OMSERV](#), on page 11
- [ONEDRIVE](#), on page 12
- [ONMUX](#), on page 13
- [OPALIS-RDV](#), on page 14
- [OPALIS-ROBOT](#), on page 14
- [OPC-JOB-START](#), on page 15
- [OPC-JOB-TRACK](#), on page 16
- [OPENPORT](#), on page 17
- [OPENVMS-SYSIPC](#), on page 18
- [OPENVPN](#), on page 18
- [OPSMGR](#), on page 19
- [ORA-SRV](#), on page 20
- [ORACLE](#), on page 21
- [ORACLE-BI](#), on page 21
- [ORACLE-EBSUITE-UNSECURED](#), on page 22
- [ORACLE-SQLNET](#), on page 23
- [ORACLENAMES](#), on page 24
- [ORACLENET8CMAN](#), on page 24
- [ORBIX-CFG-SSL](#), on page 25
- [ORBIX-CONFIG](#), on page 26

- [ORBIX-LOC-SSL](#), on page 27
- [ORBIX-LOCATOR](#), on page 27
- [OSCAR-FILETRANSFER](#), on page 28
- [OSPF](#), on page 29
- [OSU-NMS](#), on page 30
- [OUTBRAIN](#), on page 30
- [OUTLOOK-WEB-SERVICE](#), on page 31

OBEX

Name/CLI Keyword	obex
Full Name	OBject EXchange
Description	OBject Exchange (OBEX) is a communications protocol that facilitates the exchange of binary objects between devices.
Introduced	-
Deprecated	-
Reference	http://www.irda.org/
Global ID	3:650
ID	559
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OBJCALL

Name/CLI Keyword	objcall
-------------------------	---------

Full Name	Tivoli Object Dispatcher
Description	The Tivoli object dispatcher (oserv) is the central driving mechanism for operations in the Tivoli environment. It maintains the Tivoli object database on each system that has Tivoli installed, it routes object calls to the proper systems and objects, and it arranges for the execution of methods that are invoked in the context of objects that reside on the local system.
Introduced	-
Deprecated	-
Reference	http://publib.boulder.ibm.com/tividd/td/framework/GC32-0807-00/en_US/HTML/troubl09.html
Global ID	3:94
ID	965
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OCBINDER

Name/CLI Keyword	ocbinder
Full Name	OCBinder
Description	Registered with IANA on port 183 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml

Global ID	3:183
ID	1026
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OCS_AMU

Name/CLI Keyword	ocs_amu
Full Name	OCS Amu
Description	Registered with IANA on port 429 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:429
ID	344
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other

P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OCS_CMU

Name/CLI Keyword	ocs_cmu
Full Name	OCS_CMU
Description	Registered with IANA on port 428 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:428
ID	343
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OCSERVER

Name/CLI Keyword	ocsserver
-------------------------	-----------

Full Name	OCServer
Description	Registered with IANA on port 184 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:184
ID	1027
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OCSP

Name/CLI Keyword	ocsp
Full Name	OCSP
Description	OCSP - Online Certificate Status Protocol
Introduced	-
Deprecated	-
Reference	https://tools.ietf.org/html/rfc6960
Global ID	13:819
ID	1750
IPv4 Support	Yes

IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	authentication-services
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

ODMR

Name/CLI Keyword	odmr
Full Name	On-Demand Mail Relay
Description	On-Demand Mail Relay (ODMR) is an SMTP extension that allows e-mail to be relayed once the recipient has been authenticated. It uses the Extended SMTP (ESMTP) command ATRN, similar to the ETRN command but available for dynamically assigned IP addresses.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc2645
Global ID	3:366
ID	282
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	smtp-group
Business Relevance	business-relevant
Category	email
Sub Category	enterprise-transactional-apps
P2P Technology	False

Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OHIMSRV

Name/CLI Keyword	ohimsrv
Full Name	Ohimsrv
Description	Registered with IANA on port 506 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:506
ID	420
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OKCUPID

Name/CLI Keyword	okcupid
Full Name	OkCupid

Description	OkCupid - Online Dating website.
Introduced	14.0.0
Deprecated	-
Reference	http://okccdn.com
Global ID	13:703
ID	1633
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

OLSR

Name/CLI Keyword	olsr
Full Name	Optimized Link State Routing Protocol
Description	The Optimized Link State Routing Protocol (OLSR) is an IP routing protocol optimized for mobile ad-hoc networks, which can also be used on other wireless ad-hoc networks. OLSR is a proactive link-state routing protocol, which uses hello and topology control (TC) messages to discover and then disseminate link state information throughout the mobile ad-hoc network. Individual nodes use this topology information to compute next hop destinations for all nodes in the network using shortest hop forwarding paths.
Introduced	-
Deprecated	-
Reference	http://tools.ietf.org/html/rfc3626
Global ID	3:698

ID	606
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	routing-protocol
P2P Technology	False
Encrypted	False
Traffic-class	network-control
Tunnel	False

OMGINITIALREFS

Name/CLI Keyword	omginitialrefs
Full Name	Omginitialrefs
Description	Registered with IANA on port 900 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:900
ID	663
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False

Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OMHS

Name/CLI Keyword	omhs
Full Name	Operations Manager - Health Service
Description	The Health Monitoring Service is used to monitor web services installed in one or multiple sites. The Health Monitoring Service can highlight issues that cause downtime or poor performance, such as unavailable services, long response time, and security breaches.
Introduced	-
Deprecated	-
Reference	http://msdn.microsoft.com/en-us/library/dd464428.aspx
Global ID	3:5723
ID	1388
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OMSERV

Name/CLI Keyword	omserv
-------------------------	--------

Full Name	Omserv
Description	Registered with IANA on port 764 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:764
ID	636
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

ONEDRIVE

Name/CLI Keyword	onedrive
Full Name	Microsoft OneDrive
Description	Microsoft OneDrive (formerly known as SkyDrive) is a file hosting service that allows users to upload and sync files to a cloud storage and then access them from a web browser or a mobile application
Introduced	66.0.0
Deprecated	-
Reference	https://www.microsoft.com/en/microsoft-365/onedrive/online-cloud-storage
Global ID	13:1292

ID	1292
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	ms-cloud-group
Business Relevance	business-irrelevant
Category	consumer-internet
Sub Category	consumer-cloud-storage
P2P Technology	False
Encrypted	True
Traffic-class	bulk-data
Tunnel	False

ONMUX

Name/CLI Keyword	onmux
Full Name	Onmux
Description	Registered with IANA on port 417 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:417
ID	332
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False

Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPALIS-RDV

Name/CLI Keyword	opalis-rdv
Full Name	Opalis-Rdv
Description	opalis-rdv, Registered with IANA on port 536 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:536
ID	454
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPALIS-ROBOT

Name/CLI Keyword	opalis-robot
Full Name	OpalisRobot

Description	OpalisRobot is a comprehensive system management and automation solution. It delivers real-time monitoring, notification, corrective action and event driven job scheduling to provide administrators with proactive management.
Introduced	-
Deprecated	-
Reference	http://amtsoft.com/opalisrobot/
Global ID	3:314
ID	1154
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

OPC-JOB-START

Name/CLI Keyword	opc-job-start
Full Name	IBM Operations Planning and Control Start
Description	Operations Planning and Control (OPC) is part of IBM Tivoli OPC Operations and Administration discipline. Tivoli OPC supports operations management, providing the foundation for enterprise-wide production workload management. Tivoli OPC helps users plan, manage, and automate the production workload, and control a single-image OS/390 system or complex, multivendor networks and systems from a single point of control.
Introduced	-
Deprecated	-
Reference	http://publib.boulder.ibm.com/tividd/td/OperationsPlanningandControl2.3.html

Global ID	3:423
ID	338
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPC-JOB-TRACK

Name/CLI Keyword	opc-job-track
Full Name	IBM Operations Planning and Control Track
Description	Used by IBM in their Tivoli Operations Planning and Control product for planning, managing, and automating production workloads from a single point of control.
Introduced	-
Deprecated	-
Reference	http://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=an&subtype=ca&htmlfid=897/ENUS298-217&appname=isource&language=enus
Global ID	3:424
ID	339
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default

Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPENPORT

Name/CLI Keyword	openport
Full Name	Openport
Description	Registered with IANA on port 260 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:260
ID	1132
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPENVMS-SYSIPC

Name/CLI Keyword	openvms-sysipc
Full Name	Openvms-Sysipc
Description	Registered with IANA on port 557 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:557
ID	472
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OPENVPN

Name/CLI Keyword	openvpn
Full Name	OpenVPN
Description	OpenVPN is a free and open source virtual private network (VPN) program for creating point-to-point or server-to-multiclient encrypted tunnels between host computers. OpenVPN allows peers to authenticate each other using certificates.
Introduced	-

Deprecated	-
Reference	http://openvpn.net/
Global ID	13:455
ID	1314
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	layer3-over-ip
Sub Category	tunneling-protocols
P2P Technology	True
Encrypted	True
Traffic-class	bulk-data
Tunnel	True

OPSMGR

Name/CLI Keyword	opsmgr
Full Name	Microsoft System Center Operations Manager
Description	Microsoft System Center Operations Manager is a cross-platform data center management system for operating systems and hypervisors. It uses a single interface that shows state, health and performance information of computer systems. It also provides alerts generated according to some availability, performance, configuration or security situation being identified. It works with Microsoft Windows Server and Unix-based hosts.
Introduced	-
Deprecated	-
Reference	http://www.microsoft.com/en-us/server-cloud/system-center/datacenter-management.aspx
Global ID	3:1270
ID	1387
IPv4 Support	Yes

IPv6 Support	Yes
Application Group	other
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

ORA-SRV

Name/CLI Keyword	ora-srv
Full Name	Oracle TCP/IP Listener
Description	Registered with IANA on port 1525 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:1525
ID	89
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	sqlsvr-group
Business Relevance	business-relevant
Category	database
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data

Tunnel	False
---------------	-------

ORACLE

Name/CLI Keyword	oracle
Full Name	Oracle
Description	Oracle Corporation is an American multinational computer technology corporation. The company specializes primarily in developing and marketing database software and technology, cloud engineered systems and enterprise software products particularly its own brands of database management systems.
Introduced	35.0.0
Deprecated	-
Reference	https://www.oracle.com/index.html
Global ID	13:1184
ID	1184
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	default
Category	other
Sub Category	other
P2P Technology	False
Encrypted	True
Traffic-class	transactional-data
Tunnel	False

ORACLE-BI

Name/CLI Keyword	oracle-bi
Full Name	Oracle Business Intelligence
Description	Used by Oracle in their Business Intelligence products.

Introduced	-
Deprecated	-
Reference	http://www.oracle.com/us/solutions/business-analytics/business-intelligence/index.html
Global ID	3:9703
ID	1359
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	business-relevant
Category	database
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

ORACLE-EBSUITE-UNSECURED

Name/CLI Keyword	oracle-eb-suite-unsecured
Full Name	Oracle E-Business Suite - Un-encrypted Traffic
Description	Oracle E-Business Suite (also known as Applications/Apps or EB-Suite/EBS) consists of a collection of enterprise resource planning (ERP), customer relationship management (CRM), and supply-chain management (SCM) computer applications. The software utilizes Oracle's core relational database management system technology.
Introduced	-
Deprecated	-
Reference	http://www.oracle.com/us/products/applications/ebusiness/index.html
Global ID	13:516
ID	1452

IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	business-relevant
Category	business-and-productivity-tools
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

ORACLE-SQLNET

Name/CLI Keyword	oracle-sqlnet
Full Name	SQL*NET
Description	SQL*NET is a client-server middleware used to transfer information between databases and between database to clients.
Introduced	-
Deprecated	-
Reference	http://www.orafaq.com/wiki/SQL*Net
Global ID	3:66
ID	1425
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	business-relevant
Category	database
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False

Traffic-class	transactional-data
Tunnel	False

ORACL NAMES

Name/CLI Keyword	oraclnames
Full Name	Oracle Names
Description	Oracle Names is a distributed naming service developed to help simplify the setup and administration of global, client/server computing networks. Oracle Names establishes and maintains an integrated system of names servers that work together like a directory service, storing addresses for all the services on a network and making them available to clients wanting to make a connection.
Introduced	-
Deprecated	-
Reference	http://docs.oracle.com/cd/A58617_01/network.804/a58230/ch6.htm
Global ID	3:1575
ID	695
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	business-relevant
Category	database
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

ORACLNET8CMAN

Name/CLI Keyword	oraclnet8cman
-------------------------	---------------

Full Name	Oracle Net8 Cman
Description	Oracle Connection Manager, a Net8 component that acts much like a router and provides protocol conversion, connection concentration, and access control.
Introduced	-
Deprecated	-
Reference	http://dl.acm.org/citation.cfm?id=557584
Global ID	3:1630
ID	696
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	oracle-group
Business Relevance	business-relevant
Category	database
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

ORBIX-CFG-SSL

Name/CLI Keyword	orbix-cfg-ssl
Full Name	Orbix 2000 Config over SSL
Description	Orbix is a CORBA ORB (Object Request Broker) from Micro Focus which helps programmers build distributed applications. Orbix cfg (config) works over SSL typically on port 3078.
Introduced	-
Deprecated	-
Reference	http://en.wikipedia.org/wiki/Orbix_(software)
Global ID	3:3078

ID	1600
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	corba-group
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	other
P2P Technology	False
Encrypted	True
Traffic-class	transactional-data
Tunnel	False

ORBIX-CONFIG

Name/CLI Keyword	orbix-config
Full Name	Orbix 2000 Config
Description	Registered with IANA on port 3076 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:3076
ID	705
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	corba-group
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	enterprise-transactional-apps
P2P Technology	False

Encrypted	False
Traffic-class	transactional-data
Tunnel	False

ORBIX-LOC-SSL

Name/CLI Keyword	orbix-loc-ssl
Full Name	Orbix 2000 Locator over SSL
Description	Used by Progree Software Corporation in their Orbix software for enterprise COBRA solutions.
Introduced	-
Deprecated	-
Reference	http://www.progress.com/en/orbix/index.html
Global ID	3:3077
ID	706
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	corba-group
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	True
Traffic-class	transactional-data
Tunnel	False

ORBIX-LOCATOR

Name/CLI Keyword	orbix-locator
Full Name	Orbix 2000 Locator

Description	Used by Progee Software Corporation in their Orbix software for enterprise COBRA solutions.
Introduced	-
Deprecated	-
Reference	http://www.progress.com/en/orbix/index.html
Global ID	3:3075
ID	704
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	corba-group
Business Relevance	business-relevant
Category	inter-process-rpc
Sub Category	enterprise-transactional-apps
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

OSCAR-FILETRANSFER

Name/CLI Keyword	oscar-filetransfer
Full Name	OSCAR File Transfer
Description	Open System for CommunicAtion in Realtime (OSCAR) File Transfer traffic classification. This protocol is mainly used by AIM and ICQ application clients.
Introduced	-
Deprecated	-
Reference	http://web.archive.org/web/20080308233204/http://dev.aol.com/aim/oscar/
Global ID	13:513
ID	1448
IPv4 Support	Yes

IPv6 Support	Yes
Application Group	aol-group
Business Relevance	business-irrelevant
Category	consumer-file-sharing
Sub Category	file-transfer
P2P Technology	False
Encrypted	False
Traffic-class	bulk-data
Tunnel	False

OSPF

Name/CLI Keyword	ospf
Full Name	Open Shortest Path First
Description	Open Shortest Path First (OSPF) is a link state routing protocol that shares the network topology of an Autonomous System between OSPF routers. Each OSPF router maintains a database by calculating Shortest Path Tree algorithm with the link state provided from the OSPF protocol.
Introduced	-
Deprecated	-
Reference	http://www.ietf.org/rfc/rfc2328.txt
Global ID	1:89
ID	10
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	routing-protocol
P2P Technology	False

Encrypted	False
Traffic-class	network-control
Tunnel	False

OSU-NMS

Name/CLI Keyword	osu-nms
Full Name	OSU Network Monitoring System
Description	Registered with IANA on port 192 TCP/UDP
Introduced	-
Deprecated	-
Reference	http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml
Global ID	3:192
ID	1036
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-relevant
Category	net-admin
Sub Category	network-management
P2P Technology	False
Encrypted	False
Traffic-class	ops-admin-mgmt
Tunnel	False

OUTBRAIN

Name/CLI Keyword	outbrain
Full Name	Outbrain

Description	Outbrain - Online help for publishers and bloggers.
Introduced	14.0.0
Deprecated	-
Reference	http://outbrain.com
Global ID	13:637
ID	1566
IPv4 Support	Yes
IPv6 Support	Yes
Application Group	other
Business Relevance	business-irrelevant
Category	browsing
Sub Category	other
P2P Technology	False
Encrypted	False
Traffic-class	transactional-data
Tunnel	False

OUTLOOK-WEB-SERVICE

Name/CLI Keyword	outlook-web-service
Full Name	Outlook Web Service
Description	Outlook Web Service is a protocol that covers a group of Microsoft's web email services, it includes Outlook email service part of Microsoft Office 365 Business Plan.
Introduced	-
Deprecated	-
Reference	http://www.outlook.com
Global ID	13:550
ID	1484
IPv4 Support	Yes

IPv6 Support	Yes
Application Group	ms-cloud-group
Business Relevance	business-relevant
Category	email
Sub Category	enterprise-cloud-services
P2P Technology	False
Encrypted	True
Traffic-class	bulk-data
Tunnel	False