



etcd

- [Info, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)

Info

Title: cisco-smi-etcd
Description: ''
Version: '2022-03-16'
basePath: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources
- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources
- **Name:** delete
Description: delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

/yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data

get:

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/data-post'

Responses:

'201':
 Description: Created
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data-put-patch'

Responses:

'201':
 Description: Created
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/data-put-patch'

Responses:
'204':
 Description: No Content
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

/data/cisco-smi-etcd:etcd

get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cisco-smi-etcd_etcd'
'204':
 Reference: '#/responses/204'
'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd-post'

  Responses:
  '201':
    Description: container etcd created
  '204':
    Reference: '#/responses/204'
  '400':

```



```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd'

Responses:
'201':
  Description: container etcd created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_patch
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd'

Responses:

'204':
 Description: container etcd updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cisco-smi-etcd:etcd/repository

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_repository_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cisco-smi-etcd_etcd_repository'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_repository_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_repository_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_repository'

Responses:

- '201':
 - Description: leaf repository created or replaced

- '204':
 - Reference: '#/responses/204'

- '400':
 - Reference: '#/responses/400'

- '401':
 - Reference: '#/responses/401'

- '404':
 - Reference: '#/responses/404'

- '405':
 - Reference: '#/responses/405'

- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_repository_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_repository'

```
Responses:
  '204':
    Description: leaf repository updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_repository_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_repository_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cisco-smi-etcd:etcd/node-affinity

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_node_affinity_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cisco-smi-etcd_etcd_node-affinity'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_node_affinity_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_node-affinity'

Responses:
  '201':
    Description: leaf node-affinity created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_node-affinity'
```

```

Responses:
  '204':
    Description: leaf node-affinity updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_node_affinity_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```


/data/cisco-smi-etcd:etcd/replicas

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_replicas_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cisco-smi-etcd_etcd_replicas'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_replicas_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_replicas_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_replicas'

Responses:

'201':
 Description: leaf replicas created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_replicas_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_replicas'

```
Responses:
  '204':
    Description: leaf replicas updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_replicas_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_replicas_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cisco-smi-etcd:etcd/volume

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_volume_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cisco-smi-etcd_etcd_volume'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_volume_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_volume'

Responses:
  '201':
    Description: leaf volume created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_volume'
```

```
Responses:
  '204':
    Description: leaf volume updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_volume_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cisco-smi-etcd:etcd/backup

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_backup_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cisco-smi-etcd_etcd_backup'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_backup_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_backup_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_backup-post'

Responses:

- '201':
 - Description: container backup created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_backup_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_backup'


```
Responses:
  '201':
    Description: container backup created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup'

Responses:
  '204':
    Description: container backup updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

Operation ID: data_cisco_smi_etcd_etcd_backup_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/backup/disable

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_disable'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_disable'

  Responses:
  '201':
    Description: leaf disable created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_disable'

  Responses:
    '204':
      Description: leaf disable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_disable_delete
  produces:
    - application/yang-data+json

```

```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cisco-smi-etcd:etcd/backup/frequency

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_frequency'
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_frequency'

  Responses:
    '201':
      Description: leaf frequency created or replaced
    '204':
      Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_backup_frequency'

Responses:
'204':
  Description: leaf frequency updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cisco-smi-etcd:etcd/monitoring

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```



```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring-post'

  Responses:
  '201':
    Description: container monitoring created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring'

Responses:
  '201':
    Description: container monitoring created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring'

```

```
Responses:
  '204':
    Description: container monitoring updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cisco-smi-etcd:etcd/monitoring/enabled

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_enabled'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_enabled'

Responses:

'201':
 Description: leaf enabled created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_enabled'

```
Responses:
  '204':
    Description: leaf enabled updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cisco-smi-etcd:etcd/monitoring/alerts

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_monitoring_alerts_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_monitoring_alerts_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_monitoring_alerts_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts-post'

Responses:

- '201':
 - Description: container alerts created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_monitoring_alerts_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts'


```
Responses:
  '201':
    Description: container alerts created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts'

Responses:
  '204':
    Description: container alerts updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'

Responses:
'201':
  Description: container dbsize created
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

  Responses:
    '201':
      Description: container dbsize created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_patch

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

Responses:
'204':
  Description: container dbsize updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/major-alert-threshold

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:**

'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

Responses:

'201':

Description: leaf major-alert-threshold created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

Responses:
  '204':
    Description: leaf major-alert-threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_options
produces:
- application/yang-data+json

```



```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/critical-alert-threshold

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

Responses:
  '201':
    Description: leaf critical-alert-threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

```

patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

  Responses:
    '204':
      Description: leaf critical-alert-threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''

```

```

Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cisco-smi-etcd:etcd/enable-daily-defragmentation

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

  Responses:
  '201':
    Description: leaf enable-daily-defragmentation created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'

Responses:
  '204':
    Description: leaf enable-daily-defragmentation updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/daily-defragmentation-start-time

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'

Responses:**'201':****Description:** leaf daily-defragmentation-start-time created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:


```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'

Responses:
'204':
  Description: leaf daily-defragmentation-start-time updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_options
produces:
```

```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

/data/cisco-smi-etcd:etcd/storage-label

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cisco-smi-etcd_etcd_storage-label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []

```

head:

```

Tags:
- data

```

```
- head
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_storage-label'

Responses:
  '201':
    Description: leaf storage-label created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
```

```

- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_storage-label'

Responses:
  '204':
    Description: leaf storage-label updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_storage_label_options
produces:
- application/yang-data+json
Parameters: []

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/external-ip

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_external_ip_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/external-ip-ip'
 - **\$ref:** '#/parameters/external-ip-port'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_put

  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list external-ip created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

Responses:
'204':
  Description: list external-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

get:


```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

```

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

```

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'
    - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

  Responses:
    '204':
      Description: leaf ip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/external-ip-ip'
    - $ref: '#/parameters/external-ip-port'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_options

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/external-ip-ip'
        - $ref: '#/parameters/external-ip-port'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
        put:

        Tags:
          - data
          - put
        Summary: ''
        Description: ''
        Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_put
        produces:
          - application/yang-data+json

        Parameters:
          - $ref: '#/parameters/external-ip-ip'
          - $ref: '#/parameters/external-ip-port'
          - $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

      Responses:
        '201':
          Description: leaf port created or replaced
        '204':
          Reference: '#/responses/204'
        '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

Responses:
  '204':
    Description: leaf port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_delete
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/label

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/external-ip-ip'
  - $ref: '#/parameters/external-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put

```



```

Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

Responses:
'201':
  Description: leaf label created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'
- $ref:
'#/parameters/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

Responses:
'204':
  Description: leaf label updated
'400':
  Reference: '#/responses/400'
'401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/external-ip-ip'
- $ref: '#/parameters/external-ip-port'

Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cisco-smi-etcd:etcd/network-policy

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cisco-smi-etcd_etcd_network-policy'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy-post'

Responses:

- '201':
 - Description: container network-policy created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy'

```
Responses:
  '201':
    Description: container network-policy created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy'

Responses:
  '204':
    Description: container network-policy updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

Operation ID: data_cisco_smi_etcd_etcd_network_policy_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cisco-smi-etcd:etcd/network-policy/enable

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy_enable'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy_enable'

  Responses:
  '201':
    Description: leaf enable created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cisco-smi-etcd_etcd_network-policy_enable'

  Responses:
    '204':
      Description: leaf enable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_delete
  produces:
    - application/yang-data+json

```



```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

Parameters:
Content:
  name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
depth:
  name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Type: integer
  Format: uint16
fields:
  name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Type: string
  Format: string
filter:

```

```

name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Type: string
Format: string
with-defaults:
  name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
insert:
  name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
point:
  name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Type: string
  Format: string
data-post:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-put-patch'

```

```
data_cisco-smi-etcd_etcd:
  name: etcd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd'
data_cisco-smi-etcd_etcd-post:
  name: etcd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd-post'
data_cisco-smi-etcd_etcd_backup:
  name: backup
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup'
data_cisco-smi-etcd_etcd_backup-post:
  name: backup
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup-post'
data_cisco-smi-etcd_etcd_backup_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_disable'
data_cisco-smi-etcd_etcd_backup_frequency:
  name: frequency
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_backup_frequency'
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  name: daily-defragmentation-start-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  name: enable-daily-defragmentation
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
  name: external-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
  name: label
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'
data_cisco-smi-etcd_etcd_monitoring:
  name: monitoring
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring'
data_cisco-smi-etcd_etcd_monitoring-post:
  name: monitoring
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring-post'

```

```
data_cisco-smi-etcd_etcd_monitoring_alerts:
  name: alerts
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts'
data_cisco-smi-etcd_etcd_monitoring_alerts-post:
  name: alerts
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts-post'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
  name: dbsize
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
  name: dbsize
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
  name: critical-alert-threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:
  name: major-alert-threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'
data_cisco-smi-etcd_etcd_monitoring_enabled:
  name: enabled
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_monitoring_enabled'
```

```
data_cisco-smi-etcd_etcd_network-policy:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy'
data_cisco-smi-etcd_etcd_network-policy-post:
  name: network-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy-post'
data_cisco-smi-etcd_etcd_network-policy_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_network-policy_enable'
data_cisco-smi-etcd_etcd_node-affinity:
  name: node-affinity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_node-affinity'
data_cisco-smi-etcd_etcd_replicas:
  name: replicas
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_replicas'
data_cisco-smi-etcd_etcd_repository:
  name: repository
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_repository'
data_cisco-smi-etcd_etcd_storage-label:
  name: storage-label
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cisco-smi-etcd_etcd_storage-label'
data_cisco-smi-etcd_etcd_volume:
  name: volume
```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cisco-smi-etcd_etcd_volume'
external-ip-ip:
  name: external-ip-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
external-ip-port:
  name: external-ip-port
  In: path
  Description: ''
  Required/Optional: true
  Type: integer
  Format: uint16

Responses:
'200':
  Description: OK
'201':
  Description: Created
'204':
  Description: No Content
'400':
  Description: Bad Request
'401':
  Description: Unauthorized
'404':
  Description: Not Found
'405':
  Description: Method Not Allowed
'409':
  Description: Conflict
securityDefinitions:
basicAuth:
  Type: basic
definitions:
data:
  Type: object
  Properties:
    ietf-restconf:data:
      Type: object
      Description: This resource represents the combined configuration and state
        data resources that can be accessed by a client and cannot be created or
        deleted by the client. See RESTCONF RFC 8040 for further information.
    x-yang:
      Type: datastore
      Properties: {}

```

```
data-post:
  Type: object
  Properties:
    cisco-smi-etcd:etcd:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        repository:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        node-affinity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        volume:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
        backup:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: boolean
            frequency:
              Description: (leaf)
              x-yang:
                Type: leaf
```



```
    Type: integer
    Format: uint32
monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
    enable-daily-defragmentation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
        label:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  data-put-patch:
    Type: object
    Properties:
      ietf-restconf:data:

```

```
Description: ''
Type: object
x-yang:
  Type: datastore
Properties:
  cisco-smi-etcd:etcd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      repository:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      node-affinity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      volume:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          frequency:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
    enable-daily-defragmentation:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    daily-defragmentation-start-time:
      Description: (leaf)

```

```
  x-yang:
    Type: leaf
  Type: string
  Format: string
storage-label:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    label:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
network-policy:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'true'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd:
  Type: object
```

```
Properties:
  cisco-smi-etcd:etcd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      repository:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      node-affinity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      volume:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
          frequency:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
```

```
monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
    enable-daily-defragmentation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

storage-label:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
external-ip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    label:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
network-policy:
  Description: (presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'true'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd-post:
  Type: object
  Properties:
    cisco-smi-etcd:repository:
      Description: (leaf)
      x-yang:

```



```
    Type: leaf
  Type: string
  Format: leafref
cisco-smi-etcd:node-affinity:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cisco-smi-etcd:replicas:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
cisco-smi-etcd:volume:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
cisco-smi-etcd:backup:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cisco-smi-etcd:monitoring:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: boolean
  alerts:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dbsize:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          major-alert-threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          critical-alert-threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
  cisco-smi-etcd:enable-daily-defragmentation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  cisco-smi-etcd:daily-defragmentation-start-time:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cisco-smi-etcd:storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list

```

```
Items:
  Type: object
  Properties:
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    label:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  cisco-smi-etcd:network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  data_cisco-smi-etcd_etcd_backup:
    Type: object
    Properties:
      cisco-smi-etcd:backup:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: boolean
          frequency:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cisco-smi-etcd_etcd_backup-post:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    cisco-smi-etcd:frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_backup_disable:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_backup_frequency:
  Type: object
  Properties:
    cisco-smi-etcd:frequency:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  Type: object
  Properties:
    cisco-smi-etcd:daily-defragmentation-start-time:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  Type: object
  Properties:
    cisco-smi-etcd:enable-daily-defragmentation:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
Type: object
Properties:
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
        label:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
Type: object
Properties:
  cisco-smi-etcd:ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
Type: object
Properties:
  cisco-smi-etcd:label:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: string
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  Type: object
  Properties:
    cisco-smi-etcd:port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cisco-smi-etcd_etcd_monitoring:
  Type: object
  Properties:
    cisco-smi-etcd:monitoring:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enabled:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
        alerts:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            dbsize:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              major-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              critical-alert-threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer

```

```

    Format: uint32
data_cisco-smi-etcd_etcd_monitoring-post:
  Type: object
  Properties:
    cisco-smi-etcd:enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    cisco-smi-etcd:alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            major-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
            critical-alert-threshold:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts:
  Type: object
  Properties:
    cisco-smi-etcd:alerts:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dbsize:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
```

```

    is_presence: 'false'
  Properties:
    major-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    critical-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts-post:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        major-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        critical-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        major-alert-threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer

```



```
    Format: uint32
  critical-alert-threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
  Type: object
  Properties:
    cisco-smi-etcd:major-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cisco-smi-etcd:critical-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
  Type: object
  Properties:
    cisco-smi-etcd:critical-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:
  Type: object
  Properties:
    cisco-smi-etcd:major-alert-threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cisco-smi-etcd_etcd_monitoring_enabled:
  Type: object
  Properties:
    cisco-smi-etcd:enabled:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cisco-smi-etcd_etcd_network-policy:
  Type: object
```

```

Properties:
  cisco-smi-etcd:network-policy:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
data_cisco-smi-etcd_etcd_network-policy-post:
  Type: object
  Properties:
    cisco-smi-etcd:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_network-policy_enable:
  Type: object
  Properties:
    cisco-smi-etcd:enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cisco-smi-etcd_etcd_node-affinity:
  Type: object
  Properties:
    cisco-smi-etcd:node-affinity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cisco-smi-etcd_etcd_replicas:
  Type: object
  Properties:
    cisco-smi-etcd:replicas:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cisco-smi-etcd_etcd_repository:

```

```
Type: object
Properties:
  cisco-smi-etcd:repository:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cisco-smi-etcd_etcd_storage-label:
Type: object
Properties:
  cisco-smi-etcd:storage-label:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cisco-smi-etcd_etcd_volume:
Type: object
Properties:
  cisco-smi-etcd:volume:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
```

```
    Type: object
    Properties: {}
  yang-library-version:
    Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}
```