



cnbng_config

- [Info, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)

Info

Title: cnbng-cp

Description: "This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:
Endpoint
and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

Version: '2020-12-12'

basePath: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources
- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources

```

- Name: options
  Description: options resources
- Name: delete
  Description: delete resources
schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

Paths

/

get:

Tags:

```

- root
- get

```

Summary: "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

This module contains definitions for the following management objects:

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All
rights reserved."

```

Description: "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

This module contains definitions for the following management objects:

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

```

Operation ID: root_get

produces:

```

- application/yang-data+json

```

Parameters: []

Responses:

'200':

Description: "This is root module for Cisco Cloud-Native BNG Control-Plane configuration."

This module contains definitions for the following management

objects:

```

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved."

```

Schema:

Reference: '#/definitions/root'

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - root
  - head
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  Operation ID: root_head
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/operations

```

get:

  Tags:
  - operations
  - get
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."

```

```

Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

/yang-library-version

get:

Tags:

```
- yang-library-version
- get
```

Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane configuration.\n"

\nThis module contains definitions for the following management objects:\n

```
\ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
\ rights reserved."
```

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\ configuration.\n\nThis module contains definitions for the following management\ \ **objects**:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\ \ Inc.\nAll rights reserved."

Operation ID: yang_library_version_get

produces:

```
- application/yang-data+json
```

Parameters: []

Responses:

'200':

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\

```

    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
Schema:
  Reference: '#/definitions/yang-library-version'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n\
\nEndpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
\nrights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
\nconfiguration.\n\nThis module contains definitions for the following management\
\nobjects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
\nInc.\nAll rights reserved."
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data

```

get:

Tags:
- data
- get
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane

```

```

configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \ Cisco Systems, Inc.\nAll rights reserved."
    Schema:
      Reference: '#/definitions/data'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ Inc.\nAll rights reserved."
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

```

```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \ \
  \ Inc.\nAll rights reserved."
Operation ID: data_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-post'

Responses:
  '201':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following\
  \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
  \ \
  \ Cisco Systems, Inc.\nAll rights reserved."
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
    security:
      - basicAuth: []
put:

Tags:
- data
- put
Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n

```

```

    \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
    \ rights reserved."
Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following management\
    \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
    \
    \ Inc.\nAll rights reserved."
Operation ID: data_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
  '201':
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
    \ configuration.\n\nThis module contains definitions for the following\
    \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
    \
    \ Cisco Systems, Inc.\nAll rights reserved."
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: "This is root module for Cisco\nCloud-Native BNG Control-Plane
  configuration.\n\
  \nThis module contains definitions for the following management
objects:\n\
  \ Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll\
  \
  \ rights reserved."
  Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
  \ configuration.\n\nThis module contains definitions for the following management\
  \ objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\
  \
  \ Inc.\nAll rights reserved."
  Operation ID: data_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data-put-patch'

  Responses:
    '204':

```



```

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following\
 \ management objects:\n Endpoint and Interfaces\n\nCopyright (c) 2020 by\
 \ Cisco Systems, Inc.\nAll rights reserved."
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

/data/cnbng-cp:profile

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile-post'

    Responses:
      '201':
        Description: container profile created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile'

    Responses:
      '201':
        Description: container profile created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile'

    Responses:
      '204':
        Description: container profile updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp

```

options:

  Tags:
  - data
  - options
  Summary: ''

```

```
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:**'201':****Description:** list dhcp created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name'

    Responses:
      '204':
        Description: list dhcp updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':


```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4-post'

  Responses:
    '201':
      Description: container ipv4 created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'

Responses:
'201':
  Description: container ipv4 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'

Responses:

'204':
 Description: container ipv4 updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'204':
 Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_mode'

Responses:
  '201':
    Description: leaf mode created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```



```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server-post'

  Responses:
    '201':
      Description: container server created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

  Responses:
    '201':
      Description: container server created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

  Responses:
    '204':
      Description: container server updated
    '400':

```

```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
      Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'200':
      Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_pool-name'

Responses:

- '201':
 - Description: leaf pool-name created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''****Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'

Responses:

- '204':
 - Description:** leaf pool-name updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:


```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers

options:

```

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list dns-servers created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

Responses:
'204':
  Description: leaf-list dns-servers updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={ntp-servers-id}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/ntp-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers-id'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```

```

- $ref: '#/parameters/ntp-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

```

Responses:

```

'201':
  Description: leaf-list ntp-servers created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

Summary: ''**Description:** ''**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/ntp-servers-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

```

Responses:

```

'204':
  Description: leaf-list ntp-servers updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/ntp-servers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server

```
options:
```

```

  Tags:
  - data
  - options

```


Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server={netb

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/netbios-name-server-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-name-server_netbios-name-server-id'

 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/netbios-name-server-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/netbios-name-server-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-name-server_netbios-name-server-id'
    - $ref: '#/parameters/insert'
```

- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list netbios-name-server created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/netbios-name-server-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-name-server_netbios-name-server-id'

Responses:

'204':

Description: leaf-list netbios-name-server updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/netbios-name-server-id'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/netbios-name-server-id'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name

get:**Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

Responses:
  '201':
    Description: leaf domain-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

Responses:
  '204':
    Description: leaf domain-name updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot-filename'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_head

produces:

- application/yang-data+json

Parameters:


```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_boot-filename'

Responses:
  '201':
    Description: leaf boot-filename created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_patch
produces:
```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'

Responses:

- '204':
 - Description:** leaf boot-filename updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_get
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next-server'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_next-server'

Responses:
  '201':
    Description: leaf next-server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_next-server'

Responses:
'204':
  Description: leaf next-server updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type-post'

  Responses:
    '201':
      Description: container netbios-node-type created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type'

  Responses:
    '201':
      Description: container netbios-node-type created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_patch

  produces:
  - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'

Responses:
  '204':
    Description: container netbios-node-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/broadcast-

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

Responses:
  '201':
    Description: leaf broadcast-node created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_broadcast-node'

Responses:
    '204':
        Description: leaf broadcast-node updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hybrid-node

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'
```

```

Responses:
  '201':
    Description: leaf hybrid-node created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

Responses:
  '204':
    Description: leaf hybrid-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-node

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'

```


- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Responses:
'201':
  Description: leaf mixed-node created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Responses:
'204':
  Description: leaf mixed-node updated
'400':
  Reference: '#/responses/400'

```

```
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:
 - basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

Responses:

'201':
 Description: leaf peer-to-peer-node created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

patch:

Tags:

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

Responses:
  '204':
    Description: leaf peer-to-peer-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hexadecimal

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hexadecimal'

    Responses:
      '201':
        Description: leaf hexadecimal created or replaced
      '204':
        Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

  Responses:
    '204':
      Description: leaf hexadecimal updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_post
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'

Responses:

- '201':
 - Description:** container lease created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'

Responses:

- '201':
 - Description:** container lease created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

```
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease'

Responses:
'204':
  Description: container lease updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'

  Responses:
    '201':
      Description: leaf days created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'

Responses:
'204':
    Description: leaf days updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
    Reference: '#/responses/204'

```



```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'

  Responses:
    '201':
      Description: leaf hours created or replaced
    '204':
      Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'

Responses:
'204':
  Description: leaf hours updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_delete
produces:
- application/yang-data+json

Parameters:
```

```

- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'

```

```

Responses:
  '201':
    Description: leaf minutes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_delete
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - basicAuth: []
options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_options

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_post
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key-post'

Responses:

'201':

Description: container static-ip-key created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_put
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'

Responses:

'201':

Description: container static-ip-key created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'

Responses:
'204':
    Description: container static-ip-key updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
'204':
    Reference: '#/responses/204'
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key/identifier

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key_identifier'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key_identifier'
  Responses:

```

```

    '201':
      Description: leaf identifier created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-identifier'

  Responses:
    '204':
      Description: leaf identifier updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'

Responses:

'201':
 Description: container hold-time created
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'

Responses:

'201':
 Description: container hold-time created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':


```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time'

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time/minutes

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':**

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'

  Responses:
  '201':
    Description: leaf minutes created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref:
    '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'

  Responses:
    '204':
      Description: leaf minutes updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Summary:** ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_head**produces:**

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**Method:** Post**Tags:**- data
- post**Summary:** ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_post**produces:**

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'

Responses:
  '201':
    Description: container option-codes created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

Responses:
  '201':
    Description: container option-codes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'

Responses:
  '204':
    Description: container option-codes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code=

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_get

```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option-codes_option-code_option-code-option-code'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list option-code created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/option-code-option-code'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option-code_option-code-option-code'

Responses:

'204':

Description: list option-code updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/option-code-option-code'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code={option-code-option-code}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option-code-option-code_option-code'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code'

```

```

Responses:
  '201':
    Description: leaf option-code created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code'

Responses:
  '204':
    Description: leaf option-code updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

```

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

Responses:

'201':
 Description: leaf ascii-string created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_patch

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii-string'

Responses:
'204':
 Description: leaf ascii-string updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option-code-option-code_hex-string'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

  Responses:

```

```

    '201':
      Description: leaf hex-string created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

Responses:
    '204':
      Description: leaf hex-string updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address/options

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_options

```

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

Tags:
- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/ip-address-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK

Schema:

Reference:

 '/#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address-id'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/option-code-option-code'
        - $ref: '#/parameters/ip-address-id'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/option-code-option-code'
        - $ref: '#/parameters/ip-address-id'
        - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

```

Responses:

'201':
Description: leaf-list ip-address created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/option-code-option-code'
 - **\$ref:** '#/parameters/ip-address-id'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address-id'

Responses:

'204':
Description: leaf-list ip-address updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/ip-address-id'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:** '#/parameters/ip-address-id'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}**get:****Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

Responses:

'201':

Description: leaf force-insert created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/option-code-option-code'

- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

Responses:

'204':

Description: leaf force-insert updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/option-code-option-code'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/option-code-option-code'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_get
produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':


```
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list class created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
```

- **\$ref**: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'

Responses:

'204':
Description: list class updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth**: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/dhcp-name'
 - **\$ref**: '#/parameters/class-class-name'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth**: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/dhcp-name'
 - **\$ref**: '#/parameters/class-class-name'

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name

get:

```

Tags:
  - data
  - get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_get
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

Responses:
  '201':
    Description: leaf class-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

  Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

Schema:**Reference:**

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

Method: Post**Tags:**

```
- data
- post
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_post
```

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'

Responses:

- '201':
 - Description:** container matches created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

Responses:

- '201':
 - Description:** container matches created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'


```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches'

  Responses:
    '204':
      Description: container matches updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match-key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list match created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match-key'

  Responses:
  '204':
    Description: list match updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_delete

  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

- '204':
 - Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'
      - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key'

    Responses:
      '201':
        Description: leaf key created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'

```



```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

```

Responses:

```

'204':
  Description: leaf key updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_delete

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/match-key'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/match-key'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: leaf-list ascii created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

Responses:
'204':
  Description: leaf-list ascii updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

```

  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/hex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list hex created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'


```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/hex-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

  Responses:
    '204':
      Description: leaf-list hex updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_get

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match-type'

Responses:
  '201':
    Description: leaf match-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

```

Responses:

```

'204':
  Description: leaf match-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_options
```

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'

  Responses:
  '201':
    Description: container server created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server'

  Responses:
    '201':
      Description: container server created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_patch
  produces:
  - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Responses:
'204':
  Description: container server updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_options
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_pool_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_pool-name'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    Responses:
      '201':
        Description: leaf pool-name created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_pool-name'

Responses:
'204':
    Description: leaf pool-name updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/d

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns

```
get:
```

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_get
```

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

  '200':
    Description: OK
    Schema:
      Reference:

```

```
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'
```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

```
head:
```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: leaf-list dns-servers created or replaced

'204':

Reference: '#/responses/204'

'400':

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/dns-servers-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id'

Responses:
    '204':
        Description: leaf-list dns-servers updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers/options**options:****Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/ntp-servers-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference:
 - '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':

Reference: '#/responses/405'
'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
 - head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/ntp-servers-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/ntp-servers-id'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':
Description: leaf-list ntp-servers created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/ntp-servers-id'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

Responses:

'204':
Description: leaf-list ntp-servers updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/ntp-servers-id'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/ntp-servers-id'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server**options:****Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

Tags:

- data

- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:** '#/parameters/netbios-name-server-id'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id'

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/netbios-name-server-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```

```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list netbios-name-server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

Responses:
  '204':
    Description: leaf-list netbios-name-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```



```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/netbios-name-server-id'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/don

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Responses:
'201':
  Description: leaf domain-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_domain-name'

Responses:

'204':

Description: leaf domain-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/b**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

```

- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

Responses:
  '201':
    Description: leaf boot-filename created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

```

```

Responses:
  '204':
    Description: leaf boot-filename updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server

```
get:
```

```

  Tags:
  - data
  - get

```



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_next-server'

Responses:

'201':
 Description: leaf next-server created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_patch

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

Responses:
  '204':
    Description: leaf next-server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type-post'

  Responses:
    '201':

```

```

    Description: container netbios-node-type created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type'

  Responses:
  '201':
    Description: container netbios-node-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type'

Responses:
'204':
  Description: container netbios-node-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'


```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_put

  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'

Responses:

- '201':
 - Description:** leaf broadcast-node created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'

Responses:

- '204':
 - Description:** leaf broadcast-node updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/n

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

Responses:

'201':

Description: leaf hybrid-node created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_hybrid-node'

Responses:
  '204':
    Description: leaf hybrid-node updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/m**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_put

produces:
- application/yang-data+json

Parameters:

```



```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

```

Responses:

```

'201':
  Description: leaf mixed-node created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:

```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'
```

Responses:

```

'204':
  Description: leaf mixed-node updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

Responses:

- '201':
 - Description: leaf peer-to-peer-node created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_peer-to-peer-node'

Responses:
'204':
  Description: leaf peer-to-peer-node updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

```

Responses:

```

'201':
  Description: leaf hexadecimal created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

```

Responses:

```

'204':
  Description: leaf hexadecimal updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

```

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'

Responses:

'201':
 Description: container lease created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

Responses:
  '201':
    Description: container lease created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

Responses:
  '204':
    Description: container lease updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lea

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

Responses:

'204':

Description: leaf days updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:


```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

Responses:

```
'201':
  Description: leaf hours created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

Responses:

```
'204':
  Description: leaf hours updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lea**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_put

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/dhcp-name'**- \$ref:** '#/parameters/class-class-name'**- \$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

Responses:**'201':****Description:** leaf minutes created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_patch

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

Responses:
'204':
  Description: leaf minutes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_options

produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
 - \$ref: '#/parameters/class-class-name'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/sta

get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
 - \$ref: '#/parameters/class-class-name'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
        Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_post
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key-post'

      Responses:
        '201':
          Description: container static-ip-key created
        '204':
          Reference: '#/responses/204'
        '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key'

Responses:
  '201':
    Description: container static-ip-key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key'

Responses:

'204':

Description: container static-ip-key updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/sta

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key_identifier'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'
```

Responses:

```
'201':
  Description: leaf identifier created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key_identifier'
```

Responses:

```
'204':
  Description: leaf identifier updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/h**get:****Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post'

Responses:

'201':

Description: container hold-time created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

Responses:

- '201':
 - Description:** container hold-time created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

Responses:

- '204':
 - Description:** container hold-time updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/h

get:

```

      Tags:
        - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_hold-time_minutes'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

```

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'

Responses:

'201':
 Description: leaf minutes created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_hold-time_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes-post'
```



```

Responses:
  '201':
    Description: container option-codes created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Responses:
  '201':
    Description: container option-codes created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Responses:
'204':
  Description: container option-codes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

```

  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/class-class-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  ?
  /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}
  : get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_head

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list option-code created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'
  - $ref:
#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code

  Responses:
    '204':
      Description: list option-code updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'

```

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_options

produces:

- application/yang-data+json

Parameters:- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'**Responses:**

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/option-code

: get:

Tags:- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_get

produces:

- application/yang-data+json

Parameters:- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'**Responses:**

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Summary: ''

Description: ''

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- **\$ref:** '#/parameters/class-class-name'

- **\$ref:** '#/parameters/option-code-option-code'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Summary: ''

Description: ''


```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

delete:

```

Tags:
  - data
  - delete
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_delete

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
  - basicAuth: []

```

options:

```

Tags:
  - data
  - options
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_options

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/option-code-option-code'

```

```

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ascii-string
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/option-code-option-code'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head

```

Summary: ''

Description: ''

Operation ID:

data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref:

'#/parameters/data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

Responses:

'201':

Description: leaf ascii-string created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

Responses:
  '204':
    Description: leaf ascii-string updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_delete

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/hex-string
: get:**Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'

Responses:

'201':

Description: leaf hex-string created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/option-code-option-code'
- **\$ref:**


```
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'
```

Responses:

```
'204':
  Description: leaf hex-string updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_options
```

produces:

```
- application/yang-data+json
```

Parameters:

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address
: options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

```

    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/ip-address-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list ip-address created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code-option-code-option-code-ip-address-ip-address-id'

Responses:

'204':

Description: leaf-list ip-address updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code-option-code-option-code-ip-address-ip-address-id/delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp=(dhcp-name)/ipv4/class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/ip-address-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/force-insert~~

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp=(dhcp-name)/ipv4/class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/option-code-option-code'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp=(dhcp-name)/ipv4/class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_head

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_put

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
```

```

- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

```

Responses:

```

'201':
  Description: leaf force-insert created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/option-code-option-code'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

```

Responses:

```

'204':
  Description: leaf force-insert updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```



```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

```

```

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_delete

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/option-code-option-code'

```

```

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/dhcp-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/option-code-option-code'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6-post'

Responses:

'201':
Description: container ipv6 created

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

Responses:

- '201':
 - Description:** container ipv6 created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

Responses:

- '204':
 - Description:** container ipv6 updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_mode'

Responses:
'201':
  Description: leaf mode created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_get

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'

Responses:
  '201':
    Description: container server created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'

Responses:
  '201':
    Description: container server created or replaced
  '204':
    Reference: '#/responses/204'
  '400':

```

```
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server'

Responses:
  '204':
    Description: container server updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
```

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'

```

```

Responses:
  '201':
    Description: leaf iana-pool-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'

Responses:
  '204':
    Description: leaf iana-pool-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_delete
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []
options:
Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_options
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name

get:
Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_get
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''


```
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

Responses:
'201':
  Description: leaf iapd-pool-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

Responses:
'204':
  Description: leaf iapd-pool-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers

```

options:

Tags:
- data
- options
Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-id}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref:
      '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_dns-servers_dns-servers-id'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':

```

```

    Description: leaf-list dns-servers created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/dns-servers-id'
  - $ref:
  '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns-servers_dns-servers-id'

  Responses:
  '204':
    Description: leaf-list dns-servers updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/dns-servers-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_put
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'

Responses:
 '201':
 Description: leaf domain-name created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_patch
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'

Responses:
 '204':
 Description: leaf domain-name updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_get

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Reference:** '#/responses/200'

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_preference'

Responses:
'201':
  Description: leaf preference created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_preference'

Responses:
'204':
  Description: leaf preference updated
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_aftr-name'

Responses:

'201':

Description: leaf aftr-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_aftr-name'

```
Responses:
  '204':
    Description: leaf aftr-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'

Responses:

'201':
 Description: leaf rapid-commit created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'

Responses:

- '204':
 - Description:** leaf rapid-commit updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease-post'

Responses:

'201':

Description: container lease created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data

```
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease'

Responses:
'201':
  Description: container lease created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease'

Responses:
'204':
  Description: container lease updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'

  Responses:
    '201':
      Description: leaf days created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'

  Responses:
    '204':
      Description: leaf days updated
    '400':

```



```
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_head

produces:

- application/yang-data+json

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'

Responses:
  '201':
    Description: leaf hours created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_patch
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'

Responses:

- '204':
 - Description:** leaf hours updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'

Responses:

'201':

Description: leaf minutes created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

```

- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':


```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dhcp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key-post'

    Responses:
      '201':
        Description: container static-ip-key created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

  Responses:
    '201':
      Description: container static-ip-key created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

```

```
Responses:
  '204':
    Description: container static-ip-key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key/identifier

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-identifier'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-identifier'

Responses:

'201':

Description: leaf identifier created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key-identifier'

Responses:
  '204':
    Description: leaf identifier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_server_hold-time-post'

    Responses:
    '201':
        Description: container hold-time created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'

```



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'

  Responses:
    '201':
      Description: container hold-time created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'

```

```

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time/minutes

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Description: OK

Schema:
Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time_minutes'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time_minutes'

Responses:

- '201':
 - Description: leaf minutes created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```

Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time_minutes'

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list class created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name'

Responses:
  '204':
    Description: list class updated

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_delete
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

Responses:
  '201':
    Description: leaf class-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_class-name'

Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches-post'

```

```

Responses:
  '201':
    Description: container matches created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches'

Responses:
  '201':
    Description: container matches created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches'

Responses:
'204':
  Description: container matches updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```



```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

```

Tags:
- data
- get
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match_match-key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list match created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match_match-key'

Responses:

'204':

Description: list match updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

Responses:

'204':

Reference: '#/responses/204'

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':

```

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key'

Responses:

'201':

Description: leaf key created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key'

Responses:

'204':

Description: leaf key updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':

```



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: leaf-list ascii created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'
- $ref:
'/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

```

Responses:

```

'204':
  Description: leaf-list ascii updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/ascii-id'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches**options:****Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches**get:****Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match_match_key_hex_hex-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
 Description: leaf-list hex created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/hex-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id'

  Responses:
    '204':
      Description: leaf-list hex updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

```


- \$ref: '#/parameters/hex-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/hex-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match-type'

Responses:
'201':
  Description: leaf match-type created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match-type'

Responses:
'204':
  Description: leaf match-type updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'

Responses:

'201':

Description: container server created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

Responses:
'201':
  Description: container server created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

Responses:
'204':
  Description: container server updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/i

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_head

```

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Summary: ''
Description: ''

Operation ID:
 data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'

Responses:
 '201':
 Description: leaf iana-pool-name created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'

Responses:

'204':

Description: leaf iana-pool-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name

```

  get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:

```

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_put
  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

Responses:

'201':

Description: leaf iapd-pool-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

Responses:

'204':

Description: leaf iapd-pool-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/d

options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/dns-servers-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'


```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/dns-servers-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_put
  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list dns-servers created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/dns-servers-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

Responses:

'204':

Description: leaf-list dns-servers updated

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/dns-servers-id'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/domain-name

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_domain-name'

Responses:
  '201':
    Description: leaf domain-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_patch
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_domain-name'

Responses:
    '204':
        Description: leaf domain-name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_delete
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dhcp-name'
    - $ref: '#/parameters/class-class-name'

    Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/p

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:

```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_put
```

produces:

```
- application/yang-data+json
```



```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

Responses:
'201':
  Description: leaf preference created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

```

```

Responses:
'204':
  Description: leaf preference updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name

```
get:
```

```
Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_aftr-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

Responses:

'201':
 Description: leaf aftr-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

Responses:

'204':

Description: leaf aftr-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid-commit'

  Responses:
    '201':
      Description: leaf rapid-commit created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

Responses:
  '204':
    Description: leaf rapid-commit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

Responses:
'201':
  Description: container lease created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

```

Responses:

```
'201':
  Description: container lease created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease'
```

Responses:

```
'204':
  Description: container lease updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_get
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

  Responses:
  '201':
    Description: leaf days created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

```

Responses:

```

'204':
  Description: leaf days updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

delete:**Tags:**

```

- data
- delete

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_delete

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_options

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```


Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/dhcp-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

Responses:

'201':

Description: leaf hours created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

  Responses:
    '204':
      Description: leaf hours updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'

```

```

- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/minutes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_minutes'

Responses:

'201':

Description: leaf minutes created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_minutes'

Responses:

'204':

Description: leaf minutes updated

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/sta

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static-ip-key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

Method: Post

Tags:
- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_post

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'

Responses:
'201':
 Description: container static-ip-key created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

Responses:

'201':

Description: container static-ip-key created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

```

Responses:
  '204':
    Description: container static-ip-key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
  - data
  - delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_delete

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
  - basicAuth: []
options:

Tags:
  - data
  - options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_options

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/dhcp-name'
  - $ref: '#/parameters/class-class-name'

Responses:

```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/sta

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static-ip-key_identifier'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []

```

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_static-ip-key_identifier'

Responses:

'201':

Description: leaf identifier created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static-ip-key_identifier'

Responses:
'204':
    Description: leaf identifier updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_delete

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post

```



```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'

Responses:
'201':
  Description: container hold-time created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

Responses:
'201':
  Description: container hold-time created or replaced
'204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_hold-time'

Responses:
  '204':
    Description: container hold-time updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_hold-time_minutes'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_hold_time_minutes_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dhcp-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'

Responses:

'201':

Description: leaf minutes created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/dhcp-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'

```

Responses:
  '204':
    Description: leaf minutes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dhcp-name'
- $ref: '#/parameters/class-class-name'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/pppoe

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK

```

    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name'

```


- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description:** list pppoe created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe-name'

Responses:

- '204':
 - Description:** list pppoe updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

/data/cnbng-cp:profile/pppoe={pppoe-name}/name

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_name'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_name'

Responses:

'201':

Description: leaf name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_name'

Responses:

'204':

Description: leaf name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/mtu

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_get
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_mtu_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_mtu'

Responses:

'201':

Description: leaf mtu created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_mtu_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_mtu'

Responses:

'204':

Description: leaf mtu updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority

```
get:
```

```
  Tags:
  - data
```



```
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

Responses:
  '201':
    Description: leaf ctrl-pkt-priority created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

Responses:
  '204':

```

```
    Description: leaf ctrl-pkt-priority updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disable

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_service-selection-disable'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_head

produces:

- application/yang-data+json

Parameters:

```
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_service-selection-disable'

Responses:
  '201':
    Description: leaf service-selection-disable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_patch
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'

Responses:
  '204':
    Description: leaf service-selection-disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_options

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'

Responses:
  '201':
    Description: container max-payload created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

```



```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'

Responses:
'201':
  Description: container max-payload created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'

Responses:
'204':
  Description: container max-payload updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny

```
get:
```

```

  Tags:
  - data
  - get

```

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

Responses:
  '201':
    Description: leaf deny created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'

Responses:
  '204':

```

```
    Description: leaf deny updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_head

produces:

- application/yang-data+json

Parameters:

```
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'

Responses:
  '201':
    Description: leaf minimum created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_patch
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'

Responses:

- '204':
 - Description:** leaf minimum updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

Responses:


```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_maximum'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'

Responses:

'201':

Description: leaf maximum created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

```
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'

Responses:
  '204':
    Description: leaf maximum updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_options
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/service-name-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe-name_service-name_service-name-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list service-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/service-name-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe-name_service-name_service-name-id'

Responses:
  '204':
    Description: leaf-list service-name updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/service-name-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/service-name-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_ac_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_ac_name'

Responses:

'201':
 Description: leaf ac-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

Responses:

- '204':
 - Description:** leaf ac-name updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

Responses:

- '200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_head

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_ac-cookie'

Responses:**'201':****Description:** leaf ac-cookie created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

Responses:
'204':
  Description: leaf ac-cookie updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_options
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/pppoe-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit-post'

Responses:
  '201':
    Description: container session-limit created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
```

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'

Responses:**'201':****Description:** container session-limit created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'

Responses:**'204':****Description:** container session-limit updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'


```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_get
produces:
- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:

```

Reference:

```

'#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Summary: ''**Description:** ''

```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_head
produces:

```

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_max-post'

Responses:
  '201':
    Description: container max created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_max'

Responses:
  '201':
```

```

    Description: container max created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'

  Responses:
  '204':
    Description: container max updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_put
  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'

Responses:

- '201':
 - Description:** leaf value created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'

Responses:

- '204':
 - Description:** leaf value updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_delete**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/threshold**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_get**produces:**

- application/yang-data+json


```
Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold'

Responses:

'201':

Description: leaf threshold created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold'

Responses:

'204':

Description: leaf threshold updated

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pppoe-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'

Responses:

'201':
Description: container mac created

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'

Responses:

- '201':
 - Description:** container mac created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'

Responses:

- '204':
 - Description:** container mac updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_session_limit_mac_value_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**


```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Responses:
'201':
  Description: leaf value created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Responses:
'204':
  Description: leaf value updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/threshold

```
get:
```

```
Tags:
- data
```

```
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'

- \$ref:

'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold'

Responses:

'201':

Description: leaf threshold created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_patch

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'

Responses:
  '204':
    Description: leaf threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_get
  produces:
    - application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'

Responses:

'201':

Description: container circuit-id created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

Responses:
  '201':
    Description: container circuit-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

Responses:
  '204':
    Description: container circuit-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```



```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/value

```

get:

  Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value'

Responses:

'201':
 Description: leaf value created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_patch

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pppoe-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

Responses:
  '201':
    Description: leaf threshold created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

  Responses:
    '204':
      Description: leaf threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```



```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pppoe-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_outer-vlan-post'

    Responses:
    '201':
        Description: container outer-vlan created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe_name_session-limit_outer-vlan'

  Responses:
    '201':
      Description: container outer-vlan created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_patch
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'

Responses:
  '204':
    Description: container outer-vlan updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/value

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pppoe-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []
head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

  Responses:
    '201':
      Description: leaf threshold created or replaced
    '204':

```



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pppoe-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

  Responses:
  '204':
    Description: leaf threshold updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_put
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'

Responses:

- '201':
 - Description:** leaf timeout-completion created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pppoe-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'

Responses:

- '204':
 - Description:** leaf timeout-completion updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pppoe-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cnbng-cp:profile/aaa

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_options
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_aaa_aaa_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_head
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'
security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''
Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_put
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/data_cnbng_cp_profile_aaa_aaa_name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:
'201':
 Description: list aaa created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name'

Responses:

'204':

Description: list aaa updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_options
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'

Responses:
'200':
 Reference: '#/responses/200'

security:
- basicAuth: []

/data/cnbng-cp:profile/aaa={aaa-name}/name

get:

Tags:
- data
- get

Summary: ''
Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_name'
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_name'

  Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}/authentication

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication-post'

  Responses:
    '201':
      Description: container authentication created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication'

  Responses:
    '201':
      Description: container authentication created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authentication'

```

```
Responses:
  '204':
    Description: container authentication updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/method-order-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_aaa_aaa_name_authentication_method-order_method-order-id'


```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/method-order-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_put
  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list method-order created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

Responses:
  '204':
    Description: leaf-list method-order updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/method-order-id'

    Responses:
      '204':
        Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/method-order-id'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization

```
get:
```

```
  Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization-post'

Responses:
  '201':
    Description: container authorization created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization'

Responses:
  '201':
```

```

    Description: container authorization created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization'

  Responses:
  '204':
    Description: container authorization updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_post
produces:
- application/yang-data+json
```



```
Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'

Responses:
  '201':
    Description: container type created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'

Responses:
  '201':
    Description: container type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_type_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_type'

Responses:**'204':****Description:** container type updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_type_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/aaa-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/aaa-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref:
        '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber-post'

    Responses:
      '201':
        Description: container subscriber created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'

  Responses:
  '201':
    Description: container subscriber created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
```

- \$ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'

Responses:

'204':
Description: container subscriber updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'

Responses:

'204':
Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/method-order-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''

```


Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list method-order created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

Responses:

'204':

Description: leaf-list method-order updated

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/method-order-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/aaa-name'
    - $ref: '#/parameters/method-order-id'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_aaa_aaa_name_authorization_username'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_post

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username-post'

Responses:
'201':
 Description: container username created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

put:

Tags:

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'

Responses:
'201':
  Description: container username created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'

Responses:
'204':
  Description: container username updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_value'

    Responses:
      '201':
        Description: leaf value created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/aaa-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_value'

    Responses:
      '204':
        Description: leaf value updated

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/format

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_format'

Responses:

'201':
 Description: leaf format created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_patch

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'

Responses:
  '204':
    Description: leaf format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_options

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/identifier

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/aaa-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

Responses:**'201':****Description:** leaf identifier created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_patch
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/aaa-name'
        - $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

      Responses:
        '204':
          Description: leaf identifier updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/aaa-name'

      Responses:
        '204':
          Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/password

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
    '204':
      Reference: '#/responses/204'
    '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
  Responses:
  '201':
    Description: leaf password created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_authorization_password'

Responses:
  '204':
    Description: leaf password updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'

```

```
Responses:
  '201':
    Description: container accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng_cp_profile_aaa_aaa_name_accounting'

Responses:
  '201':
    Description: container accounting created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
```

```

- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/data_cnbng-cp_profile_aaa_aaa_name_accounting'

Responses:
  '204':
    Description: container accounting updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_options
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/aaa-name'
- \$ref: '#/parameters/method-order-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data


```

- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list method-order created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/aaa-name'
- $ref: '#/parameters/method-order-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

Responses:
'204':
  Description: leaf-list method-order updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/aaa-name'
  - $ref: '#/parameters/method-order-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/server-group

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/server-group={server-group-name}

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_server_group_server_group_name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_server_group_server_group_name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list server-group created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng_cp_profile_server_group_server_group_name'

Responses:
'204':
  Description: list server-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/server-group={server-group-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_server-group_server-group-name_name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_name'

Responses:

- '201':
 - Description:** leaf name created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_server_group_server_group_name_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_name'

Responses:

- '204':
 - Description:** leaf name updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**


```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/server-group={server-group-name}/radius-group

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_server_group_server_group_name_radius_group_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

Responses:
'201':
  Description: leaf radius-group created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-name'
- $ref: '#/parameters/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

Responses:
'204':
  Description: leaf radius-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/attribute-format

```
options:
```

```
  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_attribute_format_attribute_format_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list attribute-format created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name'

Responses:
  '204':
    Description: list attribute-format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '204':
    Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/attribute-format-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/name

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/attribute-format-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'

```



```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'

  Responses:
    '204':
      Description: leaf name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/attribute-format-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

```

Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Responses:
'201':
  Description: leaf format-string created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Responses:
'204':
  Description: leaf format-string updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/attribute-format-name'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order

```
options:
```

```
Tags:
- data
- options
```

Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/attribute-format-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={for

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/attribute-format-name'
 - **\$ref:** '#/parameters/format-order-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/format-order-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/attribute-format-name'
    - $ref: '#/parameters/format-order-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'
    - $ref: '#/parameters/insert'
```


- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list format-order created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/attribute-format-name'

- \$ref: '#/parameters/format-order-id'

- \$ref:

'#/parameters/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

Responses:

'204':

Description: leaf-list format-order updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/attribute-format-name'
- **\$ref:** '#/parameters/format-order-id'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/attribute-format-name'
- **\$ref:** '#/parameters/format-order-id'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber

options:**Tags:**

- data
- options

Summary: ''**Description:** ''

Operation ID: data_cnbng_cp_profile_subscriber_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}

get:

Tags:

- data

- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:**'201':****Description:** list subscriber created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':**

```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name'

  Responses:
  '204':
    Description: list subscriber updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:

```



```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_dhcp-profile'

  Responses:
    '201':
      Description: leaf dhcp-profile created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp-profile'

Responses:
'204':
  Description: leaf dhcp-profile updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'

Responses:

- '201':
 - Description:** leaf pppoe-profile created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'

Responses:

- '204':
 - Description:** leaf pppoe-profile updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/session-type

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng-cp_profile_subscriber_subscriber_name_session_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**


```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'

Responses:
'201':
  Description: leaf session-type created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'

Responses:
'204':
  Description: leaf session-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_l2tp-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

Responses:
  '201':
    Description: leaf l2tp-profile created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

Responses:
  '204':
    Description: leaf l2tp-profile updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_aaa_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-pr

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa-aaa-option_aaa-profile'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_put
  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':

Description: list aaa created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

Responses:

'204':

Description: list aaa updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'


```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-pr

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Responses:

'201':

Description: leaf aaa-option created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

    Responses:
      '204':
        Description: leaf aaa-option updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile'

Responses:

'201':

Description: leaf profile created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

Responses:
  '204':
    Description: leaf profile updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_options

produces:
- application/yang-data+json

```


Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates=

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates-id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: leaf-list activate-feature-templates created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'

```

- $ref:
  '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_activate-feature-templates_activate-feature-templates-id'

Responses:
  '204':
    Description: leaf-list activate-feature-templates updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/activate-feature-templates-id'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_class_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list class created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name'

Responses:
'204':
  Description: list class updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/c

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_head

```

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

Responses:
'201':
 Description: leaf class-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_class-name'

Responses:
  '204':
    Description: leaf class-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'
```

Responses:

```
'201':
  Description: container matches created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

put:

Tags:

```
- data
- put
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_put
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref:
```

```
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
```

Responses:

```
'201':
  Description: container matches created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches'

  Responses:
    '204':
      Description: container matches updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

```


Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list match created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'
      - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key'

    Responses:
      '204':
        Description: list match updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/match-key'

```

Responses:**'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

Responses:**'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma****get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

Responses:
'201':
  Description: leaf key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref:
'/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

```

Responses:

'204':
Description: leaf key updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/match-key'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/type-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: leaf-list type created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_patch

```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/type-id'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

Responses:

'204':

Description: leaf-list type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/type-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/type-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

```

get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put
Summary: ''
Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/ascii-id'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:
'201':
 Description: leaf-list ascii created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/ascii-id'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

  Responses:
    '204':
      Description: leaf-list ascii updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_regex_regex-id'
```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description:** leaf-list regex created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'
- \$ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id'

Responses:

- '204':
 - Description:** leaf-list regex updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/regex-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/match-key'
    - $ref: '#/parameters/regex-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

Responses:

'201':

Description: leaf match-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match-type'

    Responses:
      '204':
        Description: leaf match-type updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/class-class-name'

    Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/act

```

      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}

```


: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/activate-feature-templates-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/activate-feature-templates-id'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

- **\$ref:** '#/parameters/insert'
 - **\$ref:** '#/parameters/point'

Responses:
 '201':
 Description: leaf-list activate-feature-templates created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/activate-feature-templates-id'
        - $ref:
'#/parameters/data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

      Responses:
        '204':
          Description: leaf-list activate-feature-templates updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

```

- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/a

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference:

```

```
'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []
head:

```

```
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}
```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list aaa created or replaced

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Responses:
  '204':
    Description: list aaa updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option}

get:

```

Tags:
- data
- get
Summary: ''

```


Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Responses:

'201':
 Description: leaf aaa-option created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Responses:

'204':

Description: leaf aaa-option updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

produces:

- application/yang-data+json

Parameters:- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'**Responses:**

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa**get:****Tags:**- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

produces:

- application/yang-data+json

Parameters:- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile'

Responses:

'201':

Description: leaf profile created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'

```

- $ref: '#/parameters/aaa-profile'
- $ref:
'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

Responses:

```

'204':
  Description: leaf profile updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_apply-all-class'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':


```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'

  Responses:
    '201':
      Description: leaf apply-all-class created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'

  Responses:
    '204':
      Description: leaf apply-all-class updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'

  Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/subscriber-name'
  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event

```

options:
  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_event_options
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/subscriber-name'
  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber_name_event_event-event-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list event created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name'

Responses:
  '204':
    Description: list event updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_options
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'

Responses:
'200':
Reference: '#/responses/200'
security:
- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/event-name

get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Description: OK
Schema:
Reference:
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'
'204':
Reference: '#/responses/204'
'400':
Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref:
'/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

Responses:
'201':
    Description: leaf event-name created or replaced

```



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:
  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

  Responses:
    '204':
      Description: leaf event-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:
  Tags:
    - data
    - delete
  Summary: ''

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

```

Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

```

- \$ref: '#/parameters/event-event-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

```

Responses:

'201':
Description: list aaa created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/event-event-name'
 - **\$ref:** '#/parameters/aaa-aaa-option'
 - **\$ref:** '#/parameters/aaa-profile'
 - **\$ref:**

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

Responses:

'204':
Description: list aaa updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

```

- basicAuth: []
delete:

```

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

```

get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event_name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Responses:
'201':
 Description: leaf aaa-option created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/aaa-aaa-option'
        - $ref: '#/parameters/aaa-profile'
        - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

      Responses:
        '204':
          Description: leaf aaa-option updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

      produces:
        - application/yang-data+json

      Parameters:

```

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option}/profile

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'

- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/aaa-aaa-option'
        - $ref: '#/parameters/aaa-profile'
        - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile'

      Responses:
        '201':
          Description: leaf profile created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

      produces:
        - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

Responses:

'204':

Description: leaf profile updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates={deactivate-feature-templates-id}
: get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: leaf-list deactivate-feature-templates created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**


```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id'

Responses:
  '204':
    Description: leaf-list deactivate-feature-templates updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'

Responses:
  '204':
    Reference: '#/responses/204'
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/deactivate-feature-templates-id'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/act

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates={activate-feature-templates-id}
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref:

#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: leaf-list activate-feature-templates created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/activate-feature-templates-id'
- $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch'

Responses:
'204':
  Description: leaf-list activate-feature-templates updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/activate-feature-templates-id'

```

Responses:**'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_options

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/activate-feature-templates-id'**Responses:****'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/ap****get:****Tags:**- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_get

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
```

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

- \$ref: '#/parameters/event-event-name'

- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

Responses:

'201':

Description: leaf apply-all-class created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

- \$ref: '#/parameters/event-event-name'

- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

Responses:

'204':

Description: leaf apply-all-class updated

'400':


```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_apply_all_class_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_apply_all_class_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
 - \$ref: '#/parameters/event-event-name'
 - \$ref: '#/parameters/class-class-name'
 - \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list class created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
 - \$ref: '#/parameters/event-event-name'
 - \$ref: '#/parameters/class-class-name'
 - \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name'

Responses:

'204':

```

    Description: list class updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/class-name

get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_get

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/subscriber-name'
      - $ref: '#/parameters/event-event-name'
      - $ref: '#/parameters/class-class-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

Responses:

```

    '200':
      Description: OK
      Schema:
        Reference:

```

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []

```

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

Responses:

'201':

Description: leaf class-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_class-name'

  Responses:
    '204':
      Description: leaf class-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```


data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_delete

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_get

```

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_matches'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_matches_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**- **basicAuth:** []**Method:** Post**Tags:**- data
- post**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_post

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches-post'

Responses:

'201':

Description: container matches created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

Responses:

- '201':
 - Description:** container matches created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng-cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

Responses:

- '204':
 - Description:** container matches updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_delete

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:**Reference:**

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list match created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key'

Responses:

'204':
 Description: list match updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
 - \$ref: '#/parameters/event-event-name'
 - \$ref: '#/parameters/class-class-name'
 - \$ref: '#/parameters/match-key'

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'

- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/key
get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

```

security:
  - basicAuth: []
head:

```

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []

```

put:

```

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_put

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:

```

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match_match_key_key'

```

Responses:
  '201':

```

```

    Description: leaf key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref:
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key'

  Responses:
  '204':
    Description: leaf key updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type

options:**Tags:**

- data
- options

Summary: ''**Description:** ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/type-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_put

  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'
- \$ref:

'#/parameters/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

Responses:

'204':


```

    Description: leaf-list type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/type-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'

```

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/type-id'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii
 : options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}
 : get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'

- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
    put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id.put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/subscriber-name'
        - $ref: '#/parameters/event-event-name'
        - $ref: '#/parameters/class-class-name'
        - $ref: '#/parameters/match-key'
        - $ref: '#/parameters/ascii-id'
        - $ref:
'#/parameters/data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id'

        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: leaf-list ascii created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
    patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event_name_class_class-class_name_matches_match_match_key_ascii_ascii-id'

Responses:

'204':

Description: leaf-list ascii updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/ascii-id'

Responses:

'204':

Reference: '#/responses/204'

security:

```

    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'
  - $ref: '#/parameters/ascii-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex
: options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/match-key'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/match-key'
- **\$ref:** '#/parameters/regex-id'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: leaf-list regex created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':


```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/match-key'
- $ref: '#/parameters/regex-id'
- $ref:

```

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id'

```

Responses:
  '204':
    Description: leaf-list regex updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''

```

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/match-key'
- \$ref: '#/parameters/regex-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type

get:**Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match-type'

Responses:

'201':
 Description: leaf match-type created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_patch

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/event-event-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches_match-type'

Responses:
 '204':
 Description: leaf match-type updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

delete:

Tags:
 - data
 - delete
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_delete

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/event-event-name'
 - **\$ref:** '#/parameters/class-class-name'

Responses:
 '204':
 Reference: '#/responses/204'

security:
 - **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates

: options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/set={set-event-name}/class={class-class-name}/deactivate-feature-templates={deactivate-feature-templates-id}

: get:**Tags:**

- data
- get

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id.get

produces:
 - application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:

Reference:

#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head
Summary: ''

Description: ''
Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id.head

produces:
 - application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref:

#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
Description: leaf-list deactivate-feature-templates created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:
- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'
- \$ref:

#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id'

Responses:

'204':

Description: leaf-list deactivate-feature-templates updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'

- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/deactivate-feature-templates-id'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':
 Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/activate-feature-templates-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head

```

Summary: ''

Description: ''

Operation ID:

data_cmg_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cmg_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/activate-feature-templates-id'
- \$ref:

#/parameters/data_cmg_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: leaf-list activate-feature-templates created or replaced

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/activate-feature-templates-id'
- $ref:

```

#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

```

Responses:
  '204':
    Description: leaf-list activate-feature-templates updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

Description: ''

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_name_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/event-event-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/activate-feature-templates-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_name_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
 - **\$ref:** '#/parameters/event-event-name'
 - **\$ref:** '#/parameters/class-class-name'
 - **\$ref:** '#/parameters/activate-feature-templates-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'

```



```

- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref:
'#/parameters/data_cring-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list aaa created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cring-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa_aaa-option_aaa-profile_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/aaa-aaa-option'
  - $ref: '#/parameters/aaa-profile'
  - $ref:
'#/parameters/data_cring-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

  Responses:
  '204':
    Description: list aaa updated
  '400':

```

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'

- \$ref: '#/parameters/aaa-profile'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/aaa-option
: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscriber-name'
- \$ref: '#/parameters/event-event-name'
- \$ref: '#/parameters/class-class-name'
- \$ref: '#/parameters/aaa-aaa-option'
- \$ref: '#/parameters/aaa-profile'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event_name_class_class-class_name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'
- $ref: '#/parameters/data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

Responses:

```

```

    '201':
      Description: leaf aaa-option created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscriber-name'
  - $ref: '#/parameters/event-event-name'
  - $ref: '#/parameters/class-class-name'
  - $ref: '#/parameters/aaa-aaa-option'
  - $ref: '#/parameters/aaa-profile'
  - $ref: '#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'

  Responses:
    '204':
      Description: leaf aaa-option updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:

```

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/profile
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put
Summary: ''

Description: ''

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/subscriber-name'
- **\$ref:** '#/parameters/event-event-name'
- **\$ref:** '#/parameters/class-class-name'
- **\$ref:** '#/parameters/aaa-aaa-option'
- **\$ref:** '#/parameters/aaa-profile'
- **\$ref:**

'#/parameters/data_cring_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

Responses:
'201':
 Description: leaf profile created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'


```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/subscriber-name'
    - $ref: '#/parameters/event-event-name'
    - $ref: '#/parameters/class-class-name'
    - $ref: '#/parameters/aaa-aaa-option'
    - $ref: '#/parameters/aaa-profile'
'#/parameters/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile'

  Responses:
    '204':
      Description: leaf profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscriber-name'
- $ref: '#/parameters/event-event-name'
- $ref: '#/parameters/class-class-name'
- $ref: '#/parameters/aaa-aaa-option'
- $ref: '#/parameters/aaa-profile'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_options
produces:
- application/yang-data+json

```

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_head
produces:
- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Reference: '#/responses/200'

```

security:

```

- basicAuth: []

```

put:**Tags:**

```

- data
- put

```

Summary: ''**Description:** ''

```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_put

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

```

Responses:

```

'201':
  Description: list feature-template created or replaced

```

```

'204':
  Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name'

Responses:
'204':
  Description: list feature-template updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_name'
  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_delete

produces:
- application/yang-data+json

Parameters:

```



```
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/vrf-name

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_put

    produces:
      - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

Responses:
'201':
  Description: leaf vrf-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

Responses:
'204':
  Description: leaf vrf-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_get
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4-post'

Responses:
'201':
  Description: container ipv4 created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4'

Responses:
'201':
  Description: container ipv4 created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4'

Responses:
'204':
  Description: container ipv4 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/mtu

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```



```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''

```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu'

Responses:

'201':

Description: leaf mtu created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu'

Responses:

'204':

Description: leaf mtu updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/ingress-acl

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

Responses:
  '201':
    Description: leaf ingress-acl created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

```

Responses:

```

'204':
  Description: leaf ingress-acl updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/egress-acl

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

Responses:
  '201':
    Description: leaf egress-acl created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```



```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

  Responses:
    '204':
      Description: leaf egress-acl updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/disable-unre

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_put
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

```

Responses:

'201':
Description: leaf disable-unreachables created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**
 '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

Responses:

'204':
Description: leaf disable-unreachables updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_get

produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post'

Responses:
  '201':
    Description: container verify-unicast-source created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_put

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'
```

Responses:

'201':

Description: container verify-unicast-source created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_patch
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:**

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'
```

Responses:

'204':

Description: container verify-unicast-source updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source/reachable-via-rx**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**- **basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_put

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/feature-template-name'- **\$ref:**

'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable-via-rx'

Responses:

'201':

Description: leaf reachable-via-rx created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_patch

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

```

Responses:

```

'204':
  Description: leaf reachable-via-rx updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_options
```

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

Method: Post

Tags:

```

- data
- post

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_post

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:

```

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

```

Responses:
  '201':
    Description: container ipv6 created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'

    Responses:
      '201':
        Description: container ipv6 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'

    Responses:
      '204':
```

```

    Description: container ipv6 updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/mtu

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Description: OK

Schema:
Reference:

'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu'

Responses:

- '201':
 - Description: leaf mtu created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

Responses:
  '204':
    Description: leaf mtu updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/ingress-acl

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  Responses:
    '201':
      Description: leaf ingress-acl created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  Responses:
    '204':
      Description: leaf ingress-acl updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_delete
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/egress-acl

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_put
  produces:
    - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

Responses:
'201':
  Description: leaf egress-acl created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

Responses:
'204':
  Description: leaf egress-acl updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
    security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'
    security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/disable-unre

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_put

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/feature-template-name'**- \$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

Responses:**'201':****Description:** leaf disable-unreachables created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_patch

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

```

Responses:

```

'204':
  Description: leaf disable-unreachables updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

delete:**Tags:**

```

- data
- delete

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_delete

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_options

produces:

```

- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'

Responses:

'201':

Description: container verify-unicast-source created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify-unicast-source'

    Responses:
    '201':
        Description: container verify-unicast-source created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_patch

    produces:
    - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

Responses:
'204':
  Description: container verify-unicast-source updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_options

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

- '200':

- Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source/reachable-via-rx

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description: OK

- Schema:

- Reference:

- '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

- '204':

- Reference: '#/responses/204'

- '400':

- Reference: '#/responses/400'

- '401':

- Reference: '#/responses/401'

- '404':

- Reference: '#/responses/404'

- '405':

- Reference: '#/responses/405'

- '409':

- Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

    Responses:
      '201':
        Description: leaf reachable-via-rx created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx'

Responses:
    '204':
        Description: leaf reachable-via-rx updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/http-policy

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_put

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Responses:
'201':
  Description: leaf http-policy created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Responses:
'204':
  Description: leaf http-policy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```


Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_qos'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_head
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_post
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos-post'

Responses:
  '201':
    Description: container qos created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos'

Responses:
  '201':

```

```

    Description: container qos created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_qos'

Responses:
  '204':
    Description: container qos updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

```

Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

Responses:
'201':
  Description: leaf in-policy created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

Responses:
'204':
  Description: leaf in-policy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```



```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

Responses:
  '201':
    Description: leaf out-policy created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_patch
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

Responses:
  '204':
    Description: leaf out-policy updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/feature-template-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

Responses:
  '201':
    Description: leaf merge-level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_qos_merge-level'

  Responses:
    '204':
      Description: leaf merge-level updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

    - basicAuth: []
  options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting'

    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'

```

```

Responses:
  '201':
    Description: container session-accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'

Responses:
  '201':
    Description: container session-accounting created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```



```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_session-accounting'

Responses:
'204':
  Description: container session-accounting updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  Responses:
    '201':
      Description: leaf enable created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  Responses:
    '204':
      Description: leaf enable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''

```

Description: ''

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

Responses:

'201':

Description: leaf aaa-profile created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

Responses:

```

    '204':
      Description: leaf aaa-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'

```



```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/periodic-interval

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

Responses:

'201':

Description: leaf periodic-interval created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_session-accounting_periodic-interval'

    Responses:
      '204':
        Description: leaf periodic-interval updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_put

  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

```

Responses:

```

'201':
  Description: leaf dual-stack-delay created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng-cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'/#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

```

Responses:

```

'204':
  Description: leaf dual-stack-delay updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'


```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service-accounting-post'

Responses:
  '201':
    Description: container service-accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
    security:
      - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

```

Responses:

```

'201':
  Description: container service-accounting created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

patch:

Tags:

```

- data
- patch

```

Summary: ''

Description: ''

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_patch

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:

```

```

  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

```

Responses:

```

'204':
  Description: container service-accounting updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/enable**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng-cp_profile_feature_template_feature_template_name_service_accounting_enable_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable'

    Responses:
      '201':
        Description: leaf enable created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable'

```

Responses:

'204':
Description: leaf enable updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/aaa-profile

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

Responses:
  '201':
    Description: leaf aaa-profile created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```



```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile'

  Responses:
    '204':
      Description: leaf aaa-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:

```

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'
```

```
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```
  security:
```

```
  - basicAuth: []
```

```
head:
```

```
  Tags:
```

```
  - data
  - head
```

```
  Summary: ''
```

```
  Description: ''
```

```
  Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_head
```

```
  produces:
```

```
  - application/yang-data+json
```

```
  Parameters:
```

```
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
```

```
  Responses:
```

```
    '200':
      Reference: '#/responses/200'
```

```
  security:
```

```
  - basicAuth: []
```

```
put:
```

```
  Tags:
```

```
  - data
  - put
```

```
  Summary: ''
```

```
  Description: ''
```

```
  Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_put
```

```
  produces:
```

```
  - application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

Responses:

- '201':
 - Description:** leaf periodic-interval created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

Responses:

- '204':
 - Description:** leaf periodic-interval updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data

- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post'

Responses:
  '201':
    Description: container ppp created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp'

Responses:

```

```

    '201':
      Description: container ppp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'

  Responses:
    '204':
      Description: container ppp updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```



```

Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

```
get:
```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_get
```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/authentication-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

  '200':
    Description: OK
    Schema:

```

```
      Reference:
```

```
      '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

```
head:
```

```

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list authentication created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/authentication-id'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id'

  Responses:
    '204':
      Description: leaf-list authentication updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/authentication-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''

```

```

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap-post'

Responses:
'201':
  Description: container chap created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

Responses:
'201':
  Description: container chap created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

Responses:
'204':
    Description: container chap updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```



```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/hostname

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_put
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

```

Responses:

```

'201':
  Description: leaf hostname created or replaced

```

```

'204':
  Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_patch

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'

```

```

- $ref:

```

```

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

```

Responses:

```

'204':
  Description: leaf hostname updated

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/password

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_get
produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password'

    Responses:
      '201':
        Description: leaf password created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password'

```

```

Responses:
  '204':
    Description: leaf password updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/service-type

```
get:
```

```
Tags:
```

```
- data
- get
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_get
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
Description: OK
```

```
Schema:
```

```
Reference:
```

```
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_service-type'
```

```
'204':
```

```
Reference: '#/responses/204'
```

```
'400':
```

```
Reference: '#/responses/400'
```

```
'401':
```

```
Reference: '#/responses/401'
```

```
'404':
```

```
Reference: '#/responses/404'
```

```
'405':
```

```
Reference: '#/responses/405'
```

```
'409':
```

```
Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```


Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

Responses:

'201':

Description: leaf service-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

Responses:

'204':

Description: leaf service-type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

  Responses:
    '201':
      Description: container ipcp created
    '204':

```

```
      Reference: '#/responses/204'
'400':
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp'

  Responses:
    '201':
      Description: container ipcp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
```

```

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

Responses:
'204':
  Description: container ipcp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_options
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

  Responses:
    '201':
      Description: container dns created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

  Responses:
    '201':
      Description: container dns created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

Responses:
  '204':
    Description: container dns updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/primary-address

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

```

  Tags:
  - data
  - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Responses:
  '201':
    Description: leaf primary-address created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary-address'

  Responses:
  '204':
    Description: leaf primary-address updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/sec

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
```

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_head
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

```
put:
```

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_put
```

```

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

Responses:

'201':

Description: leaf secondary-address created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

Responses:

'204':

Description: leaf secondary-address updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':


```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/peer-a

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

Responses:

'201':
 Description: leaf peer-address-pool created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
 - **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

Responses:

'204':
 Description: leaf peer-address-pool updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'204':
 Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/reneg

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_post
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'

    Responses:
      '201':
        Description: container renegotiation created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

  Responses:
  '201':
    Description: container renegotiation created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_patch
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

Responses:
  '204':
    Description: container renegotiation updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_options
produces:
- application/yang-data+json

Parameters:

```


- \$ref: '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/reneg

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

Responses:

'201':

Description: leaf ignore created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore'

  Responses:
  '204':
    Description: leaf ignore updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_delete

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_post
  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'

Responses:

- '201':
 - Description:** container wins created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

Responses:

- '201':
 - Description:** container wins created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

  Responses:
    '204':
      Description: container wins updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/primary-address

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_put
  produces:
    - application/yang-data+json
  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

Responses:

```

'201':
  Description: leaf primary-address created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_patch

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

Responses:

```

'204':
  Description: leaf primary-address updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref:

'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

Responses:

'201':

Description: leaf secondary-address created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

Responses:

- '204':
 - Description:** leaf secondary-address updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

- '200':

- Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description: OK

Schema:**Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

- '204':

- Reference: '#/responses/204'

- '400':

- Reference: '#/responses/400'

- '401':

- Reference: '#/responses/401'

- '404':

- Reference: '#/responses/404'

- '405':

- Reference: '#/responses/405'

- '409':

- Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'

Responses:**'201':****Description:** container ipv6cp created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**


```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

  Responses:
  '201':
    Description: container ipv6cp created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'
```

Responses:

```
'204':
  Description: container ipv6cp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:

Tags:

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:

Tags:

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'

Responses:

'201':

Description: container renegotiation created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

Responses:

'201':

Description: container renegotiation created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

Responses:

```

    '204':
      Description: container renegotiation updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation/ignore

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```

head:

```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

Responses:

'201':

Description: leaf ignore created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'


```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore'

    Responses:
      '204':
        Description: leaf ignore updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp'
    '204':

```

```

      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp-post'

```

Responses:

'201':
Description: container lcp created
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp'

Responses:

'201':
Description: container lcp created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp'

Responses:
'204':
  Description: container lcp updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

  Responses:
    '201':
      Description: container delay created
    '204':
      Reference: '#/responses/204'
    '400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Responses:
    '201':
        Description: container delay created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_patch

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

Responses:
  '204':
    Description: container delay updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_options
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/seconds

get:**Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:**Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

Responses:

'201':

Description: leaf seconds created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds'

Responses:
'204':
    Description: leaf seconds updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/milliseconds

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

```

Responses:

```

'201':
  Description: leaf milliseconds created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

```

Responses:

```

'204':
  Description: leaf milliseconds updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotia

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```


Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**- data
- post**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_post

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/feature-template-name'**- \$ref:**

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post'

Responses:**'201':****Description:** container renegotiation created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_put

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/feature-template-name'

- \$ref:
 '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

Responses:

'201':
Description: container renegotiation created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
 - \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

Responses:

'204':
Description: container renegotiation updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotia**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore'

  Responses:
    '201':
      Description: leaf ignore created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:

```

```
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'
```

Responses:

```
'204':
  Description: leaf ignore updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:

Tags:

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:

Tags:

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/feature-template-name'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-bad-auth

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:

```



```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Responses:
  '201':
    Description: leaf max-bad-auth created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_patch
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Responses:
  '204':
    Description: leaf max-bad-auth updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_delete
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-configure

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure'
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
      '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'
```

```

Responses:
  '201':
    Description: leaf max-configure created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_patch
produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-configure'

Responses:
  '204':
    Description: leaf max-configure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-failure

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

Responses:
'201':
  Description: leaf max-failure created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

Responses:
'204':
  Description: leaf max-failure updated
'400':
  Reference: '#/responses/400'

```



```
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_head

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap-post'

Responses:
  '201':
    Description: container pap created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''

```

```

Description: ''
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap'

Responses:
  '201':
    Description: container pap created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap'

Responses:
  '204':
    Description: container pap updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap/accept

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Responses:

'201':
 Description: leaf accept-null-password created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Responses:

'204':

Description: leaf accept-null-password updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_head
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

    Tags:
    - data
    - post
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_post
produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'

    Responses:
    '201':
        Description: container timeout created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout'

  Responses:
    '201':
      Description: container timeout created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_patch
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

Responses:
  '204':
    Description: container timeout updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/feature-template-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

Responses:
  '201':
    Description: container absolute created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

  Responses:
    '201':
      Description: container absolute created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

```

```

Responses:
  '204':
    Description: container absolute updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'

```



```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute/minutes

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

Responses:

'201':

Description: leaf minutes created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'
      - $ref:
'#/parameters/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes'

    Responses:
      '204':
        Description: leaf minutes updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/feature-template-name'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/auth

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

Responses:

```

'201':
  Description: leaf authentication created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_patch

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

```

Responses:

```

'204':
  Description: leaf authentication updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/retry

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'


```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

Responses:
  '201':
    Description: leaf retry created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/feature-template-name'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

```

Responses:

```

'204':
  Description: leaf retry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

delete:

Tags:

```

- data
- delete

```

Summary: ''

Description: ''

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_delete

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```

- basicAuth: []

```

options:

Tags:

```

- data
- options

```

Summary: ''

Description: ''

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_options

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/feature-template-name'

```

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

Responses:
  '201':
    Description: container keepalive created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

    - basicAuth: []
  put:
    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

  Responses:
    '201':
      Description: container keepalive created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:
    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

  Responses:
    '204':
      Description: container keepalive updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_head
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/feature-template-name'
- \$ref:

'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

Responses:

'201':

Description: leaf disable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data


```

- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

Responses:
'204':
  Description: leaf disable updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

Description: ''

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/int

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/feature-template-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:
#/definitions/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

  Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'
  - $ref:
'#/parameters/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

  Responses:
    '204':
      Description: leaf interval updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/feature-template-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Responses:
'201':
  Description: leaf retry created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/feature-template-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Responses:
'204':
  Description: leaf retry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/feature-template-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp

```
options:
```

```
  Tags:
  - data
```



```
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list l2tp created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name'

  Responses:
    '204':
      Description: list l2tp updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_name'

  Responses:
    '201':
      Description: leaf name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_name'

Responses:
    '204':
        Description: leaf name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/mode

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_mode'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mode'
  Responses:
  '201':

```



```
    Description: leaf mode created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_mode'

  Responses:
  '204':
    Description: leaf mode updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

Responses:

- '201':
 - Description:** leaf encrypt-avp created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

Responses:

- '204':
 - Description:** leaf encrypt-avp updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

```
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_dsl-info-forwarding'

Responses:
'201':
  Description: leaf dsl-info-forwarding created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_dsl-info-forwarding'

Responses:
'204':
  Description: leaf dsl-info-forwarding updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/hostname

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_get
  produces:

```


- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

 Description: OK

 Schema:

 Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name_hostname'

'204':

 Reference: '#/responses/204'

'400':

 Reference: '#/responses/400'

'401':

 Reference: '#/responses/401'

'404':

 Reference: '#/responses/404'

'405':

 Reference: '#/responses/405'

'409':

 Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hostname_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_hostname'

Responses:**'201':****Description:** leaf hostname created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hostname_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_hostname'

Responses:**'204':****Description:** leaf hostname updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/mtu

```
get:

  Tags:
    - data
```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_get
produces:
- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_mtu'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Summary: ''**Description:** ''

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_head

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_mtu'

Responses:
  '201':
    Description: leaf mtu created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_mtu'

Responses:
  '204':
```

```

    Description: leaf mtu updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_hello-interval'

Responses:

- '201':
 - Description: leaf hello-interval created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''****Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_patch**produces:**

- application/yang-data+json


```
Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'

Responses:
  '204':
    Description: leaf hello-interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tcp'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_head
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tcp-post'

Responses:

'201':

Description: container tcp created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_put
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'

Responses:
 '201':
 Description: container tcp created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_patch
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'

Responses:
 '204':
 Description: container tcp updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_get

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description:** OK

- Schema:**

- Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Reference:** '#/responses/200'

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tcp_adjust-mss'

Responses:
'201':
  Description: leaf adjust-mss created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tcp_adjust-mss'

Responses:
'204':
  Description: leaf adjust-mss updated
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit

```
get:
```



```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit-post'

Responses:

'201':

Description: container retransmit created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit'

```
Responses:
  '201':
    Description: container retransmit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'

Responses:
  '204':
    Description: container retransmit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_post
produces:
```

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post'

Responses:

- '201':
 - Description**: container initial created
- '204':
 - Reference**: '#/responses/204'
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

Responses:

- '201':
 - Description**: container initial created or replaced
- '204':
 - Reference**: '#/responses/204'
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'

    Responses:
      '204':
        Description: container initial updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```



```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout-post'

  Responses:
    '201':
      Description: container timeout created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_initial_timeout'

  Responses:
  '201':
    Description: container timeout created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'

Responses:

- '204':
 - Description:** container timeout updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/max

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max'

Responses:
  '201':
    Description: leaf max created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []

```

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref:

'#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max'

Responses:

'204':

Description: leaf max updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/min

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref:
    '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'

    Responses:
    '201':
        Description: leaf min created or replaced
    '204':
        Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'

  Responses:
    '204':
      Description: leaf min updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_delete
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_put
produces:
- application/yang-data+json
```

Parameters:

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'

Responses:

- '201':
 - Description**: leaf retries created or replaced
- '204':
 - Reference**: '#/responses/204'
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

patch:**Tags:**

- data
- patch

Summary: ''**Description**: ''**Operation ID**: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'

Responses:

- '204':
 - Description**: leaf retries updated
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_delete**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

Method: Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_timeout-post'

Responses:
'201':
  Description: container timeout created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_timeout'

Responses:
'201':
  Description: container timeout created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'

Responses:
  '204':
    Description: container timeout updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:

```



```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:
          Reference:
            '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
      '204':
        Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'

  Responses:
    '201':
      Description: leaf max created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'

Responses:
'204':
  Description: leaf max updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'

Responses:

- '201':
 - Description:** leaf min created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'

Responses:

- '204':
 - Description:** leaf min updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_put
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_retries'

Responses:
'201':
 Description: leaf retries created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_patch
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_retries'

Responses:
'204':
 Description: leaf retries updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_get
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

 Description: OK

 Schema:

 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'

'204':

 Reference: '#/responses/204'

'400':

 Reference: '#/responses/400'

'401':

 Reference: '#/responses/401'

'404':

 Reference: '#/responses/404'

'405':

 Reference: '#/responses/405'

'409':

 Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

 Reference: '#/responses/200'

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_receive-window'

Responses:
  '201':
    Description: leaf receive-window created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_receive-window'

Responses:
  '204':
    Description: leaf receive-window updated
  '400':
    Reference: '#/responses/400'
  '401':

```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from

```
options:
```

```
  Tags:
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

```

```

Responses:
  '201':
    Description: list terminate-from created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

Responses:
  '204':
    Description: list terminate-from updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:

```



```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/terminate-from-hostname'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_get
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'
    - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname_hostname'

  Responses:
    '201':
      Description: leaf hostname created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/terminate-from-hostname'

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

Responses:
  '204':
    Description: leaf hostname updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/terminate-from-hostname'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_options

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/terminate-from-hostname'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_domain_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/domain-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/domain-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain-name'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':

Description: list domain created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/domain-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain-name'

Responses:

'204':

Description: list domain updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/domain-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/domain-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name

get:

```

  Tags:
  - data

```



```
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/domain-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain_name_name'

Responses:

'201':
 Description: leaf name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

```
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-assign-id

get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_get

```

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/domain-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

Responses:

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun-assign-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []

```

head:

```

    Tags:
      - data

```

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id'

Responses:
  '201':
    Description: leaf tun-assign-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/domain-name'
    - $ref:
'#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun-assign-id'

    Responses:
    '204':
        Description: leaf tun-assign-id updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/domain-name'

    Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/domain-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/vrf

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'

  Responses:
    '201':
      Description: leaf vrf created or replaced

```



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_vrf'

Responses:
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_delete
produces:
```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/authentication

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_put
  produces:
  - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

Responses:

- '201':
 - Description:** leaf authentication created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_authentication_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

Responses:

- '204':
 - Description:** leaf authentication updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''

```
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos-post'

Responses:
'201':
  Description: container ip-tos created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos'

Responses:
'201':
  Description: container ip-tos created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ip-tos'

Responses:
'204':
    Description: container ip-tos updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```


options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos_reflect'
  Responses:
  '201':
```

```

    Description: leaf reflect created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ip-tos_reflect'

  Responses:
  '204':
    Description: leaf reflect updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_post
  produces:
    - application/yang-data+json

  Parameters:

```


- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'

Responses:

- '201':
 - Description:** container tunnel created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

Responses:

- '201':
 - Description:** container tunnel created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel'

Responses:**'204':****Description:** container tunnel updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit

get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_session-limit'

Responses:
  '201':
    Description: leaf session-limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'

Responses:
  '204':
    Description: leaf session-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_timeout-post'
  Responses:
    '201':
      Description: container timeout created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout'

  Responses:
    '201':
      Description: container timeout created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_patch
  produces:
  - application/yang-data+json

  Parameters:

```


- **\$ref**: '#/parameters/l2tp-name'
- **\$ref**: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'

Responses:

- '204':
 - Description**: container timeout updated
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_delete**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/l2tp-name'

Responses:

- '204':
 - Reference**: '#/responses/204'

security:

- **basicAuth**: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/l2tp-name'

Responses:

- '200':
 - Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

```

'#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no-session'

```

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_head

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_timeout_no-session'

Responses:
'201':
  Description: leaf no-session created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_patch
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/l2tp-name'
 - \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel_timeout_no-session'

Responses:
 '204':
 Description: leaf no-session updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

delete:

Tags:
 - data
 - delete

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_delete
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/l2tp-name'

Responses:
 '204':
 Reference: '#/responses/204'

security:
 - basicAuth: []

options:

Tags:
 - data
 - options

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_options

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
```

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_post**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4-post'

Responses:**'201':****Description:** container ipv4 created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4'

    Responses:
      '201':
        Description: container ipv4 created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4'

    Responses:
      '204':
        Description: container ipv4 updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit

```
get:
```



```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_df-bit'

Responses:
  '201':
    Description: leaf df-bit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_df-bit'

```

```
Responses:
  '204':
    Description: leaf df-bit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source'

Responses:

- '201':
 - Description: leaf source created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'

Responses:

- '204':
 - Description:** leaf source updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'

Responses:

- '200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':

```

```
/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}
```

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_put
  produces:

```



```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list destination created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

Responses:
'204':
  Description: list destination updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```
/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-ip
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

```
/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-
```

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_dest-ip'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

```

- \$ref: '#/parameters/destination-dest-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/destination-dest-ip'
- \$ref:

'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

Responses:

- '201':
 - Description: leaf dest-ip created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/destination-dest-ip'
- \$ref:

'#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_dest-ip'

Responses:

'204':

Description: leaf dest-ip updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/destination-dest-ip'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/destination-dest-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/weig

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/destination-dest-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:
'#/definitions/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4_destination_destination-dest-ip_weight'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/destination-dest-ip'
  - $ref:
'#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

  Responses:
  '201':
    Description: leaf weight created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/destination-dest-ip'
    - $ref:
'#/parameters/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight'

  Responses:
    '204':
      Description: leaf weight updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```



```

Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/destination-dest-ip'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_congestion-control'

Responses:
'201':
  Description: leaf congestion-control created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_congestion-control'

Responses:
'204':
  Description: leaf congestion-control updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp-name_tx-connect-speed'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tx-connect-speed'

    Responses:
      '201':
        Description: leaf tx-connect-speed created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/l2tp-name'
      - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tx-connect-speed'

    Responses:
      '204':
        Description: leaf tx-connect-speed updated
      '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed

```
get:
```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'


```
- $ref: '#/parameters/with-defaults'
```

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_rx-connect-speed'

Responses:

- '201':
 - Description:** leaf rx-connect-speed created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_rx-connect-speed'

```

Responses:
  '204':
    Description: leaf rx-connect-speed updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:****'#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-load-balancing'****'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
- \$ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_tunnel-load-balancing'

Responses:

- '201':
 - Description: leaf tunnel-load-balancing created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_patch**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/l2tp-name'
- $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'

Responses:
  '204':
    Description: leaf tunnel-load-balancing updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/password

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_get
  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/l2tp-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_password'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_head
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_password'

Responses:

'201':

Description: leaf password created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_patch
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'
 - **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp-name_password'

Responses:
 '204':
 Description: leaf password updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

delete:

Tags:
 - data
 - delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_delete
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/l2tp-name'

Responses:
 '204':
 Reference: '#/responses/204'

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_options
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/l2tp-name'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - basicAuth: []

/data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation

get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/l2tp-name'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_cnbng_cp_profile_l2tp_l2tp_name_force-lcp-renegotiation'

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/l2tp-name'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_force-lcp-renegotiation'

Responses:**'201':****Description:** leaf force-lcp-renegotiation created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

```
- basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'
  - $ref: '#/parameters/data_cnbng-cp_profile_l2tp_l2tp_name_force-lcp-renegotiation'

  Responses:
    '204':
      Description: leaf force-lcp-renegotiation updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/l2tp-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/l2tp-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius-post'

    Responses:
      '201':
        Description: container radius created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
```

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius'

Responses:
  '201':
    Description: container radius created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_patch
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius'

Responses:
  '204':
    Description: container radius updated
  '400':
    Reference: '#/responses/400'
  '401':
```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/server

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}

Operation ID: data_cnbng_cp_profile_radius_server_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}

get:

Tags:

- data

- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'

- **\$ref:** '#/parameters/server-port'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:


```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list server created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port'

Responses:
    '204':
        Description: list server updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'

```

```
Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'

Responses:
  '204':
    Description: leaf ip updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_server_server-ip_server-port_port_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_server_server_ip_server_port_port_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

Responses:**'201':****Description:** leaf port created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_server_server_ip_server_port_port_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

Responses:**'204':****Description:** leaf port updated**'400':****Reference:** '#/responses/400'


```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_server_server_ip_server_port_type_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port_type'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_server_server_ip_server_port_type_head**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'

Responses:
  '201':
    Description: leaf type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
```

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-ip'

- \$ref: '#/parameters/server-port'

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'

Responses:

'204':

Description: leaf type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-ip'

- \$ref: '#/parameters/server-port'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data

- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/secret

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/server-ip'
      - $ref: '#/parameters/server-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/server-ip'
      - $ref: '#/parameters/server-port'
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'

    Responses:
      '201':
        Description: leaf secret created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-ip'
  - $ref: '#/parameters/server-port'
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'

  Responses:
  '204':
    Description: leaf secret updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_delete

  produces:
  - application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'


```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_priority_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
```

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
 - **\$ref:** '#/parameters/server-port'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_priority'

Responses:

'201':

Description: leaf priority created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-ip'
 - **\$ref:** '#/parameters/server-port'
 - **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_server_server-ip_server-port_priority'

Responses:

'204':

Description: leaf priority updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/algorithm

```
get:
```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_algorithm_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_radius_algorithm'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_algorithm_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_algorithm_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_algorithm'

Responses:
  '201':
    Description: leaf algorithm created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_algorithm_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_algorithm'

Responses:
  '204':
    Description: leaf algorithm updated
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_algorithm_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_algorithm_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/deadtime

```
get:
```

```

  Tags:
  - data
  - get

```

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_deadtime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng_cp_profile_radius_deadtime'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_deadtime_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_deadtime_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_deadtime'

    Responses:
      '201':
        Description: leaf deadtime created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_deadtime_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_deadtime'

    Responses:
      '204':
        Description: leaf deadtime updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```



```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_deadtime_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_deadtime_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cnbng-cp:profile/radius/detect-dead-server

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_get
```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post
```

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server-post'

Responses:
'201':
  Description: container detect-dead-server created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:
```

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server'

Responses:
'201':
  Description: container detect-dead-server created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_detect-dead-server'

Responses:
    '204':
        Description: container detect-dead-server updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/detect-dead-server/response-timeout

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

 '200':

Description: OK

Schema:

Reference:

 '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

 '204':

Reference: '#/responses/204'

 '400':

Reference: '#/responses/400'

 '401':

Reference: '#/responses/401'

 '404':

Reference: '#/responses/404'

 '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

  Responses:
  '201':
    Description: leaf response-timeout created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'

  Responses:
    '204':
      Description: leaf response-timeout updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/max-retry

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_max-retry'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```



```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_max_retry_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_max_retry_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_max-retry'
  Responses:
  '201':
    Description: leaf max-retry created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_max_retry'

Responses:
    '204':
        Description: leaf max-retry updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_max_retry_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
- basicAuth: []

/data/cnbng-cp:profile/radius/timeout

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_timeout_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_radius_timeout'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_timeout'

    Responses:
      '204':
        Description: leaf timeout updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_timeout_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute-post'

  Responses:
    '201':
      Description: container attribute created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
```

```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute'

Responses:
  '201':
    Description: container attribute created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute'

Responses:
  '204':
    Description: container attribute updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```



```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/called-station-id

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_get
  produces:
```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id-post'

Responses:
'201':
  Description: container called-station-id created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id'

Responses:
'201':
  Description: container called-station-id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id'

  Responses:
    '204':
      Description: container called-station-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/attribute/called-station-id/format

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

```

put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list format created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

```

Responses:

'204':
Description: list format updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'200':
Reference: '#/responses/200'


```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```

head:

```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
 - \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_fomat-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    Responses:
      '204':
        Description: leaf nas-port-type updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_put

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

Responses:

```

'201':
  Description: leaf format-name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_cnbng-cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/#/parameters/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

Responses:

```

'204':
  Description: leaf format-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format-name

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''

```

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'


```

    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

    Responses:
    '204':
      Description: leaf format-name updated
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/value

```
get:
```

```
  Tags:
```

```
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_called-station-id_value'

  Responses:
    '204':
      Description: leaf value updated

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_calling_station_id_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_radius_attribute_calling-station-id'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_calling_station_id_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'

Responses:
  '201':
    Description: container calling-station-id created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id'

Responses:
  '201':
    Description: container calling-station-id created or replaced
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id'

Responses:
'204':
  Description: container calling-station-id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_delete
produces:
- application/yang-data+json
```



```
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port

```
get:

Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list format created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'

- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

Responses:

'204':

Description: list format updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data

- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'

Responses:
 '200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:
- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling_station_id_fomat_format-nas-port-type_nas-port-type'

 '204':
 Reference: '#/responses/204'

 '400':
 Reference: '#/responses/400'

 '401':
 Reference: '#/responses/401'

 '404':
 Reference: '#/responses/404'

 '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'/parameters/data_cnbng-cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type_nas-port-type'

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

  Responses:
    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'

Responses:
 '204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'

Responses:
 '200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/format-name

get:

Tags:
- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
  '204':
    Description: leaf format-name updated

```

```
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_head

produces:

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_patch
```

produces:
- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

Responses:

'204':
 Description: leaf format-name updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/value

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_head

```

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'

Responses:
'201':
 Description: leaf value created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'

Responses:

- '204':
 - Description:** leaf value updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_options

produces:

- application/yang-data+json

Parameters: []

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

```
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier'

Responses:
'201':
  Description: leaf nas-identifier created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_patch
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier'

Responses:

'204':

Description: leaf nas-identifier updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

```
security:  
- basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format

get:

Tags:

```
- data  
- get
```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
```

head:

Tags:

```
- data  
- head
```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_post
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'

Responses:

'201':
Description: container nas-identifier-format created

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_put

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

Responses:
'201':
  Description: container nas-identifier-format created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

Responses:
'204':
  Description: container nas-identifier-format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_nas_identifier_format_delete**produces:**

- application/yang-data+json

Parameters: []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_nas_identifier_format_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_options

produces:

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'


```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-port-type}

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
```

```

'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list format created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

      Responses:
        '204':
          Description: list format updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-po

```

get:

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Description: OK
          Schema:

```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put
```

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

Responses:

'204':

Description: leaf nas-port-type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-p

```

get:

  Tags:
    - data
    - get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Responses:

'201':
 Description: leaf format-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Responses:
'204':
 Description: leaf format-name updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/format-nas-port-type'

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format-name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

  Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format-name'

  Responses:
    '204':
      Description: leaf format-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/attribute/nas-port-id

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

 '200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id'

 '204':

Reference: '#/responses/204'

 '400':

Reference: '#/responses/400'

 '401':

Reference: '#/responses/401'

 '404':

Reference: '#/responses/404'

 '405':

```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'

  Responses:
  '201':
    Description: container nas-port-id created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id'

Responses:
  '201':
    Description: container nas-port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id'

Responses:
  '204':
    Description: container nas-port-id updated
  '400':

```



```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format

```
options:

  Tags:
  - data
  - options
```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-nas-port-type'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/format-nas-port-type'
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'
        - $ref: '#/parameters/insert'
        - $ref: '#/parameters/point'

      Responses:
        '201':
          Description: list format created or replaced
        '204':
          Reference: '#/responses/204'
        '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
  '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Responses:
  '204':
    Description: list format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_delete
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '201':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/format-nas-port-type'- **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**

- data

- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/format-nas-port-type'- **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Responses:

'204':

Description: leaf nas-port-type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-nas-port-type'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-nas-port-type'
 - **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Responses:
 '201':
 Description: leaf format-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Responses:

'204':

Description: leaf format-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port-id_format-name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'

  Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_format-name'

Responses:
  '204':
    Description: leaf format-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/value

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```



```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_nas_port_id_value_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/radius/attribute/nas-port

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_attribute_nas_port_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port-post'

    Responses:
      '201':
        Description: container nas-port created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port'

Responses:
  '201':
    Description: container nas-port created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port'

Responses:
  '204':
    Description: container nas-port updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list

```
options:

  Tags:
  - data
  - options
```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-e-list-nas-port-type'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list format-e-list created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-e-list-nas-port-type'
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

  Responses:
    '204':
      Description: list format-e-list updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```


Description: ''

Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-p

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-e-list-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Responses:

```

    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-p

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-e-list-nas-port-type'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-e-list-nas-port-type'
 - \$ref:

'#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

Responses:

'201':

Description: leaf format-e created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-e-list-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Responses:
      '204':
        Description: leaf format-e updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-e-list-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'
    '204':
      Reference: '#/responses/204'
    '400':

```



```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
  Responses:
  '201':
    Description: leaf format-e created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'

Responses:
  '204':
    Description: leaf format-e updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':

```

```
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-port/value

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-port_value'

  Responses:
    '201':
      Description: leaf value created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_attribute_nas-port_value'

  Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-ip

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-ip'

  Responses:
    '201':
      Description: leaf nas-ip created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_attribute_nas-ip'

Responses:
  '204':
    Description: leaf nas-ip updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```


Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
- basicAuth: []

/data/cnbng-cp:profile/radius/accounting

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
Method: Post

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_post
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting-post'

Responses:
  '201':
    Description: container accounting created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting'

  Responses:
    '201':
      Description: container accounting created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting'

  Responses:
    '204':
      Description: container accounting updated
    '400':
      Reference: '#/responses/400'
    '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_delete
    produces:
    - application/yang-data+json
    Parameters: []

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_options
    produces:
    - application/yang-data+json
    Parameters: []

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/algorithm

```

get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''

```

Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_algorithm'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_algorithm_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng_cp_profile_radius_accounting_algorithm'

Responses:**'201':****Description:** leaf algorithm created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_algorithm_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng_cp_profile_radius_accounting_algorithm'

Responses:**'204':****Description:** leaf algorithm updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/deadtime

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_get
  produces:
  - application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_radius_accounting_deadtime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_deadtime_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**


```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_deadtime'

Responses:
  '201':
    Description: leaf deadtime created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_deadtime'

Responses:
  '204':
    Description: leaf deadtime updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```
      Reference: '#/responses/409'  
    security:  
    - basicAuth: []  
delete:  
  
  Tags:  
  - data  
  - delete  
  Summary: ''  
  Description: ''  
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_delete  
  produces:  
  - application/yang-data+json  
  Parameters: []  
  
  Responses:  
  '204':  
    Reference: '#/responses/204'  
    security:  
    - basicAuth: []  
options:  
  
  Tags:  
  - data  
  - options  
  Summary: ''  
  Description: ''  
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_options  
  produces:  
  - application/yang-data+json  
  Parameters: []  
  
  Responses:  
  '200':  
    Reference: '#/responses/200'  
    security:  
    - basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server

```
get:  
  
  Tags:  
  - data  
  - get  
  Summary: ''  
  Description: ''  
  Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_get  
  produces:  
  - application/yang-data+json  
  
  Parameters:  
  - $ref: '#/parameters/content'
```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_detect_dead_server_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'

Responses:

'201':

Description: container detect-dead-server created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server'

Responses:

'201':

Description: container detect-dead-server created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting_detect-dead-server'

  Responses:
    '204':
      Description: container detect-dead-server updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
```

```

- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

        Tags:
        - data
        - head
        Summary: ''
        Description: ''
        Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

        Tags:
        - data
        - put
        Summary: ''
        Description: ''
        Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

      Responses:
        '201':
          Description: leaf response-timeout created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':

```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  Responses:
    '204':
      Description: leaf response-timeout updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'

```



```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/max-retry

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_max-retry'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_max-retry'

Responses:
'201':
  Description: leaf max-retry created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_accounting_max-retry'

  Responses:
    '204':
      Description: leaf max-retry updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_max_retry_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/timeout

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_timeout_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng-cp_profile_radius_accounting_timeout'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':**

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_timeout'

Responses:
  '204':
    Description: leaf timeout updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/attribute

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute-post'

  Responses:
    '201':
      Description: container attribute created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute'

    Responses:
      '201':
        Description: container attribute created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute'

    Responses:
      '204':
        Description: container attribute updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_post

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id-post'

Responses:
'201':
  Description: container called-station-id created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

Responses:
'201':
  Description: container called-station-id created or replaced
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
    '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

  Responses:
    '204':
      Description: container called-station-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_delete
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format}

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list format created or replaced

- '204':
 - Reference: '#/responses/204'

- '400':
 - Reference: '#/responses/400'

- '401':
 - Reference: '#/responses/401'

- '404':
 - Reference: '#/responses/404'

- '405':
 - Reference: '#/responses/405'

- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch


```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

Responses:
'204':
  Description: list format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  Responses:
    '201':

```

```

    Description: leaf nas-port-type created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  Responses:
  '204':
    Description: leaf nas-port-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete

```

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-nas-port-type'

Responses:
 '204':
Reference: '#/responses/204'

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/format-nas-port-type'

Responses:
 '200':
Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={form

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_get

produces:
 - application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng-cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

Responses:

'201':

Description: leaf format-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

Responses:

```
'204':
  Description: leaf format-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/format-nas-port-type'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/format-nas-port-type'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```



```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

Responses:

'201':

Description: leaf format-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

Responses:
'204':
  Description: leaf format-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_value'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []

```

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

Responses:

'201':

Description: leaf value created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

  Responses:
    '204':
      Description: leaf value updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_post

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id-post'

Responses:
  '201':
    Description: container calling-station-id created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```



```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
    '#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id'

  Responses:
    '201':
      Description: container calling-station-id created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_patch
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref:
  '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

Responses:
  '204':
    Description: container calling-station-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={form

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

```

```

- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list format created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

Responses:
  '204':
    Description: list format updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Responses:

'201':
 Description: leaf nas-port-type created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
 - **\$ref:**

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Responses:

'204':
Description: leaf nas-port-type updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng-cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_cnbng-cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

  Responses:
    '201':
      Description: leaf format-name created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name'

Responses:
    '204':
        Description: leaf format-name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_put
  produces:

```

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Responses:

'201':

Description: leaf format-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Responses:

'204':

Description: leaf format-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_options
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/value

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_get
    produces:
      - application/yang-data+json

    Parameters:

```


- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_get

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Reference:** '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_put
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'

Responses:

'201':

Description: leaf nas-identifier created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'

Responses:

'204':

Description: leaf nas-identifier updated

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format

```
get:
```

```

Tags:
- data
- get

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      Method: Post

      Tags:
        - data
        - post
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_post
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'

      Responses:
        '201':
          Description: container nas-identifier-format created
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_put
      produces:
        - application/yang-data+json

      Parameters:
        - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

      Responses:

```



```

    '201':
      Description: container nas-identifier-format created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

  Responses:
    '204':
      Description: container nas-identifier-format updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

```

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={f

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_head

```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list format created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

Responses:
'204':
  Description: list format updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'204':
  Reference: '#/responses/204'
security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format_nas-port-type_nas-port-type'
'204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_fomat_fomat_format_nas_port_type_nas_port_type_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

```

- \$ref:

```
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'

- \$ref:

```
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

Responses:

'204':

Description: leaf nas-port-type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**


```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={f

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
 - head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/format-nas-port-type'**- \$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Responses:**'201':****Description:** leaf format-name created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Responses:

- '204':
 - Description:** leaf format-name updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

Responses:
  '201':
    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

  Responses:
    '204':
      Description: leaf format-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```



```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id-post'

    Responses:
      '201':
        Description: container nas-port-id created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'

Responses:
  '201':
    Description: container nas-port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'

Responses:
  '204':
    Description: container nas-port-id updated
  '400':
```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format

```
options:

  Tags:
  - data
  - options
```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-p

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list format created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'
    - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  Responses:
    '204':
      Description: list format updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

Description: ''

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'204':

- Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

Responses:

'200':

- Reference:** '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Responses:

```

    '204':
      Description: leaf nas-port-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/format-name

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/format-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```

head:

```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/format-nas-port-type'
- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

Responses:

'201':

Description: leaf format-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'
      - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

    Responses:
      '204':
        Description: leaf format-name updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/format-nas-port-type'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-nas-port-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
        '#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format-name'
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

  Responses:
    '201':

```

```

    Description: leaf format-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
  '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

  Responses:
  '204':
    Description: leaf format-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```



```

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/value

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK

```

```

    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_put

    produces:
    - application/yang-data+json

    Parameters:

```

```
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'

Responses:
  '201':
    Description: leaf value created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```
Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_post
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post'

Responses:

'201':
 Description: container nas-port created
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'

Responses:

'201':
 Description: container nas-port created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_port_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'

Responses:**'204':****Description:** container nas-port updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_port_delete**produces:**

- application/yang-data+json

Parameters: []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_port_options

```

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```



```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put

```

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list format-e-list created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Responses:
'204':
  Description: list format-e-list updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/format-e-list-nas-port-type'
```

Responses:

```
'204':
```

```
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/format-e-list-nas-port-type'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Responses:

'201':

Description: leaf nas-port-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:**

'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type'

Responses:

'204':

Description: leaf nas-port-type updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/format-e-list-nas-port-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
```



```

Responses:
  '201':
    Description: leaf format-e created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/format-e-list-nas-port-type'
  - $ref:
'#/parameters/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

Responses:
  '204':
    Description: leaf format-e updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/format-e-list-nas-port-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_get

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_put**produces:**

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'

Responses:

'201':

Description: leaf format-e created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'

Responses:

'204':

Description: leaf format-e updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

Responses:
'201':
  Description: leaf value created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

Responses:
'204':
  Description: leaf value updated
'400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-ip

```
get:
```

```
  Tags:
```



```
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
```

```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'

  Responses:
    '201':
      Description: leaf nas-ip created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'

  Responses:
    '204':
      Description: leaf nas-ip updated
    '400':
      Reference: '#/responses/400'
```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/server-group

```
options:

Tags:
- data
- options
Summary: ''
```

```

Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_group_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_profile_radius_server_group_server_group_group_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-group-name'
  - $ref: '#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list server-group created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_patch

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name'

    Responses:
    '204':
        Description: list server-group updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/server-group-group-name'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/group-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_cnbng_cp_profile_radius_server-group_server-group-group-name_group-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/server-group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_put
  produces:
  - application/yang-data+json

  Parameters:

```



```

- $ref: '#/parameters/server-group-group-name'
- $ref:
'#/parameters/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

```

Responses:

```

'201':
  Description: leaf group-name created or replaced

```

```

'204':
  Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

```

Summary: ''

```

```

Description: ''

```

Operation ID:

```

data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_patch

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/server-group-group-name'
- $ref:

```

```

'#/parameters/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

```

Responses:

```

'204':
  Description: leaf group-name updated

```

```

'400':
  Reference: '#/responses/400'

```

```

'401':
  Reference: '#/responses/401'

```

```

'404':
  Reference: '#/responses/404'

```

```

'405':
  Reference: '#/responses/405'

```

```

'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_options
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/server-group-group-name'
- $ref: '#/parameters/server-type'
- $ref: '#/parameters/server-ip'
- $ref: '#/parameters/server-port'
- $ref:
'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'
```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
Description: list server created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port'

Responses:

'204':
Description: list server updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

Responses:

'201':

Description: leaf type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'


```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/server-group-group-name'
    - $ref: '#/parameters/server-type'
    - $ref: '#/parameters/server-ip'
    - $ref: '#/parameters/server-port'
    - $ref:
'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type'

  Responses:
    '204':
      Description: leaf type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_delete

```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_profile_radius_server_group_server-group-group-name_server_server-type_server-ip_server-port_ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip'

Responses:

'201':
Description: leaf ip created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'
- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip'

Responses:

'204':

Description: leaf ip updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'
- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/server-group-group-name'
- **\$ref:** '#/parameters/server-type'
- **\$ref:** '#/parameters/server-ip'
- **\$ref:** '#/parameters/server-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'

- \$ref: '#/parameters/server-type'

- \$ref: '#/parameters/server-ip'

- \$ref: '#/parameters/server-port'

- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port'

Responses:

'201':

Description: leaf port created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/server-group-group-name'

- \$ref: '#/parameters/server-type'

- \$ref: '#/parameters/server-ip'

- \$ref: '#/parameters/server-port'

- \$ref:

'#/parameters/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port'

Responses:
 '204':
 Description: leaf port updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

delete:

Tags:
 - data
 - delete
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_delete

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/server-group-group-name'
 - **\$ref:** '#/parameters/server-type'
 - **\$ref:** '#/parameters/server-ip'
 - **\$ref:** '#/parameters/server-port'

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_options

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/server-group-group-name'

- \$ref: '#/parameters/server-type'
- \$ref: '#/parameters/server-ip'
- \$ref: '#/parameters/server-port'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:profile/coa

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_coa_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_coa'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

```
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa-post'

Responses:
  '201':
    Description: container coa created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
```

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa'

Responses:
  '201':
    Description: container coa created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa'

Responses:
  '204':
    Description: container coa updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
        security:
          - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_options
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
```

/data/cnbng-cp:profile/coa/server-key

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_server_key_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_cnbng-cp_profile_coa_server-key'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_coa_server_key_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

```
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa_server-key'

Responses:
'201':
  Description: leaf server-key created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_cnbng-cp_profile_coa_server-key'

Responses:
'204':
  Description: leaf server-key updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_server_key_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/coa/client

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'

```



```
security:  
- basicAuth: []
```

/data/cnbng-cp:profile/coa/client={client-ip}

get:

Tags:

```
- data  
- get
```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/client-ip'  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
```

head:

Tags:

```
- data  
- head
```

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/client-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_profile_coa_client_client_ip_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/client-ip'
- \$ref: '#/parameters/data_cnbng_cp_profile_coa_client_client-ip'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list client created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

```
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'
- $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip'

Responses:
'204':
  Description: list client updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_options
produces:
- application/yang-data+json
```

Parameters:
 - \$ref: '#/parameters/client-ip'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/coa/client={client-ip}/ip

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/client-ip'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng_cp_profile_coa_client_client-ip_ip'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'
- $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip_ip'

Responses:
  '201':
    Description: leaf ip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
```

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_coa_client_client_ip_ip_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/client-ip'
- **\$ref:** '#/parameters/data_cnbng_cp_profile_coa_client_client-ip_ip'

Responses:**'204':****Description:** leaf ip updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_profile_coa_client_client_ip_ip_delete**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/client-ip'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_options
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/client-ip'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/cnbng-cp:profile/coa/client={client-ip}/server-key

get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/client-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng_cp_profile_coa_client_client_ip_server-key'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/client-ip'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/client-ip'
      - $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip_server-key'

    Responses:
      '201':
        Description: leaf server-key created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/client-ip'
    - $ref: '#/parameters/data_cnbng-cp_profile_coa_client_client-ip_server-key'

  Responses:
    '204':
      Description: leaf server-key updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/client-ip'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/client-ip'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-cp_user-planes'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/data_cnbng-cp_user-planes-post'
  Responses:
    '201':
      Description: container user-planes created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_user-planes'

  Responses:
    '201':
      Description: container user-planes created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng-cp_user-planes'

  Responses:
```

```
'204':
  Description: container user-planes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:user-planes/user-plane

```
options:
```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_user_planes_user_plane_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_user_planes_user_plane_user_plane_name_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name'
    - $ref: '#/parameters/insert'
    - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list user-plane created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane-name'

  Responses:
    '204':
      Description: list user-plane updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

```



```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_name'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_name'

Responses:
  '201':

```

```
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'

  Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_delete
```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_post

  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post'

Responses:

- '201':
 - Description:** container peer-address created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'

Responses:

- '201':
 - Description:** container peer-address created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address'

  Responses:
    '204':
      Description: container peer-address updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address/ipv4

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4'
  '204':
    Reference: '#/responses/204'
  '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

  Responses:

```

```

    '201':
      Description: leaf ipv4 created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

  Responses:
    '204':
      Description: leaf ipv4 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/flowctrl-group

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

```

Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user-planes_user-plane_user-plane-name_flowctrl-group'

Responses:
  '201':
    Description: leaf flowctrl-group created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user-planes_user-plane_user-plane-name_flowctrl-group'

Responses:
  '204':
    Description: leaf flowctrl-group updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/user-plane-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/user-plane-name'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/offline

```
get:
```

```
    Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_user_planes_user_plane_user_plane_name_offline'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'

Responses:
  '201':
    Description: leaf offline created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'

Responses:

```



```
'204':
  Description: leaf offline updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/port-id-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_port-id_port-id-id'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'

```

```

- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list port-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'

Responses:
  '204':
    Description: list port-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/user-plane-name'
      - $ref: '#/parameters/port-id-id'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_options
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/user-plane-name'
      - $ref: '#/parameters/port-id-id'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/id

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'

- \$ref: '#/parameters/port-id-id'

- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'

Responses:

'201':

Description: leaf id created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_patch

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'

Responses:
  '204':
    Description: leaf id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/port-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id_options
produces:
- application/yang-data+json

```


Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/su

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/port-id-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/port-id-id'
    - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

  Responses:
    '201':
      Description: leaf subscriber-profile created or replaced
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/port-id-id'
  - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'

  Responses:
    '204':
      Description: leaf subscriber-profile updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/port-id-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-profile

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-profile_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

Responses:
'201':
  Description: leaf subscriber-profile created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

Responses:
'204':
  Description: leaf subscriber-profile updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber-redundancy'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'

Responses:

'201':
 Description: container subscriber-redundancy created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

```

Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy'

Responses:
'201':
  Description: container subscriber-redundancy created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy'

Responses:
'204':
  Description: container subscriber-redundancy updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/user-plane-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/user-plane-name'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

```

options:

    Tags:

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref:
'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'

```

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description:** list group created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name'

Responses:

- '204':
 - Description:** list group updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

```

```

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_delete

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []

```

```

options:

```

```

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_options

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

```

get:

```

```

    Tags:
      - data
      - get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name'

Responses:

'201':
 Description: leaf group-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

- **\$ref:**

'#/parameters/data_cnbng_cp_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'

Responses:

'204':

Description: leaf group-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
  '204':
    Reference: '#/responses/204'
  '400':

```

Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'
'409':
Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'

- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'

Responses:

'201':

Description: leaf disable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:**

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'

Responses:

'204':

Description: leaf disable updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

```
get:
```

```

  Tags:
  - data
  - get

```

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
Description: OK
Schema:

Reference:
 '#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Summary: ''
Description: ''
Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode'

Responses:

'201':
Description: leaf standby-mode created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'
 - **\$ref:**

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode'

Responses:

'204':

Description: leaf standby-mode updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_options

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/preferred-role-active
: get:

```

```

Tags:
- data
- get

```

```

Summary: ''
Description: ''
Operation ID:

```

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_get

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK

```

```

Schema:
Reference:

```

```

'#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active'

```

```

  '204':
    Reference: '#/responses/204'

```

```

  '400':
    Reference: '#/responses/400'

```

```

  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

head:

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
  - basicAuth: []

```

put:

```

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_put

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref:

```

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active'

Responses:

'201':
Description: leaf preferred-role-active created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
 - **\$ref:** '#/parameters/group-group-name'
 - **\$ref:**

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active'

Responses:

'204':
Description: leaf preferred-role-active updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer'

Responses:

'201':

Description: leaf revertive-timer created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'

Responses:

- '204':
 - Description:** leaf revertive-timer updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group-group-name_revertive_timer_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group-group-name_revertive_timer_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'

  Responses:
    '201':

```

```

    Description: leaf peer-identifier created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref:
'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'

  Responses:
  '204':
    Description: leaf peer-identifier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_get

produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Method:** Post**Tags:**

- data

- post

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_post

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/user-plane-name'**- \$ref:** '#/parameters/group-group-name'**- \$ref:**

'#/parameters/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_post'

Responses:**'201':****Description:** container port-id-map created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'

Responses:

'201':

Description: container port-id-map created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group_group-name_port_id_map_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref:

'#/parameters/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'

Responses:

'204':

Description: container port-id-map updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name
: options:

Tags:
- data

```


- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name-port-id-name}, {port-name-port-id}

: get:

Tags:

- data

- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'

- **\$ref:** '#/parameters/group-group-name'

- **\$ref:** '#/parameters/port-name-port-id-name'

- **\$ref:** '#/parameters/port-name-port-id'

- **\$ref:** '#/parameters/content'

- **\$ref:** '#/parameters/depth'

- **\$ref:** '#/parameters/fields'

- **\$ref:** '#/parameters/filter'

- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'
    - $ref: '#/parameters/group-group-name'
    - $ref: '#/parameters/port-name-port-id-name'
    - $ref: '#/parameters/port-name-port-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/user-plane-name'

```

- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description:** list port-name created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}/patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name}/port-id={port-id}

Responses:

- '204':
 - Description:** list port-name updated
- '400':
 - Reference:** '#/responses/400'
- '401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/port-name-port-id-name'
- $ref: '#/parameters/port-name-port-id'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/user-plane-name'
- $ref: '#/parameters/group-group-name'
- $ref: '#/parameters/port-name-port-id-name'
- $ref: '#/parameters/port-name-port-id'

Responses:
'200':
    Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name-port-id-name}/port-name-port-id={port-name-port-id}
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_cp_user_planes_user_plane={user-plane-name}/subscriber_redundancy_group={group-group-name}/port_id_map/port_name={port-name-port-id-name}/port_name_port_id={port-id-name}

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/port-name-port-id-name'
  - $ref: '#/parameters/port-name-port-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
#/definitions/data_cnbng_cp_user_planes_user_plane={user-plane-name}/subscriber_redundancy_group={group-group-name}/port_id_map/port_name={port-name-port-id-name}/port_name_port_id={port-id-name}

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head

```

Summary: ''

Description: ''

Operation ID:

~~data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

~~data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

~~#/parameters/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map~~

Responses:

'201':

Description: leaf port-id-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data-cnbng-cp-user-planes-user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/user-plane-name'
  - $ref: '#/parameters/group-group-name'
  - $ref: '#/parameters/port-name-port-id-name'
  - $ref: '#/parameters/port-name-port-id'
  - $ref: '#/parameters/port-id-name'
  - $ref: '#/parameters/port-id-name'

  Responses:
  '204':
    Description: leaf port-id-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name={port-name-port-id-name},(port-name-port-id)/port-id

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-id-map-port-name-port-id-map

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-id-map-port-name-port-id-map-head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_planes_user_plane={user-plane-name}_subscriber_redundancy_group={group-group-name}_port_id={port-name-port-id}

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref:

#/parameters/data_cnbng_cp_user_planes_user_plane={user-plane-name}_subscriber_redundancy_group={group-group-name}_port_id={port-name-port-id}

Responses:

'201':
Description: leaf port-id created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'
- \$ref: '#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch'

#/parameters/data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch

Responses:

'204':

Description: leaf port-id updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/user-plane-name'
- \$ref: '#/parameters/group-group-name'
- \$ref: '#/parameters/port-name-port-id-name'
- \$ref: '#/parameters/port-name-port-id'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_cp_user_plane_name_user_plane_name_group_name_group_name_port_name_port_id_name_port_name_port_id_name_port_name_port_id_name_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/user-plane-name'
- **\$ref:** '#/parameters/group-group-name'
- **\$ref:** '#/parameters/port-name-port-id-name'
- **\$ref:** '#/parameters/port-name-port-id'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-cp:coverage

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_coverage_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_cnbng_cp_coverage'

'204':

Reference: '#/responses/204'

'400':

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_coverage-post'
  Responses:
  '201':
    Description: container coverage created
  '204':
    Reference: '#/responses/204'
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_cnbng_cp_coverage'

  Responses:
  '201':
    Description: container coverage created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_cp_coverage_patch
  produces:
  - application/yang-data+json

  Parameters:

```

```
- $ref: '#/parameters/data_cnbng-cp_coverage'
```

Responses:

- '204':
 - Description:** container coverage updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_options

produces:

- application/yang-data+json

Parameters: []

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-cp:coverage/container-stop

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_coverage_container_stop_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng_cp_coverage_container-stop'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_cp_coverage_container_stop_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_container_stop_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_cnbng-cp_coverage_container-stop'

Responses:

'201':
 Description: leaf container-stop created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_container_stop_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_cnbng-cp_coverage_container-stop'

Responses:

'204':
 Description: leaf container-stop updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_container_stop_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
 Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID: data_cnbng_cp_coverage_container_stop_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth:** []

Parameters:**Content:**

name: content

In: query

Description: controlling descendant nodes in response
Required/Optional: false
Type: string
Format: enumeration
Default: config
enum:
- config
- nonconfig
- all

depth:
name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Type: integer
Format: uint16

fields:
name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Type: string
Format: string

filter:
name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Type: string
Format: string

with-defaults:
name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

insert:
name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Type: string
Format: enumeration
Default: first
enum:
- first

- last
- before
- after

point:

- name:** point
- In:** query
- Description:** used to specify the insertion point
- Required/Optional:** false
- Type:** string
- Format:** string

aaa-aaa-option:

- name:** aaa-aaa-option
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** enumeration
- Default:** authenticate
- enum:**
 - authenticate
 - authorize

aaa-name:

- name:** aaa-name
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** string

aaa-profile:

- name:** aaa-profile
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** leafref

activate-feature-templates-id:

- name:** activate-feature-templates-id
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** leafref

ascii-id:

- name:** ascii-id
- In:** path
- Description:** ''
- Required/Optional:** true
- Type:** string
- Format:** string

attribute-format-name:

- name:** attribute-format-name
- In:** path

```

    Description: ''
    Required/Optional: true
    Type: string
    Format: string
authentication-id:
    name: authentication-id
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: enumeration
    Default: pap
    enum:
    - pap
    - chap
class-class-name:
    name: class-class-name
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: string
client-ip:
    name: client-ip
    In: path
    Description: ''
    Required/Optional: true
    Type: string
    Format: union
data-post:
    name: data
    In: body
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n Endpoint\
\n and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll rights reserved."
    Required/Optional: true
    Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
    name: data
    In: body
    Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane
configuration.\n
\nThis module contains definitions for the following management
objects:\n Endpoint\
\n and Interfaces\n\nCopyright (c) 2020 by Cisco Systems, Inc.\nAll rights reserved."
    Required/Optional: true
    Schema:
    Reference: '#/definitions/data-put-patch'
data_cnbng_cp_coverage:
    name: coverage

```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_coverage'
  data_cnbng-cp_coverage-post:
    name: coverage
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_coverage-post'
  data_cnbng-cp_coverage_container-stop:
    name: container-stop
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_coverage_container-stop'
  data_cnbng-cp_profile:
    name: profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile'
  data_cnbng-cp_profile-post:
    name: profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile-post'
  data_cnbng-cp_profile_aaa_aaa-name:
    name: aaa
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name'
  data_cnbng-cp_profile_aaa_aaa-name_accounting:
    name: accounting
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting'
  data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
    name: accounting
    In: body
    Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'
data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authentication:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'
data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authorization:
  name: authorization
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization'
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
  name: authorization
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
  name: password
  In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
  name: method-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
  name: username
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
  name: username

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
data_cnbng-cp_profile_aaa_aaa-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_aaa_aaa-name_name'
data_cnbng-cp_profile_attribute-format_attribute-format-name:
  name: attribute-format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name'
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:
  name: format-order
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

```

```

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:
  name: format-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
data_cnbng-cp_profile_coa:
  name: coa
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa'
data_cnbng-cp_profile_coa-post:
  name: coa
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa-post'
data_cnbng-cp_profile_coa_client_client-ip:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip'
data_cnbng-cp_profile_coa_client_client-ip_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip_ip'
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  name: server-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_client_client-ip_server-key'

```

```

data_cnbng-cp_profile_coa_server-key:
  name: server-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_coa_server-key'
data_cnbng-cp_profile_dhcp_dhcp-name:
  name: dhcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
  name: class-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
  name: matches
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
```

```
name: match-type
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:
```

```
name: match
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:
```

```
name: ascii
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:
```

```
name: hex
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:
```

```
name: key
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server:
```

```
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:
```

```
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:
```

```
  name: boot-filename
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:
```

```
  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:
```

```
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time:
```

```
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post:

  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:  
  
  name: minutes  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:  
  
  name: netbios-name-server  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:  
  
  name: netbios-node-type  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:  
  
  name: netbios-node-type  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:  
  
  name: broadcast-node  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:  
  
  name: hexadecimal  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:
```

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:

    name: hybrid-node
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:

    name: mixed-node
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node:

    name: peer-to-peer-node
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:

    name: next-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

    name: ntp-servers
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

    name: option-codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
        Reference:

```



```
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

  name: option-codes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-code_option-code_option-code

  name: option-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string
: name: ascii-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ascii-string'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert
: name: force-insert
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_force-insert'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_hex-string
: name: hex-string
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_hex-string'
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id
: name: ip-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id'
```

```

?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_option-code
: name: option-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_option-code'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

  name: pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:
  name: server

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
  name: boot-filename
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:

  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:

```

```

    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
    name: lease
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
    name: lease
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
    name: days
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
    name: hours
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

    name: netbios-name-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
  name: netbios-node-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:
  name: netbios-node-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:
  name: broadcast-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:
  name: hexadecimal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:
  name: hybrid-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:
  name: mixed-node
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:
```

```

    name: peer-to-peer-node
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:
    name: next-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

    name: ntp-servers
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:
    name: option-codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:
    name: option-codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code:

    name: option-code
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ascii-string:

    name: ascii-string
    In: body
    Description: ''
    Required/Optional: true

```

Schema:**Reference:**

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert:

name: force-insert
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string:

name: hex-string
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id:

name: ip-address
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code:

name: option-code
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:

name: pool-name
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key:

name: static-ip-key
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

```

'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post:
  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
  name: ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:

  name: class-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:

  name: matches
  In: body

```



```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:

  name: matches
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

    name: match-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

      name: match
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

        name: ascii
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

          name: hex
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

            name: key
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post:

  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

  name: aftr-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

  name: dns-servers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time:

  name: hold-time
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post:

  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name:

  name: iana-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name:

  name: iapd-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:

  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:

  name: lease
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

  name: preference
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

  name: rapid-commit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:

  name: static-ip-key
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post:

  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-identifier'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
  name: aftr-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:

  name: dns-servers

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  name: domain-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
  name: hold-time
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
  name: iana-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
  name: iapd-pool-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
  name: lease
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  name: days
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  name: hours
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  name: minutes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  name: preference
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  name: rapid-commit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  name: static-ip-key
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  name: static-ip-key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

  name: identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'
data_cnbng-cp_profile_dhcp_dhcp-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_dhcp_dhcp-name_name'
data_cnbng-cp_profile_feature-template_feature-template-name:
  name: feature-template
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name'
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:

  name: http-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```



```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:  
  name: ipv4  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:  
  name: disable-unreachables  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:  
  name: egress-acl  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:  
  name: ingress-acl  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:  
  name: mtu  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:  
  name: verify-unicast-source  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'  
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:
```

```

    name: verify-unicast-source
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

    name: reachable-via-rx
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:

    name: ipv6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:

    name: ipv6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

    name: disable-unreachables
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

    name: egress-acl
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

    name: ingress-acl

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:
  name: verify-unicast-source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:
  name: verify-unicast-source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:
  name: reachable-via-rx
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'
data_cnbng-cp_profile_feature-template_feature-template-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_name'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp:
  name: ppp
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
      name: ppp
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:
      name: authentication
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
      name: chap
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:
      name: chap
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:
      name: hostname
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'
    data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:
      name: password
      In: body
      Description: ''
      Required/Optional: true

```

```
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
  name: ipcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:
  name: ipcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:
  name: dns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:
  name: dns
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:
  name: primary-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:
  name: secondary-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:
```

```
name: peer-address-pool
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post:
```

```
name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore:
```

```
name: ignore
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:
```

```
name: wins
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:
```

```
name: wins
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:
```

```
name: primary-address  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:
```

```
name: secondary-address  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:
```

```
name: ipv6cp  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:
```

```
name: ipv6cp  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:
```

```
name: renegotiation  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:
```

```
name: renegotiation  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

  name: ignore
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

  name: keepalive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

  name: keepalive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

  name: retry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```



```
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:  
  name: lcp  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:  
  
  name: lcp  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:  
  
  name: delay  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:  
  
  name: delay  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:  
  
  name: milliseconds  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'  
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:  
  
  name: seconds  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference:  
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'
```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

name: renegotiation
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

name: ignore
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

name: max-bad-auth
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

name: max-configure
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

name: max-failure
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:
  name: pap
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

  name: pap
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

  name: accept-null-password
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

  name: service-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:

```

```

    name: absolute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:

    name: absolute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:

    name: minutes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:

    name: authentication
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

    name: retry
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'
data_cnbng-cp_profile_feature-template_feature-template-name_qos:
    name: qos
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos'
data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:
    name: qos

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos-post'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:

  name: in-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:

  name: merge-level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'
data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:

  name: out-policy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

  name: service-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

  name: service-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

  name: aaa-profile
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

  name: periodic-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

  name: session-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post:

  name: session-accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:

  name: aaa-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

  name: dual-stack-delay

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'
  data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

  name: periodic-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
  data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:
  name: vrf-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'
  data_cnbng-cp_profile_12tp_12tp-name:
  name: 12tp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name'
  data_cnbng-cp_profile_12tp_12tp-name_authentication:
  name: authentication
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name_authentication'
  data_cnbng-cp_profile_12tp_12tp-name_congestion-control:
  name: congestion-control
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_12tp_12tp-name_congestion-control'

```

```

data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:
  name: domain
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
  name: tun-assign-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
  name: dsl-info-forwarding
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
  name: encrypt-avp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
  name: force-lcp-renegotiation
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval:
  name: hello-interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
data_cnbng-cp_profile_l2tp_l2tp-name_hostname:
  name: hostname

```



```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos:
  name: ip-tos
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post:
  name: ip-tos
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
  name: reflect
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
  name: destination
  In: body
  Description: ''
```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:
  name: dest-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:
  name: weight
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:
  name: df-bit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:
  name: source
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'
data_cnbng-cp_profile_l2tp_l2tp-name_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_mode'
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
data_cnbng-cp_profile_l2tp_l2tp-name_name:
  name: name

```

In: body
Description: ''
Required/Optional: true
Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_name'

data_cnbng-cp_profile_l2tp_l2tp-name_password:
 name: password
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_password'

data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
 name: receive-window
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
 name: retransmit
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
 name: retransmit
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
 name: initial
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
 name: initial
 In: body
 Description: ''
 Required/Optional: true
 Schema:
 Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
 name: retries
 In: body
 Description: ''

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
    name: max
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
    name: min
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
    name: retries
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
  data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
    name: timeout

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:
  name: max
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min:
  name: min
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed:
  name: rx-connect-speed
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp:
  name: tcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post:
  name: tcp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'
data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss:
  name: adjust-mss
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname:
  name: terminate-from
  In: body
  Description: ''
```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:

  name: hostname
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
  name: tunnel
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
  name: tunnel-load-balancing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
  name: tunnel
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
  name: session-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post:
  name: timeout
  In: body
  Description: ''

```

Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post'

data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session:
name: no-session
In: body
Description: ''
Required/Optional: true
Schema:
Reference:
#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'

data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed:
name: tx-connect-speed
In: body
Description: ''
Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'

data_cnbng-cp_profile_l2tp_l2tp-name_vrf:
name: vrf
In: body
Description: ''
Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'

data_cnbng-cp_profile_pppoe_pppoe-name:
name: pppoe
In: body
Description: ''
Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name'

data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
name: ac-cookie
In: body
Description: ''
Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
name: ac-name
In: body
Description: ''
Required/Optional: true
Schema:
Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
name: ctrl-pkt-priority
In: body
Description: ''
Required/Optional: true
Schema:

```

    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  name: max-payload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
  name: max-payload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
  name: deny
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
  name: maximum
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
  name: minimum
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
  name: mtu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_name'
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:

```



```

name: service-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
  name: service-selection-disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
  name: session-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
  name: session-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
  name: circuit-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
  name: circuit-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

```

Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  name: mac
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  name: mac
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  name: max
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  name: max
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
  name: outer-vlan
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
  name: outer-vlan
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
  name: timeout-completion

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
data_cnbng-cp_profile_radius:
  name: radius
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius'
data_cnbng-cp_profile_radius-post:
  name: radius
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius-post'
data_cnbng-cp_profile_radius_accounting:
  name: accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting'
data_cnbng-cp_profile_radius_accounting-post:
  name: accounting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting-post'
data_cnbng-cp_profile_radius_accounting_algorithm:
  name: algorithm
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_algorithm'
data_cnbng-cp_profile_radius_accounting_attribute:
  name: attribute
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute'
data_cnbng-cp_profile_radius_accounting_attribute-post:
  name: attribute
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute-post'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  name: called-station-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

  name: called-station-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true

```

Schema:**Reference:**

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:
```

```
name: value
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
```

```
name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
```

```
name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:
```

```
name: format-name
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:
```

```
name: format
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
```

```
name: format-name
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

name: nas-port-type
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:

name: value
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:

name: nas-identifier
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:

name: nas-identifier-format
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:

name: nas-identifier-format
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

name: format-name
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:
  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:
  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-ip:
  name: nas-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port:
  name: nas-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
  name: nas-port-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  name: nas-port-id
  In: body
  Description: ''
  Required/Optional: true

```



```
Schema:
  Reference:
    '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:

  name: format
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:

  name: format-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format_name'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:

  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:

  name: nas-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

```

Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
  name: format-e
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

  name: format-e-list
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

  name: format-e
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

  name: nas-port-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
  name: value
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'
data_cnbng-cp_profile_radius_accounting_deadtime:
  name: deadtime
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_deadtime'
data_cnbng-cp_profile_radius_accounting_detect-dead-server:

```

```

    name: detect-dead-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
    name: detect-dead-server
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'
data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:

    name: response-timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'
data_cnbng-cp_profile_radius_accounting_max-retry:
    name: max-retry
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_max-retry'
data_cnbng-cp_profile_radius_accounting_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_accounting_timeout'
data_cnbng-cp_profile_radius_algorithm:
    name: algorithm
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_algorithm'
data_cnbng-cp_profile_radius_attribute:
    name: attribute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute'
data_cnbng-cp_profile_radius_attribute-post:

```

```

    name: attribute
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute-post'
data_cnbng-cp_profile_radius_attribute_called-station-id:
    name: called-station-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id'
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
    name: called-station-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id-post'
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:

    name: format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format_format-nas-port-type'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

    name: nas-port-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

data_cnbng-cp_profile_radius_attribute_called-station-id_value:

name: value
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_called-station-id_value'

data_cnbng-cp_profile_radius_attribute_calling-station-id:

name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id'

data_cnbng-cp_profile_radius_attribute_calling-station-id-post:

name: calling-station-id
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'

data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:

name: format-name
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:

name: format
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:

name: format-name
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

```

    name: nas-port-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
    name: value
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
data_cnbng-cp_profile_radius_attribute_nas-identifier:
    name: nas-identifier
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
    name: nas-identifier-format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
    name: nas-identifier-format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
    name: format
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

name: format-name
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

name: nas-port-type
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-ip:

name: nas-ip
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-ip'

data_cnbng-cp_profile_radius_attribute_nas-port:

name: nas-port
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port'

data_cnbng-cp_profile_radius_attribute_nas-port-id:

name: nas-port-id
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id'

data_cnbng-cp_profile_radius_attribute_nas-port-id-post:

name: nas-port-id
In: body
Description: ''
Required/Optional: true
Schema:

Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'

data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:

name: format-name
In: body
Description: ''

```

    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:

    name: format
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

    name: format-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

    name: nas-port-type
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port-id_value:

    name: value
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
data_cnbng-cp_profile_radius_attribute_nas-port-post:

    name: nas-port
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port-post'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:

    name: format-e
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

```



```

name: format-e-list
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

name: format-e
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

name: nas-port-type
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
data_cnbng-cp_profile_radius_attribute_nas-port_value:
name: value
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_attribute_nas-port_value'
data_cnbng-cp_profile_radius_deadtime:
name: deadtime
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_deadtime'
data_cnbng-cp_profile_radius_detect-dead-server:
name: detect-dead-server
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server'
data_cnbng-cp_profile_radius_detect-dead-server-post:
name: detect-dead-server
In: body
Description: ''
Required/Optional: true
Schema:

```

```

    Reference: '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server-post'
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
  name: response-timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
data_cnbng-cp_profile_radius_max-retry:
  name: max-retry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_max-retry'
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
  name: server-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
  name: group-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

```

```

name: port
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'
data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:

  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'
data_cnbng-cp_profile_radius_server_server-ip_server-port:
  name: server
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port'
data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:
  name: ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
  name: priority
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  name: secret
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

```

Reference:
'#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
data_cnbng-cp_profile_radius_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_radius_timeout'
data_cnbng-cp_profile_server-group_server-group-name:
  name: server-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_server-group_server-group-name'
data_cnbng-cp_profile_server-group_server-group-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_server-group_server-group-name_name'
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
  name: radius-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
data_cnbng-cp_profile_subscriber_subscriber-name:
  name: subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name'
data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:
  name: aaa
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

  name: aaa-option
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
    data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

    name: profile
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
      data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

      name: activate-feature-templates
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'
        data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:
        name: apply-all-class
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
          data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:
          name: class
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'
            data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

            name: aaa
            In: body
            Description: ''
            Required/Optional: true
            Schema:

```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:
```

```
name: aaa-option
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:
```

```
name: profile
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
: name: activate-feature-templates
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:
```

```
name: class-name
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:
```

```
name: matches
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type:
```

```
name: match-type  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key:
```

```
name: match  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:
```

```
name: ascii  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key:
```

```
name: key  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:
```

```
name: regex  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'  
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:
```

```
name: type  
In: body  
Description: ''  
Required/Optional: true  
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match match-key_type_type-id'
```

data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:

```
name: dhcp-profile
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

```
Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'
```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:

```
name: event
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'
```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:

```
name: aaa
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

```
name: aaa-option
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:

```
name: profile
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id
```

```
: name: activate-feature-templates
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

```
Schema:
```

Reference:

```
'#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:


```

name: apply-all-class
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:

  name: class
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
    ?
    data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile
    : name: aaa
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
        ?
        data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option
        : name: aaa-option
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
            ?
            data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile
            : name: profile
              In: body
              Description: ''
              Required/Optional: true
              Schema:
                Reference:
                '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
                ?
                data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
                : name: activate-feature-templates
                  In: body
                  Description: ''
                  Required/Optional: true
                  Schema:
                    Reference:
                    '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'
                    ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

```

```

name: class-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'
  ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id
: name: deactivate-feature-templates
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:

name: matches
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:

name: matches
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:

name: match-type
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key:

name: match
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
  ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id

```

```

: name: ascii
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:

  name: key
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'
      ?
      data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
: name: regex
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'
      ?
      data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id
: name: type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'
      ?
      data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id
: name: deactivate-feature-templates
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_crbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

  name: event-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
  name: l2tp-profile

```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_name'
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
  name: pppoe-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
  name: session-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
data_cnbng-cp_user-planes:
  name: user-planes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes'
data_cnbng-cp_user-planes-post:
  name: user-planes
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name:
  name: user-plane
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
  name: flowctrl-group
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group'
data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
  name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:
  name: peer-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:
  name: peer-address
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4:
  name: ipv4
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id:
  name: port-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id:
  name: id

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:

  name: subscriber-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile:
  name: subscriber-profile
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy:

  name: subscriber-redundancy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:

  name: subscriber-redundancy
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name:

  name: group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable:

  name: disable
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name:

  name: group-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier:

  name: peer-identifier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map:

  name: port-id-map
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post:

  name: port-id-map
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post'
  ?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id
: name: port-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id'
  ?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_post-rate_post-rate-port-id-rate_post-rate-port-id
: name: port-id
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rae_port-rae-port-id-rae_port-rae-port-id-port-id'
  ?
  data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rae_port-rae-port-id-rae_port-rae-port-id-port-id-rae
  : name: port-id-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rae_port-rae-port-id-rae_port-rae-port-id-port-id-rae'
    data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:

    name: preferred-role-active
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'
      data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer:

      name: revertive-timer
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'
        data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode:

        name: standby-mode
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode'
          deactivate-feature-templates-id:
          name: deactivate-feature-templates-id
          In: path
          Description: ''
          Required/Optional: true
          Type: string
          Format: leafref
          destination-dest-ip:
          name: destination-dest-ip
          In: path
          Description: ''
          Required/Optional: true

```


Type: string
Format: string

dhcp-name:
name: dhcp-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

dns-servers-id:
name: dns-servers-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

domain-name:
name: domain-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

event-event-name:
name: event-event-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate

feature-template-name:
name: feature-template-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

format-e-list-nas-port-type:
name: format-e-list-nas-port-type
In: path
Description: ''
Required/Optional: true
Type: string
Format: int32

format-nas-port-type:
name: format-nas-port-type
In: path
Description: ''
Required/Optional: true

```
    Type: string
    Format: int32
format-order-id:
  name: format-order-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
group-group-name:
  name: group-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
hex-id:
  name: hex-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
ip-address-id:
  name: ip-address-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
l2tp-name:
  name: l2tp-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
match-key:
  name: match-key
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
method-order-id:
  name: method-order-id
```

In: path
Description: ''
Required/Optional: true
Type: string
Format: union

netbios-name-server-id:
name: netbios-name-server-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

ntp-servers-id:
name: ntp-servers-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

option-code-option-code:
name: option-code-option-code
In: path
Description: ''
Required/Optional: true
Type: integer
Format: uint32

port-id-id:
name: port-id-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

port-name-port-id:
name: port-name-port-id
In: path
Description: ''
Required/Optional: true
Type: integer
Format: uint32

port-name-port-id-name:
name: port-name-port-id-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

pppoe-name:
name: pppoe-name
In: path
Description: ''

```
    Required/Optional: true
    Type: string
    Format: string
regex-id:
  name: regex-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-group-group-name:
  name: server-group-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-group-name:
  name: server-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
server-ip:
  name: server-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: union
server-port:
  name: server-port
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: int32
server-type:
  name: server-type
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: auth
  enum:
  - auth
  - acct
service-name-id:
  name: service-name-id
  In: path
```

Description: ''
Required/Optional: true
Type: string
Format: string

subscriber-name:
name: subscriber-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

terminate-from-hostname:
name: terminate-from-hostname
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

type-id:
name: type-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: enumeration
Default: dhcp
enum:
- dhcp
- ppp

user-plane-name:
name: user-plane-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

Responses:

'200':
Description: OK

'201':
Description: Created

'204':
Description: No Content

'400':
Description: Bad Request

'401':
Description: Unauthorized

'404':
Description: Not Found

'405':
Description: Method Not Allowed

```

'409':
  Description: Conflict
  securityDefinitions:
  basicAuth:
    Type: basic
  definitions:
  data:
    Type: object
    Properties:
      ietf-restconf:data:
        Type: object
        Description: This resource represents the combined configuration and state
          data resources that can be accessed by a client and cannot be created or
          deleted by the client. See RESTCONF RFC 8040 for further information.
        x-yang:
          Type: datastore
          Properties: {}
  data-post:
    Type: object
    Properties:
      cnbng-cp:profile:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          dhcp:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
          ipv4:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              mode:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```



```
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object

```

```
Properties:
  class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
              enum:
                - dhcpv4-circuit-id
                - dhcpv4-remote-id
                - dhcpv4-vendor-class
                - dhcpv4-user-class
            ascii:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
            hex:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
      match-type:
        Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: any
enum:
  - any
  - all
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
ntp-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
boot-filename:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
Description: (non-presence)
Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
      ipv6:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container

```

```

    is_presence: 'false'
Properties:
mode:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: server
  enum:
    - server
    - proxy
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  aftr-name:

```



```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
```

```

hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: dhcpv6-interface-id
            enum:
              - dhcpv6-interface-id
              - dhcpv6-remote-id

```

```

- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:

```

```
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
    days:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    hours:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
```

```

        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
pppoe:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
ctrl-pkt-priority:
  Description: (leaf)

```

```
x-yang:
  Type: leaf
Type: integer
Format: byte
service-selection-disable:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: boolean
max-payload:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  minimum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  Maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
ac-cookie:
  Description: (leaf)
```

```
x-yang:
  Type: leaf
Type: string
Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    max:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
        mac:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            value:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
              threshold:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
    circuit-id:
      Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  outer-vlan:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  timeout-completion:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:

```



```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
authentication:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
authorization:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Type:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
username:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Format:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: addr
    enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
    - client-mac-address-raw
    - dhcp-client-id
    - dhcp-client-id-spl
    - dhcp-user-class
    - dhcp-vendor-class
    - dhcpv4-client-id-spl
    - dhcpv4-vendor-class
    - dhcpv6-client-id-ent-ident
    - dhcpv6-interface-id
    - dhcpv6-vendor-class-string
    - inner-vlan-id
    - outer-vlan-id
    - physical-adapter
    - physical-chassis
    - physical-port
    - physical-slot
    - physical-subslot
    - port-type
    - pppoe-session-id
    - remote-id-tag
    - service-name
    - username
    - user-plane
  password:
    Description: (leaf)
    x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    accounting:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            method-order:
                Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: union
server-group:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        radius-group:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: leafref
attribute-format:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
```

```
    Format: string
format-string:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
format-order:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    pppoe-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
```

```
l2tp-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```
matches:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: protocol
            enum:
              - protocol
              - username
              - source-mac
              - circuit-id
              - remote-id
          Type:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration
              Default: dhcp
              enum:
                - dhcp
                - ppp
          ascii:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          regex:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
```

```

        Description: (leaf-list)
        Type: string
        Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: any
        enum:
        - any
        - all
activate-feature-templates:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: enumeration
                Default: authenticate
                enum:
                - authenticate
                - authorize
            profile:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: leafref
apply-all-class:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: '[null]'
event:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    event-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate
    aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          aaa-option:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
            enum:
            - authenticate
            - authorize
          profile:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: leafref
        deactivate-feature-templates:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: leafref
        activate-feature-templates:
          Type: array
          x-yang:
            Type: leaf-list

```



```
Items:
  Description: (leaf-list)
  Type: string
  Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                  - protocol
                  - username
                  - source-mac
                  - circuit-id
                  - remote-id
```

```
Type:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
regex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
```

```

    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: authenticate
        enum:
          - authenticate
          - authorize
      profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
feature-template:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vrf-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ipv4:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
```

```
Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mtu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
```

```
ingress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
http-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  merge-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
service-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  ppp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      authentication:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: pap
          enum:
            - pap
            - chap
      chap:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          hostname:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          password:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

    Type: string
    Format: string
service-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: outbound
  enum:
    - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        secondary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    peer-address-pool:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ignore:
          Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  seconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
    milliseconds:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
pap:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  accept-null-password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
12tp:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: lac
        enum:
        - lac
        - lns
    encrypt-avp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    dsl-info-forwarding:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: '[null]'
```

hostname:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string

mtu:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

hello-interval:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

tcp:

- Description:** (non-presence)
- Type:** object
- x-yang:**
 - Type:** container
 - is_presence:** 'false'
- Properties:**
 - adjust-mss:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint16

retransmit:

- Description:** (non-presence)
- Type:** object
- x-yang:**
 - Type:** container
 - is_presence:** 'false'
- Properties:**
 - initial:**
 - Description:** (non-presence)
 - Type:** object
 - x-yang:**
 - Type:** container
 - is_presence:** 'false'
 - Properties:**
 - timeout:**
 - Description:** (non-presence)
 - Type:** object
 - x-yang:**
 - Type:** container

```
    is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint16
```

```
terminate-from:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      tun-assign-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  tunnel:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      session-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
```



```

    Type: string
    Format: enumeration
    Default: set
    enum:
    - set
    - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
  congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  tx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  tunnel-load-balancing:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
    enum:
      - weighted
      - equal
  password:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  force-lcp-renegotiation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
    Format: enumeration
    Default: auth
    enum:
    - auth
    - acct
secret:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
priority:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
algorithm:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
    - first-server
    - round-robin
deadtime:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    response-timeout:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
max-retry:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

```
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
```

```
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
```



```
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
```

```
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
```

```

        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  format-e-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-e:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            Type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: auth
              enum:
                - auth
                - acct
            ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

        Type: string
        Format: leafref
    coa:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            server-key:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            client:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        ip:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: union
                            server-key:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: string
    cnbng-cp:user-planes:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            user-plane:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        name:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
peer-address:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ipv4:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
flowctrl-group:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
subscriber-profile:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
subscriber-redundancy:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        standby-mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: hot
          enum:
            - hot
            - warm
        preferred-role-active:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        revertive-timer:
          Description: (leaf)
          x-yang:
            Type: leaf
```



```
    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
cnbng-cp:coverage:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data-put-patch:
  Type: object
  Properties:
```

ietf-restconf:data:

Description: "This is root module for Cisco\nCloud-Native BNG Control-Plane\
 \ configuration.\n\nThis module contains definitions for the following management\
 \ **objects:**\n Endpoint and Interfaces\n\nCopyright (c) 2020 by Cisco Systems,\n
 \ Inc.\nAll rights reserved."

Type: object

x-yang:

Type: datastore

Properties:**cnbng-cp:profile:**

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**dhcp:**

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:**name:**

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

ipv4:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**mode:**

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: server

enum:

- server

- proxy

server:

Description: (non-presence)

Type: object

x-yang:

Type: container

```
    is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  netbios-node-type:
```

Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 broadcast-node:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 hybrid-node:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 mixed-node:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 peer-to-peer-node:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 hexadecimal:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
lease:
Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 days:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
 hours:
 Description: (leaf)

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
```

```

Type: object
Properties:
  option-code:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  matches:
    Description: (presence)
    Type: object

```

```
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: dhcpv4-circuit-id
          enum:
            - dhcpv4-circuit-id
            - dhcpv4-remote-id
            - dhcpv4-vendor-class
            - dhcpv4-user-class
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        hex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
      match-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: any
        enum:
          - any
          - all
server:
  Description: (non-presence)
  Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```



```
Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```

hours:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
      enum:
        - server

```

```
- proxy
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    preference:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    aftr-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    rapid-commit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

```
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

        Type: integer
        Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
                enum:
                  - dhcpv6-interface-id
                  - dhcpv6-remote-id
                  - dhcpv6-vendor-class
                  - dhcpv6-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
              hex:

```

```

        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: any
        enum:
            - any
            - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        iana-pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        iapd-pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        preference:
            Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
```



```

        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
        enum:
        - client-mac-address
    hold-time:
        Description: (non-presence)
        Type: object
        x-yang:
        Type: container
        is_presence: 'false'
        Properties:
        minutes:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: uint32
pppoe:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    name:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: string
    mtu:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ctrl-pkt-priority:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: integer
        Format: byte
    service-selection-disable:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: boolean
    max-payload:

```

Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 deny:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 minimum:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint16
 Maximum:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint16
service-name:
 Type: array
 x-yang:
 Type: leaf-list
 Items:
 Description: (leaf-list)
 Type: string
 Format: string
ac-name:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
ac-cookie:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
session-limit:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
Properties:

```
max:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
mac:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
```

```

        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
      outer-vlan:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
      timeout-completion:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
    aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
        authentication:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
authorization:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Type:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
```

```

Format:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: addr
    enum:
      - addr
      - circuit-id-tag
      - client-mac-address
      - client-mac-address-custom1
      - client-mac-address-custom2
      - client-mac-address-ietf
      - client-mac-address-raw
      - dhcp-client-id
      - dhcp-client-id-spl
      - dhcp-user-class
      - dhcp-vendor-class
      - dhcpv4-client-id-spl
      - dhcpv4-vendor-class
      - dhcpv6-client-id-ent-ident
      - dhcpv6-interface-id
      - dhcpv6-vendor-class-string
      - inner-vlan-id
      - outer-vlan-id
      - physical-adapter
      - physical-chassis
      - physical-port
      - physical-slot
      - physical-subslot
      - port-type
      - pppoe-session-id
      - remote-id-tag
      - service-name
      - username
      - user-plane
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  method-order:

```

```
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        radius-group:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-order:
        Type: array
        x-yang:
          Type: leaf-list
```

```
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    pppoe-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    session-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
    l2tp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
```



```
Items:
  Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
```

```
Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
        enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
      Type:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: dhcp
          enum:
          - dhcp
          - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
          regex:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
        match-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: any
          enum:
```

```

    - any
    - all
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
event:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      event-name:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```

Type: string
Format: enumeration
Default: session-activate
enum:
- session-activate
aaa:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
deactivate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref
activate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref
apply-all-class:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
class:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                - protocol
                - username
                - source-mac
                - circuit-id
                - remote-id
              Type:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: enumeration
                  Default: dhcp
                  enum:
                  - dhcp
                  - ppp

```

```

    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    regex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      aaa-option:
        Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
  profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
feature-template:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ipv4:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        mtu:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ingress-acl:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```

    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mtu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ingress-acl:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      egress-acl:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string

```



```
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
httpr-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
merge-level:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
session-accounting:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
service-accounting:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
ppp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    authentication:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
        enum:
          - pap
          - chap
    chap:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        password:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    service-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: outbound
        enum:
          - outbound
    ipcp:
```

Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 dns:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 primary-address:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
 secondary-address:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
 peer-address-pool:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
 renegotiation:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 ignore:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 wins:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:

```
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  ipv6cp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
```

```
  lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          seconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
```

```
    Format: byte
  milliseconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

```
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
```

```

        retry:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: byte
12tp:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: lac
        enum:
            - lac
            - lns
        encrypt-avp:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
        dsl-info-forwarding:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
    hostname:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    mtu:
        Description: (leaf)
        x-yang:
            Type: leaf

```



```
    Type: integer
    Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      min:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: integer
        Format: byte
    retries:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint16
timeout:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        max:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: byte
        retries:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint16
receive-window:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: integer
        Format: uint16
terminate-from:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        hostname:
            Description: (leaf)
            x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      tun-assign-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: string
    Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      no-session:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    df-bit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: set
      enum:
        - set
        - reflect
    source:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```
destination:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
congestion-control:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
tx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
tunnel-load-balancing:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
  enum:
    - weighted
    - equal
password:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: string
    force-lcp-renegotiation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: auth
          enum:
            - auth
            - acct
        secret:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        priority:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
  - first-server
  - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
```



```
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  value:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            format-e:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
accounting:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  detect-dead-server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

```
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
server-group:
  Type: array
```



```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    group-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: auth
            enum:
              - auth
              - acct
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
        coa:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            server-key:
              Description: (leaf)
              x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
  client:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
cnbng-cp:user-planes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    user-plane:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        peer-address:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
      Properties:

```

```
    ipv4:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  flowctrl-group:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

port-id:

```
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      subscriber-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
```

subscriber-profile:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

subscriber-redundancy:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
```

```
group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      standby-mode:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: hot
        enum:
          - hot
          - warm
      preferred-role-active:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      revertive-timer:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      peer-identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port-id-map:
        Description: (non-presence)
        Type: object
        x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32

cnbng-cp:coverage:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string

data_cnbng-cp_coverage:
  Type: object
  Properties:
    cnbng-cp:coverage:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        container-stop:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
    Format: string
data_cnbng-cp_coverage-post:
  Type: object
  Properties:
    cnbng-cp:container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_coverage_container-stop:
  Type: object
  Properties:
    cnbng-cp:container-stop:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile:
  Type: object
  Properties:
    cnbng-cp:profile:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        dhcp:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              ipv4:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              mode:
```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    ntp-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    netbios-name-server:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
```



```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ip-address:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          force-insert:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
```

```
Type: list
Items:
Type: object
Properties:
  class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: dhcpv4-circuit-id
              enum:
                - dhcpv4-circuit-id
                - dhcpv4-remote-id
                - dhcpv4-vendor-class
                - dhcpv4-user-class
            ascii:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
            hex:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
```

```

        Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: any
        enum:
            - any
            - all
    server:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        ntp-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        netbios-name-server:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf

```

```
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: integer
    Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
  ipv6:
    Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  mode:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: server
    enum:
      - server
      - proxy
  server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      iana-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      iapd-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      dns-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      domain-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      preference:
        Description: (leaf)
        x-yang:
          Type: leaf
```



```
    Type: integer
    Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      matches:
        Description: (presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'true'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                key:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration

```

```

Default: dhcpv6-interface-id
enum:
- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
hex:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
match-type:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: any
enum:
- any
- all
server:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
iana-pool-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
iapd-pool-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
dns-servers:
Type: array

```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: integer
  Format: uint32
  hours:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: integer
  Format: uint32
  minutes:
  Description: (leaf)
```

```

        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    static-ip-key:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            identifier:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: client-mac-address
                enum:
                    - client-mac-address
    hold-time:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            minutes:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
pppoe:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
    mtu:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer

```

```
    Format: uint32
ctrl-pkt-priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
service-selection-disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
max-payload:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    deny:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    Maximum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
ac-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
```

```
    Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
```

```

        Format: uint32
    circuit-id:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            value:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: integer
                Format: uint32
            threshold:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: integer
                Format: uint32
    outer-vlan:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            value:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: integer
                Format: uint32
            threshold:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: integer
                Format: uint32
    timeout-completion:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint16
    aaa:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:

```



```
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  authentication:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
  authorization:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Type:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      subscriber:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
```

```

        Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      Format:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
      Default: addr
      enum:
        - addr
        - circuit-id-tag
        - client-mac-address
        - client-mac-address-custom1
        - client-mac-address-custom2
        - client-mac-address-ietf
        - client-mac-address-raw
        - dhcp-client-id
        - dhcp-client-id-spl
        - dhcp-user-class
        - dhcp-vendor-class
        - dhcpv4-client-id-spl
        - dhcpv4-vendor-class
        - dhcpv6-client-id-ent-ident
        - dhcpv6-interface-id
        - dhcpv6-vendor-class-string
        - inner-vlan-id
        - outer-vlan-id
        - physical-adapter
        - physical-chassis
        - physical-port
        - physical-slot
        - physical-subslot
        - port-type
        - pppoe-session-id
        - remote-id-tag
        - service-name
        - username
        - user-plane

```

```
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    radius-group:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
```

```
    x-yang:
      Type: leaf
    Type: string
    Format: string
  format-string:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
  format-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dhcp-profile:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
  pppoe-profile:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
  session-type:
    Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: ipv4
```

```
enum:
- ipv4
- ipv6
- ipv4v6
l2tp-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
matches:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: protocol
            enum:
              - protocol
              - username
              - source-mac
              - circuit-id
              - remote-id
          Type:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration
              Default: dhcp
            enum:
              - dhcp
              - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:
```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
  activate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
  apply-all-class:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
  Type: string
  Format: '[null]'
event:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      event-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: session-activate
        enum:
          - session-activate
      aaa:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            aaa-option:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: authenticate
              enum:
                - authenticate
                - authorize
            profile:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
      deactivate-feature-templates:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: leafref

```



```
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      matches:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          match:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                key:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: protocol
                  enum:
                    - protocol
```

- username
- source-mac
- circuit-id
- remote-id

Type:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

ascii:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**regex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

deactivate-feature-templates:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**activate-feature-templates:****Type:** array**x-yang:**

```
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
feature-template:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ipv4:
      Description: (non-presence)
      Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint32
ingress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
http-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: string
    Format: string
  out-policy:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  merge-level:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  session-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  service-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

```
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
ppp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    authentication:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
        enum:
          - pap
          - chap
    chap:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        password:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
service-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
    enum:
      - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```



```
Properties:
  ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        seconds:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: byte
          milliseconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ignore:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
```

```
Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
  12tp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: lac
          enum:
            - lac
            - lns
        encrypt-avp:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        dsl-info-forwarding:
          Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (non-presence)
```

```
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      retries:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      retries:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint16
terminate-from:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            hostname:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
domain:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            tun-assign-id:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
vrf:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
authentication:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
ip-tos:
    Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    df-bit:
```



```
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: set
    enum:
      - set
      - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
  congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  tx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rx-connect-speed:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
```

```

    Format: uint32
tunnel-load-balancing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: weighted
  enum:
    - weighted
    - equal
password:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
force-lcp-renegotiation:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: union
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
        Type:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: auth
    enum:
      - auth
      - acct
  secret:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
    - first-server
    - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
max-retry:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  value:
    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```
    Format: int32
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:

```



```

    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
value:
  Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

    Format: int32
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  format-e-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
format-e:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string

```

```

        Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
server-group:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            group-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            server:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        Type:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: enumeration
                                Default: auth
                            enum:
                                - auth
                                - acct
                        ip:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: leafref
            port:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
    coa:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            server-key:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            client:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        ip:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: union
                        server-key:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                            Type: string
                            Format: string
    data_cnbng-cp_profile-post:
        Type: object
        Properties:
            cnbng-cp:dhcp:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                Properties:
                    name:
                        Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: server
      enum:
        - server
        - proxy
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pool-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        dns-servers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        ntp-servers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        netbios-name-server:
          Type: array
```

```
x-yang:
  Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)

```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: boolean
class:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        class-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        matches:
            Description: (presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'true'
            Properties:
                match:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                    Properties:
                        key:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: enumeration
                                Default: dhcpv4-circuit-id
                            enum:
                                - dhcpv4-circuit-id
                                - dhcpv4-remote-id
                                - dhcpv4-vendor-class
                                - dhcpv4-user-class
                        ascii:
                            Type: array
                            x-yang:

```

```

        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
        - any
        - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    dns-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    ntp-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string

```

```
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
```

```
peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
```

```
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ip-address:
            Type: array
            x-yang:
              Type: leaf-list
```

```

        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: boolean

ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: server
      enum:
        - server
        - proxy
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)

```



```
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
```

```
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: dhcpv6-interface-id
      enum:
        - dhcpv6-interface-id
        - dhcpv6-remote-id
        - dhcpv6-vendor-class
        - dhcpv6-user-class
      ascii:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
        hex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
      match-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: any
        enum:
          - any
          - all
    server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        iana-pool-name:
          Description: (leaf)
```

```
x-yang:
  Type: leaf
  Type: string
  Format: string
iapd-pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:pppoe:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object

```

Properties:

- name:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- mtu:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32
- ctrl-pkt-priority:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** byte
- service-selection-disable:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** boolean
- max-payload:**
 - Description:** (non-presence)
 - Type:** object
 - x-yang:**
 - Type:** container
 - is_presence:** 'false'
 - Properties:**
 - deny:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** '[null]'
 - minimum:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint16
 - Maximum:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint16
- service-name:**

```

Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

```
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
outer-vlan:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
```



```
    timeout-completion:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
cnbng-cp:aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    authentication:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: union
    authorization:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Type:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            subscriber:
              Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Format:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: addr
  enum:
  - addr
  - circuit-id-tag
  - client-mac-address
  - client-mac-address-custom1
  - client-mac-address-custom2
  - client-mac-address-ietf
  - client-mac-address-raw
  - dhcp-client-id
  - dhcp-client-id-spl
  - dhcp-user-class
  - dhcp-vendor-class
  - dhcpv4-client-id-spl
  - dhcpv4-vendor-class
  - dhcpv6-client-id-ent-ident

```

```

- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    method-order:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
cnbng-cp:server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    radius-group:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: leafref
cnbng-cp:attribute-format:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-order:
      Type: array
      x-yang:
        Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
cnbng-cp:subscriber:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    pppoe-profile:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
session-type:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: ipv4
enum:
- ipv4
- ipv6
- ipv4v6
l2tp-profile:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
aaa:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
        enum:
- authenticate
- authorize
      profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
activate-feature-templates:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
```

```

    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
              enum:
                - protocol
                - username
                - source-mac
                - circuit-id
                - remote-id
            Type:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: enumeration

```

```

        Default: dhcp
        enum:
        - dhcp
        - ppp
ascii:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
regex:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all
activate-feature-templates:
    Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        aaa-option:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
```

```

        Default: authenticate
        enum:
        - authenticate
        - authorize
    profile:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
apply-all-class:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
event:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            event-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: session-activate
                enum:
                - session-activate
aaa:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            aaa-option:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: authenticate
                enum:
                - authenticate
                - authorize
        profile:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
```

class:

```
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      class-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      matches:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          match:
            Type: array
            Description: (list)
```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
      enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
    Type:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: dhcp
        enum:
          - dhcp
          - ppp
    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    regex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: any
```

```

        enum:
        - any
        - all
    deactivate-feature-templates:
    Type: array
    x-yang:
    Type: leaf-list
    Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
    activate-feature-templates:
    Type: array
    x-yang:
    Type: leaf-list
    Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
    aaa:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    aaa-option:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
    profile:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
cnbng-cp:feature-template:
    Type: array
    Description: (list)
    x-yang:
    Type: list
    Items:
    Type: object
    Properties:
    name:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
vrf-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
  http-policy:
    Description: (leaf)
    x-yang:
```

```
    Type: leaf
  Type: string
  Format: string
qos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    aaa-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: integer
    Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  service-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
      aaa-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: leafref
      periodic-interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  ppp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      authentication:
        Type: array
        x-yang:
          Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: pap
      enum:
        - pap
        - chap
```

```
chap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  service-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
    enum:
      - outbound
  ipcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dns:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          primary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
```



```
    Type: string
    Format: string
peer-address-pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
renegotiation:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        seconds:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        milliseconds:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ignore:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:

```

```
    Type: leaf
  Type: integer
  Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
```

```

        Type: leaf
        Type: integer
        Format: byte
    retry:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
    keepalive:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        disable:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        interval:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retry:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: byte
cnbng-cp:l2tp:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        mode:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
Type: string
Format: enumeration
Default: lac
enum:
- lac
- lns
encrypt-avp:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
dsl-info-forwarding:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
retransmit:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  initial:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          max:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: byte
          min:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: byte
          retries:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint16
      timeout:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      min:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
retries:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
receive-window:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint16
terminate-from:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
domain:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
tun-assign-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
```



```
    no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: set
          enum:
            - set
            - reflect
      source:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      destination:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
        Properties:
          dest-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          weight:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint16
    congestion-control:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
  Type: string
  Format: '[null]'
tx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rx-connect-speed:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
tunnel-load-balancing:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
  enum:
    - weighted
    - equal
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
force-lcp-renegotiation:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'false'
Properties:
  server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```
    ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: union
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: auth
      enum:
        - auth
        - acct
    secret:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  detect-dead-server:
    Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
```

```
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
```

```

    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'

```

```
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
    accounting:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        algorithm:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: first-server
            enum:
                - first-server
                - round-robin
        deadtime:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        detect-dead-server:
            Description: (non-presence)

```



```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
```

```

    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

```
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```

Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: int32
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
server-group:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        group-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
    server:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
        Properties:
            Type:
                Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: auth
      enum:
        - auth
        - acct
  ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
cnbng-cp:coa:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    client:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

        Format: string
data_cnbng-cp_profile_aaa_aaa-name:
  Type: object
  Properties:
    cnbng-cp:aaa:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          authentication:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              method-order:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: union
          authorization:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              Type:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              subscriber:
                Description: (non-presence)
                Type: object
                x-yang:
```

```

    Type: container
    is_presence: 'false'
Properties:
  method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
    Format:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: addr
    enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
    - client-mac-address-raw
    - dhcp-client-id
    - dhcp-client-id-spl
    - dhcp-user-class
    - dhcp-vendor-class
    - dhcpv4-client-id-spl
    - dhcpv4-vendor-class
    - dhcpv6-client-id-ent-ident
    - dhcpv6-interface-id
    - dhcpv6-vendor-class-string
    - inner-vlan-id

```



```

        - outer-vlan-id
        - physical-adapter
        - physical-chassis
        - physical-port
        - physical-slot
        - physical-subslot
        - port-type
        - pppoe-session-id
        - remote-id-tag
        - service-name
        - username
        - user-plane
    password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    accounting:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  Type: object
  Properties:

```

```

cnbng-cp:method-order:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication:
Type: object
Properties:
  cnbng-cp:authentication:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
Type: object

```

```

Properties:
  cnbng-cp:method-order:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization:
Type: object
Properties:
  cnbng-cp:authorization:
    Description: (non-presence)
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Type:
      Description: (non-presence)
      Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      subscriber:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
      username:
        Description: (non-presence)
        Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
Format:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: leafref
identifier:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: addr
        enum:
        - addr
        - circuit-id-tag
        - client-mac-address
        - client-mac-address-custom1
        - client-mac-address-custom2
        - client-mac-address-ietf
        - client-mac-address-raw
        - dhcp-client-id
        - dhcp-client-id-spl
        - dhcp-user-class
        - dhcp-vendor-class
        - dhcpv4-client-id-spl
        - dhcpv4-vendor-class
        - dhcpv6-client-id-ent-ident
        - dhcpv6-interface-id
        - dhcpv6-vendor-class-string
        - inner-vlan-id
        - outer-vlan-id
        - physical-adapter
        - physical-chassis
        - physical-port
        - physical-slot
        - physical-subslot
        - port-type
        - pppoe-session-id
        - remote-id-tag
        - service-name
        - username
        - user-plane
password:
        Description: (leaf)
        x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
Type: object
Properties:
        cnbng-cp:type:
        Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  subscriber:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      method-order:
        Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
cnbng-cp:username:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Format:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: addr
  enum:
    - addr
    - circuit-id-tag
    - client-mac-address
    - client-mac-address-custom1
    - client-mac-address-custom2
    - client-mac-address-ietf
```

- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

cnbng-cp:password:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data_cnbng-cp_profile_aaa_aaa-name_authorization_password:****Type:** object**Properties:****cnbng-cp:password:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data_cnbng-cp_profile_aaa_aaa-name_authorization_type:****Type:** object**Properties:****cnbng-cp:type:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****subscriber:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****method-order:**

```

        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        method-order:
          Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
```

```

    Description: (leaf-list)
    Type: string
    Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: union
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
Type: object
Properties:
  cnbng-cp:username:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        Format:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: addr
        enum:
        - addr
        - circuit-id-tag
        - client-mac-address
        - client-mac-address-custom1
        - client-mac-address-custom2
        - client-mac-address-ietf
        - client-mac-address-raw
        - dhcp-client-id

```


- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:

Type: object

Properties:

cnbng-cp:value:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

cnbng-cp:format:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: leafref

cnbng-cp:identifier:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: addr

enum:

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id

- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:

Type: object

Properties:

cnbng-cp:format:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: leafref

data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:

Type: object

Properties:

cnbng-cp:identifier:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: addr

enum:

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id

- remote-id-tag
- service-name
- username
- user-plane

data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:

Type: object

Properties:

cnbng-cp:value:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_aaa_aaa-name_name:

Type: object

Properties:

cnbng-cp:name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_attribute-format_attribute-format-name:

Type: object

Properties:

cnbng-cp:attribute-format:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

format-string:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

format-order:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

Type: string

```

        Format: union
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:
  Type: object
  Properties:
    cnbng-cp:format-order:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: union
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:
  Type: object
  Properties:
    cnbng-cp:format-string:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_coa:
  Type: object
  Properties:
    cnbng-cp:coa:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        client:
          Type: array
          Description: (list)
          x-yang:

```

```
    Type: list
  Items:
    Type: object
    Properties:
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: union
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_coa-post:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:client:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: union
          server-key:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_coa_client_client-ip:
  Type: object
  Properties:
    cnbng-cp:client:
      Type: array
      Description: (list)
```

```

    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: union
        server-key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_coa_client_client-ip_ip:
  Type: object
  Properties:
    cnbng-cp:ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: union
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_coa_server-key:
  Type: object
  Properties:
    cnbng-cp:server-key:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_dhcp_dhcp-name:
  Type: object
  Properties:
    cnbng-cp:dhcp:
      Type: array
      Description: (list)
      x-yang:

```

```
Type: list
Items:
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
          - server
          - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pool-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          dns-servers:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
          ntp-servers:
            Type: array
            x-yang:
              Type: leaf-list
```

```
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  mixed-node:
    Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
Type: string
Format: enumeration
Default: client-mac-address
enum:
- client-mac-address
hold-time:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
minutes:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
option-code:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
option-code:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
ascii-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
hex-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

```

```
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
                enum:
                  - dhcpv4-circuit-id
```

```

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array

```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

```
mixed-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

        Type: string
        Format: string
    ip-address:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: boolean

ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: server
            enum:
                - server
                - proxy
        server:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                iana-pool-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                iapd-pool-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string

```



```
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
```

```

    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object

```

```
x-yang:
  Type: container
  is_presence: 'true'
Properties:
  match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: dhcpv6-interface-id
          enum:
            - dhcpv6-interface-id
            - dhcpv6-remote-id
            - dhcpv6-vendor-class
            - dhcpv6-user-class
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        hex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: any
    enum:
      - any
      - all
server:
  Description: (non-presence)
  Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
```

```
Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
          - server
          - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
    Properties:
      pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      dns-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      ntp-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      netbios-name-server:
        Type: array
        x-yang:
          Type: leaf-list
```

```
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object

```



```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          option-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          hex-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ip-address:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
```

```

    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
                enum:
                  - dhcpv4-circuit-id
                  - dhcpv4-remote-id
                  - dhcpv4-vendor-class
                  - dhcpv4-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
            Items:

```

```
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
    is_presence: 'false'
Properties:
    pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    dns-servers:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    ntp-servers:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    netbios-name-server:
        Type: array
```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
  hybrid-node:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
  mixed-node:
  Description: (leaf)
  x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
  peer-to-peer-node:
  Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
    Type: object
    Properties:
        cnbng-cp:mode:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: enumeration
            Default: server
            enum:
                - server
                - proxy
        cnbng-cp:server:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                pool-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                dns-servers:
                    Type: array
                    x-yang:
                        Type: leaf-list
                    Items:
                        Description: (leaf-list)
                        Type: string
                        Format: string
                ntp-servers:
                    Type: array
                    x-yang:
                        Type: leaf-list
                    Items:
                        Description: (leaf-list)
                        Type: string
                        Format: string
                netbios-name-server:
                    Type: array
```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)

```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: boolean
cnbng-cp:class:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        class-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
        matches:
            Description: (presence)
            Type: object
            x-yang:
                Type: container
            is_presence: 'true'
        Properties:
            match:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
            Items:
                Type: object
            Properties:
                key:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: enumeration
                    Default: dhcpv4-circuit-id
                enum:
                    - dhcpv4-circuit-id
                    - dhcpv4-remote-id
                    - dhcpv4-vendor-class
                    - dhcpv4-user-class
            ascii:
                Type: array
                x-yang:

```

```

        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
        - any
        - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
    dns-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    ntp-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string

```

```
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
```

```
peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
```

```
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
```

```

        Items:
          Description: (leaf-list)
          Type: string
          Format: string
        force-insert:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          class-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          matches:
            Description: (presence)
            Type: object
            x-yang:
              Type: container
            is_presence: 'true'
          Properties:
            match:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  key:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                    Type: string
                    Format: enumeration
                    Default: dhcpv4-circuit-id
                    enum:
                      - dhcpv4-circuit-id
                      - dhcpv4-remote-id

```



```
- dhcpv4-vendor-class
- dhcpv4-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  ntp-servers:
    Type: array
    x-yang:
```

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
netbios-name-server:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    mixed-node:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

peer-to-peer-node:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
```

hexadecimal:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

lease:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

days:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

hours:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

minutes:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

static-ip-key:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

identifier:

```
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            option-code:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            ascii-string:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            hex-string:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string

```

```

        Format: string
    ip-address:
        Type: array
    x-yang:
        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
Type: object
Properties:
  cnbng-cp:class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
Type: object
Properties:
  cnbng-cp:matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv4-circuit-id
            enum:

```

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

ascii:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**hex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:**Type:** object**Properties:****cnbng-cp:match:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

```

    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:

```

Type: object
Properties:
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: dhcpv4-circuit-id
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
ascii:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
hex:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id:
Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id:
Type: object
Properties:
  cnbng-cp:hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key:

```


Type: object

Properties:

cnbng-cp:key:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: dhcpv4-circuit-id

enum:

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server:

Type: object

Properties:

cnbng-cp:server:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

pool-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

dns-servers:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

Type: string

Format: string

ntp-servers:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

Type: string

Format: string

nethbios-name-server:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

```
    Type: string
    Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  netbios-node-type:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

```
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        hex-string:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        ip-address:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        force-insert:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post:
Type: object
Properties:
  cnbng-cp:pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:next-server:
    Description: (leaf)
```

```
x-yang:
  Type: leaf
Type: string
Format: string
cnbng-cp:netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    broadcast-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hybrid-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    mixed-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    peer-to-peer-node:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    hexadecimal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint32
hours:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-cp:static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
cnbng-cp:hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cnbng-cp:option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    option-code:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:
Type: object
Properties:
  cnbng-cp:boot-filename:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:
Type: object

```



```

Properties:
  cnbng-cp:dns-servers:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

Type: object
Properties:
  cnbng-cp:domain-name:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time:

Type: object
Properties:
  cnbng-cp:hold-time:
    Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:
Type: object
Properties:
  cnbng-cp:lease:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      days:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        hours:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:
Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:

Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

Type: object
Properties:
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:

Type: object
Properties:
  cnbng-cp:netbios-name-server:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:

Type: object
Properties:
  cnbng-cp:netbios-node-type:
    Description: (non-presence)
    Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:
Type: object
Properties:
  cnbng-cp:broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:mixed-node:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cnbng-cp:hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node:

Type: object
Properties:
  cnbng-cp:broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal:

Type: object
Properties:
  cnbng-cp:hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node:

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node:

Type: object
Properties:
  cnbng-cp:mixed-node:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_nethics-node-type_peer-to-peer-node:

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:

Type: object
Properties:
  cnbng-cp:next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

Type: object
Properties:
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

Type: object
Properties:
  cnbng-cp:option-codes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list

```

Items:

Type: object
Properties:
option-code:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
ascii-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
hex-string:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
ip-address:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string
force-insert:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: boolean

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

Type: object

Properties:

cnbng-cp:option-code:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

option-code:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

```

    Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean

```

data_cnbng_cp_profile_chp_chp_name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code

```

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        ascii-string:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        hex-string:

```



```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string
: type: object
  Properties:
    cnbng-cp:ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert
: type: object
  Properties:
    cnbng-cp:force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string
: type: object
  Properties:
    cnbng-cp:hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ?
data_cnbng-cp_profile_chcp_chcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id
: type: object
  Properties:

```

```

cnbng-cp:ip-address:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code
: type: object
  Properties:
    cnbng-cp:option-code:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:
  Type: object
  Properties:
    cnbng-cp:pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key:
  Type: object
  Properties:
    cnbng-cp:static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post:
  Type: object
  Properties:
    cnbng-cp:identifier:

```

Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: client-mac-address
enum:
 - client-mac-address

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier:

Type: object
Properties:
cnbng-cp:identifier:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: client-mac-address
enum:
 - client-mac-address

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:

Type: object
Properties:
cnbng-cp:mode:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: server
enum:
 - server
 - proxy

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:

Type: object
Properties:
cnbng-cp:server:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
dns-servers:
Type: array

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ntp-servers:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
netbios-name-server:
  Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
domain-name:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
boot-filename:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
next-server:
  Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: string
netbios-node-type:
  Description: (non-presence)
  Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```
    Type: string
    Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
```

```
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
option-codes:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    option-code:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        ascii-string:
          Description: (leaf)
```

```

        x-yang:
          Type: leaf
          Type: string
          Format: string
    hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
  Type: object
  Properties:
    cnbng-cp:pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    cnbng-cp:ntp-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    cnbng-cp:netbios-name-server:
      Type: array
```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
cnbng-cp:domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:boot-filename:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:next-server:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:netbios-node-type:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hybrid-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  peer-to-peer-node:
    Description: (leaf)
```



```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
cnbng-cp:static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
cnbng-cp:hold-time:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:option-codes:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        option-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          ascii-string:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            hex-string:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            ip-address:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
```

```

        Type: string
        Format: string
    force-insert:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
    Type: object
    Properties:
        cnbng-cp:boot-filename:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:
    Type: object
    Properties:
        cnbng-cp:dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
    Type: object
    Properties:
        cnbng-cp:domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
    Type: object
    Properties:
        cnbng-cp:hold-time:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                minutes:
                    Description: (leaf)
                    x-yang:
                        Type: leaf

```

```

    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        days:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        hours:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
  Type: object
  Properties:

```

```
cnbng-cp:days:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cnbng-cp:hours:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
cnbng-cp:minutes:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:
  Type: object
  Properties:
    cnbng-cp:netbios-name-server:
      Type: array
      x-yang:
```

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
  Type: object
  Properties:
    cnbng-cp:netbios-node-type:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        broadcast-node:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
          hybrid-node:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
            mixed-node:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
            peer-to-peer-node:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
            hexadecimal:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:
  Type: object
  Properties:
    cnbng-cp:broadcast-node:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:hybrid-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:mixed-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:peer-to-peer-node:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
cnbng-cp:hexadecimal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:
Type: object
Properties:
  cnbng-cp:broadcast-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:
Type: object
Properties:
  cnbng-cp:hexadecimal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:
Type: object
Properties:
  cnbng-cp:hybrid-node:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:

Type: object
Properties:
  cnbng-cp:mixed-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:

Type: object
Properties:
  cnbng-cp:next-server:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

Type: object
Properties:
  cnbng-cp:ntp-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:

Type: object
Properties:
  cnbng-cp:option-codes:
    Description: (non-presence)
    Type: object

```



```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  option-code:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    option-code:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    ascii-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    force-insert:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:
  Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      option-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      ascii-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      hex-string:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-address:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      force-insert:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
  data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code:
    Type: object
    Properties:
      cnbng-cp:option-code:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            option-code:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

    Type: integer
    Format: uint32
  ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  hex-string:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ascii-string:

```

Type: object
Properties:
  cnbng-cp:ascii-string:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_force-insert:

```

Type: object
Properties:
  cnbng-cp:force-insert:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_hex-string:

```

Type: object
Properties:

```

```

    cnbng-cp:hex-string:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id:
Type: object
Properties:
  cnbng-cp:ip-address:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_option-code:
Type: object
Properties:
  cnbng-cp:option-code:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:
Type: object
Properties:
  cnbng-cp:pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key:
Type: object
Properties:
  cnbng-cp:static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```

    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post:
Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier:
Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
Type: object
Properties:
  cnbng-cp:ipv6:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: server
        enum:
        - server
        - proxy
      server:
        Description: (non-presence)
        Type: object
        x-yang:

```

```
  Type: container
  is_presence: 'false'
Properties:
  iana-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  iapd-pool-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  preference:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  lease:
    Description: (non-presence)
    Type: object
    x-yang:
```

```
    Type: container
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
    enum:
      - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
class:
  Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
                enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id
                - dhcpv6-vendor-class
                - dhcpv6-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
              hex:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:

```



```

        Description: (leaf-list)
        Type: string
        Format: string
match-type:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: any
    enum:
        - any
        - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
Properties:
    iana-pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    iapd-pool-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    dns-servers:
        Type: array
        x-yang:
            Type: leaf-list
        Items:
            Description: (leaf-list)
            Type: string
            Format: string
    domain-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    preference:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
```

```
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
```

```

        enum:
        - client-mac-address
    hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
    Properties:
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
Type: object
Properties:
cnbng-cp:mode:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: server
enum:
- server
- proxy
cnbng-cp:server:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
iana-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
iapd-pool-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
dns-servers:
Type: array
x-yang:
Type: leaf-list
Items:

```

```
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
preference:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
    days:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    hours:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
    minutes:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
```

```
    Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  matches:
    Description: (presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'true'
    Properties:
      match:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: dhcpv6-interface-id
      enum:
      - dhcpv6-interface-id
      - dhcpv6-remote-id
      - dhcpv6-vendor-class
      - dhcpv6-user-class
    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    hex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all
server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    iana-pool-name:

```

```
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
iapd-pool-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
dns-servers:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
domain-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
preference:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)

```



```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
                enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id
                - dhcpv6-vendor-class
                - dhcpv6-user-class
              ascii:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
              hex:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)

```

```
        Type: string
        Format: string
    match-type:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: any
        enum:
            - any
            - all
server:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        iana-pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        iapd-pool-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        dns-servers:
            Type: array
            x-yang:
                Type: leaf-list
            Items:
                Description: (leaf-list)
                Type: string
                Format: string
        domain-name:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        preference:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
        aftr-name:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
```

```

    hold-time:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:
  Type: object
  Properties:
    cnbng-cp:class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:
  Type: object
  Properties:
    cnbng-cp:matches:
      Description: (presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'true'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              key:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: dhcpv6-interface-id
              enum:
                - dhcpv6-interface-id
                - dhcpv6-remote-id

```

```

- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
hex:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
match-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
  - any
  - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:
Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: dhcpv6-interface-id
          enum:
          - dhcpv6-interface-id
          - dhcpv6-remote-id
          - dhcpv6-vendor-class
          - dhcpv6-user-class
        ascii:

```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:
  Type: object
  Properties:
    cnbng-cp:match-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: any
      enum:
        - any
        - all
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: dhcpv6-interface-id
enum:
- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class
ascii:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
hex:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string

```

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

```

Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string

```

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

```

Type: object
Properties:
  cnbng-cp:hex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string

```

data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

```

Type: object

```

Properties:**cnbng-cp:key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** dhcpv6-interface-id**enum:**

- dhcpv6-interface-id
- dhcpv6-remote-id
- dhcpv6-vendor-class
- dhcpv6-user-class

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server:**Type:** object**Properties:****cnbng-cp:server:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****iana-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**iapd-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**dns-servers:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**domain-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**preference:****Description:** (leaf)**x-yang:**


```
    Type: leaf
    Type: integer
    Format: uint32
aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  days:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server-post:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    cnbng-cp:domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:preference:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: integer
    Format: uint32
cnbng-cp:aftr-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:rapid-commit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
cnbng-cp:lease:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:static-ip-key:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
cnbng-cp:hold-time:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

Type: object
Properties:
  cnbng-cp:aftr-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

Type: object
Properties:
  cnbng-cp:dns-servers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

Type: object
Properties:
  cnbng-cp:domain-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time:

Type: object

```

Properties:**cnbng-cp:hold-time:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post:****Type:** object**Properties:****cnbng-cp:minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes:****Type:** object**Properties:****cnbng-cp:minutes:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name:****Type:** object**Properties:****cnbng-cp:iana-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name:****Type:** object**Properties:****cnbng-cp:iapd-pool-name:****Description:** (leaf)**x-yang:****Type:** leaf

```

    Type: string
    Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        days:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        hours:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer

```

```
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days:

Type: object
Properties:
  cnbng-cp:days:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

Type: object
Properties:
  cnbng-cp:hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

Type: object
Properties:
  cnbng-cp:preference:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

Type: object
Properties:
  cnbng-cp:rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:
```

```

Type: object
Properties:
  cnbng-cp:static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      identifier:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post:

```

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier:

```

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:

```

Type: object
Properties:
  cnbng-cp:mode:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string

```



```
    Format: enumeration
    Default: server
    enum:
    - server
    - proxy
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
Type: object
Properties:
  cnbng-cp:server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      iana-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      iapd-pool-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      dns-servers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
      domain-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      preference:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      aftr-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```
    Format: string
  rapid-commit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
```

lease:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    days:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    hours:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  static-ip-key:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    identifier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: client-mac-address
      enum:
        - client-mac-address
  hold-time:
    Description: (non-presence)
    Type: object
    x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    cnbng-cp:domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:preference:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:aftr-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:rapid-commit:
```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
```

cnbng-cp:lease:

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
```

Properties:

days:

```
Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
```

hours:

```
Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
```

minutes:

```
Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
```

cnbng-cp:static-ip-key:

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
```

Properties:

identifier:

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: client-mac-address
enum:
  - client-mac-address
```

cnbng-cp:hold-time:

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
```

```

    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
  Type: object
  Properties:
    cnbng-cp:aftr-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:
  Type: object
  Properties:
    cnbng-cp:dns-servers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  Type: object
  Properties:
    cnbng-cp:domain-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
  Type: object
  Properties:
    cnbng-cp:hold-time:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer

```

```
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
  Type: object
  Properties:
    cnbng-cp:iana-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
  Type: object
  Properties:
    cnbng-cp:iapd-pool-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
  Type: object
  Properties:
    cnbng-cp:lease:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        days:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: integer
    Format: uint32
  hours:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  Type: object
  Properties:
    cnbng-cp:days:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  Type: object
  Properties:
    cnbng-cp:hours:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: integer
    Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  Type: object
  Properties:
    cnbng-cp:preference:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  Type: object
  Properties:
    cnbng-cp:rapid-commit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  Type: object
  Properties:
    cnbng-cp:static-ip-key:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: client-mac-address
          enum:
            - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  Type: object
  Properties:
    cnbng-cp:identifier:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

Type: object
Properties:
  cnbng-cp:identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: client-mac-address
    enum:
      - client-mac-address
data_cnbng-cp_profile_dhcp_dhcp-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_feature-template_feature-template-name:
Type: object
Properties:
  cnbng-cp:feature-template:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vrf-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
Format: string
ipv4:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
ipv6:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

```
Properties:
  mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: '[null]'
  http-policy:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  qos:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
```

```
in-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
out-policy:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
merge-level:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
session-accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
service-accounting:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
ppp:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  authentication:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: pap
      enum:
        - pap
        - chap
  chap:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      hostname:
        Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: string
    Format: string
password:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
service-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: outbound
  enum:
    - outbound
ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
lcp:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      milliseconds:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: '[null]'
      max-bad-auth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      max-configure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: byte
      max-failure:
```



```

Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: byte
pap:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  accept-null-password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
keepalive:
```

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

disable:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

interval:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: byte

retry:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: byte

data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:

Type: object

Properties:

cnbng-cp:http-policy:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:

Type: object

Properties:

cnbng-cp:ipv4:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

mtu:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint32

ingress-acl:

Description: (leaf)

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disable-unreachables:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  verify-unicast-source:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reachable-via-rx:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
Type: object
Properties:
  cnbng-cp:mtu:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:ingress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:egress-acl:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:disable-unreachables:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
cnbng-cp:verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:
  Type: object
  Properties:
    cnbng-cp:disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:
  Type: object
  Properties:
    cnbng-cp:egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:
  Type: object
  Properties:
    cnbng-cp:ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:

```

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint32

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:

Type: object

Properties:

cnbng-cp:verify-unicast-source:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

reachable-via-rx:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:

Type: object

Properties:

cnbng-cp:reachable-via-rx:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

Type: object

Properties:

cnbng-cp:reachable-via-rx:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:

Type: object

Properties:

cnbng-cp:ipv6:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

```

    mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
  data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:
    Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:ingress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: string
cnbng-cp:egress-acl:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:disable-unreachables:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
cnbng-cp:verify-unicast-source:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:
  Type: object
  Properties:
    cnbng-cp:disable-unreachables:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:
  Type: object
  Properties:
    cnbng-cp:egress-acl:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:
  Type: object
  Properties:
    cnbng-cp:ingress-acl:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:
  Type: object
  Properties:
    cnbng-cp:verify-unicast-source:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reachable-via-rx:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:
  Type: object
  Properties:
    cnbng-cp:reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:
  Type: object
  Properties:
    cnbng-cp:reachable-via-rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_name:
  Type: object

```



```
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp:
Type: object
Properties:
  cnbng-cp:ppp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      authentication:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: enumeration
          Default: pap
          enum:
            - pap
            - chap
      chap:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          hostname:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          password:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          service-type:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```
Type: string
Format: enumeration
Default: outbound
enum:
- outbound
ipcp:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
dns:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
primary-address:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
secondary-address:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
peer-address-pool:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
renegotiation:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
ignore:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
wins:
Description: (non-presence)
```

```
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        secondary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  ipv6cp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
  lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
```

```

    seconds:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    milliseconds:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
timeout:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
keepalive:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  interval:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      retry:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: pap
      enum:
        - pap
        - chap
  cnbng-cp:chap:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      hostname:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      password:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  cnbng-cp:service-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: outbound

```

```
enum:
- outbound
cnbng-cp:ipcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    dns:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        primary-address:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          secondary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        peer-address-pool:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        renegotiation:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            ignore:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        wins:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
```

```
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:ipv6cp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    renegotiation:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
cnbng-cp:lcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    delay:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:
```



```

    Type: leaf
    Type: integer
    Format: byte
  milliseconds:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
cnbng-cp:max-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:max-configure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:max-failure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: byte
cnbng-cp:pap:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    accept-null-password:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: '[null]'
cnbng-cp:timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    absolute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        minutes:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
    authentication:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    retry:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
cnbng-cp:keepalive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf

```

Type: integer
Format: byte
retry:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: byte

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:

Type: object
Properties:
cnbng-cp:authentication:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: enumeration
Default: pap
enum:
 - pap
 - chap

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:

Type: object
Properties:
cnbng-cp:chap:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
hostname:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
password:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:

Type: object
Properties:
cnbng-cp:hostname:
Description: (leaf)

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  cnbng-cp:password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:

Type: object
Properties:
  cnbng-cp:hostname:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:

Type: object
Properties:
  cnbng-cp:password:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:

Type: object
Properties:
  cnbng-cp:ipcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      dns:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          primary-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```
    Format: string
  secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  peer-address-pool:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  wins:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:
    Type: object
  Properties:
    cnbng-cp:dns:
      Description: (non-presence)
      Type: object
```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:peer-address-pool:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
cnbng-cp:renegotiation:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ignore:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
cnbng-cp:wins:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    primary-address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    secondary-address:
      Description: (leaf)
      x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

Type: object
Properties:
  cnbng-cp:dns:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:

Type: object
Properties:
cnbng-cp:secondary-address:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:

Type: object
Properties:
cnbng-cp:peer-address-pool:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:

Type: object
Properties:
cnbng-cp:renegotiation:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
ignore:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post:

Type: object
Properties:
cnbng-cp:ignore:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore:

Type: object
Properties:
cnbng-cp:ignore:


```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins:
Type: object
Properties:
  cnbng-cp:wins:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      primary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      secondary-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post:
Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address:
Type: object
Properties:
  cnbng-cp:primary-address:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address:

Type: object
Properties:
  cnbng-cp:secondary-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:

Type: object
Properties:
  cnbng-cp:ipv6cp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:

Type: object
Properties:
  cnbng-cp:renegotiation:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'

```

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:

Type: object
Properties:
 cnbng-cp:renegotiation:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 ignore:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:

Type: object
Properties:
 cnbng-cp:ignore:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

Type: object
Properties:
 cnbng-cp:ignore:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

Type: object
Properties:
 cnbng-cp:keepalive:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 disable:
 Description: (leaf)
 x-yang:
 Type: leaf

```

    Type: string
    Format: '[null]'
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

Type: object
Properties:
  cnbng-cp:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

Type: object
Properties:
  cnbng-cp:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

Type: object
Properties:
  cnbng-cp:interval:
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:
Type: object
Properties:
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
Type: object
Properties:
  cnbng-cp:lcp:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      delay:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          seconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
          milliseconds:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
      renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:
Type: object
Properties:
  cnbng-cp:delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
        milliseconds:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
      cnbng-cp:renegotiation:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ignore:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:
Type: object
Properties:
  cnbng-cp:delay:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      seconds:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
    milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:
Type: object
Properties:
    cnbng-cp:seconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
    cnbng-cp:milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:
Type: object
Properties:
    cnbng-cp:milliseconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:
Type: object
Properties:
    cnbng-cp:seconds:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:
Type: object
Properties:
    cnbng-cp:renegotiation:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ignore:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:

Type: object
Properties:
  cnbng-cp:ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

Type: object
Properties:
  cnbng-cp:ignore:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

Type: object
Properties:
  cnbng-cp:max-bad-auth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

Type: object
Properties:
  cnbng-cp:max-configure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte

```


data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

Type: object

Properties:

cnbng-cp:max-failure:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: byte

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:

Type: object

Properties:

cnbng-cp:pap:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

accept-null-password:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

Type: object

Properties:

cnbng-cp:accept-null-password:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

Type: object

Properties:

cnbng-cp:accept-null-password:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

Type: object

Properties:

cnbng-cp:service-type:

Description: (leaf)

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: outbound
enum:
  - outbound
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

Type: object
Properties:
  cnbng-cp:timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      absolute:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          minutes:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          authentication:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
          retry:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: byte
      data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

Type: object
Properties:
  cnbng-cp:absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container

```

```

    is_presence: 'false'
  Properties:
    minutes:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:
Type: object
Properties:
  cnbng-cp:absolute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      minutes:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post:
Type: object
Properties:
  cnbng-cp:minutes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes:
Type: object
Properties:
  cnbng-cp:minutes:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_authentication:

Type: object
Properties:
  cnbng-cp:authentication:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_retry:

Type: object
Properties:
  cnbng-cp:retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng_cp_profile_feature-template_feature-template-name_qos:

Type: object
Properties:
  cnbng-cp:qos:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      in-policy:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      out-policy:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      merge-level:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer

```

```
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos-post:
  Type: object
  Properties:
    cnbng-cp:in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    cnbng-cp:merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy:
  Type: object
  Properties:
    cnbng-cp:in-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:
  Type: object
  Properties:
    cnbng-cp:merge-level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:
  Type: object
  Properties:
    cnbng-cp:out-policy:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

Type: object
Properties:
cnbng-cp:service-accounting:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
enable:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
aaa-profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
periodic-interval:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

Type: object
Properties:
cnbng-cp:enable:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'
cnbng-cp:aaa-profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
cnbng-cp:periodic-interval:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

```

Type: object
Properties:
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:

Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:

Type: object
Properties:
  cnbng-cp:session-accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      aaa-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref

```

```

    periodic-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    dual-stack-delay:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting-post:
Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  cnbng-cp:dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:
Type: object
Properties:
  cnbng-cp:aaa-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:

```



```
Type: object
Properties:
  cnbng-cp:dual-stack-delay:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

Type: object
Properties:
  cnbng-cp:enable:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:

Type: object
Properties:
  cnbng-cp:vrf-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_l2tp_l2tp-name:

Type: object
Properties:
  cnbng-cp:l2tp:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```
    Type: string
    Format: string
mode:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: lac
  enum:
    - lac
    - lns
encrypt-avp:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
dsl-info-forwarding:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
hostname:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
hello-interval:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tcp:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    adjust-mss:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint16
retransmit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
    timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  receive-window:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  terminate-from:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        hostname:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  domain:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  tun-assign-id:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
authentication:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
ip-tos:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tunnel:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    timeout:
      Description: (non-presence)
```

```
    Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  ipv4:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: set
        enum:
          - set
          - reflect
      source:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      destination:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            dest-ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            weight:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

        Type: integer
        Format: uint16
    congestion-control:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    tx-connect-speed:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    rx-connect-speed:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    tunnel-load-balancing:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: weighted
        enum:
            - weighted
            - equal
    password:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    force-lcp-renegotiation:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_profile_l2tp_l2tp-name_authentication:
    Type: object
    Properties:
        cnbng-cp:authentication:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:

```

```

Type: object
Properties:
  cnbng-cp:congestion-control:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_domain_domain-name:
Type: object
Properties:
  cnbng-cp:domain:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        tun-assign-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_12tp_12tp-name_domain_domain-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_domain_domain-name_tun-assign-id:
Type: object
Properties:
  cnbng-cp:tun-assign-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_dsl-info-forwarding:
Type: object

```



```
Properties:
  cnbng-cp:dsl-info-forwarding:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_encrypt-avp:
  Type: object
  Properties:
    cnbng-cp:encrypt-avp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_force-lcp-renegotiation:
  Type: object
  Properties:
    cnbng-cp:force-lcp-renegotiation:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_hello-interval:
  Type: object
  Properties:
    cnbng-cp:hello-interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_hostname:
  Type: object
  Properties:
    cnbng-cp:hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_ip-tos:
  Type: object
  Properties:
    cnbng-cp:ip-tos:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
```

```
    is_presence: 'false'
  Properties:
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_reflect:
  Type: object
  Properties:
    cnbng-cp:reflect:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  df-bit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: set
    enum:
      - set
      - reflect
  source:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
  data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
    Type: object
    Properties:
      cnbng-cp:df-bit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: set
```

```

    enum:
    - set
    - reflect
cnbng-cp:source:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:destination:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      dest-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      weight:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
Type: object
Properties:
  cnbng-cp:destination:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        dest-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        weight:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer

```

```

        Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_ipv4_destination_destination-dest-ip_dest-ip:
  Type: object
  Properties:
    cnbng-cp:dest-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_ipv4_destination_destination-dest-ip_weight:
  Type: object
  Properties:
    cnbng-cp:weight:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_ipv4_df-bit:
  Type: object
  Properties:
    cnbng-cp:df-bit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: set
      enum:
        - set
        - reflect
data_cnbng-cp_profile_12tp_12tp-name_ipv4_source:
  Type: object
  Properties:
    cnbng-cp:source:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_12tp_12tp-name_mode:
  Type: object
  Properties:
    cnbng-cp:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration

```

```

    Default: lac
    enum:
    - lac
    - lns
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_password:
  Type: object
  Properties:
    cnbng-cp:password:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
  Type: object
  Properties:
    cnbng-cp:receive-window:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
  Type: object
  Properties:
    cnbng-cp:retransmit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        initial:
          Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
    retries:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
  timeout:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      max:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
      min:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: byte
    retries:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
  Type: object
  Properties:
    cnbng-cp:initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint16
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer

```



```

    Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
cnbng-cp:retries:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
  Type: object
  Properties:
    cnbng-cp:initial:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            max:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: byte
            min:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: byte
        retries:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint16
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
  Type: object
  Properties:

```

```

cnbng-cp:timeout:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    max:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
    min:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: byte
cnbng-cp:retries:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        max:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: byte
        min:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
    cnbng-cp:min:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_initial_timeout_min:
  Type: object
  Properties:
    cnbng-cp:min:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout-post:
Type: object
Properties:
  cnbng-cp:max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
  cnbng-cp:min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_max:
Type: object
Properties:
  cnbng-cp:max:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_min:
Type: object
Properties:
  cnbng-cp:min:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: byte

```

data_cnbng-cp_profile_12tp_12tp-name_rx-connect-speed:

Type: object

Properties:

cnbng-cp:rx-connect-speed:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint32

data_cnbng-cp_profile_12tp_12tp-name_tcp:

Type: object

Properties:

cnbng-cp:tcp:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

adjust-mss:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint16

data_cnbng-cp_profile_12tp_12tp-name_tcp-post:

Type: object

Properties:

cnbng-cp:adjust-mss:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint16

data_cnbng-cp_profile_12tp_12tp-name_tcp_adjust-mss:

Type: object

Properties:

cnbng-cp:adjust-mss:

Description: (leaf)

x-yang:

Type: leaf

Type: integer

Format: uint16

data_cnbng-cp_profile_12tp_12tp-name_terminate-from_terminate-from-hostname:

Type: object

Properties:

cnbng-cp:terminate-from:

Type: array

Description: (list)

x-yang:

Type: list

```

Items:
  Type: object
  Properties:
    hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:
  Type: object
  Properties:
    cnbng-cp:hostname:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
  Type: object
  Properties:
    cnbng-cp:tunnel:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        session-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        timeout:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            no-session:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
  Type: object
  Properties:
    cnbng-cp:tunnel-load-balancing:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: weighted
    enum:
      - weighted
      - equal
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        no-session:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout-post:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout_no-session:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_tx-connect-speed:
  Type: object
  Properties:
    cnbng-cp:tx-connect-speed:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_12tp_12tp-name_vrf:
  Type: object
  Properties:
    cnbng-cp:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name:
  Type: object
  Properties:
    cnbng-cp:pppoe:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:

```



```
name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
mtu:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
ctrl-pkt-priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: byte
service-selection-disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
max-payload:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    deny:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    minimum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
    Maximum:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint16
service-name:
  Type: array
```

```
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string
ac-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ac-cookie:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
session-limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
```

```
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
circuit-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
outer-vlan:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
timeout-completion:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
  Type: object
  Properties:
    cnbng-cp:ac-cookie:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
  Type: object
  Properties:
    cnbng-cp:ac-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
  Type: object
  Properties:
    cnbng-cp:ctrl-pkt-priority:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: byte
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  Type: object
  Properties:
    cnbng-cp:max-payload:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        deny:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        minimum:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint16
    Maximum:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: integer
        Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
Type: object
Properties:
  cnbng-cp:deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  cnbng-cp:minimum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
  cnbng-cp:maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
Type: object
Properties:
  cnbng-cp:deny:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
Type: object
Properties:
  cnbng-cp:maximum:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
Type: object
Properties:

```

```
cnbng-cp:minimum:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint16
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
  Type: object
  Properties:
    cnbng-cp:service-name:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
  Type: object
  Properties:
    cnbng-cp:service-selection-disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Description: (non-presence)
      Type: object
      x-yang:
```

```
Type: container
is_presence: 'false'
Properties:
  max:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  mac:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  circuit-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint32
    threshold:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    outer-vlan:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            value:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            threshold:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
    Type: object
    Properties:
        cnbng-cp:max:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                value:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: integer
                        Format: uint32
                threshold:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: integer
                        Format: uint32
        cnbng-cp:mac:

```


Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 value:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
 threshold:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
cnbng-cp:circuit-id:
Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 value:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
 threshold:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
cnbng-cp:outer-vlan:
Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 value:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32
 threshold:

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
Type: object
Properties:
  cnbng-cp:circuit-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
Type: object
Properties:
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32

```

```
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  Type: object
  Properties:
    cnbng-cp:mac:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    cnbng-cp:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
          threshold:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    cnbng-cp:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:

```

```
Type: object
Properties:
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
Type: object
Properties:
  cnbng-cp:outer-vlan:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        threshold:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  cnbng-cp:threshold:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
    Type: object
    Properties:
      cnbng-cp:threshold:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
    Type: object
    Properties:
      cnbng-cp:timeout-completion:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint16
data_cnbng-cp_profile_radius:
    Type: object
    Properties:
      cnbng-cp:radius:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          server:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                ip:
                  Description: (leaf)
                  x-yang:

```

```
    Type: leaf
    Type: string
    Format: union
port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: auth
  enum:
    - auth
    - acct
secret:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
    - first-server
    - round-robin
deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```

    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:

```



```

        Type: leaf
        Type: string
        Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array

```

```
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
  Items:
    Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
```

```
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
  accounting:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
```

```
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
attribute:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
format-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array

```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
nas-port:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  format-e-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32

```



```
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: union
server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    group-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

        Format: enumeration
        Default: auth
        enum:
        - auth
        - acct
    ip:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: leafref
    port:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: leafref
data_cnbng-cp_profile_radius-post:
    Type: object
    Properties:
        cnbng-cp:server:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    ip:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: union
                    port:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                Type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: enumeration
                    Default: auth
                    enum:
                    - auth
                    - acct
                secret:
                    Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
cnbng-cp:algorithm:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
  enum:
    - first-server
    - round-robin
cnbng-cp:deadtime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
cnbng-cp:max-retry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:timeout:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cnbng-cp:attribute:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      calling-station-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'

```

```
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
```

```

Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:

```

```

    Type: leaf
    Type: string
    Format: union
cnbng-cp:accounting:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    algorithm:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: first-server
      enum:
        - first-server
        - round-robin
    deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    detect-dead-server:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response-timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  attribute:

```



```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      calling-station-id:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
```

```

Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list

```

```
Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:

```

```

        Type: leaf
        Type: string
        Format: union
cnbng-cp:server-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            Type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: auth
              enum:
                - auth
                - acct
            ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
data_cnbng-cp_profile_radius_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
  deadtime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  detect-dead-server:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  attribute:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
```

```
Properties:
  called-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier-format:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_accounting-post:
  Type: object

```

Properties:

- cnbng-cp:algorithm:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** enumeration
 - Default:** first-server
 - enum:**
 - first-server
 - round-robin
- cnbng-cp:deadtime:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** int32
- cnbng-cp:detect-dead-server:**
 - Description:** (non-presence)
 - Type:** object
 - x-yang:**
 - Type:** container
 - is_presence:** 'false'
 - Properties:**
 - response-timeout:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** int32
- cnbng-cp:max-retry:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** int32
- cnbng-cp:timeout:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** int32
- cnbng-cp:attribute:**
 - Description:** (non-presence)
 - Type:** object
 - x-yang:**
 - Type:** container
 - is_presence:** 'false'
 - Properties:**
 - called-station-id:**
 - Description:** (non-presence)
 - Type:** object

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:

```

```
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
```

```
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
value:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```
nas-port:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_accounting_algorithm:
  Type: object
  Properties:
    cnbng-cp:algorithm:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
  Type: string
  Format: enumeration
  Default: first-server
  enum:
  - first-server
  - round-robin
data_cnbng-cp_profile_radius_accounting_attribute:
  Type: object
  Properties:
    cnbng-cp:attribute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        called-station-id:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            Format:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                nas-port-type:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                format-name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: string
calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    nas-port-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
                    format-e:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
        format-e:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
    format-e:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```

```

        Format: string
    value:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    nas-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: union
data_cnbng-cp_profile_radius_accounting_attribute-post:
    Type: object
    Properties:
        cnbng-cp:called-station-id:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                Format:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                        Properties:
                            nas-port-type:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: int32
                            format-name:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: string
                    format-name:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
    value:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
cnbng-cp:nas-identifier-format:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
cnbng-cp:nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```

        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
format-name:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
value:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
cnbng-cp:nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        format-e-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-e:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
format-e:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

```

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

```

Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:

```

Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:

Type: object

Properties:

cnbng-cp:calling-station-id:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

Format:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

nas-port-type:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

format-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

format-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

value:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:

Type: object

Properties:

cnbng-cp:format:

Type: array

Description: (list)

x-yang:

Type: list

Items:

```

    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf

```

```

        Type: string
        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:
Type: object
Properties:
  cnbng-cp:nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:
Type: object
Properties:
  cnbng-cp:nas-identifier-format:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

Type: object
Properties:
    cnbng-cp:format:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```

```

    Format: string
data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_accounting_attribute_nas-ip:
  Type: object
  Properties:
    cnbng-cp:nas-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: union
data_cnbng_cp_profile_radius_accounting_attribute_nas-port:
  Type: object
  Properties:
    cnbng-cp:nas-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        format-e-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-e:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        format-e:
          Description: (leaf)

```



```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
Type: object
Properties:
  cnbng-cp:nas-port-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      Format:
        Type: array
        Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```

```

    Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        cnbng-cp:format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cnbng-cp:value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array

```

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

nas-port-type:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

format-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:

Type: object

Properties:

cnbng-cp:format-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

Type: object

Properties:

cnbng-cp:nas-port-type:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:

Type: object

Properties:

cnbng-cp:value:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:

Type: object

Properties:

cnbng-cp:format-e-list:

Type: array

```

    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-e:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
    Type: object
    Properties:
      cnbng-cp:format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
    Type: object
    Properties:
      cnbng-cp:format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:

```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
    Type: object
    Properties:
      cnbng-cp:format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
    Type: object
    Properties:
      cnbng-cp:nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
  data_cnbng-cp_profile_radius_accounting_deadtime:
    Type: object
    Properties:
      cnbng-cp:deadtime:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_accounting_detect-dead-server:
    Type: object
    Properties:

```

```

cnbng-cp:detect-dead-server:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_max-retry:
  Type: object
  Properties:
    cnbng-cp:max-retry:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_accounting_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_algorithm:
  Type: object

```

```
Properties:
  cnbng-cp:algorithm:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: first-server
    enum:
      - first-server
      - round-robin
data_cnbng-cp_profile_radius_attribute:
  Type: object
  Properties:
    cnbng-cp:attribute:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        called-station-id:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            Format:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                nas-port-type:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                format-name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  calling-station-id:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf

```



```
    Type: string
    Format: string
nas-identifier-format:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
nas-port-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  nas-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      format-e-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-e:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    format-e:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  nas-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: union
data_cnbng-cp_profile_radius_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            nas-port-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
cnbng-cp:calling-station-id:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    Format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
cnbng-cp:nas-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```
Type: string
Format: string
cnbng-cp:nas-identifier-format:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
cnbng-cp:nas-port-id:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
    cnbng-cp:nas-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        format-e-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-e:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        format-e:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
cnbng-cp:nas-ip:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: union
data_cnbng-cp_profile_radius_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```



```

    Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_attribute_called-station-id_value:

Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id:
  Type: object
  Properties:
    cnbng-cp:calling-station-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: int32
    format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:
Type: object
Properties:
  cnbng-cp:format-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
Type: object
Properties:
  cnbng-cp:nas-port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng_cp_profile_radius_attribute_calling-station-id_value:
Type: object
Properties:
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_radius_attribute_nas-identifier:
Type: object
Properties:
  cnbng-cp:nas-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng_cp_profile_radius_attribute_nas-identifier-format:
Type: object
Properties:
  cnbng-cp:nas-identifier-format:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  Format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-name:
        Description: (leaf)
        x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:

Type: object
Properties:
    cnbng-cp:format:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                nas-port-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                format-name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

Type: object
Properties:
    cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string

```

Format: string

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

Type: object

Properties:

cnbng-cp:nas-port-type:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_cnbng-cp_profile_radius_attribute_nas-ip:

Type: object

Properties:

cnbng-cp:nas-ip:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: union

data_cnbng-cp_profile_radius_attribute_nas-port:

Type: object

Properties:

cnbng-cp:nas-port:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

format-e-list:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

nas-port-type:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

format-e:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

format-e:

Description: (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_radius_attribute_nas-port-id:
  Type: object
  Properties:
    cnbng-cp:nas-port-id:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        Format:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              nas-port-type:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              format-name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            format-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
          value:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```



```

    Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          nas-port-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          format-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)

```

```

    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        format-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:
    Type: object
    Properties:
      cnbng-cp:format-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
    Type: object
    Properties:
      cnbng-cp:nas-port-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
    Type: object
    Properties:
      cnbng-cp:value:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_attribute_nas-port-post:
    Type: object
    Properties:
      cnbng-cp:format-e-list:
        Type: array
        Description: (list)

```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  cnbng-cp:format-e:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cnbng-cp:value:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        nas-port-type:
          Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: string
          Format: int32
      format-e:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_attribute_nas-port_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng_cp_profile_radius_deadtime:
  Type: object
  Properties:
    cnbng-cp:deadtime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng_cp_profile_radius_detect-dead-server:
  Type: object
  Properties:
    cnbng-cp:detect-dead-server:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response-timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_cnbng-cp_profile_radius_detect-dead-server-post:
Type: object
Properties:
  cnbng-cp:response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
Type: object
Properties:
  cnbng-cp:response-timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_max-retry:
Type: object
Properties:
  cnbng-cp:max-retry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
Type: object
Properties:
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: auth
          enum:
            - auth
            - acct
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
  data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
    Type: object
    Properties:
      cnbng-cp:group-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
  data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-part:
    Type: object
    Properties:
      cnbng-cp:server:
        Type: array
        Description: (list)

```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: auth
        enum:
        - auth
        - acct
      ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref

```

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:

```

Type: object
Properties:
  cnbng-cp:ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref

```

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port:

```

Type: object
Properties:
  cnbng-cp:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref

```

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:

```

Type: object
Properties:
  cnbng-cp:type:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: auth
enum:
- auth
- acct

data_cnbng-cp_profile_radius_server_server-ip_server-port:
Type: object
Properties:
  cnbng-cp:server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: union
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: auth
          enum:
- auth
- acct
        secret:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        priority:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```

    Type: string
    Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:
  Type: object
  Properties:
    cnbng-cp:ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: union
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
  Type: object
  Properties:
    cnbng-cp:port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
  Type: object
  Properties:
    cnbng-cp:priority:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  Type: object
  Properties:
    cnbng-cp:secret:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  Type: object
  Properties:
    cnbng-cp:type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: auth
      enum:
        - auth
        - acct
data_cnbng-cp_profile_radius_timeout:
```

```

Type: object
Properties:
  cnbng-cp:timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_cnbng-cp_profile_server-group_server-group-name:
Type: object
Properties:
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        radius-group:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
data_cnbng-cp_profile_server-group_server-group-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
Type: object
Properties:
  cnbng-cp:radius-group:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name:
Type: object

```

```
Properties:
  cnbng-cp:subscriber:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        dhcp-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        pppoe-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        session-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: ipv4
          enum:
            - ipv4
            - ipv6
            - ipv4v6
        l2tp-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        aaa:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
```

```
aaa-option:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  matches:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
```

```
Properties:
  key:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
      - protocol
      - username
      - source-mac
      - circuit-id
      - remote-id
  Type:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
  activate-feature-templates:
```

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
  apply-all-class:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  event:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: session-activate

```

```
enum:
- session-activate
aaa:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
      - authenticate
      - authorize
    profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
```

```

Type: list
Items:
Type: object
Properties:
  class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  matches:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      match:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            key:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: protocol
              enum:
                - protocol
                - username
                - source-mac
                - circuit-id
                - remote-id
            Type:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: enumeration
                Default: dhcp
                enum:
                  - dhcp
                  - ppp
            ascii:
              Type: array
              x-yang:

```



```
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  match-type:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
  deactivate-feature-templates:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  activate-feature-templates:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  aaa:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    aaa-option:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:

Type: object
Properties:
cnbng-cp:aaa:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize
profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

Type: object
Properties:
cnbng-cp:aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
 - authenticate
 - authorize

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

Type: object
Properties:
cnbng-cp:profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

Type: object
Properties:
cnbng-cp:activate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:

Type: object
Properties:
cnbng-cp:apply-all-class:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

Type: object
Properties:
cnbng-cp:class:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
class-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
matches:
Description: (non-presence)
Type: object
x-yang:

```
  Type: container
  is_presence: 'false'
Properties:
  match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
        Type:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: enumeration
            Default: dhcp
            enum:
              - dhcp
              - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
      match-type:
```

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: any

enum:

- any

- all

activate-feature-templates:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

Type: string

Format: leafref

aaa:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

aaa-option:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: authenticate

enum:

- authenticate

- authorize

profile:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: leafref

data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class_name_aaa_aaa-aaa-option_aaa-profile:

Type: object

Properties:

cnbng-cp:aaa:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

```

Properties:
  aaa-option:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
  profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

Type: object

Properties:

```

cnbng-cp:aaa-option:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:

Type: object

Properties:

```

cnbng-cp:profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref

```

?

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: type: object

Properties:

```

cnbng-cp:activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:

Type: object

Properties:

cnbng-cp:class-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches:

Type: object

Properties:

cnbng-cp:matches:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

match:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

key:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: protocol

enum:

- protocol
- username
- source-mac
- circuit-id
- remote-id

Type:

Type: array

x-yang:

Type: leaf-list

Items:

Description: (leaf-list)

Type: string

Format: enumeration

Default: dhcp

enum:

- dhcp

```

    - ppp
  ascii:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
  match-type:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: any
  enum:
    - any
    - all
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post:

```

Type: object

Properties:

cnbng-cp:match:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

key:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: protocol

enum:

- protocol
- username
- source-mac
- circuit-id
- remote-id

Type:


```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type:

```

Type: object
Properties:
  cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key:

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        key:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
            - protocol
            - username
            - source-mac
            - circuit-id
            - remote-id
        Type:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: enumeration
            Default: dhcp
            enum:
              - dhcp
              - ppp
        ascii:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
        regex:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
  data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id:

```

```

Type: object
Properties:
  cnbng-cp:ascii:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key:

Type: object
Properties:
  cnbng-cp:key:
    Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: protocol
  enum:
  - protocol
  - username
  - source-mac
  - circuit-id
  - remote-id
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:

Type: object
Properties:
  cnbng-cp:regex:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:

Type: object
Properties:
  cnbng-cp:type:
    Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: enumeration
    Default: dhcp
    enum:

```

```

    - dhcp
    - ppp
data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:
  Type: object
  Properties:
    cnbng-cp:dhcp-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:
  Type: object
  Properties:
    cnbng-cp:event:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          event-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: session-activate
            enum:
              - session-activate
          aaa:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                aaa-option:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: authenticate
                  enum:
                    - authenticate
                    - authorize
                profile:
                  Description: (leaf)
                  x-yang:

```

```

    Type: leaf
    Type: string
    Format: leafref
deactivate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
activate-feature-templates:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
apply-all-class:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
class:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    class-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    matches:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        match:
          Type: array
          Description: (list)
          x-yang:
            Type: list
```

```
Items:
  Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
    Type:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: dhcp
        enum:
          - dhcp
          - ppp
    ascii:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
    regex:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
```

```

    - all
  deactivate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  activate-feature-templates:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
  data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:
    Type: object
    Properties:
      cnbng-cp:aaa:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object

```

Properties:
aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
- authenticate
- authorize
profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

Type: object

Properties:
cnbng-cp:aaa-option:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: authenticate
enum:
- authenticate
- authorize

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:

Type: object

Properties:
cnbng-cp:profile:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id

: type: object

Properties:
cnbng-cp:activate-feature-templates:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: leafref

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:

Type: object
Properties:
cnbng-cp:apply-all-class:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:

Type: object
Properties:
cnbng-cp:class:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
class-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
matches:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
match:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
key:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: protocol
enum:
- protocol

- username
- source-mac
- circuit-id
- remote-id

Type:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

ascii:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**regex:****Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**match-type:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** any**enum:**

- any
- all

deactivate-feature-templates:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**activate-feature-templates:****Type:** array**x-yang:**

```

    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: leafref
  aaa:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        aaa-option:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: authenticate
          enum:
            - authenticate
            - authorize
        profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref

```

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile

: **type:** object

Properties:

cnbng-cp:aaa:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

aaa-option:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: authenticate

enum:

- authenticate

- authorize

profile:

Description: (leaf)

```

        x-yang:
          Type: leaf
          Type: string
          Format: leafref
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option
: type: object
  Properties:
    cnbng-cp:aaa-option:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: authenticate
      enum:
        - authenticate
        - authorize
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile
: type: object
  Properties:
    cnbng-cp:profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id
: type: object
  Properties:
    cnbng-cp:activate-feature-templates:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:
Type: object
Properties:
  cnbng-cp:class-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id
: type: object
  Properties:

```

cnbng-cp:deactivate-feature-templates:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** leafref**data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:****Type:** object**Properties:****cnbng-cp:matches:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****match:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****key:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** protocol**enum:**

- protocol
- username
- source-mac
- circuit-id
- remote-id

Type:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** enumeration**Default:** dhcp**enum:**

- dhcp
- ppp

ascii:

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  match-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
      - any
      - all
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          key:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: protocol
            enum:
              - protocol
              - username
              - source-mac
              - circuit-id
              - remote-id
          Type:
            Type: array
            x-yang:

```

```

    Type: leaf-list
Items:
    Description: (leaf-list)
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
    - dhcp
    - ppp
ascii:
    Type: array
x-yang:
    Type: leaf-list
Items:
    Description: (leaf-list)
    Type: string
    Format: string
regex:
    Type: array
x-yang:
    Type: leaf-list
Items:
    Description: (leaf-list)
    Type: string
    Format: string
cnbng-cp:match-type:
Description: (leaf)
x-yang:
    Type: leaf
Type: string
Format: enumeration
Default: any
enum:
    - any
    - all

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:

```

Type: object
Properties:
    cnbng-cp:match-type:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: any
    enum:
    - any
    - all

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key:

```

Type: object
Properties:

```

```

cnbng-cp:match:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    key:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - username
        - source-mac
        - circuit-id
        - remote-id
    Type:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: enumeration
        Default: dhcp
        enum:
          - dhcp
          - ppp
  ascii:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string

```

?

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id

: type: object

Properties:


```

cnbng-cp:ascii:
  Type: array
  x-yang:
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:
Type: object
Properties:
  cnbng-cp:key:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
      - protocol
      - username
      - source-mac
      - circuit-id
      - remote-id
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
: type: object
Properties:
  cnbng-cp:regex:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id
: type: object
Properties:
  cnbng-cp:type:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
        - dhcp
        - ppp
?

```

```

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id
: type: object
  Properties:
    cnbng-cp:deactivate-feature-templates:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:
Type: object
Properties:
  cnbng-cp:event-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
Type: object
Properties:
  cnbng-cp:l2tp-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
Type: object
Properties:
  cnbng-cp:pppoe-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:

```

```
Type: object
Properties:
  cnbng-cp:session-type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: ipv4
    enum:
      - ipv4
      - ipv6
      - ipv4v6
data_cnbng-cp_user-planes:
Type: object
Properties:
  cnbng-cp:user-planes:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      user-plane:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            peer-address:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                ipv4:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                flowctrl-group:
                  Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: string
offline:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
port-id:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      subscriber-profile:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
    subscriber-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    subscriber-redundancy:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        group:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:

```

```
group-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disable:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
standby-mode:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: hot
  enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
```

```

Items:
  Type: object
  Properties:
    port-id-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-cp_user-planes-post:
  Type: object
  Properties:
    cnbng-cp:user-plane:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          peer-address:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              ipv4:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
          flowctrl-group:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string

```

```
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    subscriber-profile:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
subscriber-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
subscriber-redundancy:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
  is_presence: 'false'
  Properties:
    group:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: string
    Format: string
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  standby-mode:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: hot
    enum:
      - hot
      - warm
  preferred-role-active:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  revertive-timer:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  peer-identifier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port-id-map:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      port-name:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            port-id-name:

```



```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    port-id:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name:
    Type: object
    Properties:
        cnbng-cp:user-plane:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    name:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    peer-address:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                        Properties:
                            ipv4:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: string
                    flowctrl-group:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    offline:
                        Description: (leaf)
                        x-yang:
                            Type: leaf

```

```

    Type: string
    Format: '[null]'
port-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
subscriber-profile:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
subscriber-redundancy:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    group:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          group-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          disable:
            Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: '[null]'
standby-mode:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: hot
  enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

        Format: string
    port-id:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
    Type: object
    Properties:
        cnbng-cp:flowctrl-group:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
    Type: object
    Properties:
        cnbng-cp:name:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
    Type: object
    Properties:
        cnbng-cp:offline:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: '[null]'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:
    Type: object
    Properties:
        cnbng-cp:peer-address:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                ipv4:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:

```

```

Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4:
Type: object
Properties:
  cnbng-cp:ipv4:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id:
Type: object
Properties:
  cnbng-cp:port-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        subscriber-profile:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id:
Type: object
Properties:
  cnbng-cp:id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:

```

```

Type: object
Properties:
  cnbng-cp:subscriber-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile:
Type: object
Properties:
  cnbng-cp:subscriber-profile:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy:
Type: object
Properties:
  cnbng-cp:subscriber-redundancy:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      group:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            group-name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
            standby-mode:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

    Type: string
    Format: enumeration
    Default: hot
    enum:
    - hot
    - warm
preferred-role-active:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
revertive-timer:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
peer-identifier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-id-map:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    port-name:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          port-id-name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:
```

```
Type: object
Properties:
  cnbng-cp:group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        group-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        standby-mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: hot
          enum:
            - hot
            - warm
        preferred-role-active:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        revertive-timer:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        peer-identifier:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port-id-map:
```


Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 port-name:
 Type: array
 Description: (list)
 x-yang:
 Type: list
 Items:
 Type: object
 Properties:
 port-id-name:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
 port-id:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: integer
 Format: uint32

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name:

Type: object
Properties:
 cnbng-cp:group:
 Type: array
 Description: (list)
 x-yang:
 Type: list
 Items:
 Type: object
 Properties:
 group-name:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string
 disable:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: '[null]'
 standby-mode:
 Description: (leaf)

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: hot
enum:
- hot
- warm
preferred-role-active:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: '[null]'
revertive-timer:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
peer-identifier:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
port-id-map:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      port-id-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port-id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer

```

Format: uint32

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable:

Type: object

Properties:

cnbng-cp:disable:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name:

Type: object

Properties:

cnbng-cp:group-name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier:

Type: object

Properties:

cnbng-cp:peer-identifier:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map:

Type: object

Properties:

cnbng-cp:port-id-map:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

port-name:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

port-id-name:

Description: (leaf)

```

      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng_cp_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post:
Type: object
Properties:
  cnbng-cp:port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        port-id-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        port-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
?
data_cnbng_cp_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-name_port-rate-port-id:
: type: object
Properties:
  cnbng-cp:port-name:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        port-id-name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string

```

```

        port-id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id:port-rate_port-rate_port-id:port-id
: type: object
  Properties:
    cnbng-cp:port-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
?
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id:port-rate_port-rate_port-id:port-id:port-rate
: type: object
  Properties:
    cnbng-cp:port-id-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:
Type: object
Properties:
  cnbng-cp:preferred-role-active:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer:
Type: object
Properties:
  cnbng-cp:revertive-timer:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode:
Type: object
Properties:
  cnbng-cp:standby-mode:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
Type: string
Format: enumeration
Default: hot
enum:
- hot
- warm
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
        Type: object
        Properties: {}
      yang-library-version:
        Type: string
yang-library-version:
Type: object
Properties:
  ietf-restconf:yang-library-version:
    Type: object
    Description: This leaf identifies the revision date of the 'ietf-yang-library'
YANG module that is implemented by this server. See RESTCONF RFC 8040 for
    further information.
    x-yang:
      Type: leaf
    Properties: {}

```