



cnbng_oper

- [Info, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)

Info

Title: cnbng-oper

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Version: '2020-12-12'

basePath: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources
- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources

```
- Name: delete
  Description: delete resources
schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json
```

Paths

/

get:

Tags:

```
- root
- get
```

Summary: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: root_get

produces:

```
- application/yang-data+json
```

Parameters: []

Responses:

'200':

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Schema:

Reference: '#/definitions/root'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
Reference: '#/responses/200'
security:
- basicAuth: []
```

/operations

```
get:

Tags:
- operations
- get
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Schema:
Reference: '#/definitions/operations'
'204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

/yang-library-version

get:

```

Tags:
- yang-library-version
- get
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- yang-library-version
- head

Summary: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: yang_library_version_head

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data

get:

Tags:

- data
- get

Summary: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: data_get

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Schema:

Reference: '#/definitions/data'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-post'
```

Responses:

- '201':
 - Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: data_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data-put-patch'

Responses:

- '201':
 - Description:** 'This module contains a operational YANG definitions for Cisco Cloud-Native BNG Control-Plane. Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

```

security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
  '204':
    Description: 'This module contains a operational YANG definitions
for Cisco Cloud-Native BNG Control-Plane.
Copyright (c) 2020 by Cisco Systems, Inc.
All rights reserved.'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

/data/cnbng-oper:radius

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_get
produces:
- application/yang-data+json

```



```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/cnbng-oper:radius/auth-server

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_cnbng_oper_radius_auth-server'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

 '200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-port

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_port_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

 '200':

Description: OK

Schema:

Reference:

 '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-port'

 '204':

Reference: '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_port_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/ip-address

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_address_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-address'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_auth_server_ip_port_ip_address_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_auth-server_auth-server-ip-port_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/priority

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_auth_server_ip_port_priority_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference:
 - '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_priority'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'


```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_priority_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/auth-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/status

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_status_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/auth-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:

```

```

Reference:
'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_status'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_status_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/port-type

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_type_get
produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_port_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/pending-requests

```

get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_pending_requests_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_pending-requests'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':

```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_pending_requests_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/requests-retransmits

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_retransmits_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests-retransmits'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_requests_retransmits_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/accepts

```
get:
```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_auth_server_ip_port_accepts_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_accepts'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_auth_server_ip_port_accepts_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/responses

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_auth_server_auth_server_ip_port_responses_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_responses'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_responses_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rejects

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rejects_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_rejects'

'204':

Reference: '#/responses/204'

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rejects_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/timeouts

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_timeouts_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_timeouts'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_timeouts_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-responses

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_bad_responses_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/auth-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-responses'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_bad_responses_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/bad-authenticators

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_auth_server_auth_server_ip_port_bad_authenticators_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/auth-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-authenticators'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_bad_authenticators_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/unknown-types

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_unknown_types_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/auth-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_unknown-types'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_unknown_types_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/dropped-responses

get:

Tags:
- data


```

- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_dropped_responses_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_dropped-responses'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_auth_server_auth_server_ip_port_dropped_responses_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

/data/cnbng-oper:radius/auth-server={auth-server-ip-port}/rtt

get:

Tags:

```
- data
- get
```

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rtt_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Description: OK
```

Schema:

Reference:

```
'#/definitions/data_cnbng-oper_radius_auth-server_auth-server-ip-port_rtt'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_auth_server_auth_server_ip_port_rtt_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/auth-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius_acct-server'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-port

```

get:

Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_ip-port'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/ip-address

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_address_get
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/acct-server-ip-port'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_ip-address'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_ip_address_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_port'
  '204':
    Reference: '#/responses/204'
  '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/priority

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_priority_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_priority'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_acct_server_acct_server_ip_port_priority_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/status

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_status_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_status'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_status_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/port-type

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_type_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_port-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_port_type_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/acct-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/acct-server-ip-port'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```

```

Reference:
'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/pending-requests

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_pending_requests_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_pending-requests'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_pending_requests_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/requests-retransmits

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_retransmits_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_acct-server-ip-port_requests-retransmits'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_requests_retransmits_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/accepts

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_accepts_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_accepts'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_accepts_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/responses

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_responses_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_responses'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_responses_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rejects

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_acct_server_acct_server_ip_port_rejects_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_cnbng_oper_radius_acct-server_acct-server-ip-port_rejects'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_acct_server_acct_server_ip_port_rejects_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/timeouts

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_timeouts_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_timeouts'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_timeouts_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-responses

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_responses_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/acct-server-ip-port'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-responses'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_responses_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/bad-authenticators

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_authenticators_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-authenticators'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_acct_server_acct_server_ip_port_bad_authenticators_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/unknown-types

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_unknown_types_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/acct-server-ip-port'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_acct_server_acct_server_ip_port_unknown_types'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_unknown_types_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/dropped-responses**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_oper_radius_acct_server_acct_server_ip_port_dropped_responses_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/acct-server-ip-port'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference:
 - '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_dropped-responses'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_acct_server_acct_server_ip_port_dropped_responses_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius/acct-server={acct-server-ip-port}/rtt

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_rtt_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/acct-server-ip-port'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```

```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_cnbng-oper_radius_acct-server_acct-server-ip-port_rtt'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_acct_server_acct_server_ip_port_rtt_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/acct-server-ip-port'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth

get:

```

  Tags:
    - data
    - get
  Summary: ''

```

Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_cnbng-oper_radius-dyn-auth'
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_head
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-oper_radius-dyn-auth_clients'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_head
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/ip-address

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_ip_address_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK

```



```

    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_ip-address'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
    data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_ip_address_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/clients-ip-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-req

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''

```

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_req_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-req'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_req_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-inprocess-req

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_inprocess_req_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-inprocess-req'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data

```

```

- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_inprocess_req_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-retry-req

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_retry_req_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-retry-req'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_retry_req_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-req

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_req_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-bad-req'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_req_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-bad-auth

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_auth_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address_coa-bad-auth'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_bad_auth_head
  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-internal-error**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_internal_error_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-internal-error'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'


```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_internal_error_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-ack

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_ack_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-ack'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_ack_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/clients-ip-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/coa-nak

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_nak_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_cnbng_oper_radius-dyn-auth_clients_clients-ip-address_coa-nak'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_coa_nak_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-req

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_req_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-req'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_req_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-inprocess-req

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_inprocess_req_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-inprocess-req'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_inprocess_req_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-retry-req

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_retry_req_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address_disc-retry-req'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address_disc_retry_req_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-req

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_bad_req_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/clients-ip-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-req'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_bad_req_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-bad-auth

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_bad_auth_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-auth'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_bad_auth_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-internal-error

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_internal_error_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-internal-error'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_internal_error_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-ack

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_ack_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/clients-ip-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_cnbng_oper_radius_dyn_auth_clients_clients-ip-address_disc-ack'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_ack_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/disc-nak

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_nak_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/clients-ip-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference: '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-nak'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_disc_nak_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/cnbng-oper:radius-dyn-auth/clients={clients-ip-address}/unknown-types

```

  get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_unknown_types_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_unknown-types'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_cnbng_oper_radius_dyn_auth_clients_clients_ip_address_unknown_types_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/clients-ip-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/cnbng-oper:test-radius

get:

```

Tags:
- data

```

```

- get
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_test_radius_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_cnbng-oper_test-radius'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_cnbng_oper_test_radius_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':

```


Reference: '#/responses/200'

security:

- **basicAuth:** []

Parameters:

Content:

name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Type: string

Format: enumeration

Default: config

enum:

- config
- nonconfig
- all

depth:

name: depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Type: integer

Format: uint16

fields:

name: fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Type: string

Format: string

filter:

name: filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Type: string

Format: string

with-defaults:

name: with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Type: string

Format: enumeration

Default: report-all

enum:

- report-all
- trim
- explicit
- report-all-tagged

insert:

name: insert

In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Type: string
Format: enumeration
Default: first
enum:
 - first
 - last
 - before
 - after

point:
name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Type: string
Format: string

acct-server-ip-port:
name: acct-server-ip-port
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

auth-server-ip-port:
name: auth-server-ip-port
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

clients-ip-address:
name: clients-ip-address
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

data-post:
name: data
In: body
Description: 'This module contains a operational YANG definitions
 for Cisco Cloud-Native BNG Control-Plane.
 Copyright (c) 2020 by Cisco Systems, Inc.
 All rights reserved.'
Required/Optional: true
Schema:
Reference: '#/definitions/data-post'

data-put-patch:
name: data
In: body
Description: 'This module contains a operational YANG definitions

for Cisco Cloud-Native BNG Control-Plane.
 Copyright (c) 2020 by Cisco Systems, Inc.
 All rights reserved.'

Required/Optional: true

Schema:

Reference: '#/definitions/data-put-patch'

Responses:

'200':

Description: OK

'201':

Description: Created

'204':

Description: No Content

'400':

Description: Bad Request

'401':

Description: Unauthorized

'404':

Description: Not Found

'405':

Description: Method Not Allowed

'409':

Description: Conflict

securityDefinitions:

basicAuth:

Type: basic

definitions:

data:

Type: object

Properties:

ietf-restconf:data:

Type: object

Description: This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.

x-yang:

Type: datastore

Properties: {}

data-post:

Type: object

Properties:

cnbng-oper:radius:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

auth-server:

Type: array

Description: (list)

x-yang:

```
Type: list
Items:
Type: object
Properties:
  ip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  requests:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  pending-requests:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
```

Format: uint32

requests-retransmits:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

accepts:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

Responses:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

rejects:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

timeouts:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

bad-responses:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

bad-authenticators:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

unknown-types:

- Description:** (leaf)
- x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32

dropped-responses:

- Description:** (leaf)

```

    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  rtt:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-type:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

```
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-oper:radius-dyn-auth:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    clients:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          coa-req:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
```



```
coa-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
  Type: integer
  Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-oper:test-radius:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'

```

```
Properties: {}
data-put-patch:
  Type: object
  Properties:
    ietf-restconf:data:
      Description: 'This module contains a operational YANG definitions
        for Cisco Cloud-Native BNG Control-Plane.
        Copyright (c) 2020 by Cisco Systems, Inc.
        All rights reserved.'
      Type: object
      x-yang:
        Type: datastore
      Properties:
        cnbng-oper:radius:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            auth-server:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                ip-port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                ip-address:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
                priority:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
```

```
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
```

```
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```
    Type: string
    Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

Responses:

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
cnbng-oper:radius-dyn-auth:
  Description: (non-presence)
  Type: object
  x-yang:
```

```
Type: container
is_presence: 'false'
Properties:
clients:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      ip-address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      coa-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-inprocess-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-retry-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-bad-req:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-bad-auth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      coa-internal-error:
        Description: (leaf)
        x-yang:
          Type: leaf
```



```
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-ack:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
    disc-nak:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  cnbng-oper:test-radius:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_cnbng-oper_radius:
  Type: object
  Properties:
    cnbng-oper:radius:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      auth-server:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            ip-port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            ip-address:
              Description: (leaf)
              x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
```

```
Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
acct-server:
  Type: array
  Description: (list)
```

```
x-yang:
  Type: list
Items:
  Type: object
Properties:
  ip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  ip-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  priority:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  requests:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  pending-requests:
    Description: (leaf)
    x-yang:
      Type: leaf
```

Type: integer
Format: uint32

requests-retransmits:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

accepts:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

Responses:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

rejects:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

timeouts:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

bad-responses:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

bad-authenticators:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

unknown-types:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

dropped-responses:

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      rtt:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
data_cnbng-oper_radius-dyn-auth:
Type: object
Properties:
  cnbng-oper:radius-dyn-auth:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      clients:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            ip-address:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            coa-req:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            coa-inprocess-req:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            coa-retry-req:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-bad-req:
```



```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients:
Type: object
Properties:
  cnbng-oper:clients:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip-address:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```
    Format: string
coa-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
disc-req:
  Description: (leaf)
```

```
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-inprocess-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-retry-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-bad-req:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-bad-auth:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-internal-error:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-ack:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
disc-nak:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
Format: uint32
unknown-types:
  Description: (leaf)
x-yang:
  Type: leaf
Type: integer
```

```

        Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address:
  Type: object
  Properties:
    cnbng-oper:clients:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip-address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          coa-req:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          coa-inprocess-req:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          coa-retry-req:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          coa-bad-req:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          coa-bad-auth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          coa-internal-error:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
  Type: integer
  Format: uint32
coa-ack:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
coa-nak:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-inprocess-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-retry-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-bad-req:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-bad-auth:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
disc-internal-error:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

```

    disc-ack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    disc-nak:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-ack:
  Type: object
  Properties:
    cnbng-oper:coa-ack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-bad-auth:
  Type: object
  Properties:
    cnbng-oper:coa-bad-auth:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-bad-req:
  Type: object
  Properties:
    cnbng-oper:coa-bad-req:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-inprocess-req:
  Type: object
  Properties:
    cnbng-oper:coa-inprocess-req:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-internal-error:
Type: object
Properties:
  cnbng-oper:coa-internal-error:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-nak:
Type: object
Properties:
  cnbng-oper:coa-nak:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-req:
Type: object
Properties:
  cnbng-oper:coa-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_coa-retry-req:
Type: object
Properties:
  cnbng-oper:coa-retry-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-ack:
Type: object
Properties:
  cnbng-oper:disc-ack:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-auth:
```

```
Type: object
Properties:
  cnbng-oper:disc-bad-auth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-bad-req:
Type: object
Properties:
  cnbng-oper:disc-bad-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-inprocess-req:
Type: object
Properties:
  cnbng-oper:disc-inprocess-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-internal-error:
Type: object
Properties:
  cnbng-oper:disc-internal-error:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-nak:
Type: object
Properties:
  cnbng-oper:disc-nak:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-req:
Type: object
Properties:
  cnbng-oper:disc-req:
    Description: (leaf)
    x-yang:
```



```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_disc-retry-req:
Type: object
Properties:
  cnbng-oper:disc-retry-req:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_ip-address:
Type: object
Properties:
  cnbng-oper:ip-address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius-dyn-auth_clients_clients-ip-address_unknown-types:
Type: object
Properties:
  cnbng-oper:unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server:
Type: object
Properties:
  cnbng-oper:acct-server:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        ip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        ip-address:
          Description: (leaf)
          x-yang:

```

```
    Type: leaf
  Type: string
  Format: string
port:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
```

```
Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
timeouts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
bad-authenticators:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
unknown-types:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
dropped-responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rtt:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port:
  Type: object
  Properties:
```

```
cnbnng-oper:acct-server:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    pending-requests:
```

Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

requests-retransmits:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

accepts:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

Responses:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

rejects:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

timeouts:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

bad-responses:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

bad-authenticators:
Description: (leaf)
x-yang:
 Type: leaf
Type: integer
Format: uint32

unknown-types:
Description: (leaf)
x-yang:
 Type: leaf

```

        Type: integer
        Format: uint32
    dropped-responses:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    rtt:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_accepts:
    Type: object
    Properties:
        cnbng-oper:accepts:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-authenticators:
    Type: object
    Properties:
        cnbng-oper:bad-authenticators:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_bad-responses:
    Type: object
    Properties:
        cnbng-oper:bad-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_dropped-responses:
    Type: object
    Properties:
        cnbng-oper:dropped-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: integer
                Format: uint32

```

```
data_cnbng-oper_radius_acct-server_acct-server-ip-port_ip-address:
  Type: object
  Properties:
    cnbng-oper:ip-address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_ip-port:
  Type: object
  Properties:
    cnbng-oper:ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_pending-requests:
  Type: object
  Properties:
    cnbng-oper:pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_port:
  Type: object
  Properties:
    cnbng-oper:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_port-type:
  Type: object
  Properties:
    cnbng-oper:port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_priority:
  Type: object
  Properties:
    cnbng-oper:priority:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_rejects:
  Type: object
  Properties:
    cnbng-oper:rejects:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests:
  Type: object
  Properties:
    cnbng-oper:requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_requests-retransmits:
  Type: object
  Properties:
    cnbng-oper:requests-retransmits:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_responses:
  Type: object
  Properties:
    cnbng-oper:responses:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_rtt:
  Type: object
  Properties:
    cnbng-oper:rtt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_status:
  Type: object
  Properties:

```



```
cnbng-oper:status:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_cnbng-oper_radius_acct-server_acct-server-ip-port_timeouts:
  Type: object
  Properties:
    cnbng-oper:timeouts:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_acct-server_acct-server-ip-port_unknown-types:
  Type: object
  Properties:
    cnbng-oper:unknown-types:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server:
  Type: object
  Properties:
    cnbng-oper:auth-server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          ip-port:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          ip-address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```
    Type: integer
    Format: uint32
priority:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
port-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
pending-requests:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
requests-retransmits:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
accepts:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32

Responses:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: integer
    Format: uint32
rejects:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  timeouts:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  bad-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  bad-authenticators:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  dropped-responses:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  rtt:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port:
  Type: object
  Properties:
    cnbng-oper:auth-server:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

Properties:

- ip-port:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- ip-address:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- port:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32
- priority:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32
- status:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- port-type:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- requests:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32
- pending-requests:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** integer
 - Format:** uint32
- requests-retransmits:**
 - Description:** (leaf)

```
x-yang:  
  Type: leaf  
Type: integer  
Format: uint32  
accepts:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
Responses:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
rejects:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
timeouts:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
bad-responses:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
bad-authenticators:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
unknown-types:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer  
  Format: uint32  
dropped-responses:  
  Description: (leaf)  
  x-yang:  
    Type: leaf  
  Type: integer
```

```

        Format: uint32
    rtt:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_accepts:
    Type: object
    Properties:
        cnbng-oper:accepts:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-authenticators:
    Type: object
    Properties:
        cnbng-oper:bad-authenticators:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_bad-responses:
    Type: object
    Properties:
        cnbng-oper:bad-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_dropped-responses:
    Type: object
    Properties:
        cnbng-oper:dropped-responses:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: integer
            Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-address:
    Type: object
    Properties:
        cnbng-oper:ip-address:
            Description: (leaf)
            x-yang:
                Type: leaf

```

```

    Type: string
    Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_ip-port:
  Type: object
  Properties:
    cnbng-oper:ip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_pending-requests:
  Type: object
  Properties:
    cnbng-oper:pending-requests:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_port:
  Type: object
  Properties:
    cnbng-oper:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_port-type:
  Type: object
  Properties:
    cnbng-oper:port-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_priority:
  Type: object
  Properties:
    cnbng-oper:priority:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_rejects:
  Type: object
  Properties:
    cnbng-oper:rejects:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests:
  Type: object
  Properties:
    cnbng-oper:requests:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_requests-retransmits:
  Type: object
  Properties:
    cnbng-oper:requests-retransmits:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_responses:
  Type: object
  Properties:
    cnbng-oper:responses:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_rtt:
  Type: object
  Properties:
    cnbng-oper:rtt:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_status:
  Type: object
  Properties:
    cnbng-oper:status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_cnbng-oper_radius_auth-server_auth-server-ip-port_timeouts:

```



```

Type: object
Properties:
  cnbng-oper:timeouts:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_radius_auth-server_auth-server-ip-port_unknown-types:
Type: object
Properties:
  cnbng-oper:unknown-types:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_cnbng-oper_test-radius:
Type: object
Properties:
  cnbng-oper:test-radius:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    x-yang:
      Type: operations
    Description: This resource is a container that provides access to the
data-model-specific
RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
    Properties: {}
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Type: object
    x-yang:
      Type: root
    Description: This is the RESTCONF root resource for the RESTCONF datastore
and operation resources. See RESTCONF RFC 8040 for further information.
    Properties:
      data:
        Type: object
        Properties: {}

```

```
    operations:
      Type: object
      Properties: {}
    yang-library-version:
      Type: string
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
        YANG module that is implemented by this server. See RESTCONF RFC 8040 for
        further information.
      x-yang:
        Type: leaf
      Properties: {}
```