



etcd

- [OpenAPI, on page 1](#)
- [Info, on page 1](#)
- [Servers, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)
- [Components, on page 138](#)

OpenAPI

OpenAPI Version: 3.0.1

Info

Title: cisco-smi-etcd
Description: ''
Version: '2022-03-16'

Servers

URL: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources

- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources
- **Name:** delete
Description: delete resources

Paths

/

get:

Tags:

- root
- get

Operation ID: root_get

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/root'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []

```

head:

```

Tags:
- root
- head
Operation ID: root_head

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/operations

get:

```

Tags:
- operations
- get
Operation ID: operations_get

```

```

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/operations'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```

security:
- basicAuth: []

```

/yang-library-version

get:

```

Tags:
- yang-library-version
- get
Operation ID: yang_library_version_get

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/yang-library-version'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- yang-library-version
- head
Operation ID: yang_library_version_head

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

/data

get:

Tags:

- data
- get

Operation ID: data_get**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data'**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data-put-patch'**Required/Optional:** true**Responses:****'201':****Description:** Created

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
Method: Post

Tags:
- data
- post
Operation ID: data_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data-post'
      Required/Optional: true

Responses:
  '201':
    Description: Created
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: data
head:

Tags:
- data
- head
Operation ID: data_head

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data-put-patch'
      Required/Optional: true

Responses:
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
x-codegen-request-body-name: data
```

/data/cisco-smi-etcd:etcd

get:

Tags:

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Operation ID: data_cisco_smi_etcd_etcd_put

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'

Required/Optional: true

Responses:

'201':
 Description: container etcd created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: etcd

Method: Post

Tags:

- data
- post

Operation ID: data_cisco_smi_etcd_etcd_post

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd-post'
 Required/Optional: true

Responses:

'201':
 Description: container etcd created
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: etcd
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
```

```
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'
      Required/Optional: true

Responses:
'204':
  Description: container etcd updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: etcd
```

/data/cisco-smi-etcd:etcd/repository

```
get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_repository_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cisco_smi_etcd_etcd_repository_put

Request Body:

Content:

- application/yang-data+json:**
 - Schema:**
 - Reference:** '#/components/schemas/data_cisco-smi-etcd_etcd_repository'

Required/Optional: true

Responses:

- '201':
 - Description:** leaf repository created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: repository
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_repository_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_repository_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_repository_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```


Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```

      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cisco_smi_etcd_etcd_repository_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf repository updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: repository

```

/data/cisco-smi-etcd:etcd/node-affinity

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_get

  Parameters:
    - Name: content
      In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Operation ID: data_cisco_smi_etcd_etcd_node_affinity_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'

Required/Optional: true

Responses:

'201':

Description: leaf node-affinity created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: node-affinity
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - config
  - nonconfig
  - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

```

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cisco_smi_etcd_etcd_node_affinity_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf node-affinity updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: node-affinity

```

/data/cisco-smi-etcd:etcd/replicas

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_replicas_get

  Parameters:
  - Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit


```
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID: data_cisco_smi_etcd_etcd_replicas_put

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
Required/Optional: true
```

Responses:

```
'201':
  Description: leaf replicas created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: replicas
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_replicas_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_replicas_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_replicas_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cisco_smi_etcd_etcd_replicas_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf replicas updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: replicas

```

/data/cisco-smi-etcd:etcd/volume

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_volume_get

  Parameters:
  - Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

```
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Operation ID: data_cisco_smi_etcd_etcd_volume_put
```

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
Required/Optional: true
```

Responses:

```
'201':
  Description: leaf volume created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: volume
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_volume_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_volume_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_volume_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:


```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cisco_smi_etcd_etcd_volume_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf volume updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: volume

```

/data/cisco-smi-etcd:etcd/backup

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_backup_get

  Parameters:
  - Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

```
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID: data_cisco_smi_etcd_etcd_backup_put

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup'
Required/Optional: true
```

Responses:

```
'201':
  Description: container backup created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: backup
Method: Post

Tags:
- data
- post
Operation ID: data_cisco_smi_etcd_etcd_backup_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup-post'
      Required/Optional: true

Responses:
'201':
  Description: container backup created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: backup

delete:

Tags:

- data
- delete

Operation ID: data_cisco_smi_etcd_etcd_backup_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cisco_smi_etcd_etcd_backup_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_backup_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cisco_smi_etcd_etcd_backup_patch

Request Body:

```

Content:
  application/yang-data+json:

```

```

    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup'
      Required/Optional: true

Responses:
  '204':
    Description: container backup updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: backup

```

/data/cisco-smi-etcd:etcd/backup/disable

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth

```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_disable'
'204':
  Description: No Content
  Content: {}

```



```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_disable'
    Required/Optional: true

Responses:
'201':
  Description: leaf disable created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

```

security:
- basicAuth: []
x-codegen-request-body-name: disable
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_backup_disable_patch
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_disable'
    Required/Optional: true

Responses:
  '204':
    Description: leaf disable updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable

```

/data/cisco-smi-etcd:etcd/backup/frequency

```

get:

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all

```

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_frequency'

  '204':
```

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_frequency'
      Required/Optional: true

Responses:
  '201':
    Description: leaf frequency created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

```
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
    x-codegen-request-body-name: frequency
  delete:

    Tags:
    - data
    - delete
    Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
    security:
    - basicAuth: []
  options:

    Tags:
    - data
    - options
    Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_options

  Responses:
  '200':
    Description: OK
    Content: {}
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
  - Name: depth
```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch

```


Operation ID: data_cisco_smi_etcd_etcd_backup_frequency_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_frequency'

Required/Optional: true

Responses:

'204':

Description: leaf frequency updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: frequency

/data/cisco-smi-etcd:etcd/monitoring

get:

Tags:

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_monitoring_get

Parameters:

- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**

```
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_monitoring_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring'
    Required/Optional: true

Responses:
'201':
  Description: container monitoring created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: monitoring
Method: Post

Tags:
- data
- post
Operation ID: data_cisco_smi_etcd_etcd_monitoring_post
Request Body:
  Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring-post'
    Required/Optional: true

Responses:
  '201':
    Description: container monitoring created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: monitoring
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_monitoring_delete

Responses:
```

```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_monitoring_options

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_monitoring_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_monitoring_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring'
      Required/Optional: true

Responses:
  '204':
    Description: container monitoring updated
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: monitoring

```

/data/cisco-smi-etcd:etcd/monitoring/enabled

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

```

- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_enabled'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found

```



```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_enabled'

Required/Optional: true

Responses:
'201':
  Description: leaf enabled created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enabled
delete:

Tags:
- data
- delete
```

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cisco_smi_etcd_etcd_monitoring_enabled_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_enabled'

Required/Optional: true

Responses:

```

'204':
  Description: leaf enabled updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enabled

```

/data/cisco-smi-etcd:etcd/monitoring/alerts

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts'

  Required/Optional: true

Responses:
  '201':
    Description: container alerts created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: alerts

```

Method: Post

Tags:

- data
- post

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts-post'

Required/Optional: true

Responses:

'201':

Description: container alerts created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: alerts

delete:

Tags:

- data
- delete

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts'

Required/Optional: true

Responses:
 '204':
 Description: container alerts updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: alerts

```

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'
        Required/Optional: true

Responses:
  '201':
    Description: container dbsize created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dbsize
Method: Post

Tags:
- data
- post
Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:

```

Reference:

```
'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'
```

Required/Optional: true

Responses:

'201':

Description: container dbsize created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: dbsize

delete:**Tags:**

- data
- delete

Operation ID: data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_options

Responses:

'200':

Description: OK

Content: {}

```
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
```

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'

Required/Optional: true

Responses:

'204':

Description: container dbsize updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: dbsize

```

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/major-alert-threshold

get:

Tags:

```

- data
- get

```

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```

- config
- nonconfig
- all

```

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form


```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

```

- put
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

  Required/Optional: true

Responses:
  '201':
    Description: leaf major-alert-threshold created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: major-alert-threshold
delete:

Tags:
- data
- delete
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:

```

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_options

Responses:

'200':

Description: OK**Content:** {}**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_head

Parameters:

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_major_alert_threshold_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'

Required/Optional: true

Responses:

'204':

Description: leaf major-alert-threshold updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: major-alert-threshold

```

/data/cisco-smi-etcd:etcd/monitoring/alerts/dbsize/critical-alert-threshold

get:

Tags:

- data
- get

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

Required/Optional: true

Responses:
'201':
  Description: leaf critical-alert-threshold created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: critical-alert-threshold
delete:

Tags:
- data
- delete
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_delete

```

Responses:**'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_options

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_head

Parameters:**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields


```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cisco_smi_etcd_etcd_monitoring_alerts_dbsize_critical_alert_threshold_patch
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf critical-alert-threshold updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: critical-alert-threshold

```

/data/cisco-smi-etcd:etcd/enable-daily-defragmentation

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
        Reference:
        '#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
      Required/Optional: true

Responses:
    '201':
      Description: leaf enable-daily-defragmentation created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []

```

x-codegen-request-body-name: enable-daily-defragmentation

delete:

Tags:

- data
- delete

Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

patch:

Tags:
  - data
  - patch
Operation ID: data_cisco_smi_etcd_etcd_enable_daily_defragmentation_patch
Request Body:
  Content:
    application/yang-data+json:

```

```

    Schema:
      Reference:
        '#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
      Required/Optional: true

  Responses:
    '204':
      Description: leaf enable-daily-defragmentation updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: enable-daily-defragmentation

```

/data/cisco-smi-etcd:etcd/daily-defragmentation-start-time

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_get

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config

```

```

- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
  '204':
    Description: No Content

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
    Required/Optional: true

Responses:
  '201':
    Description: leaf daily-defragmentation-start-time created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: daily-defragmentation-start-time
delete:

Tags:
- data
- delete
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
- config
- nonconfig
- all
    Default: config
- Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cisco_smi_etcd_etcd_daily_defragmentation_start_time_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'

Required/Optional: true

Responses:

'204':

Description: leaf daily-defragmentation-start-time updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: daily-defragmentation-start-time

/data/cisco-smi-etcd:etcd/storage-label

get:

Tags:

- data

- get

Operation ID: data_cisco_smi_etcd_etcd_storage_label_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

```
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

```

    Schema:
      Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_storage_label_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
      Required/Optional: true

Responses:
'201':
  Description: leaf storage-label created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: storage-label
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_storage_label_delete

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cisco_smi_etcd_etcd_storage_label_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cisco_smi_etcd_etcd_storage_label_head

Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
```

```

    - all
      Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```



```

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_storage_label_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
      Required/Optional: true

Responses:
'204':
  Description: leaf storage-label updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: storage-label

```

/data/cisco-smi-etcd:etcd/external-ip

options:

```

Tags:
- data
- options
Operation ID: data_cisco_smi_etcd_etcd_external_ip_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}

get:

Tags:

- data
- get

Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_get

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_put

```

Parameters:

```

- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form

```

```

    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

      Required/Optional: true

    Responses:
      '201':
        Description: list external-ip created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: external-ip
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_delete

    Parameters:
      - Name: external-ip-ip
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:

```

```

    Type: string
    Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_options

Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data

```

- head

Operation ID: data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_head

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_patch

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false


```

    Schema:
      Type: integer
      Format: uint16
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

    Required/Optional: true

  Responses:
    '204':
      Description: list external-ip updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: external-ip

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/ip

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_get

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults

```

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_put

Parameters:

- **Name:** external-ip-ip

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

    Required/Optional: true

Responses:
  '201':
    Description: leaf ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:

```

- data
- delete

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_delete

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_options

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer

Format: uint16

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_head

Parameters:

- **Name:** external-ip-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** external-ip-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint16

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_ip_patch

Parameters:
- Name: external-ip-ip
```

```
/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port
```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

    Required/Optional: true

Responses:
  '204':
    Description: leaf ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip

```

```
/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/port
```

```
get:
```


Tags:

- data
- get

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_get

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_put

  Parameters:
    - Name: external-ip-ip
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: union
    - Name: external-ip-port
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: integer
        Format: uint16
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf port created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port
delete:

Tags:
- data
- delete
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_delete

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_options

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_head

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:

```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_port_patch

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

Required/Optional: true

Responses:
'204':
  Description: leaf port updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port

```

/data/cisco-smi-etcd:etcd/external-ip={external-ip-ip},{external-ip-port}/label

get:

Tags:

- data
- get

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_get

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint16
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true


```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_put

  Parameters:
  - Name: external-ip-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: external-ip-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint16
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf label created or replaced
    Content: {}
  '204':
    Description: No Content

```

```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: label
delete:
```

Tags:

- data
- delete

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_delete

Parameters:

- **Name:** external-ip-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint16

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_options

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint16

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_head

Parameters:

- **Name:** external-ip-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** external-ip-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: integer
    Format: uint16
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cisco_smi_etcd_etcd_external_ip_external_ip_ip_external_ip_port_label_patch

Parameters:
- Name: external-ip-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: external-ip-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint16
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

    Required/Optional: true

Responses:
  '204':
    Description: leaf label updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: label

```

/data/cisco-smi-etcd:etcd/network-policy

get:

```

Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_network_policy_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':


```
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cisco_smi_etcd_etcd_network_policy_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy'
      Required/Optional: true

Responses:
  '201':
    Description: container network-policy created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: network-policy
Method: Post

Tags:
- data
- post
Operation ID: data_cisco_smi_etcd_etcd_network_policy_post
Request Body:
  Content:
```

application/yang-data+json:**Schema:****Reference:** '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy-post'**Required/Optional:** true**Responses:****'201':****Description:** container network-policy created**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** network-policy**delete:****Tags:****- data**
- delete**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_delete**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:****- data**
- options**Operation ID:** data_cisco_smi_etcd_etcd_network_policy_options**Responses:****'200':**

```
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cisco_smi_etcd_etcd_network_policy_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cisco_smi_etcd_etcd_network_policy_patch

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy'

Required/Optional: true

Responses:

'204':
 Description: container network-policy updated
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: network-policy
```

/data/cisco-smi-etcd:etcd/network-policy/enable

get:

```
Tags:
- data
- get
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy_enable'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data

```

```
- put
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy_enable'

  Required/Optional: true

Responses:
  '201':
    Description: leaf enable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enable
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
```

Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form


```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cisco_smi_etcd_etcd_network_policy_enable_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy_enable'

    Required/Optional: true

Responses:
  '204':
    Description: leaf enable updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: enable

```

Components

```

schemas:
  data:
    Type: object
    Properties:
      ietf-restconf:data:
        Type: object
        Properties: {}
        Description: This resource represents the combined configuration and state
          data resources that can be accessed by a client and cannot be created
          or deleted by the client. See RESTCONF RFC 8040 for further information.
        x-yang:
          Type: datastore
      data-post:
        Type: object
        Properties:
          cisco-smi-etcd:etcd:
            Reference: '#/components/schemas/datapost_ciscosmietcdetcd'
      data-put-patch:
        Type: object
        Properties:
          ietf-restconf:data:
            Reference: '#/components/schemas/dataputpatch_ietfrestconfdata'
      data_cisco-smi-etcd_etcd:
        Type: object
        Properties:
          cisco-smi-etcd:etcd:
            Reference: '#/components/schemas/datapost_ciscosmietcdetcd'
      data_cisco-smi-etcd_etcd-post:
        Type: object
        Properties:
          cisco-smi-etcd:repository:
            Type: string
            Description: (leaf)
            format: leafref
          x-yang:
            Type: leaf
          cisco-smi-etcd:node-affinity:

```

```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cisco-smi-etcd:replicas:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cisco-smi-etcd:volume:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cisco-smi-etcd:backup:
    Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_backup'
  cisco-smi-etcd:monitoring:
    Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_monitoring'
  cisco-smi-etcd:enable-daily-defragmentation:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
  cisco-smi-etcd:daily-defragmentation-start-time:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cisco-smi-etcd:storage-label:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cisco-smi-etcd:external-ip:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_externalip'
    x-yang:
      Type: list
  cisco-smi-etcd:network-policy:
    Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_networkpolicy'
data_cisco-smi-etcd_etcd_backup:
  Type: object
  Properties:

```

```

    cisco-smi-etcd:backup:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_backup'
data_cisco-smi-etcd_etcd_backup-post:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
    cisco-smi-etcd:frequency:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_backup_disable:
  Type: object
  Properties:
    cisco-smi-etcd:disable:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_backup_frequency:
  Type: object
  Properties:
    cisco-smi-etcd:frequency:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  Type: object
  Properties:
    cisco-smi-etcd:daily-defragmentation-start-time:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
  Type: object
  Properties:
    cisco-smi-etcd:enable-daily-defragmentation:
      Type: string
      Description: (leaf)
      format: boolean

```

```

    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
  Type: object
  Properties:
    cisco-smi-etcd:external-ip:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_ciscosmietetcdetcd_externalip'
        x-yang:
          Type: list
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:
  Type: object
  Properties:
    cisco-smi-etcd:ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:
  Type: object
  Properties:
    cisco-smi-etcd:label:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:
  Type: object
  Properties:
    cisco-smi-etcd:port:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_monitoring:
  Type: object
  Properties:
    cisco-smi-etcd:monitoring:
      Reference: '#/components/schemas/datapost_ciscosmietetcdetcd_monitoring'
data_cisco-smi-etcd_etcd_monitoring-post:
  Type: object
  Properties:
    cisco-smi-etcd:enabled:

```

```

    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
  cisco-smi-etcd:alerts:
    Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_monitoring_alerts'
data_cisco-smi-etcd_etcd_monitoring_alerts:
  Type: object
  Properties:
    cisco-smi-etcd:alerts:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_monitoring_alerts'
data_cisco-smi-etcd_etcd_monitoring_alerts-post:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_monitoring_alerts_dbsize'

data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
  Type: object
  Properties:
    cisco-smi-etcd:dbsize:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_monitoring_alerts_dbsize'

data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
  Type: object
  Properties:
    cisco-smi-etcd:major-alert-threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cisco-smi-etcd:critical-alert-threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf

data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
  Type: object
  Properties:
    cisco-smi-etcd:critical-alert-threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:

```

```
Type: object
Properties:
  cisco-smi-etcd:major-alert-threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_monitoring_enabled:
Type: object
Properties:
  cisco-smi-etcd:enabled:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_network-policy:
Type: object
Properties:
  cisco-smi-etcd:network-policy:
    Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_networkpolicy'
data_cisco-smi-etcd_etcd_network-policy-post:
Type: object
Properties:
  cisco-smi-etcd:enable:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_network-policy_enable:
Type: object
Properties:
  cisco-smi-etcd:enable:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_node-affinity:
Type: object
Properties:
  cisco-smi-etcd:node-affinity:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_replicas:
Type: object
```

```

Properties:
  cisco-smi-etcd:replicas:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_repository:
Type: object
Properties:
  cisco-smi-etcd:repository:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_storage-label:
Type: object
Properties:
  cisco-smi-etcd:storage-label:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cisco-smi-etcd_etcd_volume:
Type: object
Properties:
  cisco-smi-etcd:volume:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
operations:
Type: object
Properties:
  ietf-restconf:operations:
    Type: object
    Properties: {}
    Description: This resource is a container that provides access to the
data-model-specific
    RPC operations supported by the server. See RESTCONF RFC 8040 for further
    information.
    x-yang:
      Type: operations
root:
Type: object
Properties:
  ietf-restconf:restconf:
    Reference: '#/components/schemas/root_ietfrestconfrestconf'
yang-library-version:

```



```

Type: object
Properties:
  ietf-restconf:yang-library-version:
    Type: object
    Properties: {}
    Description: This leaf identifies the revision date of the 'ietf-yang-library'
      YANG module that is implemented by this server. See RESTCONF RFC 8040
      for further information.
    x-yang:
      Type: leaf
datapost_ciscosmiectdetcd_backup:
Type: object
Properties:
  disable:
    Type: string
    Description: (leaf)
    format: boolean
    x-yang:
      Type: leaf
  frequency:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
  example: null
datapost_ciscosmiectdetcd_monitoring_alerts_dbsize:
Type: object
Properties:
  major-alert-threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  critical-alert-threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
  example: null
datapost_ciscosmiectdetcd_monitoring_alerts:
Type: object
Properties:
  dbsize:
    Reference: '#/components/schemas/datapost_ciscosmiectdetcd_monitoring_alerts_dbsize'

Description: (non-presence)
example: null

```

```

datapost_ciscosmiectdetcd_monitoring:
  Type: object
  Properties:
    enabled:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
    alerts:
      Reference: '#/components/schemas/datapost_ciscosmiectdetcd_monitoring_alerts'
  Description: (non-presence)
  example: null
datapost_ciscosmiectdetcd_externalip:
  Type: object
  Properties:
    ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
    port:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
    label:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  example: null
datapost_ciscosmiectdetcd_networkpolicy:
  Type: object
  Properties:
    enable:
      Type: string
      Description: (leaf)
      format: boolean
      x-yang:
        Type: leaf
  Description: (presence)
  example: null
datapost_ciscosmiectdetcd:
  Type: object
  Properties:
    repository:
      Type: string

```

```
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
node-affinity:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
replicas:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
volume:
  Type: integer
  Description: (leaf)
  format: byte
  x-yang:
    Type: leaf
backup:
  Reference: '#/components/schemas/datapost_ciscosmietcdetcd_backup'
monitoring:
  Reference: '#/components/schemas/datapost_ciscosmietcdetcd_monitoring'
enable-daily-defragmentation:
  Type: string
  Description: (leaf)
  format: boolean
  x-yang:
    Type: leaf
daily-defragmentation-start-time:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
storage-label:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
external-ip:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_ciscosmietcdetcd_externalip'
  x-yang:
    Type: list
```

```

    network-policy:
      Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd_networkpolicy'
      Description: (non-presence)
      example: null
  dataputpatch_ietfrestconfdata:
    Type: object
    Properties:
      cisco-smi-etcd:etcd:
        Reference: '#/components/schemas/datapost_ciscosmi-etcd-etcd'
        Description: ''
        example: null
  root_ietfrestconfrestconf:
    Type: object
    Properties:
      data:
        Type: object
        Properties: {}
      operations:
        Type: object
        Properties: {}
      yang-library-version:
        Type: string
    Description: This is the RESTCONF root resource for the RESTCONF datastore and
      operation resources. See RESTCONF RFC 8040 for further information.
    example: null
  responses:
    '200':
      Description: OK
      content: {}
    '201':
      Description: Created
      content: {}
    '204':
      Description: No Content
      content: {}
    '400':
      Description: Bad Request
      content: {}
    '401':
      Description: Unauthorized
      content: {}
    '404':
      Description: Not Found
      content: {}
    '405':
      Description: Method Not Allowed
      content: {}
    '409':
      Description: Conflict
      content: {}
  parameters:
    content:

```

```
name: content
in: query
Description: controlling descendant nodes in response
Required: false
style: form
explode: true
schema:
  Type: string
  format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
depth:
  name: depth
  in: query
  Description: limit the depth of nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: integer
    format: uint16
fields:
  name: fields
  in: query
  Description: optionally identify specific data nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
filter:
  name: filter
  in: query
  Description: xpath expression to filter data nodes in response
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
with-defaults:
  name: with-defaults
  in: query
  Description: controlling default values in response
  Required: false
  style: form
  explode: true
  schema:
```

```
    Type: string
    format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all
insert:
  name: insert
  in: query
  Description: controlling the order when adding new list elements
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
point:
  name: point
  in: query
  Description: used to specify the insertion point
  Required: false
  style: form
  explode: true
  schema:
    Type: string
    format: string
external-ip-ip:
  name: external-ip-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
external-ip-port:
  name: external-ip-port
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: uint16
requestBodies:
```

```
data-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-post'
  Required: true
data-put-patch:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data-put-patch'
  Required: true
data_cisco-smi-etcd_etcd:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd'
  Required: true
data_cisco-smi-etcd_etcd-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd-post'
  Required: true
data_cisco-smi-etcd_etcd_backup:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup'
  Required: true
data_cisco-smi-etcd_etcd_backup-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup-post'
  Required: true
data_cisco-smi-etcd_etcd_backup_disable:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_disable'
  Required: true
data_cisco-smi-etcd_etcd_backup_frequency:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_backup_frequency'
  Required: true
data_cisco-smi-etcd_etcd_daily-defragmentation-start-time:
  content:
    application/yang-data+json:
      schema:
        Reference:
```

```

'#/components/schemas/data_cisco-smi-etcd_etcd_daily-defragmentation-start-time'
  Required: true
  data_cisco-smi-etcd_etcd_enable-daily-defragmentation:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_enable-daily-defragmentation'
  Required: true
  data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port'

  Required: true
  data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_ip'

  Required: true

  data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_label'

  Required: true
  data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cisco-smi-etcd_etcd_external-ip_external-ip-ip_external-ip-port_port'

  Required: true
  data_cisco-smi-etcd_etcd_monitoring:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring'
  Required: true
  data_cisco-smi-etcd_etcd_monitoring-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring-post'

```



```

    Required: true
  data_cisco-smi-etcd_etcd_monitoring_alerts:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts'
    Required: true
  data_cisco-smi-etcd_etcd_monitoring_alerts-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts-post'

    Required: true
  data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize'
    Required: true
  data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize-post'
    Required: true

  data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_critical-alert-threshold'
    Required: true
  data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_alerts_dbsize_major-alert-threshold'
    Required: true
  data_cisco-smi-etcd_etcd_monitoring_enabled:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_monitoring_enabled'
    Required: true
  data_cisco-smi-etcd_etcd_network-policy:
    content:

```

```

    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy'
      Required: true
  data_cisco-smi-etcd_etcd_network-policy-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy-post'

      Required: true
  data_cisco-smi-etcd_etcd_network-policy_enable:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_network-policy_enable'

      Required: true
  data_cisco-smi-etcd_etcd_node-affinity:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_node-affinity'
      Required: true
  data_cisco-smi-etcd_etcd_replicas:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_replicas'
      Required: true
  data_cisco-smi-etcd_etcd_repository:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_repository'
      Required: true
  data_cisco-smi-etcd_etcd_storage-label:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_storage-label'
      Required: true
  data_cisco-smi-etcd_etcd_volume:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cisco-smi-etcd_etcd_volume'
      Required: true
  securitySchemes:
    basicAuth:
      Type: http
      scheme: basic

```